

AJAX ADVANCE NAILING SYSTEM

AJAX ADVANCE NAILING SYSTEM



edition
2023

 **Auxein®**

about us

Auxein Medical is an integrated, research based, orthopaedic Implants & instruments manufacturing company, producing a wide range of quality, affordable generic implants, trusted by healthcare professionals and patients across geographies. It is the Company's constant endeavor to provide a wide basket of generic and our innovator products that exceed the highest expectations of customers in term of quality and safety. The company has world-class manufacturing unit established in india and serves customers in over 75 countries worldwide.

Our Achievements



Orthopaedic Implants

130° AJAX Advance Nail, Short, Titanium

		STERILE	
Dia	Length	Sterile	Non-Sterile
9mm	170mm	TI-6085S-09-170-S	TI-6085S-09-170
9mm	200mm	TI-6085S-09-200-S	TI-6085S-09-200
9mm	240mm	TI-6085S-09-240-S	TI-6085S-09-240
10mm	170mm	TI-6085S-10-170-S	TI-6085S-10-170
10mm	200mm	TI-6085S-10-200-S	TI-6085S-10-200
10mm	240mm	TI-6085S-10-240-S	TI-6085S-10-240
11mm	170mm	TI-6085S-11-170-S	TI-6085S-11-170
11mm	200mm	TI-6085S-11-200-S	TI-6085S-11-200
11mm	240mm	TI-6085S-11-240-S	TI-6085S-11-240
12mm	170mm	TI-6085S-12-170-S	TI-6085S-12-170
12mm	200mm	TI-6085S-12-200-S	TI-6085S-12-200
12mm	240mm	TI-6085S-12-240-S	TI-6085S-12-240

Short



130° AJAX Advance Nail, Long, Left
STERILE


Dia	Length	Sterile	Non- Sterile
9mm	260mm	TI-6085L-09-260L-S	TI-6085L-09-260L
9mm	280mm	TI-6085L-09-280L-S	TI-6085L-09-280L
9mm	300mm	TI-6085L-09-300L-S	TI-6085L-09-300L
9mm	320mm	TI-6085L-09-320L-S	TI-6085L-09-320L
9mm	340mm	TI-6085L-09-340L-S	TI-6085L-09-340L
9mm	360mm	TI-6085L-09-360L-S	TI-6085L-09-360L
9mm	380mm	TI-6085L-09-380L-S	TI-6085L-09-380L
9mm	400mm	TI-6085L-09-400L-S	TI-6085L-09-400L
9mm	420mm	TI-6085L-09-420L-S	TI-6085L-09-420L
10mm	260mm	TI-6085L-10-260L-S	TI-6085L-10-260L
10mm	280mm	TI-6085L-10-280L-S	TI-6085L-10-280L
10mm	300mm	TI-6085L-10-300L-S	TI-6085L-10-300L
10mm	320mm	TI-6085L-10-320L-S	TI-6085L-10-320L
10mm	340mm	TI-6085L-10-340L-S	TI-6085L-10-340L
10mm	360mm	TI-6085L-10-360L-S	TI-6085L-10-360L
10mm	380mm	TI-6085L-10-380L-S	TI-6085L-10-380L
10mm	400mm	TI-6085L-10-400L-S	TI-6085L-10-400L
10mm	420mm	TI-6085L-10-420L-S	TI-6085L-10-420L
11mm	260mm	TI-6085L-11-260L-S	TI-6085L-11-260L
11mm	280mm	TI-6085L-11-280L-S	TI-6085L-11-280L
11mm	300mm	TI-6085L-11-300L-S	TI-6085L-11-300L
11mm	320mm	TI-6085L-11-320L-S	TI-6085L-11-320L
11mm	340mm	TI-6085L-11-340L-S	TI-6085L-11-340L
11mm	360mm	TI-6085L-11-360L-S	TI-6085L-11-360L
11mm	380mm	TI-6085L-11-380L-S	TI-6085L-11-380L
11mm	400mm	TI-6085L-11-400L-S	TI-6085L-11-400L
11mm	420mm	TI-6085L-11-420L-S	TI-6085L-11-420L
12mm	260mm	TI-6085L-12-260L-S	TI-6085L-12-260L
12mm	280mm	TI-6085L-12-280L-S	TI-6085L-12-280L
12mm	300mm	TI-6085L-12-300L-S	TI-6085L-12-300L
12mm	320mm	TI-6085L-12-320L-S	TI-6085L-12-320L
12mm	340mm	TI-6085L-12-340L-S	TI-6085L-12-340L
12mm	360mm	TI-6085L-12-360L-S	TI-6085L-12-360L
12mm	380mm	TI-6085L-12-380L-S	TI-6085L-12-380L
12mm	400mm	TI-6085L-12-400L-S	TI-6085L-12-400L
12mm	420mm	TI-6085L-12-420L-S	TI-6085L-12-420L

Long



Left

130° AJAX Advance Nail, Long, Right
STERILE


Long

Dia	Length	Sterile	Non- Sterile
9mm	260mm	TI-6085L-09-260R-S	TI-6085L-09-260R
9mm	280mm	TI-6085L-09-280R-S	TI-6085L-09-280R
9mm	300mm	TI-6085L-09-300R-S	TI-6085L-09-300R
9mm	320mm	TI-6085L-09-320R-S	TI-6085L-09-320R
9mm	340mm	TI-6085L-09-340R-S	TI-6085L-09-340R
9mm	360mm	TI-6085L-09-360R-S	TI-6085L-09-360R
9mm	380mm	TI-6085L-09-380R-S	TI-6085L-09-380R
9mm	400mm	TI-6085L-09-400R-S	TI-6085L-09-400R
9mm	420mm	TI-6085L-09-420R-S	TI-6085L-09-420R
10mm	260mm	TI-6085L-10-260R-S	TI-6085L-10-260R
10mm	280mm	TI-6085L-10-280R-S	TI-6085L-10-280R
10mm	300mm	TI-6085L-10-300R-S	TI-6085L-10-300R
10mm	320mm	TI-6085L-10-320R-S	TI-6085L-10-320R
10mm	340mm	TI-6085L-10-340R-S	TI-6085L-10-340R
10mm	360mm	TI-6085L-10-360R-S	TI-6085L-10-360R
10mm	380mm	TI-6085L-10-380R-S	TI-6085L-10-380R
10mm	400mm	TI-6085L-10-400R-S	TI-6085L-10-400R
10mm	420mm	TI-6085L-10-420R-S	TI-6085L-10-420R
11mm	260mm	TI-6085L-11-260R-S	TI-6085L-11-260R
11mm	280mm	TI-6085L-11-280R-S	TI-6085L-11-280R
11mm	300mm	TI-6085L-11-300R-S	TI-6085L-11-300R
11mm	320mm	TI-6085L-11-320R-S	TI-6085L-11-320R
11mm	340mm	TI-6085L-11-340R-S	TI-6085L-11-340R
11mm	360mm	TI-6085L-11-360R-S	TI-6085L-11-360R
11mm	380mm	TI-6085L-11-380R-S	TI-6085L-11-380R
11mm	400mm	TI-6085L-11-400R-S	TI-6085L-11-400R
11mm	420mm	TI-6085L-11-420R-S	TI-6085L-11-420R
12mm	260mm	TI-6085L-12-260R-S	TI-6085L-12-260R
12mm	280mm	TI-6085L-12-280R-S	TI-6085L-12-280R
12mm	300mm	TI-6085L-12-300R-S	TI-6085L-12-300R
12mm	320mm	TI-6085L-12-320R-S	TI-6085L-12-320R
12mm	340mm	TI-6085L-12-340R-S	TI-6085L-12-340R
12mm	360mm	TI-6085L-12-360R-S	TI-6085L-12-360R
12mm	380mm	TI-6085L-12-380R-S	TI-6085L-12-380R
12mm	400mm	TI-6085L-12-400R-S	TI-6085L-12-400R
12mm	420mm	TI-6085L-12-420R-S	TI-6085L-12-420R




Right

4.9mm Locking Bolt for AJAX Nail, Self-Tapping

STERILE



Length	Sterile	Non- Sterile
26mm	TI-6085-01-026-S	TI-6085-01-026
28mm	TI-6085-01-028-S	TI-6085-01-028
30mm	TI-6085-01-030-S	TI-6085-01-030
32mm	TI-6085-01-032-S	TI-6085-01-032
34mm	TI-6085-01-034-S	TI-6085-01-034
36mm	TI-6085-01-036-S	TI-6085-01-036
38mm	TI-6085-01-038-S	TI-6085-01-038
40mm	TI-6085-01-040-S	TI-6085-01-040
42mm	TI-6085-01-042-S	TI-6085-01-042
44mm	TI-6085-01-044-S	TI-6085-01-044
46mm	TI-6085-01-046-S	TI-6085-01-046
48mm	TI-6085-01-048-S	TI-6085-01-048
50mm	TI-6085-01-050-S	TI-6085-01-050
52mm	TI-6085-01-052-S	TI-6085-01-052
54mm	TI-6085-01-054-S	TI-6085-01-054
56mm	TI-6085-01-056-S	TI-6085-01-056
58mm	TI-6085-01-058-S	TI-6085-01-058
60mm	TI-6085-01-060-S	TI-6085-01-060
62mm	TI-6085-01-062-S	TI-6085-01-062
64mm	TI-6085-01-064-S	TI-6085-01-064
66mm	TI-6085-01-066-S	TI-6085-01-066
68mm	TI-6085-01-068-S	TI-6085-01-068
70mm	TI-6085-01-070-S	TI-6085-01-070
72mm	TI-6085-01-072-S	TI-6085-01-072
74mm	TI-6085-01-074-S	TI-6085-01-074
76mm	TI-6085-01-076-S	TI-6085-01-076
78mm	TI-6085-01-078-S	TI-6085-01-078
80mm	TI-6085-01-080-S	TI-6085-01-080
85mm	TI-6085-01-085-S	TI-6085-01-085
90mm	TI-6085-01-090-S	TI-6085-01-090
95mm	TI-6085-01-095-S	TI-6085-01-095
100mm	TI-6085-01-100-S	TI-6085-01-100



AJAX Blade, Titanium

STERILE


Length	Sterile	Non-Sterile
75mm	TI-6085-02-075-S	TI-6085-02-075
80mm	TI-6085-02-080-S	TI-6085-02-080
85mm	TI-6085-02-085-S	TI-6085-02-085
90mm	TI-6085-02-090-S	TI-6085-02-090
95mm	TI-6085-02-095-S	TI-6085-02-095
100mm	TI-6085-02-100-S	TI-6085-02-100
105mm	TI-6085-02-105-S	TI-6085-02-105
110mm	TI-6085-02-110-S	TI-6085-02-110
115mm	TI-6085-02-115-S	TI-6085-02-115
120mm	TI-6085-02-120-S	TI-6085-02-120




AJAX Nail End Cap (For AJAX Blade), Titanium


STERILE


Length	Sterile	Non- Sterile
0mm	TI-6085-03-000-S	TI-6085-03-000
5mm	TI-6085-03-005-S	TI-6085-03-005
10mm	TI-6085-03-010-S	TI-6085-03-010
15mm	TI-6085-03-015-S	TI-6085-03-015




1-015-01L Implant Box for AJAX Nail with Blade (Left)



Tray 1



Type	Item	Dia	Length	Qty
Short	130° AJAX Advance Nail	Ø9mm	170mm to 240mm	1pcs
Long	130° AJAX Advance Nail	Ø9mm	260mm to 420mm	1pcs

Stainless Steel or Titanium Implants can be placed as per requirement

Tray 2



Type	Item	Dia	Length	Qty
Short	130° AJAX Advance Nail	Ø10mm	170mm to 240mm	1pcs
Long	130° AJAX Advance Nail	Ø10mm	260mm to 420mm	1pcs

Stainless Steel or Titanium Implants can be placed as per requirement

Tray 3


Type	Item	Dia	Length	Qty
Short	130° AJAX Advance Nail	Ø11mm	170mm to 240mm	1pcs
Long	130° AJAX Advance Nail	Ø11mm	260mm to 420mm	1pcs

Stainless Steel or Titanium Implants can be placed as per requirement

Tray 4


Type	Item	Dia	Length	Qty
Short	130° AJAX Advance Nail	Ø12mm	170mm to 240mm	1pcs
Long	130° AJAX Advance Nail	Ø12mm	260mm to 420mm	1pcs

Stainless Steel or Titanium Implants can be placed as per requirement



Ø4.9mm Locking Bolt for AJAX Nail, Self-Tapping

Dia	Length	Qty
Ø4.9mm	26mm to 100mm	3pcs

*Stainless Steel or Titanium Implants
can be placed as per requirement*



AJAX Blade


Length	Qty
75mm to 120mm	1pcs


AJAX Nail End Cap (For Ajax Blade)

Length	Qty
0mm to 15mm	2pcs

*Stainless Steel or Titanium Implants
can be placed as per requirement*


1-015-01R Implant Box for AJAX Nail with Blade (Right)



Tray 1



Type	Item	Dia	Length	Qty
Short	130° AJAX Advance Nail	Ø9mm	170mm to 240mm	1pcs
Long	130° AJAX Advance Nail	Ø9mm	260mm to 420mm	1pcs

Stainless Steel or Titanium Implants can be placed as per requirement

Tray 2



Type	Item	Dia	Length	Qty
Short	130° AJAX Advance Nail	Ø10mm	170mm to 240mm	1pcs
Long	130° AJAX Advance Nail	Ø10mm	260mm to 420mm	1pcs

Stainless Steel or Titanium Implants can be placed as per requirement

Tray 3


Type	Item	Dia	Length	Qty
Short	130° AJAX Advance Nail	Ø11mm	170mm to 240mm	1pcs
Long	130° AJAX Advance Nail	Ø11mm	260mm to 420mm	1pcs

Stainless Steel or Titanium Implants can be placed as per requirement

Tray 4


Type	Item	Dia	Length	Qty
Short	130° AJAX Advance Nail	Ø12mm	170mm to 240mm	1pcs
Long	130° AJAX Advance Nail	Ø12mm	260mm to 420mm	1pcs

Stainless Steel or Titanium Implants can be placed as per requirement



Ø4.9mm Locking Bolt for AJAX Nail, Self-Tapping

Dia	Length	Qty
Ø4.9mm	26mm to 100mm	3pcs

*Stainless Steel or Titanium Implants
can be placed as per requirement*



AJAX Blade

Length	Qty
75mm to 120mm	1pcs

AJAX Nail End Cap (For Ajax Blade)

Length	Qty
0mm to 15mm	2pcs


*Stainless Steel or Titanium Implants
can be placed as per requirement*

AJAX
Advance Nailing
Instruments
Short Targeting Device

AJAX-001 Radiographic Ruler for AJAX Advance Nail



AJAX-002 T-Handle Quick Coupling (For Flexible Shaft/Entry Reamer/Proximal Cortex Cannulated Drill/ Reamer For AJAX Blade)



AJAX-003 Entry Reamer Ø17mm for AJAX Advance Nail



AJAX-004 Cannulated Awl for AJAX Advance Nail



AJAX-005 Tissue Protector for AJAX Advance Nail



AJAX-006 Nail Holding Bolt for AJAX Advance Nail



AJAX-007

Key for AJAX Blade


AJAX-008

Slotted Hammer for AJAX Advance Nail


AJAX-009

Distal Targeting Device for Short AJAX Advance Nail


AJAX-009-01

Bolt for Distal Targeting Device for Short AJAX Advance Nail


AJAX-010

Guide Wire with Threaded Tip Ø3.2mm x Thread Length 10mm X Length 400mm


AJAX-011

Guide Wire Ø3.2mm x Length 400mm



AJAX-012 Proximal Cortex Cannulated Drill Ø10.5mm for AJAX Advance Nail



AJAX-013 Reamer Ø10.5mm for AJAX Blade



AJAX-014 Extraction Screw for AJAX Blade



AJAX-015 Impactor for AJAX Blade



AJAX-016 Hammer Guide for Slotted Hammer M8



AJAX-017 Combination Wrench 11mm for AJAX Advance Nail



AJAX-018-130 130° Proximal Targeting Device for AJAX Advance Nail



AJAX-018-130-01 Bolt for 130° Proximal Targeting Device for AJAX Advance Nail



AJAX-019 Drill Bit Plain Shank/Jacob Chuck End Ø4.0mm x Length 300mm for AJAX Advance Nail



AJAX-020 Stopper for Ø4.0mm Drill Bit - AJAX Advance Nail



AJAX-021 Allen Key, Hex 3mm for AJAX Advance Nail



AJAX-022 Screwdriver, Hex 3.5mm for AJAX Advance Nail



AJAX-023 Guide Wire With Hook Ø2.8mm x Length 460mm



AJAX-024 Cleaning Stylet Ø2.8mm for AJAX Advance Nail



AJAX-025 Guide Wire Introducer for AJAX Advance Nail



AJAX-026 Entry Reamer Protection Sleeve 20/17mm for AJAX Advance Nail



AJAX-027 Entry Reamer Guide Wire Sleeve 17/3.2mm for AJAX Advance Nail



AJAX-028 Aiming Jig For Anti Rotation Wire




AJAX-029

Flexible Reaming Shaft Jacob End for AJAX Advance Nail


Reamer Head

Code	Dia
AJAX-030	8.5mm
AJAX-031	9.0mm
AJAX-032	9.5mm
AJAX-033	10.0mm
AJAX-034	10.5mm
AJAX-035	11.0mm
AJAX-036	11.5mm
AJAX-037	12.0mm


AJAX-038

Quick Coupling Handle (For Flexible Shaft/Entry Reamer/Proximal Cortex Cannulated Drill/ Reamer For AJAX Blade)


AJAX-039

Compression Instrument for AJAX Blade



AJAX-040 Insertion Handle for AJAX Advance Nail



AJAX-041 Protection Sleeve for AJAX Advance Nail



AJAX-042 Cannulated Trocar Sleeve Ø10.9/3.2mm for AJAX Blade



AJAX-043 Trocar Ø3.2mm for AJAX Blade



AJAX-044 Insertion Handle Connector for AJAX Advance Nail



AJAX-045 Spherical Head Screwdriver, Hex 4.0mm for AJAX Advance Nail



AJAX-046 Aiming Jig Drill Sleeve for Anti-Rotation Wire



AJAX-047 Protection Sleeve Ø11/8mm for AJAX Advance Nail



AJAX-048 Drill Sleeve Ø8/4mm for AJAX Advance Nail



AJAX-049 Trocar Ø4.0mm for AJAX Advance Nail



AJAX-050 Direct Measuring Device for Guide Wire - AJAX Advance Nail



AJAX-051 Pin Wrench Ø4.0mm for AJAX Advance Nail



AJAX-052 Cannulated Driver Ø4.0mm for AJAX Nail End Cap



AJAX-053 Measuring Device for Locking Bolt upto 100mm - AJAX Advance Nail



AJAX-054 Reduction Instrument for AJAX Advance Nail



AJAX-055 Driver for Nail Holding Bolt - AJAX Advance Nail



7-026-15 Guide Wire Without Ball Tip Ø2.5mm x Length 1000mm - Nitinol, for AJAX Advance Nail



7-026-18 Guide Wire With Ball Tip Ø2.5/3.65mm x Length 1000mm - Nitinol, for AJAX Advance Nail






7-026-19

Curved Awl- Ø9.5-Ø5.6mm for AJAX Advanced Nail





AJAX-057

Instrument Trays for AJAX Advance Nailing Instrument Set (Short Targeting Device)


AJAX-056

Container with PPSU Lid for AJAX Advance Nailing Instrument Set (Short Targeting Device)



AJAX-000 AJAX Advance Nailing Instrument Set (Short Targeting device)


AJAX-000 AJAX Advance Nailing Instrument Set (Short Targeting device)

Code	Set Consisting of	Units
AJAX-001	Radiographic Ruler	1
AJAX-002	T-Handle Quick Coupling (For Flexible Shaft/Entry Reamer/Proximal Cortex Cannulated Drill/ Reamer For AJAX Blade)	1
AJAX-003	Entry Reamer Ø17mm	1
AJAX-004	Cannulated Awl	1
AJAX-005	Tissue Protector	1
AJAX-006	Nail Holding Bolt For AJAX Nail	2
AJAX-007	Key For AJAX Blade	1
AJAX-008	Slotted Hammer	1
AJAX-009	Distal Targeting Device For Dynamic Locking	1
AJAX-009-01	Bolt for Distal Targeting Device For Dynamic Locking	1
AJAX-010	Threaded Guide Wire Ø3.2mm x Thread Length 10mm X Length 400mm	3
AJAX-011	Guide Wire Ø3.2mm x Length 400mm	3
AJAX-012	Proximal Cortex Cannulated Drill Ø10.5mm	1
AJAX-013	Reamer Ø10.5mm For AJAX Blade	1
AJAX-014	Extraction Screw For AJAX Blade	1
AJAX-015	Impactor for AJAX Blade	1
AJAX-016	Hammer Guide For Slotted Hammer M8	1
AJAX-017	Combination Wrench 11mm	1
AJAX-018-130	130° Proximal Targeting Device	1
AJAX-018-130-01	Bolt for 130° Proximal Targeting Device	1
AJAX-019	Drill Bit Plain Shank/Jacob Chuck Ø4.0mm x Length 300mm	2
AJAX-020	Stopper For Ø4.0mm Drill Bit	1
AJAX-021	Allen Key, Hex 3mm	1
AJAX-022	Screw Driver, Hex 3.5mm	1
AJAX-023	Guide Wire With Hook Ø2.8mm x 460mm	1
AJAX-024	Cleaning Stylet Ø2.8mm	1
AJAX-025	Guide Wire Introducer	1
AJAX-026	Entry Reamer Protection Sleeve 20/17mm for AJAX Advance Nail	1
AJAX-027	Entry Reamer Guide Wire Sleeve 17/3.2mm for AJAX Advance Nail	1
AJAX-028	Aiming Jig For Anti Rotation Wire	1
AJAX-029	Flexible Reaming Shaft Jacob End	2
AJAX-030	Reamer Head Ø8.5mm	1
AJAX-031	Reamer Head Ø9.0mm	1
AJAX-032	Reamer Head Ø9.5mm	1
AJAX-033	Reamer Head Ø10.0mm	1


Code	Set Consisting of	Units
AJAX-034	Reamer Head Ø10.5mm	1
AJAX-035	Reamer Head Ø11.0mm	1
AJAX-036	Reamer Head Ø11.5mm	1
AJAX-037	Reamer Head Ø12.0mm	1
AJAX-038	Quick Coupling Handle (For Flexible Shaft/Entry Reamer/Proximal Cortex Cannulated Drill/ Reamer For AJAX Blade)	1
AJAX-039	Compression Instrument For AJAX Blade	1
AJAX-040	Insertion Handle For AJAX Nail	1
AJAX-041	Protection Sleeve For AJAX Blade	1
AJAX-042	Cannulated Trocar Sleeve Ø10.9/3.2mm for AJAX Blade	1
AJAX-043	Trocar Ø3.2mm For AJAX Blade	1
AJAX-044	Connector For Insertion Handle For AJAX Blade	1
AJAX-045	Spherical Head Screw Driver, Hex 4.0mm	1
AJAX-046	Drill Sleeve (For Aiming Jig For Anti Rotation Wire)	2
AJAX-047	Protection Sleeve Ø11/8mm	2
AJAX-048	Drill Sleeve Ø8/4mm	2
AJAX-049	Trocar Ø4.0mm	2
AJAX-050	Direct Measuring Device For Guide Wire	1
AJAX-051	Pin Wrench Ø4.0mm	1
AJAX-052	Cannulated Driver Ø4.0mm For AJAX Nail End Cap	1
AJAX-053	Measuring Device For Locking Bolt upto 100mm	1
AJAX-054	Reduction Instrument	1
AJAX-055	Driver for Nail Holding Bolt - AJAX Advance Nail	1
7-026-15	Guide Wire Without Ball Tip Ø2.5mm x Length 1000mm - Nitinol	1
7-026-18	Guide Wire With Ball Tip Ø2.5/3.65mm x Length 1000mm - Nitinol, for AJAX Advance Nail	1
7-026-19	Curved Awl- Ø9.5-Ø5.6mm for AJAX Advanced Nail	1
AJAX-057	Instrument Trays for AJAX Advance Nailing Instrument Set (Short Targeting Device)	3
AJAX-056	Container with PPSU lid for AJAX Advance Nailing Instrument Set (Short Targeting Device)	1

AJAX
Advance Nailing
Instruments
Distal Targeting Device

AJAX-001 Radiographic Ruler for AJAX Advance Nail



AJAX-002 T-Handle Quick Coupling (For Flexible Shaft/Entry Reamer/Proximal Cortex Cannulated Drill/ Reamer For AJAX Blade)



AJAX-003 Entry Reamer Ø17mm for AJAX Advance Nail



AJAX-004 Cannulated Awl for AJAX Advance Nail



AJAX-005 Tissue Protector for AJAX Advance Nail



AJAX-006 Nail Holding Bolt for AJAX Advance Nail



AJAX-007

Key for AJAX Blade


AJAX-008

Slotted Hammer for AJAX Advance Nail


AJAX-009

Distal Targeting Device for Short AJAX Advance Nail


AJAX-009-01

Bolt for Distal Targeting Device for Short AJAX Advance Nail


AJAX-010

Guide Wire with Threaded Tip Ø3.2mm x Thread Length 10mm X Length 400mm


AJAX-011

Guide Wire Ø3.2mm x Length 400mm



AJAX-012 Proximal Cortex Cannulated Drill Ø10.5mm for AJAX Advance Nail



AJAX-013 Reamer Ø10.5mm for AJAX Blade



AJAX-014 Extraction Screw for AJAX Blade



AJAX-015 Impactor for AJAX Blade



AJAX-016 Hammer Guide for Slotted Hammer M8



AJAX-017 Combination Wrench 11mm for AJAX Advance Nail



AJAX-018-130 130° Proximal Targeting Device for AJAX Advance Nail



AJAX-018-130-01 Bolt for 130° Proximal Targeting Device for AJAX Advance Nail



AJAX-019 Drill Bit Plain Shank/Jacob Chuck End Ø4.0mm x Length 300mm for AJAX Advance Nail



AJAX-020 Stopper for Ø4.0mm Drill Bit - AJAX Advance Nail



AJAX-021 Allen Key, Hex 3mm for AJAX Advance Nail



AJAX-022 Screwdriver, Hex 3.5mm for AJAX Advance Nail



AJAX-024 Cleaning Stylet Ø2.8mm for AJAX Advance Nail



AJAX-025 Guide Wire Introducer for AJAX Advance Nail



AJAX-026 Entry Reamer Protection Sleeve 20/17mm for AJAX Advance Nail



AJAX-027 Entry Reamer Guide Wire Sleeve 17/3.2mm for AJAX Advance Nail



AJAX-028 Aiming Jig For Anti Rotation Wire



AJAX-029 Flexible Reaming Shaft Jacob End for AJAX Advance Nail



Reamer Head

Code	Dia
AJAX-030	8.5mm
AJAX-031	9.0mm
AJAX-032	9.5mm
AJAX-033	10.0mm
AJAX-034	10.5mm
AJAX-035	11.0mm
AJAX-036	11.5mm
AJAX-037	12.0mm


AJAX-038

Quick Coupling Handle (For Flexible Shaft/Entry Reamer/Proximal Cortex Cannulated Drill/ Reamer For AJAX Blade)


AJAX-039

Compression Instrument for AJAX Blade


AJAX-040

Insertion Handle for AJAX Advance Nail


AJAX-041

Protection Sleeve for AJAX Advance Nail



AJAX-042 Cannulated Trocar Sleeve Ø10.9/3.2mm for AJAX Blade



AJAX-043 Trocar Ø3.2mm for AJAX Blade



AJAX-044 Insertion Handle Connector for AJAX Advance Nail



AJAX-045 Spherical Head Screwdriver, Hex 4.0mm for AJAX Advance Nail



AJAX-046 Aiming Jig Drill Sleeve for Anti-Rotation Wire



AJAX-047 Protection Sleeve Ø11/8mm for AJAX Advance Nail



AJAX-048 Drill Sleeve Ø8/4mm for AJAX Advance Nail



AJAX-049 Trocar Ø4.0mm for AJAX Advance Nail



AJAX-050 Direct Measuring Device for Guide Wire - AJAX Advance Nail



AJAX-051 Pin Wrench Ø4.0mm for AJAX Advance Nail



AJAX-053 Measuring Device for Locking Bolt upto 100mm - AJAX Advance Nail



AJAX-054 Reduction Instrument for AJAX Advance Nail



AJAX-055 Driver for Nail Holding Bolt - AJAX Advance Nail



7-026-01 Guide Block for AJAX Advance Nail - Right



7-026-02 Guide Block for AJAX Advance Nail - Left



7-026-03 Locking Bolt for Insertion Handle and Distal Guide Bar - AJAX Advance Nail



7-026-04 Locking Bolt for Distal Targeting Device - AJAX Advance Nail



7-026-05 Locking Bolt for Distal Aiming Bar- AJAX Advance Nail



7-026-06

Positioning Rod for AJAX Advance Nail


7-026-07

Ø5.2mm T-Handle Drill Bit with Flat End for AJAX Advance Nail


7-026-08

Drill Bit Plain Shank/Jacob Chuck End Ø5.2mm x Length 250mm for Long AJAX Advance Nail


7-026-09

Distal Guide Bar for AJAX Advance Nail


7-026-10

Distal Targeting Device for Long AJAX Advance Nail


7-026-11

Distal Aiming Bar for Long AJAX Advance Nail



7-026-12 Trocar Ø5.1mm for AJAX Advance Nail



7-026-13 Positioning Rod Drill Sleeve for AJAX Advance Nail



7-026-14 Allen Key, Hex 5mm for AJAX Advance Nail



7-026-18 Guide Wire With Ball Tip Ø2.5/3.65mm x Length 1000mm - Nitinol, for AJAX Advance Nail



7-026-15 Guide Wire Without Ball Tip Ø2.5mm x Length 1000mm - Nitinol, for AJAX Advance Nail



7-026-19 Curved Awl- Ø9.5-Ø5.6mm for AJAX Advanced Nail



7-026-20

T-Handle Screwdriver With Wrench Rod, Hex 4mm - AJAX Nail End Cap


7-026-21


Long Flexible Screwdriver With Flexible Holder, Hex 4.0mm - AJAX Nail End Cap



7-026-16

Instrument Trays for AJAX Advance Nailing Instrument Set (Distal Targeting Device)


7-026-17

Container with PPSU Lid for AJAX Advance Nailing Instrument set (Distal Targeting Device)



7-026 AJAX Advance Nailing Instrument Set (Distal Targeting Device)


7-026 AJAX Advance Nailing Instrument Set (Distal Targeting Device)

Code	Set Consisting of	Units
AJAX-001	Radiographic Ruler for AJAX Advance Nail	1
AJAX-002	T-Handle Quick Coupling (For Flexible Shaft/Entry Reamer/Proximal Cortex Cannulated Drill/ Reamer For AJAX Blade)	1
AJAX-003	Entry Reamer Ø17mm for AJAX Advance Nail	1
AJAX-004	Cannulated Awl for AJAX Advance Nail	1
AJAX-005	Tissue Protector for AJAX Advance Nail	1
AJAX-006	Nail Holding Bolt for AJAX Advance Nail	2
AJAX-007	Key for AJAX Blade	1
AJAX-008	Slotted Hammer for AJAX Advance Nail	1
AJAX-009	Distal Targeting Device for Short AJAX Advance Nail	1
AJAX-009-01	Bolt for Distal Targeting Device for Short AJAX Advance Nail	1
AJAX-010	Guide Wire with Threaded Tip Ø3.2mm x Thread Length 10mm X Length 400mm	3
AJAX-011	Guide Wire Ø3.2mm x Length 400mm	3
AJAX-012	Proximal Cortex Cannulated Drill Ø10.5mm for AJAX Advance Nail	1
AJAX-013	Reamer Ø10.5mm for AJAX Blade	1
AJAX-014	Extraction Screw for AJAX Blade	1
AJAX-015	Impactor for AJAX Blade	1
AJAX-016	Hammer Guide for Slotted Hammer M8	1
AJAX-017	Combination Wrench 11mm for AJAX Advance Nail	1
AJAX-018-130	130° Proximal Targeting Device for AJAX Advance Nail	1
AJAX-018-130-01	Bolt for 130° Proximal Targeting Device for AJAX Advance Nail	1
AJAX-019	Drill Bit Plain Shank/Jacob Chuck End Ø4.0mm x Length 300mm for AJAX Advance Nail	2
AJAX-020	Stopper for Ø4.0mm Drill Bit - AJAX Advance Nail	1
AJAX-021	Allen Key, Hex 3mm for AJAX Advance Nail	1
AJAX-022	Screwdriver, Hex 3.5mm for AJAX Advance Nail	1
AJAX-024	Cleaning Stylet Ø2.8mm for AJAX Advance Nail	1
AJAX-025	Guide Wire Introducer for AJAX Advance Nail	1
AJAX-026	Entry Reamer Protection Sleeve 20/17mm for AJAX Advance Nail	1
AJAX-027	Entry Reamer Guide Wire Sleeve 17/3.2mm for AJAX Advance Nail	1
AJAX-028	Aiming Jig For Anti Rotation Wire	1
AJAX-029	Flexible Reaming Shaft Jacob End for AJAX Advance Nail	2
AJAX-030	Reamer Head Ø8.5mm for AJAX Advance Nail	1
AJAX-031	Reamer Head Ø9.0mm for AJAX Advance Nail	1
AJAX-032	Reamer Head Ø9.5mm for AJAX Advance Nail	1
AJAX-033	Reamer Head Ø10.0mm for AJAX Advance Nail	1
AJAX-034	Reamer Head Ø10.5mm for AJAX Advance Nail	1
AJAX-035	Reamer Head Ø11.0mm for AJAX Advance Nail	1

Code	Set Consisting of	Units
AJAX-036	Reamer Head Ø11.5mm for AJAX Advance Nail	1
AJAX-037	Reamer Head Ø12.0mm for AJAX Advance Nail	1
AJAX-038	Quick Coupling Handle (For Flexible Shaft/Entry Reamer/Proximal Cortex Cannulated Drill/ Reamer For AJAX Blade)	1
AJAX-039	Compression Instrument for AJAX Blade	1
AJAX-040	Insertion Handle for AJAX Advance Nail	1
AJAX-041	Protection Sleeve for AJAX Advance Nail	1
AJAX-042	Cannulated Trocar Sleeve Ø10.9/3.2mm for AJAX Blade	1
AJAX-043	Trocar Ø3.2mm for AJAX Blade	1
AJAX-044	Insertion Handle Connector for AJAX Advance Nail	1
AJAX-045	Spherical Head Screwdriver, Hex 4.0mm for AJAX Advance Nail	1
AJAX-046	Aiming Jig Drill Sleeve for Anti-Rotation Wire	2
AJAX-047	Protection Sleeve Ø11/8mm for AJAX Advance Nail	2
AJAX-048	Drill Sleeve Ø8/4mm for AJAX Advance Nail	2
AJAX-049	Trocar Ø4.0mm for AJAX Advance Nail	2
AJAX-050	Direct Measuring Device for Guide Wire - AJAX Advance Nail	1
AJAX-051	Pin Wrench Ø4.0mm for AJAX Advance Nail	1
AJAX-053	Measuring Device for Locking Bolt upto 100mm - AJAX Advance Nail	1
AJAX-054	Reduction Instrument for AJAX Advance Nail	1
AJAX-055	Driver for Nail Holding Bolt - AJAX Advance Nail	1
7-026-01	Guide Block for AJAX Advance Nail - Right	1
7-026-02	Guide Block for AJAX Advance Nail - Left	1
7-026-03	Locking Bolt for Insertion Handle and Distal Guide Bar - AJAX Advance Nail	1
7-026-04	Locking Bolt for Distal Targeting Device - AJAX Advance Nail	1
7-026-05	Locking Bolt for Distal Aiming Bar- AJAX Advance Nail	1
7-026-06	Positioning Rod for AJAX Advance Nail	1
7-026-07	Ø5.2mm T-Handle Drill Bit with Flat End for AJAX Advance Nail	1
7-026-08	Drill Bit Plain Shank/Jacob Chuck End Ø5.2mm x Length 250mm for Long AJAX Advance Nail	1
7-026-09	Distal Guide Bar for AJAX Advance Nail	1
7-026-10	Distal Targeting Device for Long AJAX Advance Nail	1
7-026-11	Distal Aiming Bar for Long AJAX Advance Nail	1
7-026-12	Trocar Ø5.1mm for AJAX Advance Nail	1
7-026-13	Positioning Rod Drill Sleeve for AJAX Advance Nail	1
7-026-14	Allen Key, Hex 5mm for AJAX Advance Nail	1
7-026-18	Guide Wire With Ball Tip Ø2.5/3.65mm x Length 1000mm - Nitinol, for AJAX Advance Nail	1
7-026-15	Guide Wire Without Ball Tip Ø2.5mm x Length 1000mm - Nitinol, for AJAX Advance Nail	1
7-026-19	Curved Awl- Ø9.5-Ø5.6mm for AJAX Advanced Nail	1
7-026-20	T-Handle Screwdriver With Wrench Rod, Hex 4mm - AJAX Nail End Cap	1
7-026-21	Long Flexible Screwdriver With Flexible Holder, Hex 4.0mm - AJAX Nail End Cap	1
7-026-16	Instrument Trays for AJAX Advance Nailing Instrument Set (Distal Targeting Device)	4
7-026-17	Container with PPSU Lid for AJAX Advance Nailing Instrument set (Distal Targeting Device)	1

AJAX
Advance Nailing
Cephalic Screw System

AJAX Nail End Cap (For Cephalic Screw)

STERILE


Length	Sterile	Non-Sterile
0mm	TI-6085-04-000-S	TI-6085-04-000
5mm	TI-6085-04-005-S	TI-6085-04-005
10mm	TI-6085-04-010-S	TI-6085-04-010
15mm	TI-6085-04-015-S	TI-6085-04-015



Inner Screw for AJAX Cephalic Screw

STERILE


Sterile	Non- Sterile
TI-6085-05	TI-6085-05



AJAX Cephalic Screw

STERILE


Length	Sterile	Non-Sterile
70mm	TI-6085-06-070-S	TI-6085-06-070
75mm	TI-6085-06-075-S	TI-6085-06-075
80mm	TI-6085-06-080-S	TI-6085-06-080
85mm	TI-6085-06-085-S	TI-6085-06-085
90mm	TI-6085-06-090-S	TI-6085-06-090
95mm	TI-6085-06-095-S	TI-6085-06-095
100mm	TI-6085-06-100-S	TI-6085-06-100
105mm	TI-6085-06-105-S	TI-6085-06-105
110mm	TI-6085-06-110-S	TI-6085-06-110
115mm	TI-6085-06-115-S	TI-6085-06-115
120mm	TI-6085-06-120-S	TI-6085-06-120



End Cap for AJAX Cephalic Screw

STERILE



Length	Sterile	Non-sterile
0mm	TI-6085-06-00-S	TI-6085-06-00



1-015-02L Implant Box for AJAX Nail with Cephalic Screw **(Left)**

1-015-02R Implant Box for AJAX Nail with Cephalic Screw, **(Right)**





AJAX Cephalic Screw

Length	Qty
70mm to 120mm	1pcs

Inner Screw for Ajax Cephalic Screw

Qty
5pcs

End Cap for Ajax Cephalic Screw

Qty
5pcs

AJAX Nail End Cap (For Cephalic Screw)

Length	Qty
0mm to 15mm	2pcs

Stainless Steel or Titanium Implants can be placed as per requirement

7-005-01

Proximal Cortex Cannulated Drill Ø10.5mm for AJAX Cephalic Screw


7-005-02

Cephalic Screw Inserter for AJAX Cephalic Screw


7-005-03

Reamer Ø10.5mm for AJAX Cephalic Screw


7-005-04

Guide Wire Ø3.2mm x Length 400mm for AJAX Cephalic Screw


7-005-05

Protection Sleeve for AJAX Cephalic Screw


7-005-06

Cannulated Trocar Sleeve for AJAX Cephalic Screw



7-005-07 Trocar Ø3.2mm for AJAX Cephalic Screw



7-005-08 Caddy for AJAX Cephalic Screw End Cap



7-005-10 Inner Screwdriver, Hex 4.0mm




7-005-11 Inner Screw Holder, Hex 4.0mm



7-005-12 Curved Awl Ø9.5-Ø5.6mm for AJAX Cephalic Screw



7-005-09 Container for AJAX Cephalic Screw Instrument Set



7-005 AJAX Cephalic Screw Instrument Set


Code	Set Consisting of	Units
7-005-01	Proximal Cortex Cannulated Drill Ø10.5mm for AJAX Cephalic Screw	1
7-005-02	Cephalic Screw Inserter for AJAX Cephalic Screw	1
7-005-03	Reamer Ø10.5mm for AJAX Cephalic Screw	1
7-005-04	Guide Wire Ø3.2mm x Length 400mm for AJAX Cephalic Screw	3
7-005-05	Protection Sleeve for AJAX Cephalic Screw	1
7-005-06	Cannulated Trocar Sleeve for AJAX Cephalic Screw	1
7-005-07	Trocar Ø3.2mm for AJAX Cephalic Screw	1
7-005-08	Caddy for AJAX Cephalic Screw End Cap	1
7-005-10	Inner Screwdriver, Hex 4.0mm	1
7-005-11	Inner Screw Holder, Hex 4.0mm	1
7-005-12	Curved Awl Ø9.5-Ø5.6mm for AJAX Cephalic Screw	1
7-005-09	Container for AJAX Cephalic Screw Instrument Set	1



USA

Auxein Inc.
1500 Nw 89th Court, Suite 107-108
Doral, Florida 33172
Tel: +1 305 395 6062
E Fax: +1 305 395 6262
Email: USoffice@auxein.com

MEXICO

Auxein México, S.A. de C.V.
Tepic 139 int 801, Colonia Roma Sur,
Alcaldía Cuauhtémoc, CDMX,
México, C.P. 06760
Tel: +521 55 7261 0318
Email: info@auxein.mx

INDIA

Auxein Medical Pvt. Ltd.
Plot No. 168-169-170, Phase-4,
Kundli Industrial Area,
HSIIDC, Sector-57, Sonapat - 131028, Haryana
Tel: +91 99106 43638 | Fax: +91 86077 70197
Email: info@auxein.com