

# AJAX ADVANCE NAILING SYSTEM

## AJAX ADVANCE NAILING SYSTEM



edition  
2022

 **Auxein**<sup>®</sup>



# about us

Auxein Medical is an integrated, research based, orthopaedic Implants & instruments manufacturing company, producing a wide range of quality, affordable generic implants, trusted by healthcare professionals and patients across geographies. It is the Company's constant endeavor to provide a wide basket of generic and our innovator products that exceed the highest expectations of customers in term of quality and safety. The company has world-class manufacturing unit established in india and serves customers in over 75 countries worldwide.

## Our Achievements



## **Orthopaedic Implants**

**130° AJAX Advance Nail, Short**

Short

Dia	Length	Code (Titanium)
9mm	170mm	<b>TI-6085S-09-170</b>
9mm	200mm	<b>TI-6085S-09-200</b>
9mm	240mm	<b>TI-6085S-09-240</b>
10mm	170mm	<b>TI-6085S-10-170</b>
10mm	200mm	<b>TI-6085S-10-200</b>
10mm	240mm	<b>TI-6085S-10-240</b>
11mm	170mm	<b>TI-6085S-11-170</b>
11mm	200mm	<b>TI-6085S-11-200</b>
11mm	240mm	<b>TI-6085S-11-240</b>
12mm	170mm	<b>TI-6085S-12-170</b>
12mm	200mm	<b>TI-6085S-12-200</b>
12mm	240mm	<b>TI-6085S-12-240</b>



## 130° AJAX Advance Nail, Long

Long

Dia	Length	Left (Titanium)	Right (Titanium)
9mm	260mm	TI-6085L-09-260L	TI-6085L-09-260R
9mm	280mm	TI-6085L-09-280L	TI-6085L-09-280R
9mm	300mm	TI-6085L-09-300L	TI-6085L-09-300R
9mm	320mm	TI-6085L-09-320L	TI-6085L-09-320R
9mm	340mm	TI-6085L-09-340L	TI-6085L-09-340R
9mm	360mm	TI-6085L-09-360L	TI-6085L-09-360R
9mm	380mm	TI-6085L-09-380L	TI-6085L-09-380R
9mm	400mm	TI-6085L-09-400L	TI-6085L-09-400R
9mm	420mm	TI-6085L-09-420L	TI-6085L-09-420R
10mm	260mm	TI-6085L-10-260L	TI-6085L-10-260R
10mm	280mm	TI-6085L-10-280L	TI-6085L-10-280R
10mm	300mm	TI-6085L-10-300L	TI-6085L-10-300R
10mm	320mm	TI-6085L-10-320L	TI-6085L-10-320R
10mm	340mm	TI-6085L-10-340L	TI-6085L-10-340R
10mm	360mm	TI-6085L-10-360L	TI-6085L-10-360R
10mm	380mm	TI-6085L-10-380L	TI-6085L-10-380R
10mm	400mm	TI-6085L-10-400L	TI-6085L-10-400R
10mm	420mm	TI-6085L-10-420L	TI-6085L-10-420R
11mm	260mm	TI-6085L-11-260L	TI-6085L-11-260R
11mm	280mm	TI-6085L-11-280L	TI-6085L-11-280R
11mm	300mm	TI-6085L-11-300L	TI-6085L-11-300R
11mm	320mm	TI-6085L-11-320L	TI-6085L-11-320R
11mm	340mm	TI-6085L-11-340L	TI-6085L-11-340R
11mm	360mm	TI-6085L-11-360L	TI-6085L-11-360R
11mm	380mm	TI-6085L-11-380L	TI-6085L-11-380R
11mm	400mm	TI-6085L-11-400L	TI-6085L-11-400R
11mm	420mm	TI-6085L-11-420L	TI-6085L-11-420R
12mm	260mm	TI-6085L-12-260L	TI-6085L-12-260R
12mm	280mm	TI-6085L-12-280L	TI-6085L-12-280R
12mm	300mm	TI-6085L-12-300L	TI-6085L-12-300R
12mm	320mm	TI-6085L-12-320L	TI-6085L-12-320R
12mm	340mm	TI-6085L-12-340L	TI-6085L-12-340R
12mm	360mm	TI-6085L-12-360L	TI-6085L-12-360R
12mm	380mm	TI-6085L-12-380L	TI-6085L-12-380R
12mm	400mm	TI-6085L-12-400L	TI-6085L-12-400R
12mm	420mm	TI-6085L-12-420L	TI-6085L-12-420R




Left

Right

## 4.9mm Locking Bolt for AJAX Nail, Self-Tapping

Length	Code (Titanium)	Length	Code (Titanium)
26mm	TI-6085-01-026	58mm	TI-6085-01-058
28mm	TI-6085-01-028	60mm	TI-6085-01-060
30mm	TI-6085-01-030	62mm	TI-6085-01-062
32mm	TI-6085-01-032	64mm	TI-6085-01-064
34mm	TI-6085-01-034	66mm	TI-6085-01-066
36mm	TI-6085-01-036	68mm	TI-6085-01-068
38mm	TI-6085-01-038	70mm	TI-6085-01-070
40mm	TI-6085-01-040	72mm	TI-6085-01-072
42mm	TI-6085-01-042	74mm	TI-6085-01-074
44mm	TI-6085-01-044	76mm	TI-6085-01-076
46mm	TI-6085-01-046	78mm	TI-6085-01-078
48mm	TI-6085-01-048	80mm	TI-6085-01-080
50mm	TI-6085-01-050	85mm	TI-6085-01-085
52mm	TI-6085-01-052	90mm	TI-6085-01-090
54mm	TI-6085-01-054	95mm	TI-6085-01-095
56mm	TI-6085-01-056	100mm	TI-6085-01-100



## AJAX Blade

Length	Code (Titanium)
75mm	TI-6085-02-075
80mm	TI-6085-02-080
85mm	TI-6085-02-085
90mm	TI-6085-02-090
95mm	TI-6085-02-095
100mm	TI-6085-02-100
105mm	TI-6085-02-105
110mm	TI-6085-02-110
115mm	TI-6085-02-115
120mm	TI-6085-02-120



## AJAX Nail End Cap (For AJAX Blade)

Length	Code (Titanium)
0mm	TI-6085-03-000
5mm	TI-6085-03-005
10mm	TI-6085-03-010
15mm	TI-6085-03-015




**1-015-01L Implant Box for AJAX Nail with Blade (Left)**






### Tray 1



Type	Item	Dia	Length	Qty
Short	130° AJAX Advance Nail	Ø9mm	170mm to 240mm	1pcs
Long	130° AJAX Advance Nail	Ø9mm	260mm to 420mm	1pcs

*Stainless Steel or Titanium Implants can be placed as per requirement*


### Tray 2



Type	Item	Dia	Length	Qty
Short	130° AJAX Advance Nail	Ø10mm	170mm to 240mm	1pcs
Long	130° AJAX Advance Nail	Ø10mm	260mm to 420mm	1pcs

*Stainless Steel or Titanium Implants can be placed as per requirement*


### Tray 3



Type	Item	Dia	Length	Qty
Short	130° AJAX Advance Nail	Ø11mm	170mm to 240mm	1pcs
Long	130° AJAX Advance Nail	Ø11mm	260mm to 420mm	1pcs

*Stainless Steel or Titanium Implants can be placed as per requirement*

### Tray 4



Type	Item	Dia	Length	Qty
Short	130° AJAX Advance Nail	Ø12mm	170mm to 240mm	1pcs
Long	130° AJAX Advance Nail	Ø12mm	260mm to 420mm	1pcs

*Stainless Steel or Titanium Implants can be placed as per requirement*



### Ø4.9mm Locking Bolt for AJAX Nail, Self-Tapping

Dia	Length	Qty
Ø4.9mm	26mm to 100mm	3pcs

*Stainless Steel or Titanium Implants can be placed as per requirement*



### AJAX Blade


Length	Qty
75mm to 120mm	1pcs

### AJAX Nail End Cap (For Ajax Blade)


Length	Qty
0mm to 15mm	2pcs

*Stainless Steel or Titanium Implants can be placed as per requirement*

**1-015-01R Implant Box for AJAX Nail with Blade (Right)**




**Tray 1**



Type	Item	Dia	Length	Qty
Short	130° AJAX Advance Nail	Ø9mm	170mm to 240mm	1pcs
Long	130° AJAX Advance Nail	Ø9mm	260mm to 420mm	1pcs

*Stainless Steel or Titanium Implants can be placed as per requirement*


**Tray 2**



Type	Item	Dia	Length	Qty
Short	130° AJAX Advance Nail	Ø10mm	170mm to 240mm	1pcs
Long	130° AJAX Advance Nail	Ø10mm	260mm to 420mm	1pcs

*Stainless Steel or Titanium Implants can be placed as per requirement*


**Tray 3**



Type	Item	Dia	Length	Qty
Short	130° AJAX Advance Nail	Ø11mm	170mm to 240mm	1pcs
Long	130° AJAX Advance Nail	Ø11mm	260mm to 420mm	1pcs

*Stainless Steel or Titanium Implants can be placed as per requirement*

**Tray 4**



Type	Item	Dia	Length	Qty
Short	130° AJAX Advance Nail	Ø12mm	170mm to 240mm	1pcs
Long	130° AJAX Advance Nail	Ø12mm	260mm to 420mm	1pcs

*Stainless Steel or Titanium Implants can be placed as per requirement*



### Ø4.9mm Locking Bolt for AJAX Nail, Self-Tapping

Dia	Length	Qty
Ø4.9mm	26mm to 100mm	3pcs

*Stainless Steel or Titanium Implants can be placed as per requirement*



### AJAX Blade

Length	Qty
75mm to 120mm	1pcs

### AJAX Nail End Cap (For Ajax Blade)

Length	Qty
0mm to 15mm	2pcs

*Stainless Steel or Titanium Implants can be placed as per requirement*

AJAX  
Advance Nailing  
Instruments  
**Short Targeting Device**

**AJAX-001** Radiographic Ruler for AJAX Advance Nail



**AJAX-002** T-Handle Quick Coupling (For Flexible Shaft/Entry Reamer/Proximal Cortex Cannulated Drill/ Reamer For AJAX Blade)



**AJAX-003** Entry Reamer Ø17mm for AJAX Advance Nail



**AJAX-004** Cannulated Awl for AJAX Advance Nail



**AJAX-005** Tissue Protector for AJAX Advance Nail



**AJAX-006** Nail Holding Bolt for AJAX Advance Nail



**AJAX-007** Key for AJAX Blade



**AJAX-008** Slotted Hammer for AJAX Advance Nail



**AJAX-009** Distal Targeting Device for Short AJAX Advance Nail



**AJAX-009-01** Bolt for Distal Targeting Device for Short AJAX Advance Nail



**AJAX-010** Guide Wire with Threaded Tip  $\varnothing 3.2\text{mm}$  x Thread Length 10mm X Length 400mm



**AJAX-011** Guide Wire  $\varnothing 3.2\text{mm}$  x Length 400mm





**AJAX-012** Proximal Cortex Cannulated Drill Ø10.5mm for AJAX Advance Nail



**AJAX-013** Reamer Ø10.5mm for AJAX Blade



**AJAX-014** Extraction Screw for AJAX Blade



**AJAX-015** Impactor for AJAX Blade



**AJAX-016** Hammer Guide for Slotted Hammer M8




**AJAX-017** Combination Wrench 11mm for AJAX Advance Nail



**AJAX-018-130** 130° Proximal Targeting Device for AJAX Advance Nail



**AJAX-018-130-01** Bolt for 130° Proximal Targeting Device for AJAX Advance Nail



**AJAX-019** Drill Bit Plain Shank/Jacob Chuck End Ø4.0mm x Length 300mm for AJAX Advance Nail



**AJAX-020** Stopper for Ø4.0mm Drill Bit - AJAX Advance Nail



**AJAX-021** Allen Key, Hex 3mm for AJAX Advance Nail



**AJAX-022** Screwdriver, Hex 3.5mm for AJAX Advance Nail



**AJAX-023** Guide Wire With Hook Ø2.8mm x Length 460mm



**AJAX-024** Cleaning Stylet Ø2.8mm for AJAX Advance Nail



**AJAX-025** Guide Wire Introducer for AJAX Advance Nail



**AJAX-026** Entry Reamer Protection Sleeve 20/17mm for AJAX Advance Nail



**AJAX-027** Entry Reamer Guide Wire Sleeve 17/3.2mm for AJAX Advance Nail




**AJAX-028** Aiming Jig For Anti Rotation Wire



**AJAX-029**

Flexible Reaming Shaft Jacob End for AJAX Advance Nail



### Reamer Head

Code	Dia
<b>AJAX-030</b>	8.5mm
<b>AJAX-031</b>	9.0mm
<b>AJAX-032</b>	9.5mm
<b>AJAX-033</b>	10.0mm
<b>AJAX-034</b>	10.5mm
<b>AJAX-035</b>	11.0mm
<b>AJAX-036</b>	11.5mm
<b>AJAX-037</b>	12.0mm



**AJAX-038**

Quick Coupling Handle (For Flexible Shaft/Entry Reamer/Proximal Cortex Cannulated Drill/ Reamer For AJAX Blade)



**AJAX-039**

Compression Instrument for AJAX Blade



**AJAX-040** Insertion Handle for AJAX Advance Nail



**AJAX-041** Protection Sleeve for AJAX Advance Nail



**AJAX-042** Cannulated Trocar Sleeve Ø10.9/3.2mm for AJAX Blade



**AJAX-043** Trocar Ø3.2mm for AJAX Blade



**AJAX-044** Insertion Handle Connector for AJAX Advance Nail



**AJAX-045** Spherical Head Screwdriver, Hex 4.0mm for AJAX Advance Nail




**AJAX-046** Aiming Jig Drill Sleeve for Anti-Rotation Wire




**AJAX-047** Protection Sleeve Ø11/8mm for AJAX Advance Nail



**AJAX-048** Drill Sleeve Ø8/4mm for AJAX Advance Nail



**AJAX-049** Trocar Ø4.0mm for AJAX Advance Nail



**AJAX-050** Direct Measuring Device for Guide Wire - AJAX Advance Nail



**AJAX-051** Pin Wrench Ø4.0mm for AJAX Advance Nail



**AJAX-052** Cannulated Driver Ø4.0mm for AJAX Nail End Cap



**AJAX-053** Measuring Device for Locking Bolt upto 100mm - AJAX Advance Nail



**AJAX-054** Reduction Instrument for AJAX Advance Nail



**AJAX-055** Driver for Nail Holding Bolt - AJAX Advance Nail



**7-026-15** Guide Wire Without Ball Tip Ø2.5mm x Length 1000mm - Nitinol, for AJAX Advance Nail



**7-026-18** Guide Wire With Ball Tip Ø2.5/3.65mm x Length 1000mm - Nitinol, for AJAX Advance Nail




**7-026-19**

Curved Awl- Ø9.5-Ø5.6mm for AJAX Advanced Nail

**AJAX-057**




Instrument Trays for AJAX Advance Nailing Instrument Set (Short Targeting Device)

**AJAX-056**

Container with PPSU Lid for AJAX Advance Nailing Instrument Set (Short Targeting Device)





**AJAX-000** AJAX Advance Nailing Instrument Set (Short Targeting device)

**AJAX-000** AJAX Advance Nailing Instrument Set (Short Targeting device)

Code	Set Consisting of	Units
<b>AJAX-001</b>	Radiographic Ruler	1
<b>AJAX-002</b>	T-Handle Quick Coupling (For Flexible Shaft/Entry Reamer/Proximal Cortex Cannulated Drill/ Reamer For AJAX Blade)	1
<b>AJAX-003</b>	Entry Reamer Ø17mm	1
<b>AJAX-004</b>	Cannulated Awl	1
<b>AJAX-005</b>	Tissue Protector	1
<b>AJAX-006</b>	Nail Holding Bolt For AJAX Nail	2
<b>AJAX-007</b>	Key For AJAX Blade	1
<b>AJAX-008</b>	Slotted Hammer	1
<b>AJAX-009</b>	Distal Targeting Device For Dynamic Locking	1
<b>AJAX-009-01</b>	Bolt for Distal Targeting Device For Dynamic Locking	1
<b>AJAX-010</b>	Threaded Guide Wire Ø3.2mm x Thread Length 10mm X Length 400mm	3
<b>AJAX-011</b>	Guide Wire Ø3.2mm x Length 400mm	3
<b>AJAX-012</b>	Proximal Cortex Cannulated Drill Ø10.5mm	1
<b>AJAX-013</b>	Reamer Ø10.5mm For AJAX Blade	1
<b>AJAX-014</b>	Extraction Screw For AJAX Blade	1
<b>AJAX-015</b>	Impactor for AJAX Blade	1
<b>AJAX-016</b>	Hammer Guide For Slotted Hammer M8	1
<b>AJAX-017</b>	Combination Wrench 11mm	1
<b>AJAX-018-130</b>	130° Proximal Targeting Device	1
<b>AJAX-018-130-01</b>	Bolt for 130° Proximal Targeting Device	1
<b>AJAX-019</b>	Drill Bit Plain Shank/Jacob Chuck Ø4.0mm x Length 300mm	2
<b>AJAX-020</b>	Stopper For Ø4.0mm Drill Bit	1
<b>AJAX-021</b>	Allen Key, Hex 3mm	1
<b>AJAX-022</b>	Screw Driver, Hex 3.5mm	1
<b>AJAX-023</b>	Guide Wire With Hook Ø2.8mm x 460mm	1
<b>AJAX-024</b>	Cleaning Stylet Ø2.8mm	1
<b>AJAX-025</b>	Guide Wire Introducer	1
<b>AJAX-026</b>	Entry Reamer Protection Sleeve 20/17mm for AJAX Advance Nail	1
<b>AJAX-027</b>	Entry Reamer Guide Wire Sleeve 17/3.2mm for AJAX Advance Nail	1
<b>AJAX-028</b>	Aiming Jig For Anti Rotation Wire	1
<b>AJAX-029</b>	Flexible Reaming Shaft Jacob End	2
<b>AJAX-030</b>	Reamer Head Ø8.5mm	1
<b>AJAX-031</b>	Reamer Head Ø9.0mm	1
<b>AJAX-032</b>	Reamer Head Ø9.5mm	1
<b>AJAX-033</b>	Reamer Head Ø10.0mm	1

Code	Set Consisting of	Units
<b>AJAX-034</b>	Reamer Head Ø10.5mm	1
<b>AJAX-035</b>	Reamer Head Ø11.0mm	1
<b>AJAX-036</b>	Reamer Head Ø11.5mm	1
<b>AJAX-037</b>	Reamer Head Ø12.0mm	1
<b>AJAX-038</b>	Quick Coupling Handle (For Flexible Shaft/Entry Reamer/Proximal Cortex Cannulated Drill/ Reamer For AJAX Blade)	1
<b>AJAX-039</b>	Compression Instrument For AJAX Blade	1
<b>AJAX-040</b>	Insertion Handle For AJAX Nail	1
<b>AJAX-041</b>	Protection Sleeve For AJAX Blade	1
<b>AJAX-042</b>	Cannulated Trocar Sleeve Ø10.9/3.2mm for AJAX Blade	1
<b>AJAX-043</b>	Trocar Ø3.2mm For AJAX Blade	1
<b>AJAX-044</b>	Connector For Insertion Handle For AJAX Blade	1
<b>AJAX-045</b>	Spherical Head Screw Driver, Hex 4.0mm	1
<b>AJAX-046</b>	Drill Sleeve (For Aiming Jig For Anti Rotation Wire)	2
<b>AJAX-047</b>	Protection Sleeve Ø11/8mm	2
<b>AJAX-048</b>	Drill Sleeve Ø8/4mm	2
<b>AJAX-049</b>	Trocar Ø4.0mm	2
<b>AJAX-050</b>	Direct Measuring Device For Guide Wire	1
<b>AJAX-051</b>	Pin Wrench Ø4.0mm	1
<b>AJAX-052</b>	Cannulated Driver Ø4.0mm For AJAX Nail End Cap	1
<b>AJAX-053</b>	Measuring Device For Locking Bolt upto 100mm	1
<b>AJAX-054</b>	Reduction Instrument	1
<b>AJAX-055</b>	Driver for Nail Holding Bolt - AJAX Advance Nail	1
<b>7-026-15</b>	Guide Wire Without Ball Tip Ø2.5mm x Length 1000mm - Nitinol	1
<b>7-026-18</b>	Guide Wire With Ball Tip Ø2.5/3.65mm x Length 1000mm - Nitinol, for AJAX Advance Nail	1
<b>7-026-19</b>	Curved Awl- Ø9.5-Ø5.6mm for AJAX Advanced Nail	1
<b>AJAX-057</b>	Instrument Trays for AJAX Advance Nailing Instrument Set (Short Targeting Device)	3
<b>AJAX-056</b>	Container with PPSU lid for AJAX Advance Nailing Instrument Set (Short Targeting Device)	1

AJAX  
Advance Nailing  
Instruments  
**Distal Targeting Device**

**AJAX-001** Radiographic Ruler for AJAX Advance Nail



**AJAX-002** T-Handle Quick Coupling (For Flexible Shaft/Entry Reamer/Proximal Cortex Cannulated Drill/ Reamer For AJAX Blade)



**AJAX-003** Entry Reamer Ø17mm for AJAX Advance Nail



**AJAX-004** Cannulated Awl for AJAX Advance Nail



**AJAX-005** Tissue Protector for AJAX Advance Nail



**AJAX-006** Nail Holding Bolt for AJAX Advance Nail



**AJAX-007** Key for AJAX Blade



**AJAX-008** Slotted Hammer for AJAX Advance Nail



**AJAX-009** Distal Targeting Device for Short AJAX Advance Nail



**AJAX-009-01** Bolt for Distal Targeting Device for Short AJAX Advance Nail



**AJAX-010** Guide Wire with Threaded Tip Ø3.2mm x Thread Length 10mm X Length 400mm



**AJAX-011** Guide Wire Ø3.2mm x Length 400mm



**AJAX-012** Proximal Cortex Cannulated Drill Ø10.5mm for AJAX Advance Nail



**AJAX-013** Reamer Ø10.5mm for AJAX Blade



**AJAX-014** Extraction Screw for AJAX Blade



**AJAX-015** Impactor for AJAX Blade



**AJAX-016** Hammer Guide for Slotted Hammer M8




**AJAX-017** Combination Wrench 11mm for AJAX Advance Nail



**AJAX-018-130** 130° Proximal Targeting Device for AJAX Advance Nail



**AJAX-018-130-01** Bolt for 130° Proximal Targeting Device for AJAX Advance Nail



**AJAX-019** Drill Bit Plain Shank/Jacob Chuck End Ø4.0mm x Length 300mm for AJAX Advance Nail



**AJAX-020** Stopper for Ø4.0mm Drill Bit - AJAX Advance Nail



**AJAX-021** Allen Key, Hex 3mm for AJAX Advance Nail



**AJAX-022** Screwdriver, Hex 3.5mm for AJAX Advance Nail





**AJAX-023** Guide Wire With Hook Ø2.8mm x Length 460mm



**AJAX-024** Cleaning Stylet Ø2.8mm for AJAX Advance Nail



**AJAX-025** Guide Wire Introducer for AJAX Advance Nail



**AJAX-026** Entry Reamer Protection Sleeve 20/17mm for AJAX Advance Nail




**AJAX-027** Entry Reamer Guide Wire Sleeve 17/3.2mm for AJAX Advance Nail



**AJAX-028** Aiming Jig For Anti Rotation Wire



**AJAX-029** Flexible Reaming Shaft Jacob End for AJAX Advance Nail



### Reamer Head

Code	Dia
<b>AJAX-030</b>	8.5mm
<b>AJAX-031</b>	9.0mm
<b>AJAX-032</b>	9.5mm
<b>AJAX-033</b>	10.0mm
<b>AJAX-034</b>	10.5mm
<b>AJAX-035</b>	11.0mm
<b>AJAX-036</b>	11.5mm
<b>AJAX-037</b>	12.0mm



**AJAX-038** Quick Coupling Handle (For Flexible Shaft/Entry Reamer/Proximal Cortex Cannulated Drill/ Reamer For AJAX Blade)



**AJAX-039** Compression Instrument for AJAX Blade



**AJAX-040** Insertion Handle for AJAX Advance Nail



**AJAX-041** Protection Sleeve for AJAX Advance Nail



**AJAX-042** Cannulated Trocar Sleeve Ø10.9/3.2mm for AJAX Blade



**AJAX-043** Trocar Ø3.2mm for AJAX Blade



**AJAX-044** Insertion Handle Connector for AJAX Advance Nail



**AJAX-045** Spherical Head Screwdriver, Hex 4.0mm for AJAX Advance Nail



**AJAX-046**      Aiming Jig Drill Sleeve for Anti-Rotation Wire




**AJAX-047**      Protection Sleeve Ø11/8mm for AJAX Advance Nail



**AJAX-048**      Drill Sleeve Ø8/4mm for AJAX Advance Nail



**AJAX-049**      Trocar Ø4.0mm for AJAX Advance Nail



**AJAX-050**      Direct Measuring Device for Guide Wire - AJAX Advance Nail



**AJAX-051**      Pin Wrench Ø4.0mm for AJAX Advance Nail



**AJAX-052** Cannulated Driver Ø4.0mm for AJAX Nail End Cap



**AJAX-053** Measuring Device for Locking Bolt upto 100mm - AJAX Advance Nail



**AJAX-054** Reduction Instrument for AJAX Advance Nail



**AJAX-055** Driver for Nail Holding Bolt - AJAX Advance Nail



**7-026-15** Guide Wire Without Ball Tip Ø2.5mm x Length 1000mm - Nitinol, for AJAX Advance Nail



**7-026-18** Guide Wire With Ball Tip Ø2.5/3.65mm x Length 1000mm - Nitinol, for AJAX Advance Nail




**7-026-01** Guide Block for AJAX Advance Nail - Right



**7-026-02** Guide Block for AJAX Advance Nail - Left



**7-026-03** Locking Bolt for Insertion Handle and Distal Guide Bar - AJAX Advance Nail



**7-026-04** Locking Bolt for Distal Targeting Device - AJAX Advance Nail



**7-026-05** Locking Bolt for Distal Aiming Bar- AJAX Advance Nail



**7-026-06** Positioning Rod for AJAX Advance Nail



**7-026-07**      Ø5.2mm T-Handle Drill Bit with Flat End for AJAX Advance Nail



**7-026-08**      Drill Bit Plain Shank/Jacob Chuck End Ø5.2mm x Length 250mm for Long AJAX Advance Nail



**7-026-09**      Distal Guide Bar for AJAX Advance Nail



**7-026-10**      Distal Targeting Device for Long AJAX Advance Nail



**7-026-11**      Distal Aiming Bar for Long AJAX Advance Nail



**7-026-12**      Trocar Ø5.1mm for AJAX Advance Nail



**7-026-13** Positioning Rod Drill Sleeve for AJAX Advance Nail



**7-026-14** Allen Key, Hex 5mm for AJAX Advance Nail



**7-026-16** Instrument Trays for AJAX Advance Nailing Instrument Set (Distal Targeting Device)




**7-026-19** Curved Awl- Ø9.5-Ø5.6mm for AJAX Advanced Nail



**7-026-17** Container with PPSU Lid for AJAX Advance Nailing Instrument set (Distal Targeting Device)





**7-026** AJAX Advance Nailing Instrument Set (Distal Targeting Device)

**7-026 AJAX Advance Nailing Instrument Set (Distal Targeting Device)**

Code	Set Consisting of	Units
<b>AJAX-001</b>	Radiographic Ruler for AJAX Advance Nail	1
<b>AJAX-002</b>	T-Handle Quick Coupling (For Flexible Shaft/Entry Reamer/Proximal Cortex Cannulated Drill/ Reamer For AJAX Blade)	1
<b>AJAX-003</b>	Entry Reamer Ø17mm for AJAX Advance Nail	1
<b>AJAX-004</b>	Cannulated Awl for AJAX Advance Nail	1
<b>AJAX-005</b>	Tissue Protector for AJAX Advance Nail	1
<b>AJAX-006</b>	Nail Holding Bolt for AJAX Advance Nail	2
<b>AJAX-007</b>	Key for AJAX Blade	1
<b>AJAX-008</b>	Slotted Hammer for AJAX Advance Nail	1
<b>AJAX-009</b>	Distal Targeting Device for Short AJAX Advance Nail	1
<b>AJAX-009-01</b>	Bolt for Distal Targeting Device for Short AJAX Advance Nail	1
<b>AJAX-010</b>	Guide Wire with Threaded Tip Ø3.2mm x Thread Length 10mm X Length 400mm	3
<b>AJAX-011</b>	Guide Wire Ø3.2mm x Length 400mm	3
<b>AJAX-012</b>	Proximal Cortex Cannulated Drill Ø10.5mm for AJAX Advance Nail	1
<b>AJAX-013</b>	Reamer Ø10.5mm for AJAX Blade	1
<b>AJAX-014</b>	Extraction Screw for AJAX Blade	1
<b>AJAX-015</b>	Impactor for AJAX Blade	1
<b>AJAX-016</b>	Hammer Guide for Slotted Hammer M8	1
<b>AJAX-017</b>	Combination Wrench 11mm for AJAX Advance Nail	1
<b>AJAX-018-130</b>	130° Proximal Targeting Device for AJAX Advance Nail	1
<b>AJAX-018-130-01</b>	Bolt for 130° Proximal Targeting Device for AJAX Advance Nail	1
<b>AJAX-019</b>	Drill Bit Plain Shank/Jacob Chuck End Ø4.0mm x Length 300mm for AJAX Advance Nail	2
<b>AJAX-020</b>	Stopper for Ø4.0mm Drill Bit - AJAX Advance Nail	1
<b>AJAX-021</b>	Allen Key, Hex 3mm for AJAX Advance Nail	1
<b>AJAX-022</b>	Screwdriver, Hex 3.5mm for AJAX Advance Nail	1
<b>AJAX-023</b>	Guide Wire With Hook Ø2.8mm x Length 460mm	1
<b>AJAX-024</b>	Cleaning Stylet Ø2.8mm for AJAX Advance Nail	1
<b>AJAX-025</b>	Guide Wire Introducer for AJAX Advance Nail	1
<b>AJAX-026</b>	Entry Reamer Protection Sleeve 20/17mm for AJAX Advance Nail	1
<b>AJAX-027</b>	Entry Reamer Guide Wire Sleeve 17/3.2mm for AJAX Advance Nail	1
<b>AJAX-028</b>	Aiming Jig For Anti Rotation Wire	1
<b>AJAX-029</b>	Flexible Reaming Shaft Jacob End for AJAX Advance Nail	2
<b>AJAX-030</b>	Reamer Head Ø8.5mm for AJAX Advance Nail	1
<b>AJAX-031</b>	Reamer Head Ø9.0mm for AJAX Advance Nail	1
<b>AJAX-032</b>	Reamer Head Ø9.5mm for AJAX Advance Nail	1
<b>AJAX-033</b>	Reamer Head Ø10.0mm for AJAX Advance Nail	1
<b>AJAX-034</b>	Reamer Head Ø10.5mm for AJAX Advance Nail	1

Code	Set Consisting of	Units
<b>AJAX-035</b>	Reamer Head Ø11.0mm for AJAX Advance Nail	1
<b>AJAX-036</b>	Reamer Head Ø11.5mm for AJAX Advance Nail	1
<b>AJAX-037</b>	Reamer Head Ø12.0mm for AJAX Advance Nail	1
<b>AJAX-038</b>	Quick Coupling Handle (For Flexible Shaft/Entry Reamer/Proximal Cortex Cannulated Drill/ Reamer For AJAX Blade)	1
<b>AJAX-039</b>	Compression Instrument for AJAX Blade	1
<b>AJAX-040</b>	Insertion Handle for AJAX Advance Nail	1
<b>AJAX-041</b>	Protection Sleeve for AJAX Advance Nail	1
<b>AJAX-042</b>	Cannulated Trocar Sleeve Ø10.9/3.2mm for AJAX Blade	1
<b>AJAX-043</b>	Trocar Ø3.2mm for AJAX Blade	1
<b>AJAX-044</b>	Insertion Handle Connector for AJAX Advance Nail	1
<b>AJAX-045</b>	Spherical Head Screwdriver, Hex 4.0mm for AJAX Advance Nail	1
<b>AJAX-046</b>	Aiming Jig Drill Sleeve for Anti-Rotation Wire	2
<b>AJAX-047</b>	Protection Sleeve Ø11/8mm for AJAX Advance Nail	2
<b>AJAX-048</b>	Drill Sleeve Ø8/4mm for AJAX Advance Nail	2
<b>AJAX-049</b>	Trocar Ø4.0mm for AJAX Advance Nail	2
<b>AJAX-050</b>	Direct Measuring Device for Guide Wire - AJAX Advance Nail	1
<b>AJAX-051</b>	Pin Wrench Ø4.0mm for AJAX Advance Nail	1
<b>AJAX-052</b>	Cannulated Driver Ø4.0mm for AJAX Nail End Cap	1
<b>AJAX-053</b>	Measuring Device for Locking Bolt upto 100mm - AJAX Advance Nail	1
<b>AJAX-054</b>	Reduction Instrument for AJAX Advance Nail	1
<b>AJAX-055</b>	Driver for Nail Holding Bolt - AJAX Advance Nail	1
<b>7-026-18</b>	Guide Wire With Ball Tip Ø2.5/3.65mm x Length 1000mm - Nitinol, for AJAX Advance Nail	1
<b>7-026-15</b>	Guide Wire Without Ball Tip Ø2.5mm x Length 1000mm - Nitinol, for AJAX Advance Nail	1
<b>7-026-01</b>	Guide Block for AJAX Advance Nail - Right	1
<b>7-026-02</b>	Guide Block for AJAX Advance Nail - Left	1
<b>7-026-03</b>	Locking Bolt for Insertion Handle and Distal Guide Bar - AJAX Advance Nail	1
<b>7-026-04</b>	Locking Bolt for Distal Targeting Device - AJAX Advance Nail	1
<b>7-026-05</b>	Locking Bolt for Distal Aiming Bar- AJAX Advance Nail	1
<b>7-026-06</b>	Positioning Rod for AJAX Advance Nail	1
<b>7-026-07</b>	Ø5.2mm T-Handle Drill Bit with Flat End for AJAX Advance Nail	1
<b>7-026-08</b>	Drill Bit Plain Shank/Jacob Chuck End Ø5.2mm x Length 250mm for Long AJAX Advance Nail	1
<b>7-026-09</b>	Distal Guide Bar for AJAX Advance Nail	1
<b>7-026-10</b>	Distal Targeting Device for Long AJAX Advance Nail	1
<b>7-026-11</b>	Distal Aiming Bar for Long AJAX Advance Nail	1
<b>7-026-12</b>	Trocar Ø5.1mm for AJAX Advance Nail	1
<b>7-026-13</b>	Positioning Rod Drill Sleeve for AJAX Advance Nail	1
<b>7-026-14</b>	Allen Key, Hex 5mm for AJAX Advance Nail	1
<b>7-026-19</b>	Curved Awl- Ø9.5-Ø5.6mm for AJAX Advanced Nail	1
<b>7-026-16</b>	Instrument Trays for AJAX Advance Nailing Instrument Set (Distal Targeting Device)	4
<b>7-026-17</b>	Container with PPSU Lid for AJAX Advance Nailing Instrument set (Distal Targeting Device)	1

AJAX  
Advance Nailing  
**Cephalic Screw System**

### AJAX Nail End Cap (For Cephalic Screw)

Length	Code (Titanium)
0mm	<b>TI-6085-04-000</b>
5mm	<b>TI-6085-04-005</b>
10mm	<b>TI-6085-04-010</b>
15mm	<b>TI-6085-04-015</b>



### Inner Screw for AJAX Cephalic Screw

Code (Titanium)

**TI-6085-05**



### AJAX Cephalic Screw

Length	Code (Titanium)
70mm	<b>TI-6085-06-070</b>
75mm	<b>TI-6085-06-075</b>
80mm	<b>TI-6085-06-080</b>
85mm	<b>TI-6085-06-085</b>
90mm	<b>TI-6085-06-090</b>
95mm	<b>TI-6085-06-095</b>
100mm	<b>TI-6085-06-100</b>
105mm	<b>TI-6085-06-105</b>
110mm	<b>TI-6085-06-110</b>
115mm	<b>TI-6085-06-115</b>
120mm	<b>TI-6085-06-120</b>



### End Cap for AJAX Cephalic Screw


Length	Code (Titanium)
0mm	<b>TI-6085-06-00</b>



**1-015-02L** Implant Box for AJAX Nail with Cephalic Screw (**Left**)

**1-015-02R** Implant Box for AJAX Nail with Cephalic Screw, (**Right**)





### AJAX Cephalic Screw

Length	Qty
70mm to 120mm	1pcs

### Inner Screw for Ajax Cephalic Screw

Qty
5pcs

### End Cap for Ajax Cephalic Screw

Qty
5pcs

### AJAX Nail End Cap (For Cephalic Screw)

Length	Qty
0mm to 15mm	2pcs

*Stainless Steel or Titanium Implants can be placed as per requirement*

**7-005-01** Proximal Cortex Cannulated Drill Ø10.5mm for AJAX Cephalic Screw



**7-005-02** Cephalic Screw Inserter for AJAX Cephalic Screw



**7-005-03** Reamer Ø10.5mm for AJAX Cephalic Screw



**7-005-04** Guide Wire Ø3.2mm x Length 400mm for AJAX Cephalic Screw



**7-005-05** Protection Sleeve for AJAX Cephalic Screw



**7-005-06** Cannulated Trocar Sleeve for AJAX Cephalic Screw





**7-005-07** Trocar Ø3.2mm for AJAX Cephalic Screw



**7-005-08** Caddy for AJAX Cephalic Screw End Cap



**7-005-10** Inner Screwdriver, Hex 4.0mm




**7-005-11** Inner Screw Holder, Hex 4.0mm




**7-005-12** Curved Awl Ø9.5-Ø5.6mm for AJAX Cephalic Screw



**7-005-09** Container for AJAX Cephalic Screw Instrument Set



**7-005** AJAX Cephalic Screw Instrument Set


Code	Set Consisting of	Units
<b>7-005-01</b>	Proximal Cortex Cannulated Drill Ø10.5mm for AJAX Cephalic Screw	1
<b>7-005-02</b>	Cephalic Screw Inserter for AJAX Cephalic Screw	1
<b>7-005-03</b>	Reamer Ø10.5mm for AJAX Cephalic Screw	1
<b>7-005-04</b>	Guide Wire Ø3.2mm x Length 400mm for AJAX Cephalic Screw	3
<b>7-005-05</b>	Protection Sleeve for AJAX Cephalic Screw	1
<b>7-005-06</b>	Cannulated Trocar Sleeve for AJAX Cephalic Screw	1
<b>7-005-07</b>	Trocar Ø3.2mm for AJAX Cephalic Screw	1
<b>7-005-08</b>	Caddy for AJAX Cephalic Screw End Cap	1
<b>7-005-10</b>	Inner Screwdriver, Hex 4.0mm	1
<b>7-005-11</b>	Inner Screw Holder, Hex 4.0mm	1
<b>7-005-12</b>	Curved Awl Ø9.5-Ø5.6mm for AJAX Cephalic Screw	1
<b>7-005-09</b>	Container for AJAX Cephalic Screw Instrument Set	1





**USA**

Auxein Inc.  
1500 Nw 89th Court, Suite 107-108  
Doral, Florida 33172  
Tel: +1 305 395 6062  
E Fax: +1 305 395 6262  
Email: USoffice@auxein.com

**MEXICO**

Auxein México, S.A. de C.V.  
Tepic 139 int 801, Colonia Roma Sur,  
Alcaldía Cuauhtémoc, CDMX,  
México, C.P. 06760  
Tel: +521 55 7261 0318  
Email: info@auxein.mx

**INDIA**

Auxein Medical Pvt. Ltd.  
Plot No. 168-169-170, Phase-4,  
Kundli Industrial Area,  
HSIIDC, Sector-57, Sonapat - 131028, Haryana  
Tel: +91 99106 43638 | Fax: +91 86077 70197  
Email: info@auxein.com