

Bone Plate & Screw



1.0mm

1.5mm


2.0mm

2.4mm




Neuro
Facial
Mandible
Orthognathic

2.0mm Straight Plate

| Holes | Codes (0.6mm) |
|---|------------------|
|  4 | 73.04 |
| 5 | 73.05 |
| 6 | 73.06 |
| 14 | 73.14 |
| 16 | 73.16 |


2.0mm Straight Plate with Bridge, Type-I

| Holes | Space | Codes (0.6mm) |
|---|-------|------------------|
|  4 | 6mm | 74.01 |
| 4 | 9mm | 74.02 |
| 6 | 9mm | 74.03 |
| 6 | 12mm | 74.04 |

2.0mm Straight Plate 2 Holes, Type-I

| Space | Codes (0.6mm) |
|---|------------------|
|  8mm | 75.01 |
| 10mm | 75.02 |
| 12mm | 75.03 |

2.0mm Straight Plate with Bridge, Type-II

| Holes | Space | Codes (0.6mm) |
|---|-------|------------------|
|  4 | 6mm | 76.01 |
| 4 | 8mm | 76.02 |
| 4 | 10mm | 76.03 |
| 4 | 12mm | 76.04 |
| 8 | 8mm | 76.05 |
| 8 | 10mm | 76.06 |
| 8 | 12mm | 76.07 |



2.0mm Straight Plate 5 Holes, Type-I


| | |
|------------------|-------|
| Codes (0.6mm) | 77.01 |
|------------------|-------|




2.0mm Straight Plate 6 Holes, Type-I

| | |
|------------------|-------|
| Codes (0.6mm) | 78.01 |
|------------------|-------|


2.0mm L-Plate with bridge, Type-I, 90°

| Holes | Direction | Space | Codes (0.6mm) |
|---|-----------|-------|------------------|
|  2+2 | Left | 8mm | 79.01L |
| 2+2 | Right | 8mm | 79.01R |
| 2+2 | Left | 10mm | 79.02L |
| 2+2 | Right | 10mm | 79.02R |
| 2+2 | Left | 12mm | 79.03L |
| 2+2 | Right | 12mm | 79.03R |
| 2+2 | Left | 15mm | 79.04L |
| 2+2 | Right | 15mm | 79.04R |
| 2+3 | Left | 9mm | 79.05L |
| 2+3 | Right | 9mm | 79.05R |
| 2+3 | Left | 13mm | 79.06L |
| 2+3 | Right | 13mm | 79.06R |


2.0mm L-Plate, Type-I, 90°

| Holes | Direction | Codes (0.6mm) |
|---|-----------|------------------|
|  2+2 | Left | 80.01L |
| 2+2 | Right | 80.01R |
| 2+4 | Left | 80.02L |
| 2+4 | Right | 80.02R |

2.0mm L-Plate with Bridge, Type-II, 90°






| Holes | Direction | Space | Codes (0.6mm) |
|-------|-----------|-------|------------------|
| 2+2 | Left | 6mm | 81.01L |
| 2+2 | Right | 6mm | 81.01R |
| 2+2 | Left | 8mm | 81.02L |
| 2+2 | Right | 8mm | 81.02R |
| 2+2 | Left | 10mm | 81.03L |
| 2+2 | Right | 10mm | 81.03R |
| 3+3 | Left | 10mm | 81.04L |
| 3+3 | Right | 10mm | 81.04R |



2.0mm H-Plate, 11 Holes
Codes (0.6mm) 83.01


2.0mm L-Oblique Plate with Bridge, 90°

| Holes | Direction | Space | Codes (0.6mm) |
|-------|-----------|-------|------------------|
| 2+2 | Left | 6mm | 82.01L |
| 2+2 | Right | 6mm | 82.01R |
| 2+2 | Left | 8mm | 82.02L |
| 2+2 | Right | 8mm | 82.02R |
| 2+2 | Left | 10mm | 82.03L |
| 2+2 | Right | 10mm | 82.03R |
| 3+3 | Left | 10mm | 82.04L |
| 3+3 | Right | 10mm | 82.04R |



2.0mm Straight Plate

| Holes | Codes (0.8mm) | Codes (1.0mm) |
|-------|------------------|------------------|
| | 4 | 84.01 |
| 5 | 84.02 | 84.10 |
| 6 | 84.03 | 84.11 |
| 8 | 84.04 | 84.12 |
| 10 | 84.05 | 84.13 |
| 12 | 84.06 | 84.14 |
| 14 | 84.07 | 84.15 |
| 16 | 84.08 | 84.16 |



2.0mm Straight Plate with Bridge, Type-III

| Holes | Space | Codes (0.8mm) | Codes (1.0mm) |
|-------|-------|------------------|------------------|
| | | 4 | 6mm |
| 4 | 8mm | 85.02 | 85.09 |
| 4 | 10mm | 85.03 | 85.10 |
| 4 | 12mm | 85.04 | 85.11 |
| 6 | 8mm | 85.05 | 85.12 |
| 6 | 10mm | 85.06 | 85.13 |
| 6 | 12mm | 85.07 | 85.14 |



2.0mm Straight Plate, 5 Holes, Type-II

Codes
(0.8mm)
86.01


Codes
(1.0mm)
86.02



2.0mm Straight Plate, 6 Holes, Type-II


Codes
(0.8mm)
87.01

Codes
(1.0mm)
87.02




2.0mm Straight Plate, 2 Holes, Type-II

| Space | Codes (0.8mm) | Codes (1.0mm) |
|-------|------------------|------------------|
| 8mm | 88.01 | 88.04 |
| 10mm | 88.02 | 88.05 |
| 12mm | 88.03 | 88.06 |




2.0mm Straight Plate with Bridge, Type IV

| Holes | Space | Codes (0.8mm) | Codes (1.0mm) |
|-------|-------|------------------|------------------|
| 4 | 9mm | 89.01 | 89.05 |
| 4 | 12mm | 89.02 | 89.06 |
| 6 | 9mm | 89.03 | 89.07 |
| 6 | 12mm | 89.04 | 89.08 |



2.0mm Orbital Plate with Bridge, Type-I

| Holes | Space | Codes (0.8mm) | Codes (1.0mm) |
|-------|-------|------------------|------------------|
| 4 | 8mm | 90.01 | 90.06 |
| 4 | 12mm | 90.02 | 90.07 |
| 6 | 8mm | 90.03 | 90.08 |
| 6 | 12mm | 90.04 | 90.09 |
| 6 | 15mm | 90.05 | 90.10 |




2.0mm Orbital Plate with Bridge, Type-II

| Holes | Space | Codes (0.8mm) | Codes (1.0mm) |
|-------|-------|------------------|------------------|
| 5 | 7.5mm | 91.01 | 91.03 |
| 7 | 7.5mm | 91.02 | 91.04 |




2.0mm Orbital Plate

| Holes | Codes (0.8mm) | Codes (1.0mm) |
|-------|------------------|------------------|
| 6 | 92.01 | 92.04 |
| 8 | 92.02 | 92.05 |
| 12 | 92.03 | 92.06 |




2.0mm L-Plate, Type-II, 90°

| Holes | Direction | Codes (0.8mm) | Codes (1.0mm) |
|-------|-----------|------------------|------------------|
| 2+2 | Left | 93.01 | 93.05 |
| 2+2 | Right | 93.02 | 93.06 |
| 2+4 | Left | 93.03 | 93.07 |
| 2+4 | Right | 93.04 | 93.08 |




2.0mm L-Plate with Bridge, Type-III, 90°

| Holes | Direction | Space | Codes (0.8mm) | Codes (1.0mm) |
|-------|-----------|-------|---------------|---------------|
| 2+2 | Left | 8mm | 94.01 | 94.15 |
| 2+2 | Right | 8mm | 94.02 | 94.16 |
| 2+2 | Left | 10mm | 94.03 | 94.17 |
| 2+2 | Right | 10mm | 94.04 | 94.18 |
| 2+2 | Left | 12mm | 94.05 | 94.19 |
| 2+2 | Right | 12mm | 94.06 | 94.20 |
| 2+2 | Left | 15mm | 94.07 | 94.21 |
| 2+2 | Right | 15mm | 94.08 | 94.22 |
| 3+3 | Left | 9mm | 94.09 | 94.23 |
| 3+3 | Right | 9mm | 94.10 | 94.24 |
| 3+3 | Left | 13mm | 94.11 | 94.25 |
| 3+3 | Right | 13mm | 94.12 | 94.26 |
| 2+3 | Left | 12mm | 94.13 | 94.27 |
| 2+3 | Right | 12mm | 94.14 | 94.28 |




2.0mm L-Plate with Bridge, 100°

| Holes | Direction | Space | Codes (0.8mm) | Codes (1.0mm) |
|-------|-----------|-------|---------------|---------------|
| 2+2 | Left | 6mm | 95.01 | 95.13 |
| 2+2 | Right | 6mm | 95.02 | 95.14 |
| 2+2 | Left | 8mm | 95.03 | 95.15 |
| 2+2 | Right | 8mm | 95.04 | 95.16 |
| 2+2 | Left | 12mm | 95.05 | 95.17 |
| 2+2 | Right | 12mm | 95.06 | 95.18 |
| 3+3 | Left | 10mm | 95.07 | 95.19 |
| 3+3 | Right | 10mm | 95.08 | 95.20 |
| 3+4 | Left | 12mm | 95.09 | 95.21 |
| 3+4 | Right | 12mm | 95.10 | 95.22 |
| 4+6 | Left | 12mm | 95.11 | 95.23 |
| 4+6 | Right | 12mm | 95.12 | 95.24 |



2.0mm L-Plate, 130°


| Holes | Direction | Codes (0.8mm) | Codes (1.0mm) |
|-------|-----------|---------------|---------------|
| 2+2 | Left | 96.01 | 96.05 |
| 2+2 | Right | 96.02 | 96.06 |
| 2+4 | Left | 96.03 | 96.07 |
| 2+4 | Right | 96.04 | 96.08 |



2.0mm L-Plate with Bridge, Type-IV, 90°


| Holes | Direction | Space | Codes (0.8mm) | Codes (1.0mm) |
|-------|-----------|-------|---------------|---------------|
| 2+2 | Left | 6mm | 97.01 | 97.07 |
| 2+2 | Right | 6mm | 97.02 | 97.08 |
| 2+2 | Left | 8mm | 97.03 | 97.09 |
| 2+2 | Right | 8mm | 97.04 | 97.10 |
| 2+2 | Left | 10mm | 97.05 | 97.11 |
| 2+2 | Right | 10mm | 97.06 | 97.12 |

2.0mm Double X-Plate, Small



| Holes | Space | Codes (0.8mm) | Codes (1.0mm) |
|-------|-------|------------------|------------------|
| 4+2 | 6mm | 98.01 | 98.05 |
| 4+2 | 8mm | 98.02 | 98.06 |
| 4+4 | 10mm | 98.03 | 98.07 |
| 4+4 | 12mm | 98.04 | 98.08 |

2.0mm H-Plate




| Holes | Codes (0.8mm) | Codes (1.0mm) |
|-------|------------------|------------------|
| 6+1 | 112.01 | 112.04 |
| 8+1 | 112.02 | 112.05 |
| 10+1 | 112.03 | 112.06 |



2.0mm Long T-Plate, Oblique Angle


| Direction | Codes (0.8mm) | Codes (1.0mm) |
|-----------|------------------|------------------|
| Left | 115.01 | 115.03 |
| Right | 115.02 | 115.04 |



2.0mm I-Plate

| Space | Codes (0.8mm) | Codes (1.0mm) |
|-------|------------------|------------------|
| 6mm | 113.01 | 113.03 |
| 9mm | 113.02 | 113.04 |

2.0mm T-Plate with Bridge




| Holes | Space | Codes (0.8mm) | Codes (1.0mm) |
|-------|-------|------------------|------------------|
| 2+2 | 6mm | 114.01 | 114.08 |
| 2+2 | 8mm | 114.02 | 114.09 |
| 2+2 | 12mm | 114.03 | 114.10 |
| 2+4 | 6mm | 114.04 | 114.11 |
| 2+3 | 8mm | 114.05 | 114.12 |
| 2+3 | 15mm | 114.06 | 114.13 |
| 2+6 | 6mm | 114.07 | 114.14 |




2.0mm T-Plate

| Direction | Codes (0.8mm) | Codes (1.0mm) |
|-----------|------------------|------------------|
| 3+3 | 116.01 | 116.04 |
| 3+4 | 116.02 | 116.05 |
| 3+6 | 116.03 | 116.06 |




2.0mm T-Plate with Bridge

| Holes | Space | Codes (0.8mm) | Codes (1.0mm) |
|-------|-------|------------------|------------------|
| 3+2 | 8mm | 117.01 | 117.03 |
| 3+2 | 12mm | 117.02 | 117.04 |




2.0mm Z-Plate

| Space | Direction | Codes (0.8mm) | Codes (1.0mm) |
|-------|-----------|------------------|------------------|
| 8mm | Left | 120.01 | 120.05 |
| 8mm | Right | 120.02 | 120.06 |
| 12mm | Left | 120.03 | 120.07 |
| 12mm | Right | 120.04 | 120.08 |




2.0mm Pseudo-Possessed Plate, Type-III

| Holes | Codes | Codes |
|-------|---------|---------|
| | (0.8mm) | (1.0mm) |
| 7 | 129.01 | 129.02 |




2.0mm Rectangular Grill Plate, Type-II

| Holes | Codes | Codes |
|-------|---------|---------|
| | (0.8mm) | (1.0mm) |
| 4x2 | 135.01 | 135.04 |
| 4x4 | 135.02 | 135.05 |
| 4x6 | 135.03 | 135.06 |



2.0mm Rectangular Grill Plate, Type-I

| Holes | Codes | Codes |
|-------|---------|---------|
| | (0.8mm) | (1.0mm) |
| 2x2 | 134.01 | 134.03 |
| 2x3 | 134.02 | 134.04 |



2.0mm Rectangular Grill Plate, Type-III

| Holes | Codes | Codes |
|-------|---------|---------|
| | (0.8mm) | (1.0mm) |
| 2x4 | 136.01 | 136.02 |



2.0mm Rectangular Grill Plate, Type-IV

| Holes | Direction | Codes | Codes |
|-------|-----------|---------|---------|
| | | (0.8mm) | (1.0mm) |
| 2x4 | Left | 137.01 | 137.03 |
| 2x4 | Right | 137.02 | 137.04 |

LOCKING SYSTEM




2.0mm Locking Straight Plate with Bridge, Type-I

| Holes | Codes (1.0mm) |
|-------|------------------|
| 4 | 143.01 |
| 6 | 143.02 |
| 8 | 143.03 |
| 12 | 143.04 |
| 14 | 143.05 |




2.0mm Locking T-Gap Plate, Straight

| Holes | Space | Codes (1.0mm) |
|-------|-------|------------------|
| 4 | 10mm | 144.01 |
| 4 | 12mm | 144.02 |
| 6 | 10mm | 144.03 |
| 6 | 12mm | 144.04 |




2.0mm Locking U-Plate

| Holes | Codes (1.0mm) |
|-------|------------------|
| 3+3 | 145.01 |
| 4+4 | 145.02 |




2.0mm Locking U-Plate

| Holes | Codes (1.0mm) |
|-------|------------------|
| 9 | 146.01 |




2.0mm Locking Square Frame Plate, Type-I

| Holes | Codes (1.0mm) |
|-------|------------------|
| 2x4 | 147.01 |
| 2x6 | 147.02 |
| 2x8 | 147.03 |



2.0mm Locking Rectangular Grill Plate, Type-I

| Holes | Codes (1.0mm) |
|-------|------------------|
| 4x2 | 148.01 |
| 4x6 | 148.02 |




2.0mm Locking Rectangular Grill Plate, Type-II

| Holes | Codes (1.0mm) |
|-------|------------------|
| 2x3 | 149.01 |
| 2x4 | 149.02 |
| 2x5 | 149.03 |
| 2x6 | 149.04 |




2.0mm Locking Straight Plate with Bridge, Type-II

| Holes | Codes (1.2mm) |
|-------|------------------|
| 4 | 150.01 |



2.0mm Locking Rectangular Grill Plate, Type-III

| Holes | Codes (1.2mm) |
|-------|------------------|
| 2X3 | 151.01 |
| 2X4 | 151.02 |
| 2X5 | 151.03 |
| 2X6 | 151.04 |




2.0mm Locking Straight Plate with Bridge, Type-III

| Holes | Space | Codes (1.2mm) |
|-------|-------|------------------|
| 4 | 10mm | 152.01 |
| 4 | 12mm | 152.02 |
| 6 | 10mm | 152.03 |
| 6 | 12mm | 152.04 |




2.0mm Locking Straight Plate, Type-II

| Holes | Codes (1.2mm) |
|-------|------------------|
| 4 | 154.01 |
| 6 | 154.02 |
| 8 | 154.03 |
| 10 | 154.04 |
| 12 | 154.05 |
| 14 | 154.06 |
| 16 | 154.07 |



2.0mm Locking Straight Plate with Bridge, Type-IV

| Holes | Space | Codes (1.2mm) |
|-------|-------|------------------|
| 4 | 8mm | 153.01 |
| 4 | 10mm | 153.02 |
| 4 | 12mm | 153.03 |
| 6 | 8mm | 153.04 |
| 6 | 10mm | 153.05 |
| 6 | 12mm | 153.06 |



2.0mm Locking Straight Plate with Bridge, Type-V


| Holes | Space | Codes (1.5mm) |
|-------|-------|------------------|
| 4 | 8mm | 155.01 |
| 4 | 10mm | 155.02 |
| 4 | 12mm | 155.03 |
| 6 | 8mm | 155.04 |




2.0mm Locking Straight Plate, Type-III

| Holes | Codes (1.5mm) |
|-------|------------------|
| 6 | 156.01 |
| 8 | 156.02 |
| 26 | 156.03 |

2.0mm Locking Curved Plate, Type-I




| Holes | Direction | Space | Codes (1.5mm) |
|-------|-----------|--------|------------------|
| 4 | Left | 6mm | 158.01 |
| 4 | Right | 6mm | 158.02 |
| 4 | Left | 10.5mm | 158.03 |
| 4 | Right | 10.5mm | 158.04 |
| 6 | Left | 10.5mm | 158.05 |
| 6 | Right | 10.5mm | 158.06 |
| 8 | Left | 10.5mm | 158.07 |
| 8 | Right | 10.5mm | 158.08 |



2.0mm Locking Orbital Plate

| Holes | Space | Codes (1.5mm) |
|-------|-------|------------------|
| 4 | 10mm | 157.01 |
| 4 | 15mm | 157.02 |

2.0mm One -Way Pressure Plate with Bridge




| Holes | Space | Codes (1.5mm) |
|-------|-------|------------------|
| 4 | 8mm | 159.01 |
| 4 | 10mm | 159.02 |
| 4 | 12mm | 159.03 |
| 6 | 8mm | 159.04 |
| 6 | 10mm | 159.05 |




2.0mm One -Way Pressure Plate

| Holes | Codes (1.5mm) |
|-------|------------------|
| 6 | 160.01 |
| 8 | 160.02 |
| 26 | 160.03 |

2.0mm One -Way Pressure Curved Plate



| Holes | Direction | Space | Codes (1.5mm) |
|-------|-----------|--------|------------------|
| 4 | Left | 6mm | 162.01 |
| 4 | Right | 6mm | 162.02 |
| 4 | Left | 10.5mm | 162.03 |
| 4 | Right | 10.5mm | 162.04 |
| 6 | Left | 10.5mm | 162.05 |
| 6 | Right | 10.5mm | 162.06 |
| 8 | Left | 10.5mm | 162.07 |
| 8 | Right | 10.5mm | 162.08 |



2.0mm One -Way Pressure Orbital Plate

| Holes | Space | Codes (1.5mm) |
|-------|-------|------------------|
| 4 | 10mm | 161.01 |
| 4 | 15mm | 161.02 |

2.0mm Self Tapping Screws



| Length | Codes |
|--------|--------|
| 4mm | 163.04 |
| 5mm | 163.05 |
| 7mm | 163.07 |
| 9mm | 163.09 |
| 11mm | 163.11 |
| 13mm | 163.13 |
| 15mm | 163.15 |
| 17mm | 163.17 |
| 19mm | 163.19 |

2.0mm Self Tapping & Self Drilling Screws



| Length | Codes |
|--------|--------|
| 4mm | 164.04 |
| 5mm | 164.05 |
| 7mm | 164.07 |
| 9mm | 164.09 |
| 11mm | 164.11 |
| 13mm | 164.13 |
| 15mm | 164.15 |
| 17mm | 164.17 |
| 19mm | 164.19 |

2.0mm Locking Self Tapping Screws



| Length | Code |
|--------|--------|
| 5mm | 165.05 |
| 7mm | 165.07 |
| 9mm | 165.09 |
| 11mm | 165.11 |
| 13mm | 165.13 |

2.0mm Locking Self Tapping & Drilling Screws




| Length | Code |
|--------|--------|
| 5mm | 166.05 |
| 7mm | 166.07 |
| 9mm | 166.09 |
| 11mm | 166.11 |
| 13mm | 166.13 |

2.3mm Emergency Screws, Self Tapping



| Length | Code |
|--------|--------|
| 5mm | 167.05 |
| 7mm | 167.07 |
| 9mm | 167.09 |
| 11mm | 167.11 |
| 13mm | 167.13 |
| 15mm | 167.15 |
| 17mm | 167.17 |
| 19mm | 167.19 |


7-134-32 Implant and Instrument Set for 2.0mm CMF System

| 0.8mm | Item | Qty. |
|--------------|---|-------------|
| 84.01 | 2.0mm Straight Plate, 4 Holes | 1 |
| 84.02 | 2.0mm Straight Plate, 5 Holes | 1 |
| 84.03 | 2.0mm Straight Plate, 6 Holes | 1 |
| 84.04 | 2.0mm Straight Plate, 8 Holes | 1 |
| 84.05 | 2.0mm Straight Plate, 1 Holes | 1 |
| 84.06 | 2.0mm Straight Plate, 12 Holes | 1 |
| 84.07 | 2.0mm Straight Plate, 14 Holes | 1 |
| 84.08 | 2.0mm Straight Plate, 16 Holes | 1 |
| 90.01 | 2.0mm Orbital Plate with Bridge, Type-I, 4 Holes, Space 8.0mm | 1 |
| 90.02 | 2.0mm Orbital Plate with Bridge, Type-I, 4 Holes, Space 8.0mm | 1 |
| 90.03 | 2.0mm Orbital Plate with Bridge, Type-I, 6 Holes, Space 8.0mm | 1 |
| 90.04 | 2.0mm Orbital Plate with Bridge, Type-I, 6 Holes, Space 8.0mm | 1 |
| 90.05 | 2.0mm Orbital Plate with Bridge, Type-I, 6 Holes, Space 8.0mm | 1 |
| 92.01 | 2.0mm Orbital Plate, Space 6.0mm | 1 |
| 92.02 | 2.0mm Orbital Plate, Space 8.0mm | 1 |
| 92.03 | 2.0mm Orbital Plate, Space 12.0mm | 1 |
| 93.01 | 2.0mm L-Plate, Type-II, 90°, 2+2 Holes - Left | 1 |
| 93.03 | 2.0mm L-Plate, Type-II, 90°, 2+4 Holes - Left | 1 |
| 93.02 | 2.0mm L-Plate, Type-II, 90°, 2+2 Holes - Right | 1 |

| | | |
|---------------|---|---|
| 93.04 | 2.0mm L-Plate, Type-II, 90°, 2+4 Holes - Right | 1 |
| 94.01 | 2.0mm L-Plate with Bridge, Type-III, 90°, 2+2 Holes, Space 8.0mm - Left | 1 |
| 94.03 | 2.0mm L-Plate with Bridge, Type-III, 90°, 2+2 Holes, Space 10.0mm - Left | 1 |
| 94.05 | 2.0mm L-Plate with Bridge, Type-III, 90°, 2+2 Holes, Space 12.0mm - Left | 1 |
| 94.07 | 2.0mm L-Plate with Bridge, Type-III, 90°, 2+2 Holes, Space 15.0mm - Left | 1 |
| 94.09 | 2.0mm L-Plate with Bridge, Type-III, 90°, 3+3 Holes, Space 9.0mm - Left | 1 |
| 94.11 | 2.0mm L-Plate with Bridge, Type-III, 90°, 3+3 Holes, Space 13.0mm - Left | 1 |
| 94.13 | 2.0mm L-Plate with Bridge, Type-III, 90°, 2+3 Holes, Space 12.0mm - Left | 1 |
| 94.02 | 2.0mm L-Plate with Bridge, Type-III, 90°, 2+2 Holes, Space 8.0mm - Right | 1 |
| 94.04 | 2.0mm L-Plate with Bridge, Type-III, 90°, 2+2 Holes, Space 10.0mm - Right | 1 |
| 94.06 | 2.0mm L-Plate with Bridge, Type-III, 90°, 2+2 Holes, Space 12.0mm - Right | 1 |
| 94.08 | 2.0mm L-Plate with Bridge, Type-III, 90°, 2+2 Holes, Space 15.0mm - Right | 1 |
| 94.10 | 2.0mm L-Plate with Bridge, Type-III, 90°, 3+3 Holes, Space 9.0mm - Right | 1 |
| 94.12 | 2.0mm L-Plate with Bridge, Type-III, 90°, 3+3 Holes, Space 13.0mm - Right | 1 |
| 94.14 | 2.0mm L-Plate with Bridge, Type-III, 90°, 2+3 Holes, Space 12.0mm - Right | 1 |
| 98.01 | 2.0mm Double X-Plate, Small, 4+2 Holes, Space 6.0mm | 1 |
| 98.02 | 2.0mm Double X-Plate, Small, 4+2 Holes, Space 8.0mm | 1 |
| 98.03 | 2.0mm Double X-Plate, Small, 4+4 Holes, Space 10.0mm | 1 |
| 98.04 | 2.0mm Double X-Plate, Small, 4+4 Holes, Space 12.0mm | 1 |
| 112.01 | 2.0mm H-Plate, 6+1 Holes | 1 |
| 112.02 | 2.0mm H-Plate, 8+1 Holes | 1 |
| 112.03 | 2.0mm H-Plate, 10+1 Holes | 1 |
| 113.01 | 2.0mm I-Plate, Space 6.0mm | 1 |
| 113.02 | 2.0mm I-Plate, Space 9.0mm | 1 |
| 114.01 | 2.0mm T-Plate with Bridge, 2+2 Holes, Space 6.0mm | 1 |
| 114.02 | 2.0mm T-Plate with Bridge, 2+2 Holes, Space 8.0mm | 1 |
| 114.03 | 2.0mm T-Plate with Bridge, 2+2 Holes, Space 12.0mm | 1 |
| 114.04 | 2.0mm T-Plate with Bridge, 2+4 Holes, Space 6.0mm | 1 |
| 114.05 | 2.0mm T-Plate with Bridge, 2+3 Holes, Space 8.0mm | 1 |
| 114.06 | 2.0mm T-Plate with Bridge, 2+3 Holes, Space 15.0mm | 1 |
| 114.07 | 2.0mm T-Plate with Bridge, 2+6 Holes, Space 6.0mm | 1 |
| 116.01 | 2.0mm T-Plate, 3+3 Holes | 1 |
| 116.02 | 2.0mm T-Plate, 3+4 Holes | 1 |
| 116.03 | 2.0mm T-Plate, 3+6 Holes | 1 |
| 134.01 | 2.0mm Rectangular Grill Plate, Type-I, 2 x 2 Holes | 1 |
| 134.02 | 2.0mm Rectangular Grill Plate, Type-I, 2 x 3 Hole | 1 |
| 135.01 | 2.0mm Rectangular Grill Plate, Type-II, 4 x 2 Holes | 1 |
| 135.02 | 2.0mm Rectangular Grill Plate, Type-II, 4 x 4 Holes | 1 |
| 135.03 | 2.0mm Rectangular Grill Plate, Type-II, 4 x 6 Holes | 1 |

| 1.0mm | Item | Qty. |
|--------|---|------|
| 84.09 | 2.0mm Straight Plate, 4 Holes | 1 |
| 84.10 | 2.0mm Straight Plate, 5 Holes | 1 |
| 84.11 | 2.0mm Straight Plate, 6 Holes | 1 |
| 84.12 | 2.0mm Straight Plate, 8 Holes | 1 |
| 84.13 | 2.0mm Straight Plate, 1 Holes | 1 |
| 84.14 | 2.0mm Straight Plate, 12 Holes | 1 |
| 84.15 | 2.0mm Straight Plate, 14 Holes | 1 |
| 84.16 | 2.0mm Straight Plate, 16 Holes | 1 |
| 90.06 | 2.0mm Orbital Plate with Bridge, Type-I, 4 Holes, Space 8.0mm | 1 |
| 90.07 | 2.0mm Orbital Plate with Bridge, Type-I, 4 Holes, Space 8.0mm | 1 |
| 90.08 | 2.0mm Orbital Plate with Bridge, Type-I, 6 Holes, Space 8.0mm | 1 |
| 90.09 | 2.0mm Orbital Plate with Bridge, Type-I, 6 Holes, Space 8.0mm | 1 |
| 90.10 | 2.0mm Orbital Plate with Bridge, Type-I, 6 Holes, Space 8.0mm | 1 |
| 92.04 | 2.0mm Orbital Plate, Space 6.0mm | 1 |
| 92.05 | 2.0mm Orbital Plate, Space 8.0mm | 1 |
| 92.06 | 2.0mm Orbital Plate, Space 12.0mm | 1 |
| 93.05 | 2.0mm L-Plate, Type-II, 90°, 2+2 Holes - Left | 1 |
| 93.07 | 2.0mm L-Plate, Type-II, 90°, 2+4 Holes - Left | 1 |
| 93.06 | 2.0mm L-Plate, Type-II, 90°, 2+2 Holes - Right | 1 |
| 93.08 | 2.0mm L-Plate, Type-II, 90°, 2+4 Holes - Right | 1 |
| 94.15 | 2.0mm L-Plate with Bridge, Type-III, 90°, 2+2 Holes, Space 8.0mm - Left | 1 |
| 94.17 | 2.0mm L-Plate with Bridge, Type-III, 90°, 2+2 Holes, Space 10.0mm - Left | 1 |
| 94.19 | 2.0mm L-Plate with Bridge, Type-III, 90°, 2+2 Holes, Space 12.0mm - Left | 1 |
| 94.21 | 2.0mm L-Plate with Bridge, Type-III, 90°, 2+2 Holes, Space 15.0mm - Left | 1 |
| 94.23 | 2.0mm L-Plate with Bridge, Type-III, 90°, 3+3 Holes, Space 9.0mm - Left | 1 |
| 94.25 | 2.0mm L-Plate with Bridge, Type-III, 90°, 3+3 Holes, Space 13.0mm - Left | 1 |
| 94.27 | 2.0mm L-Plate with Bridge, Type-III, 90°, 2+3 Holes, Space 12.0mm - Left | 1 |
| 94.16 | 2.0mm L-Plate with Bridge, Type-III, 90°, 2+2 Holes, Space 8.0mm - Right | 1 |
| 94.18 | 2.0mm L-Plate with Bridge, Type-III, 90°, 2+2 Holes, Space 10.0mm - Right | 1 |
| 94.20 | 2.0mm L-Plate with Bridge, Type-III, 90°, 2+2 Holes, Space 12.0mm - Right | 1 |
| 94.22 | 2.0mm L-Plate with Bridge, Type-III, 90°, 2+2 Holes, Space 15.0mm - Right | 1 |
| 94.24 | 2.0mm L-Plate with Bridge, Type-III, 90°, 3+3 Holes, Space 9.0mm - Right | 1 |
| 94.26 | 2.0mm L-Plate with Bridge, Type-III, 90°, 3+3 Holes, Space 13.0mm - Right | 1 |
| 94.28 | 2.0mm L-Plate with Bridge, Type-III, 90°, 2+3 Holes, Space 12.0mm - Right | 1 |
| 98.05 | 2.0mm Double X-Plate, Small, 4+2 Holes, Space 6.0mm | 1 |
| 98.06 | 2.0mm Double X-Plate, Small, 4+2 Holes, Space 8.0mm | 1 |
| 98.07 | 2.0mm Double X-Plate, Small, 4+4 Holes, Space 10.0mm | 1 |
| 98.08 | 2.0mm Double X-Plate, Small, 4+4 Holes, Space 12.0mm | 1 |
| 112.04 | 2.0mm H-Plate, 6+1 Holes | 1 |
| 112.05 | 2.0mm H-Plate, 8+1 Holes | 1 |
| 112.06 | 2.0mm H-Plate, 10+1 Holes | 1 |
| 113.03 | 2.0mm I-Plate, Space 6.0mm | 1 |
| 113.04 | 2.0mm I-Plate, Space 9.0mm | 1 |
| 114.08 | 2.0mm T-Plate with Bridge, 2+2 Holes, Space 6.0mm | 1 |
| 114.09 | 2.0mm T-Plate with Bridge, 2+2 Holes, Space 8.0mm | 1 |
| 114.10 | 2.0mm T-Plate with Bridge, 2+2 Holes, Space 12.0mm | 1 |
| 114.11 | 2.0mm T-Plate with Bridge, 2+4 Holes, Space 6.0mm | 1 |
| 114.12 | 2.0mm T-Plate with Bridge, 2+3 Holes, Space 8.0mm | 1 |
| 114.13 | 2.0mm T-Plate with Bridge, 2+3 Holes, Space 15.0mm | 1 |
| 114.14 | 2.0mm T-Plate with Bridge, 2+6 Holes, Space 6.0mm | 1 |
| 116.04 | 2.0mm T-Plate, 3+3 Holes | 1 |
| 116.05 | 2.0mm T-Plate, 3+4 Holes | 1 |
| 116.06 | 2.0mm T-Plate, 3+6 Holes | 1 |
| 134.03 | 2.0mm Rectangular Grill Plate, Type-I, 2 x 2 Holes | 1 |
| 134.04 | 2.0mm Rectangular Grill Plate, Type-I, 2 x 3 Holes | 1 |
| 135.04 | 2.0mm Rectangular Grill Plate, Type-II, 4 x 2 Holes | 1 |
| 135.05 | 2.0mm Rectangular Grill Plate, Type-II, 4 x 4 Holes | 1 |
| 135.06 | 2.0mm Rectangular Grill Plate, Type-II, 4 x 6 Holes | 1 |
| 143.01 | 2.0mm Locking Straight Plate with Bridge, Type-I, 4 Holes | 1 |
| 143.02 | 2.0mm Locking Straight Plate with Bridge, Type-I, 6 Holes | 1 |
| 143.03 | 2.0mm Locking Straight Plate with Bridge, Type-I, 8 Holes | 1 |
| 143.04 | 2.0mm Locking Straight Plate with Bridge, Type-I, 12 Holes | 1 |
| 143.05 | 2.0mm Locking Straight Plate with Bridge, Type-I, 14 Holes | 1 |
| 144.01 | 2.0mm Locking T-Gap Plate, Straight, 4 Holes, Space 10.0mm | 1 |
| 144.02 | 2.0mm Locking T-Gap Plate, Straight, 4 Holes, Space 12.0mm | 1 |
| 144.03 | 2.0mm Locking T-Gap Plate, Straight, 6 Holes, Space 10.0mm | 1 |
| 144.04 | 2.0mm Locking T-Gap Plate, Straight, 6 Holes, Space 12.0mm | 1 |
| 145.01 | 2.0mm Locking U-Plate, 3+3 Holes | 1 |
| 145.02 | 2.0mm Locking U-Plate, 4+4 Holes | 1 |
| 146.01 | 2.0mm Locking U-Plate, 9 Holes | 1 |
| 148.01 | 2.0mm Locking Rectangular Grill Plate, Type-I, 4 x 2 Holes | 1 |
| 148.02 | 2.0mm Locking Rectangular Grill Plate, Type-I, 4 x 6 Holes | 1 |

| 1.2mm | Item | Qty. |
|--------|---|------|
| 150.01 | 2.0mm Locking Straight Plate with Bridge, Type-II, 4 Holes | 1 |
| 151.01 | 2.0mm Locking Rectangular Grill Plate, Type-III, 2 x 3 Holes | 1 |
| 151.02 | 2.0mm Locking Rectangular Grill Plate, Type-III, 2 x 4 Holes | 1 |
| 151.03 | 2.0mm Locking Rectangular Grill Plate, Type-III, 2 x 5 Holes | 1 |
| 151.04 | 2.0mm Locking Rectangular Grill Plate, Type-III, 2 x 6 Holes | 1 |
| 152.01 | 2.0mm Locking Straight Plate with Bridge, Type-III, 4 Holes, Space 10.0mm | 1 |
| 152.02 | 2.0mm Locking Straight Plate with Bridge, Type-III, 4 Holes, Space 12.0mm | 1 |
| 152.03 | 2.0mm Locking Straight Plate with Bridge, Type-III, 6 Holes, Space 10.0mm | 1 |
| 152.04 | 2.0mm Locking Straight Plate with Bridge, Type-III, 6 Holes, Space 12.0mm | 1 |
| 153.01 | 2.0mm Locking Straight Plate with Bridge, Type-IV, 4 Holes, Space 8.0mm | 1 |
| 153.02 | 2.0mm Locking Straight Plate with Bridge, Type-IV, 4 Holes, Space 10.0mm | 1 |
| 153.03 | 2.0mm Locking Straight Plate with Bridge, Type-IV, 4 Holes, Space 12.0mm | 1 |
| 153.04 | 2.0mm Locking Straight Plate with Bridge, Type-IV, 6 Holes, Space 8.0mm | 1 |
| 153.05 | 2.0mm Locking Straight Plate with Bridge, Type-IV, 6 Holes, Space 10.0mm | 1 |
| 153.06 | 2.0mm Locking Straight Plate with Bridge, Type-IV, 6 Holes, Space 12.0mm | 1 |
| 154.01 | 2.0mm Locking Straight Plate, Type-II, 4 Holes | 1 |
| 154.02 | 2.0mm Locking Straight Plate, Type-II, 6 Holes | 1 |
| 154.03 | 2.0mm Locking Straight Plate, Type-II, 8 Holes | 1 |
| 154.04 | 2.0mm Locking Straight Plate, Type-II, 10 Holes | 1 |
| 154.05 | 2.0mm Locking Straight Plate, Type-II, 12 Holes | 1 |
| 154.06 | 2.0mm Locking Straight Plate, Type-II, 14 Holes | 1 |
| 154.07 | 2.0mm Locking Straight Plate, Type-II, 16 Holes | 1 |

| 1.5mm | Item | Qty. |
|--------|---|------|
| 155.01 | 2.0mm Locking Straight Plate with Bridge, Type-V, 4 Holes, Space 8.0mm | 1 |
| 155.02 | 2.0mm Locking Straight Plate with Bridge, Type-V, 4 Holes, Space 10.0mm | 1 |
| 155.03 | 2.0mm Locking Straight Plate with Bridge, Type-V, 4 Holes, Space 12.0mm | 1 |
| 155.04 | 2.0mm Locking Straight Plate with Bridge, Type-V, 6 Holes, Space 8.0mm | 1 |
| 156.01 | 2.0mm Locking Straight Plate, Type-III, 6 Holes | 1 |
| 156.02 | 2.0mm Locking Straight Plate, Type-III, 8 Holes | 1 |
| 156.03 | 2.0mm Locking Straight Plate, Type-III, 26 Holes | 1 |
| 157.01 | 2.0mm Locking Orbital Plate, 4 Holes, Space 10.0mm | 1 |
| 157.02 | 2.0mm Locking Orbital Plate, 4 Holes, Space 15.0mm | 1 |
| 159.01 | 2.0mm One -Way Pressure Plate with Bridge, 4 Holes, Space 8.0mm | 1 |
| 159.02 | 2.0mm One -Way Pressure Plate with Bridge, 4 Holes, Space 10.0mm | 1 |
| 159.03 | 2.0mm One -Way Pressure Plate with Bridge, 4 Holes, Space 12.0mm | 1 |
| 159.04 | 2.0mm One -Way Pressure Plate with Bridge, 6 Holes, Space 8.0mm | 1 |
| 159.05 | 2.0mm One -Way Pressure Plate with Bridge, 6 Holes, Space 10.0mm | 1 |
| 160.01 | 2.0mm One -Way Pressure Plate, 6 Holes | 1 |
| 160.02 | 2.0mm One -Way Pressure Plate, 8 Holes | 1 |
| 160.03 | 2.0mm One -Way Pressure Plate, 26 Holes | 1 |
| 161.01 | 2.0mm One -Way Pressure Orbital Plate 4 Holes, Space 10.0mm | 1 |
| 161.02 | 2.0mm One -Way Pressure Orbital Plate 4 Holes, Space 15.0mm | 1 |
| 162.01 | 2.0mm One -Way Pressure Curved Plate, 4 Holes, Space 6.0mm - Left | 1 |
| 162.03 | 2.0mm One -Way Pressure Curved Plate, 4 Holes, Space 10.5mm - Left | 1 |
| 162.05 | 2.0mm One -Way Pressure Curved Plate, 6 Holes, Space 10.5mm - Left | 1 |
| 162.07 | 2.0mm One -Way Pressure Curved Plate, 8 Holes, Space 10.5mm - Left | 1 |
| 162.02 | 2.0mm One -Way Pressure Curved Plate, 4 Holes, Space 6.0mm - Right | 1 |
| 162.04 | 2.0mm One -Way Pressure Curved Plate, 4 Holes, Space 10.5mm - Right | 1 |
| 162.06 | 2.0mm One -Way Pressure Curved Plate, 6 Holes, Space 10.5mm - Right | 1 |
| 162.08 | 2.0mm One -Way Pressure Curved Plate, 8 Holes, Space 10.5mm - Right | 1 |

| Code | 2.0mm Screw System | Qty. |
|--------|---|------|
| 163.04 | 2.0mm Self Tapping Screws, Length 4mm | 13 |
| 163.05 | 2.0mm Self Tapping Screws, Length 5mm | 13 |
| 163.07 | 2.0mm Self Tapping Screws, Length 7mm | 13 |
| 163.09 | 2.0mm Self Tapping Screws, Length 9mm | 13 |
| 163.11 | 2.0mm Self Tapping Screws, Length 11mm | 13 |
| 163.13 | 2.0mm Self Tapping Screws, Length 13mm | 13 |
| 163.15 | 2.0mm Self Tapping Screws, Length 15mm | 13 |
| 163.17 | 2.0mm Self Tapping Screws, Length 17mm | 13 |
| 163.19 | 2.0mm Self Tapping Screws, Length 19mm | 13 |
| 164.09 | 2.0mm Self Tapping & Self Drilling Screws, Length 9mm | 26 |
| 167.05 | 2.3mm Emergency Screws, Self Tapping, Length 5mm | 13 |
| 167.07 | 2.3mm Emergency Screws, Self Tapping, Length 7mm | 13 |
| 167.09 | 2.3mm Emergency Screws, Self Tapping, Length 9mm | 13 |
| 167.11 | 2.3mm Emergency Screws, Self Tapping, Length 11mm | 13 |
| 167.13 | 2.3mm Emergency Screws, Self Tapping, Length 13mm | 13 |
| 167.15 | 2.3mm Emergency Screws, Self Tapping, Length 15mm | 13 |
| 167.17 | 2.3mm Emergency Screws, Self Tapping, Length 17mm | 13 |
| 167.19 | 2.3mm Emergency Screws, Self Tapping, Length 19mm | 13 |

Implant and Instrument Set for 2.0mm CMF System

7-134-33 Double Drill Guide Ø1.4/2.0mm for CMF System



7-134-34 Drill Bit, Ø1.4mm x Length 60mm for CMF System



7-134-35 Drill Sleeve, Ø1.4mm for CMF System



7-134-36 Drill Bit, Ø1.4mm x Length 5mm for CMF System



7-134-37 Drill Bit, Ø1.4mm x Length 7mm for CMF System



Implant and Instrument Set for 2.0mm CMF System

7-134-38 Drill Bit, Ø1.4mm x Length 9mm for CMF System



7-134-39 Drill Bit, Ø1.4mm x Length 11mm for CMF System



7-134-40 Drill Bit, Ø1.4mm x Length 13mm for CMF System



7-134-41 Tap, Ø2.0mm for CMF System



7-134-42 Self Retaining Crosshead Screwdriver Shaft for 2.0mm Screw



Implant and Instrument Set for 2.0mm CMF System**7-134-43**


Self Retaining Crosshead Screwdriver Shaft for 2.3mm Emergency Screw


**7-134-44**

2.0mm Screw Caddy for CMF System

**7-134-45**

Container with Tray & Lid for 2.0mm CMF Set



Implant and Instrument Set for 2.0mm CMF System

7-134-32 Implant and Instrument Set for 2.0mm CMF System

| Code | Item | Qty. |
|----------|--|------|
| 7-134-32 | Implant and Instrument Set for 2.0mm CMF System | 1 |
| 7-134-33 | Double Drill Guide Ø1.4/2.0mm for CMF System | 1 |
| 7-134-34 | Drill Bit, Ø1.4mm x Length 60mm for CMF System | 2 |
| 7-134-35 | Drill Sleeve, Ø1.4mm for CMF System | 2 |
| 7-134-36 | Drill Bit, Ø1.4mm x Length 5mm for CMF System | 1 |
| 7-134-37 | Drill Bit, Ø1.4mm x Length 7mm for CMF System | 1 |
| 7-134-38 | Drill Bit, Ø1.4mm x Length 9mm for CMF System | 1 |
| 7-134-39 | Drill Bit, Ø1.4mm x Length 11mm for CMF System | 1 |
| 7-134-40 | Drill Bit, Ø1.4mm x Length 13mm for CMF System | 1 |
| 7-134-41 | Tap, Ø2.0mm for CMF System | 1 |
| 7-134-42 | Self Retaining Crosshead Screwdriver Shaft for 2.0mm Screw | 2 |
| 7-134-43 | Self Retaining Crosshead Screwdriver Shaft for 2.3mm Emergency Screw | 2 |
| 7-134-44 | 2.0mm Screw Caddy for CMF System | 1 |
| 7-134-45 | Container with Tray & Lid for 2.0mm CMF Set | 1 |