


2.4mm

Wise-Lock Distal Radius



Indications

Displaced extra-articular and intra-articular distal radius fractures and corrective osteotomies of the distal radius.

Dorsal Approach

- Dorsally displaced fractures
- Extra-articular fractures with metaphyseal defect
- Combination of distal radius with carpal and metacarpal fractures
- Corrective osteotomies

2.4mm Wise-Lock Distal Radius Dorsal Plate, Straight



Holes	Titanium
5	TI-M01.05
6	TI-M01.06

Round
Locking Hole




Compression and
Locking Hole



2.4mm Wise-Lock "T" Distal Radius Dorsal Plate, (3 Head Holes)



Holes	Titanium
3	TI-M08.03
4	TI-M08.04


2.4mm Wise-Lock “L” Distal Radius Dorsal Plate, (2 Head Holes)


Holes	Left Direction	Right Direction
	Titanium	Titanium
3	TI-M02.03	TI-M03.03
4	TI-M02.04	TI-M03.04


2.4mm Wise-Lock “L” Distal Radius Dorsal Plate, (3 Head Holes)


Holes	Left Direction	Right Direction
	Titanium	Titanium
3	TI-M04.03	TI-M05.03
4	TI-M04.04	TI-M05.04

2.4mm Wise-Lock "L" Distal Radius Dorsal Plate, Oblique



Holes	Left Direction	Right Direction
	Titanium	Titanium
3	TI-M06.03	TI-M07.03
4	TI-M06.04	TI-M07.04



Indications

Displaced extra-articular and intra-articular distal radius fractures and corrective osteotomies of the distal radius.

Palmar Approach

- Reversed Barton
- Palmarly displaced extra-articular fractures (Goyrand-Smith)
- Dorsally displaced extra-articular (Colles) and articular fractures
- Extra-articular fractures with extension into the shaft (extra-long plates)

2.4mm Wise-Lock Distal Radius Volar Plate, (5 Head Holes)



Round
Locking Hole




Compression and
Locking Hole




Holes	Left Direction	Right Direction
	Titanium	Titanium
3	TI-M09.03	TI-M10.03
5	TI-M09.05	TI-M10.05



2.4mm Wise-Lock Distal Radius Volar Plate, Extra-Articular, (5 Head Holes)


Holes	Left Direction	Right Direction
	Titanium	Titanium
3	TI-M12.03	TI-M13.03
5	TI-M12.05	TI-M13.05


2.4mm Wise-Lock Distal Radius Volar Plate, Extra-Articular, (4 Head Holes)


Holes	Left Direction	Right Direction
	Titanium	Titanium
3	TI-M14.03	TI-M15.03
5	TI-M14.05	TI-M15.05

2.4mm Wise-Lock Volar Buttress Plate, (5 Head Holes)




Round
Locking Hole




Compression and
Locking Hole



Holes	Left Direction	Right Direction
	Titanium	Titanium
3	TI-M11.03L	TI-M11.03R

2.4mm Wise-Lock Distal Radius Volar Plate, Extra-Long, (4 Head Holes)


Round
Locking Hole




Compression and
Locking Hole



Head with 4 Holes


Holes	Titanium
8	TI-M16.08
10	TI-M16.10
12	TI-M16.12

**Indications**

The Wise-Lock Volar Column Plate 2.4 is indicated for the fixation of complex intra- and extra-articular fractures and osteotomies of the distal radius and other small bones.

2.4mm Wise-Lock Volar Column Distal Radius Plate, (8 Head Holes)


Round
Locking Hole




Compression and
Locking Hole



Holes	Left Direction	Right Direction
	Titanium	Titanium
3	TI-759.103L	TI-759.103R
4	TI-759.104L	TI-759.104R
5	TI-759.105L	TI-759.105R

2.4mm Wise-Lock Volar Column Distal Radius Plate, Extra articular (9 Head Holes)


Holes	Left Direction	Right Direction
	Titanium	Titanium
3	TI-759.203L	TI-759.203R
4	TI-759.204L	TI-759.204R
5	TI-759.205L	TI-759.205R




Indications

Extra-articular and intra-articular fractures of the proximal radius and multi-fragmented radial neck fractures

2.4mm Wise-Lock Proximal Radius Plate for Radial Head Rim


Holes	Left Direction	Right Direction
	Titanium	Titanium
2	TI-544.002L	TI-544.002R
3	TI-544.003L	TI-544.003R
4	TI-544.004L	TI-544.004R

Round
Locking Hole




Compression and
Locking Hole


2.4mm Wise-Lock Proximal Radius Plate for Radial Head Neck


Holes	Titanium
2	TI-545.002
3	TI-545.003
4	TI-545.004

2.5mm Wise-Lock "T" Wrist Volar Plate


2.5mm Round
Locking Hole




3.5mm Round
Locking Hole



	Left Direction	Right Direction
Holes	Titanium	Titanium
3	6137.06	6136.06
4	6137.01	6136.01
5	6137.07	6136.07
6	6137.02	6136.02
7	6137.08	6136.08
8	6137.03	6136.03
10	6137.09	6136.09
12	6137.10	6136.10

2.5mm Volar Screw, Self-Tapping, Full Thread

Length (mm)	Titanium
10	6151.10
12	6151.01
14	6151.02
16	6151.03
18	6151.04
20	6151.05
22	6151.06
24	6151.07
26	6151.08
28	6151.09
30	6151.11



2.5mm Volar Screw, Self-Tapping, Partial Thread



Length (mm)	Titanium
10	6152.11
12	6152.01
14	6152.02
16	6152.03
18	6152.04
20	6152.05
22	6152.06
24	6152.07
26	6152.08
28	6152.09
30	6152.10

2.0mm Peg Screw

Length (mm)	Titanium
10	6153.09
12	6153.10
14	6153.11
16	6153.01
18	6153.02
20	6153.03
22	6153.04
24	6153.05
26	6153.06
28	6153.07
30	6153.08



2.4mm Cortical Screw, Self-Tapping, (Hex Head)

Length (mm)	Titanium
6	TI-M18.06
8	TI-M18.08
10	TI-M18.10
12	TI-M18.12
14	TI-M18.14
16	TI-M18.16
18	TI-M18.18
20	TI-M18.20
22	TI-M18.22
24	TI-M18.24
26	TI-M18.26
28	TI-M18.28
30	TI-M18.30


2.4mm Wise-Lock Screw, Self-Tapping, (Hex Head)

Length (mm)	Titanium
6	TI-M17.06
8	TI-M17.08
10	TI-M17.10
12	TI-M17.12
14	TI-M17.14
16	TI-M17.16
18	TI-M17.18
20	TI-M17.20
22	TI-M17.22
24	TI-M17.24
26	TI-M17.26
28	TI-M17.28
30	TI-M17.30


2.7mm Cortical Screw, Self-Tapping, (Hex Head)

Length (mm)	Titanium
6	TI-103.206
8	TI-103.208
10	TI-103.210
12	TI-103.212
14	TI-103.214
16	TI-103.216
18	TI-103.218
20	TI-103.220
22	TI-103.222
24	TI-103.224
26	TI-103.226
28	TI-103.228
30	TI-103.230



2105-04 Implant Box with cover for 2.4mm Wise-Lock Distal Radius system



10-048 2.4mm Wise-Lock Distal Radius Implant Set - Dorsal & Volar

Codes	Set consisting of:	Units
TI-M01.05	2.4mm Wise-Lock Distal Radius Dorsal Plate, Straight, 5 Holes	1 Pcs
TI-M01.06	2.4mm Wise-Lock Distal Radius Dorsal Plate, Straight, 6 Holes	1 Pcs
TI-M08.03	2.4mm Wise-Lock "T" Distal Radius Dorsal Plate, (3 Head Holes), 3 Holes	1 Pcs
TI-M08.04	2.4mm Wise-Lock "T" Distal Radius Dorsal Plate, (3 Head Holes), 4 Holes	1 Pcs
TI-M02.03	2.4mm Wise-Lock "L" Distal Radius Dorsal Plate, (2 Head Holes), 3 Holes - Left	1 Pcs
TI-M03.03	2.4mm Wise-Lock "L" Distal Radius Dorsal Plate, (2 Head Holes), 3 Holes - Right	1 Pcs
TI-M02.04	2.4mm Wise-Lock "L" Distal Radius Dorsal Plate, (2 Head Holes), 4 Holes - Left	1 Pcs
TI-M03.04	2.4mm Wise-Lock "L" Distal Radius Dorsal Plate, (2 Head Holes), 4 Holes - Right	1 Pcs
TI-M04.03	2.4mm Wise-Lock "L" Distal Radius Dorsal Plate, (3 Head Holes), 3 Holes - Left	1 Pcs
TI-M05.03	2.4mm Wise-Lock "L" Distal Radius Dorsal Plate, Right Angled (Head with 3 Holes), 3 Holes	1 Pcs
TI-M04.04	2.4mm Wise-Lock "L" Distal Radius Dorsal Plate, (3 Head Holes), 3 Holes - Right	1 Pcs
TI-M05.04	2.4mm Wise-Lock "L" Distal Radius Dorsal Plate, (3 Head Holes), 4 Holes - Right	1 Pcs
TI-M06.03	2.4mm Wise-Lock "L" Distal Radius Dorsal Plate, Oblique, 3 Holes - Left	1 Pcs
TI-M07.03	2.4mm Wise-Lock "L" Distal Radius Dorsal Plate, Oblique, 3 Holes - Right	1 Pcs
TI-M06.04	2.4mm Wise-Lock "L" Distal Radius Dorsal Plate, Oblique, 4 Holes - Left	1 Pcs
TI-M07.04	2.4mm Wise-Lock "L" Distal Radius Dorsal Plate, Oblique, 4 Holes - Right	1 Pcs

Codes	Set consisting of:	Units
TI-M09.03	2.4mm Wise-Lock Distal Radius Volar Plate, (5 Head Holes), 3 Holes - Left	1 Pcs
TI-M10.03	2.4mm Wise-Lock Distal Radius Volar Plate, (5 Head Holes), 3 Holes - Right	1 Pcs
TI-M09.05	2.4mm Wise-Lock Distal Radius Volar Plate, (5 Head Holes), 5 Holes - Left	1 Pcs
TI-M10.05	2.4mm Wise-Lock Distal Radius Volar Plate, (5 Head Holes), 5 Holes - Right	1 Pcs
TI-M12.03	2.4mm Wise-Lock Distal Radius Volar Plate, Extra-Articular, (5 Head Holes), 3 Holes - Left	1 Pcs
TI-M13.03	2.4mm Wise-Lock Distal Radius Volar Plate, Extra-Articular, (5 Head Holes), 3 Holes - Right	1 Pcs
TI-M12.05	2.4mm Wise-Lock Distal Radius Volar Plate, Extra-Articular, (5 Head Holes), 5 Holes - Left	1 Pcs
TI-M13.05	2.4mm Wise-Lock Distal Radius Volar Plate, Extra-Articular, (5 Head Holes), 5 Holes - Right	1 Pcs
TI-M14.03	2.4mm Wise-Lock Distal Radius Volar Plate, Extra-Articular, (4 Head Holes), 3 Holes - Left	1 Pcs
TI-M15.03	2.4mm Wise-Lock Distal Radius Volar Plate, Extra-Articular, (4 Head Holes), 3 Holes - Right	1 Pcs
TI-M14.05	2.4mm Wise-Lock Distal Radius Volar Plate, Extra-Articular, (4 Head Holes), 5 Holes - Left	1 Pcs
TI-M15.05	2.4mm Wise-Lock Distal Radius Volar Plate, Extra-Articular, (4 Head Holes), 5 Holes - Right	1 Pcs
TI-M16.08	2.4mm Wise-Lock Distal Radius Volar Plate, Extra-Long, (4 Head Holes), 8 Holes	1 Pcs
TI-M16.10	2.4mm Wise-Lock Distal Radius Volar Plate, Extra-Long, (4 Head Holes), 10 Holes	1 Pcs
TI-M16.12	2.4mm Wise-Lock Distal Radius Volar Plate, Extra-Long, (4 Head Holes), 12 Holes	1 Pcs
TI-M11.03L	2.4mm Wise-Lock Volar Buttress Plate, (5 Head Holes), 3 Holes - Left	1 Pcs
TI-M11.03R	2.4mm Wise-Lock Volar Buttress Plate, (5 Head Holes), 3 Holes - Right	1 Pcs

Codes	Set consisting of:	Units
TI-M18.06	2.4mm Cortical Screw, Self-Tapping, (Hex Head), Length 6mm, Titanium	4 Pcs
TI-M18.08	2.4mm Cortical Screw, Self-Tapping, (Hex Head), Length 8mm, Titanium	4 Pcs
TI-M18.10	2.4mm Cortical Screw, Self-Tapping, (Hex Head), Length 10mm, Titanium	4 Pcs
TI-M18.12	2.4mm Cortical Screw, Self-Tapping, (Hex Head), Length 12mm, Titanium	4 Pcs
TI-M18.14	2.4mm Cortical Screw, Self-Tapping, (Hex Head), Length 14mm, Titanium	4 Pcs
TI-M18.16	2.4mm Cortical Screw, Self-Tapping, (Hex Head), Length 16mm, Titanium	4 Pcs
TI-M18.18	2.4mm Cortical Screw, Self-Tapping, (Hex Head), Length 18mm, Titanium	4 Pcs
TI-M18.20	2.4mm Cortical Screw, Self-Tapping, (Hex Head), Length 20mm, Titanium	4 Pcs
TI-M18.22	2.4mm Cortical Screw, Self-Tapping, (Hex Head), Length 22mm, Titanium	4 Pcs
TI-M18.24	2.4mm Cortical Screw, Self-Tapping, (Hex Head), Length 24mm, Titanium	4 Pcs
TI-M18.26	2.4mm Cortical Screw, Self-Tapping, (Hex Head), Length 26mm, Titanium	4 Pcs
TI-M18.28	2.4mm Cortical Screw, Self-Tapping, (Hex Head), Length 28mm, Titanium	4 Pcs
TI-M18.30	2.4mm Cortical Screw, Self-Tapping, (Hex Head), Length 30mm, Titanium	4 Pcs
TI-M17.06	2.4mm Wise-Lock Screw, Self-Tapping, (Hex Head), Length 6mm, Titanium	6 Pcs
TI-M17.08	2.4mm Wise-Lock Screw, Self-Tapping, (Hex Head), Length 8mm, Titanium	6 Pcs
TI-M17.10	2.4mm Wise-Lock Screw, Self-Tapping, (Hex Head), Length 10mm, Titanium	6 Pcs
TI-M17.12	2.4mm Wise-Lock Screw, Self-Tapping, (Hex Head), Length 12mm, Titanium	6 Pcs
TI-M17.14	2.4mm Wise-Lock Screw, Self-Tapping, (Hex Head), Length 14mm, Titanium	6 Pcs
TI-M17.16	2.4mm Wise-Lock Screw, Self-Tapping, (Hex Head), Length 16mm, Titanium	6 Pcs
TI-M17.18	2.4mm Wise-Lock Screw, Self-Tapping, (Hex Head), Length 18mm, Titanium	6 Pcs
TI-M17.20	2.4mm Wise-Lock Screw, Self-Tapping, (Hex Head), Length 20mm, Titanium	6 Pcs
TI-M17.22	2.4mm Wise-Lock Screw, Self-Tapping, (Hex Head), Length 22mm, Titanium	6 Pcs
TI-M17.24	2.4mm Wise-Lock Screw, Self-Tapping, (Hex Head), Length 24mm, Titanium	6 Pcs
TI-M17.26	2.4mm Wise-Lock Screw, Self-Tapping, (Hex Head), Length 26mm, Titanium	6 Pcs
TI-M17.28	2.4mm Wise-Lock Screw, Self-Tapping, (Hex Head), Length 28mm, Titanium	6 Pcs
TI-M17.30	2.4mm Wise-Lock Screw, Self-Tapping, (Hex Head), Length 30mm, Titanium	6 Pcs
TI-103.206	2.7mm Cortical Screw, Self-Tapping, (Hex Head), Length 6mm, Titanium	4 Pcs
TI-103.208	2.7mm Cortical Screw, Self-Tapping, (Hex Head), Length 8mm, Titanium	4 Pcs
TI-103.210	2.7mm Cortical Screw, Self-Tapping, (Hex Head), Length 10mm, Titanium	4 Pcs
TI-103.212	2.7mm Cortical Screw, Self-Tapping, (Hex Head), Length 12mm, Titanium	4 Pcs
TI-103.214	2.7mm Cortical Screw, Self-Tapping, (Hex Head), Length 14mm, Titanium	4 Pcs
TI-103.216	2.7mm Cortical Screw, Self-Tapping, (Hex Head), Length 16mm, Titanium	4 Pcs
TI-103.218	2.7mm Cortical Screw, Self-Tapping, (Hex Head), Length 18mm, Titanium	4 Pcs
TI-103.220	2.7mm Cortical Screw, Self-Tapping, (Hex Head), Length 20mm, Titanium	4 Pcs
TI-103.222	2.7mm Cortical Screw, Self-Tapping, (Hex Head), Length 22mm, Titanium	4 Pcs
TI-103.224	2.7mm Cortical Screw, Self-Tapping, (Hex Head), Length 24mm, Titanium	4 Pcs
TI-103.226	2.7mm Cortical Screw, Self-Tapping, (Hex Head), Length 26mm, Titanium	4 Pcs
TI-103.228	2.7mm Cortical Screw, Self-Tapping, (Hex Head), Length 28mm, Titanium	4 Pcs
TI-103.230	2.7mm Cortical Screw, Self-Tapping, (Hex Head), Length 30mm, Titanium	4 Pcs

1312-04-1.8

Drill Bit with Quick Coupling End, Ø1.8mm x Length 140mm, for Distal Radius


1312-05-2.0

Drill Bit with Quick Coupling End, Ø2.0mm x Length 140mm, for Distal Radius


1312-06-2.4

Drill Bit with Quick Coupling End, Ø2.4mm x Length 140mm, for Distal Radius


1312-07-2.7


Drill Bit with Quick Coupling End, Ø2.7mm x Length 140mm, for Distal Radius


2105-01

Guide Wire with One Sided Trocar Tip, Ø1.5mm x Length 150mm


2105-02

Guide Wire with Threaded Tip, Ø1.5mm x Thread Length 5mm x Length 150mm



7-055-03

Self-Centering Double Drill Guide, Ø1.8/2.4mm, for Distal Radius


7-055-04

Self-Centering Double Drill Guide, Ø2.0/2.7mm, for Distal Radius


1312-01

Depth Gauge measuring upto 60mm for Distal Radius


1312-21

Torque Limiting Attachment, 0.8Nm, for Distal Radius


7-019-03

Handle for Torque Limiting Attachment for Distal Radius


1312-22

Quick Coupling Handle for Distal Radius



1312-17

Depth Gauge with Protector measuring upto 50mm, for Distal Radius


1312-29

Sharp Hook for Distal Radius


1312-02

T-Handle With Quick Coupling for Distal Radius


1312-22-6.5

Retractor, 6.5mm, for Distal Radius


1312-03-15

Retractor, 15mm, for Distal Radius


1312-23

Double Periosteal Elevator, Round, for Distal Radius



1312-24

Double Periosteal Elevator, Flat, for Distal Radius


1312-25

Reduction Forcep with Points, Small, for Distal Radius


1312-26

Reduction Forcep with Points, Large, for Distal Radius


1312-27

Reduction Forcep with Points, Serrated, for Distal Radius


1312-28

Bending Forcep for Distal Radius


2105-03

Screwdriver, Hex 2.0mm, for Distal Radius



2105-07

Screwdriver Shaft, Hex 2.0mm, for Distal Radius


1312-10-2.4


Tap, HA 2.4mm for Distal Radius


1312-11-2.7


Tap, HA 2.7mm for Distal Radius


1312-14-2.0

Threaded Drill Sleeve Ø2.0mm/2.7mm for Distal Radius


7-055-02

Threaded Drill Sleeve Ø1.8mm/2.4mm (Single Start Thread), for Distal Radius


1312-20-2.7

Screw Holding Sleeve for 2.7mm Cortical Screw - Distal Radius



1312-20-2.4

Screw Holding Sleeve for 2.4mm Cortical Screw - Distal Radius


1312-30-2.4

Screw Holding Sleeve for 2.4mm Wise-lock Screw - Distal Radius


7-055-01

Instrument Trays for 2.4mm Wise-Lock Distal Radius Instrument Set


2105-04

Implant Box with cover for 2.4mm Wise-Lock Distal Radius system


2105-05

Container for 2.4mm Wise-Lock Distal Radius Instrument Set



2300-000 2.4mm Wise-Lock Distal Radius Instrument Set



2300-000 2.4mm Wise-Lock Distal Radius Instrument Set

Codes	Set consisting of:	Units
1312-04-1.8	Drill Bit with Quick Coupling End, Ø1.8mm x Length 140mm, for Distal Radius	2
1312-05-2.0	Drill Bit with Quick Coupling End, Ø2.0mm x Length 140mm, for Distal Radius	2
1312-06-2.4	Drill Bit with Quick Coupling End, Ø2.4mm x Length 140mm, for Distal Radius	2
1312-07-2.7	Drill Bit with Quick Coupling End, Ø2.7mm x Length 140mm, for Distal Radius	2
2105-01	Guide Wire with One Sided Trocar Tip, Ø1.5mm x Length 150mm	3
2105-02	Guide Wire with Threaded Tip, Ø1.5mm x Thread Length 5mm x Length 150mm	3
7-055-03	Self-Centering Double Drill Guide, Ø1.8/2.4mm, for Distal Radius	1
7-055-04	Self-Centering Double Drill Guide, Ø2.0/2.7mm, for Distal Radius	1
1312-01	Depth Gauge measuring upto 60mm for Distal Radius	1
1312-21	Torque Limiting Attachment, 0.8Nm, for Distal Radius	1
7-019-03	Handle for Torque Limiting Attachment for Distal Radius	1
1312-22	Quick Coupling Handle for Distal Radius	1
1312-17	Depth Gauge with Protector measuring upto 50mm, for Distal Radius	1
1312-29	Sharp Hook for Distal Radius	1
1312-02	T-Handle With Quick Coupling for Distal Radius	1
1312-22-6.5	Retractor, 6.5mm, for Distal Radius	1
1312-03-15	Retractor, 15mm, for Distal Radius	1
1312-23	Double Periosteal Elevator, Round, for Distal Radius	1
1312-24	Double Periosteal Elevator, Flat, for Distal Radius	1
1312-25	Reduction Forcep with Points, Small, for Distal Radius	1
1312-26	Reduction Forcep with Points, Large, for Distal Radius	1
1312-27	Reduction Forcep with Points, Serrated, for Distal Radius	1
1312-28	Bending Forcep for Distal Radius	2
2105-03	Screwdriver, Hex 2.0mm, for Distal Radius	1
2105-07	Screwdriver Shaft, Hex 2.0mm, for Distal Radius	1
1312-10-2.4	Tap, HA 2.4mm for Distal Radius	1
1312-11-2.7	Tap, HA 2.7mm for Distal Radius	1
1312-14-2.0	Threaded Drill Sleeve Ø2.0mm/2.7mm for Distal Radius	2
7-055-02	Threaded Drill Sleeve Ø1.8mm/2.4mm (Single Start Thread), for Distal Radius	2
1312-20-2.7	Screw Holding Sleeve for 2.7mm Cortical Screw - Distal Radius	1
1312-20-2.4	Screw Holding Sleeve for 2.4mm Cortical Screw - Distal Radius	1
1312-30-2.4	Screw Holding Sleeve for 2.4mm Wise-lock Screw - Distal Radius	1
7-055-01	Instrument Trays for 2.4mm Wise-Lock Distal Radius Instrument Set	2
2105-04	Implant Box with cover for 2.4mm Wise-Lock Distal Radius system	1
2105-05	Container for 2.4mm Wise-Lock Distal Radius Instrument Set	1