

## **3.5mm Cannulated Screws**



## 3.5mm Cannulated Cortical Screw, Short Thread

Length (mm)	Stainless Steel	Titanium
10	121.010	TI-121.010
12	121.012	TI-121.012
14	121.014	TI-121.014
16	121.016	TI-121.016
18	121.018	TI-121.018
20	121.020	TI-121.020
22	121.022	TI-121.022
24	121.024	TI-121.024
26	121.026	TI-121.026
28	121.028	TI-121.028
30	121.030	TI-121.030
32	121.032	TI-121.032
34	121.034	TI-121.034
36	121.036	TI-121.036
38	121.038	TI-121.038
40	121.040	TI-121.040
42	121.042	TI-121.042
44	121.044	TI-121.044
46	121.046	TI-121.046
48	121.048	TI-121.048
50	121.050	TI-121.050



## 3.5mm Cannulated Cortical Screw, Full Thread

Length (mm)	Stainless Steel	Titanium
10	121.210	TI-121.210
12	121.212	TI-121.212
14	121.214	TI-121.214
16	121.216	TI-121.216
18	121.218	TI-121.218
20	121.220	TI-121.220
22	121.222	TI-121.222
24	121.224	TI-121.224
26	121.226	TI-121.226
28	121.228	TI-121.228
30	121.230	TI-121.230
32	121.232	TI-121.232
34	121.234	TI-121.234
36	121.236	TI-121.236
38	121.238	TI-121.238
40	121.240	TI-121.240
42	121.242	TI-121.242
44	121.244	TI-121.244
46	121.246	TI-121.246
48	121.248	TI-121.248
50	121.250	TI-121.250



**STERILE**
**3.5mm Cannulated Cortical Screw, Short Thread**

Length (mm)	Stainless Steel	Titanium
10	121.010-S	TI-121.010-S
12	121.012-S	TI-121.012-S
14	121.014-S	TI-121.014-S
16	121.016-S	TI-121.016-S
18	121.018-S	TI-121.018-S
20	121.020-S	TI-121.020-S
22	121.022-S	TI-121.022-S
24	121.024-S	TI-121.024-S
26	121.026-S	TI-121.026-S
28	121.028-S	TI-121.028-S
30	121.030-S	TI-121.030-S
32	121.032-S	TI-121.032-S
34	121.034-S	TI-121.034-S
36	121.036-S	TI-121.036-S
38	121.038-S	TI-121.038-S
40	121.040-S	TI-121.040-S
42	121.042-S	TI-121.042-S
44	121.044-S	TI-121.044-S
46	121.046-S	TI-121.046-S
48	121.048-S	TI-121.048-S
50	121.050-S	TI-121.050-S


**3.5mm Cannulated Cortical Screw, Full Thread**

Length (mm)	Stainless Steel	Titanium
10	121.210-S	TI-121.210-S
12	121.212-S	TI-121.212-S
14	121.214-S	TI-121.214-S
16	121.216-S	TI-121.216-S
18	121.218-S	TI-121.218-S
20	121.220-S	TI-121.220-S
22	121.222-S	TI-121.222-S
24	121.224-S	TI-121.224-S
26	121.226-S	TI-121.226-S
28	121.228-S	TI-121.228-S
30	121.230-S	TI-121.230-S
32	121.232-S	TI-121.232-S
34	121.234-S	TI-121.234-S
36	121.236-S	TI-121.236-S
38	121.238-S	TI-121.238-S
40	121.240-S	TI-121.240-S
42	121.242-S	TI-121.242-S
44	121.244-S	TI-121.244-S
46	121.246-S	TI-121.246-S
48	121.248-S	TI-121.248-S
50	121.250-S	TI-121.250-S





## 3.5mm Cannulated Cortical Screw, Short Thread, Self-Tapping

Length (mm)	Stainless Steel	Titanium
10	121.310	TI-121.310
12	121.312	TI-121.312
14	121.314	TI-121.314
16	121.316	TI-121.316
18	121.318	TI-121.318
20	121.320	TI-121.320
22	121.322	TI-121.322
24	121.324	TI-121.324
26	121.326	TI-121.326
28	121.328	TI-121.328
30	121.330	TI-121.330
32	121.332	TI-121.332
34	121.334	TI-121.334
36	121.336	TI-121.336
38	121.338	TI-121.338
40	121.340	TI-121.340
42	121.342	TI-121.342
44	121.344	TI-121.344
46	121.346	TI-121.346
48	121.348	TI-121.348
50	121.350	TI-121.350




## 3.5mm Cannulated Cortical Screw, Full Thread, Self-Tapping

Length (mm)	Stainless Steel	Titanium
10	121.410	TI-121.410
12	121.412	TI-121.412
14	121.414	TI-121.414
16	121.416	TI-121.416
18	121.418	TI-121.418
20	121.420	TI-121.420
22	121.422	TI-121.422
24	121.424	TI-121.424
26	121.426	TI-121.426
28	121.428	TI-121.428
30	121.430	TI-121.430
32	121.432	TI-121.432
34	121.434	TI-121.434
36	121.436	TI-121.436
38	121.438	TI-121.438
40	121.440	TI-121.440
42	121.442	TI-121.442
44	121.444	TI-121.444
46	121.446	TI-121.446
48	121.448	TI-121.448
50	121.450	TI-121.450



## Washer For Small Fragment Screw

	Stainless Steel	Titanium
Code	100.110	TI-100.110



**STERILE**

## 3.5mm Cannulated Cortical Screw, Short Thread, Self-Tapping

Length (mm)	Stainless Steel	Titanium
10	121.310-S	TI-121.310-S
12	121.312-S	TI-121.312-S
14	121.314-S	TI-121.314-S
16	121.316-S	TI-121.316-S
18	121.318-S	TI-121.318-S
20	121.320-S	TI-121.320-S
22	121.322-S	TI-121.322-S
24	121.324-S	TI-121.324-S
26	121.326-S	TI-121.326-S
28	121.328-S	TI-121.328-S
30	121.330-S	TI-121.330-S
32	121.332-S	TI-121.332-S
34	121.334-S	TI-121.334-S
36	121.336-S	TI-121.336-S
38	121.338-S	TI-121.338-S
40	121.340-S	TI-121.340-S
42	121.342-S	TI-121.342-S
44	121.344-S	TI-121.344-S
46	121.346-S	TI-121.346-S
48	121.348-S	TI-121.348-S
50	121.350-S	TI-121.350-S




## 3.5mm Cannulated Cortical Screw, Full Thread, Self-Tapping

Length (mm)	Stainless Steel	Titanium
10	121.410-S	TI-121.410-S
12	121.412-S	TI-121.412-S
14	121.414-S	TI-121.414-S
16	121.416-S	TI-121.416-S
18	121.418-S	TI-121.418-S
20	121.420-S	TI-121.420-S
22	121.422-S	TI-121.422-S
24	121.424-S	TI-121.424-S
26	121.426-S	TI-121.426-S
28	121.428-S	TI-121.428-S
30	121.430-S	TI-121.430-S
32	121.432-S	TI-121.432-S
34	121.434-S	TI-121.434-S
36	121.436-S	TI-121.436-S
38	121.438-S	TI-121.438-S
40	121.440-S	TI-121.440-S
42	121.442-S	TI-121.442-S
44	121.444-S	TI-121.444-S
46	121.446-S	TI-121.446-S
48	121.448-S	TI-121.448-S
50	121.450-S	TI-121.450-S



## Washer For Small Fragment Screw

	Stainless Steel	Titanium
Code	100.110-S	TI-100.110-S



**2103-2.7-160**

Cannulated Drill Bit Quick Coupling, Ø2.7mm x Length 160mm


**3435-01**

Stopper for Drill Bit Ø2.7mm


**3435-02**

Cannulated Drill Bit with Quick Coupling, Ø3.5mm x Length 160mm


**3767-2.7**

Double Drill Guide, Ø2.7/1.2mm


**3767-3.5**

Double Drill Guide, Ø2.5/3.5mm


**3434-000**


Double Drill Guide, Ø3.5/2.7mm


**3433-01**

Cannulated Screwdriver, Hex 2.5mm


**3446-000**

Fiber Handle with Quick coupling, Cannulated


**7-056-02**

Wire Sleeve for Guide Wire Ø2.7/1.2mm


**7-121-02**

Bone Tap for 3.5mm Cannulated Cortical Screw



**1489-01** Holding Sleeve for Cannulated Screwdriver, Hex 2.5mm



**3430-04** Cannulated Countersink with Quick Coupling for Ø3.5mm Screw




**1485-1.2** Stylet, Ø1.2mm



**3426-01** Guide Wire with Threaded Trocar Tip, Ø1.2mm x Thread Length 5mm x Length 150mm




**3438-19** Direct Measuring Device for Ø3.5mm Screw




**3415-000** Screw Holding Forcep



**3425-000** Holding Clip for Washer



**7-121-01** Instrument Tray for 3.5mm Cannulated Cortical Screw Instrument Set



**A10-045** Container for 3.5mm Cannulated Cortical Instruments Set



**2336-000 3.5mm Cannulated Cortical Screw Instrument Set**


Item Code	Item Name	Unit
<b>2103-2.7-160</b>	Cannulated Drill Bit Quick Coupling, Ø2.7mm x Length 160mm	2
<b>3435-01</b>	Stopper for Drill Bit Ø2.7mm	1
<b>3435-02</b>	Cannulated Drill Bit with Quick Coupling, Ø3.5mm x Length 160mm	2
<b>3767-2.7</b>	Double Drill Guide, Ø2.7/1.2mm	1
<b>3767-3.5</b>	Double Drill Guide, Ø2.5/3.5mm	1
<b>3434-000</b>	Double Drill Guide, Ø3.5/2.7mm	1
<b>3433-01</b>	Cannulated Screwdriver, Hex 2.5mm	1
<b>3446-000</b>	Fiber Handle with Quick coupling, Cannulated	1
<b>7-056-02</b>	Wire Sleeve for Guide Wire Ø2.7/1.2mm	1
<b>7-121-02</b>	Bone Tap for 3.5mm Cannulated Cortical Screw	1
<b>1489-01</b>	Holding Sleeve for Cannulated Screwdriver, Hex 2.5mm	1
<b>3430-04</b>	Cannulated Countersink with Quick Coupling for Ø3.5mm Screw	1
<b>1485-1.2</b>	Stylet, Ø1.2mm	1
<b>3426-01</b>	Guide Wire with Threaded Trocar Tip, Ø1.2mm x Thread Length 5mm x Length 150mm	6
<b>3438-19</b>	Direct Measuring Device for Ø3.5mm Screw	1
<b>3415-000</b>	Screw Holding Forcep	1
<b>3425-000</b>	Holding Clip for Washer	1
<b>7-121-01</b>	Instrument Tray for 3.5mm Cannulated Cortical Screw Instrument Set	1
<b>A10-045</b>	Container for 3.5mm Cannulated Cortical Instruments Set	1