

4.0mm Cannulated Screws




4.0mm Cannulated Cancellous Screw, Short Thread, Self-Tapping



Length (mm)	Stainless Steel	Titanium
* 10	124.210	TI-124.210
* 12	124.212	TI-124.212
* 14	124.214	TI-124.214
16	124.216	TI-124.216
18	124.218	TI-124.218
20	124.220	TI-124.220
22	124.222	TI-124.222
24	124.224	TI-124.224
26	124.226	TI-124.226
28	124.228	TI-124.228
30	124.230	TI-124.230
32	124.232	TI-124.232
34	124.234	TI-124.234
36	124.236	TI-124.236
38	124.238	TI-124.238
40	124.240	TI-124.240
42	124.242	TI-124.242
44	124.244	TI-124.244
46	124.246	TI-124.246
48	124.248	TI-124.248
50	124.250	TI-124.250
55	124.255	TI-124.255
60	124.260	TI-124.260
* 65	124.265	TI-124.265
* 70	124.270	TI-124.270

* Sizes not available in Screw Caddy

4.0mm Cannulated Cancellous Screw, Full Thread, Self-Tapping




Length (mm)	Stainless Steel	Titanium
* 10	125.210	TI-125.210
* 12	125.212	TI-125.212
* 14	125.214	TI-125.214
16	125.216	TI-125.216
18	125.218	TI-125.218
20	125.220	TI-125.220
22	125.222	TI-125.222
24	125.224	TI-125.224
26	125.226	TI-125.226
28	125.228	TI-125.228
30	125.230	TI-125.230
32	125.232	TI-125.232
34	125.234	TI-125.234
36	125.236	TI-125.236
38	125.238	TI-125.238
40	125.240	TI-125.240
42	125.242	TI-125.242
44	125.244	TI-125.244
46	125.246	TI-125.246
48	125.248	TI-125.248
50	125.250	TI-125.250
55	125.255	TI-125.255
60	125.260	TI-125.260
* 65	125.265	TI-125.265
* 70	125.270	TI-125.270

* Sizes not available in Screw Caddy

Washer For Small Fragment Screw


	Stainless Steel	Titanium
Code	100.110	TI-100.110



STERILE
**4.0mm Cannulated Cancellous Screw,
Short Thread, Self-Tapping**


Length (mm)	Stainless Steel	Titanium
* 10	124.210-S	TI-124.210-S
* 12	124.212-S	TI-124.212-S
* 14	124.214-S	TI-124.214-S
16	124.216-S	TI-124.216-S
18	124.218-S	TI-124.218-S
20	124.220-S	TI-124.220-S
22	124.222-S	TI-124.222-S
24	124.224-S	TI-124.224-S
26	124.226-S	TI-124.226-S
28	124.228-S	TI-124.228-S
30	124.230-S	TI-124.230-S
32	124.232-S	TI-124.232-S
34	124.234-S	TI-124.234-S
36	124.236-S	TI-124.236-S
38	124.238-S	TI-124.238-S
40	124.240-S	TI-124.240-S
42	124.242-S	TI-124.242-S
44	124.244-S	TI-124.244-S
46	124.246-S	TI-124.246-S
48	124.248-S	TI-124.248-S
50	124.250-S	TI-124.250-S
55	124.255-S	TI-124.255-S
60	124.260-S	TI-124.260-S
* 65	124.265-S	TI-124.265-S
* 70	124.270-S	TI-124.270-S

* Sizes not available in Screw Caddy


**4.0mm Cannulated Cancellous Screw,
Full Thread, Self-Tapping**


Length (mm)	Stainless Steel	Titanium
* 10	125.210-S	TI-125.210-S
* 12	125.212-S	TI-125.212-S
* 14	125.214-S	TI-125.214-S
16	125.216-S	TI-125.216-S
18	125.218-S	TI-125.218-S
20	125.220-S	TI-125.220-S
22	125.222-S	TI-125.222-S
24	125.224-S	TI-125.224-S
26	125.226-S	TI-125.226-S
28	125.228-S	TI-125.228-S
30	125.230-S	TI-125.230-S
32	125.232-S	TI-125.232-S
34	125.234-S	TI-125.234-S
36	125.236-S	TI-125.236-S
38	125.238-S	TI-125.238-S
40	125.240-S	TI-125.240-S
42	125.242-S	TI-125.242-S
44	125.244-S	TI-125.244-S
46	125.246-S	TI-125.246-S
48	125.248-S	TI-125.248-S
50	125.250-S	TI-125.250-S
55	125.255-S	TI-125.255-S
60	125.260-S	TI-125.260-S
* 65	125.265-S	TI-125.265-S
* 70	125.270-S	TI-125.270-S


* Sizes not available in Screw Caddy

Washer For Small Fragment Screw

	Stainless Steel	Titanium
Code	100.110-S	TI-100.110-S



ST-005-4.0 Screw Caddy For 4.0mm Cannulated Cancellous Screw *(Tray Without Screw)*



4.0mm Cannulated Cancellous Screw, Short Thread, Self-Tapping

Stainless Steel	Titanium	Length	Unit
124.216	TI-124.216	16	3
124.218	TI-124.218	18	3
124.220	TI-124.220	20	3
124.222	TI-124.222	22	3
124.224	TI-124.224	24	3
124.226	TI-124.226	26	3
124.228	TI-124.228	28	3
124.230	TI-124.230	30	3
124.232	TI-124.232	32	3
124.234	TI-124.234	34	3
124.236	TI-124.236	36	3
124.238	TI-124.238	38	3
124.240	TI-124.240	40	3
124.242	TI-124.242	42	3
124.244	TI-124.244	44	3
124.246	TI-124.246	46	3
124.248	TI-124.248	48	3
124.250	TI-124.250	50	3
124.255	TI-124.255	55	3
124.260	TI-124.260	60	3

4.0mm Cannulated Cancellous Screw, Full Thread, Self-Tapping

Stainless Steel	Titanium	Length	Unit
125.216	TI-125.216	16	3
125.218	TI-125.218	18	3
125.220	TI-125.220	20	3
125.222	TI-125.222	22	3
125.224	TI-125.224	24	3
125.226	TI-125.226	26	3
125.228	TI-125.228	28	3
125.230	TI-125.230	30	3
125.232	TI-125.232	32	3
125.234	TI-125.234	34	3
125.236	TI-125.236	36	3
125.238	TI-125.238	38	3
125.240	TI-125.240	40	3
125.242	TI-125.242	42	3
125.244	TI-125.244	44	3
125.246	TI-125.246	46	3
125.248	TI-125.248	48	3
125.250	TI-125.250	50	3
125.255	TI-125.255	55	3
125.260	TI-125.260	60	3

451-1.2-180E Guide Wire, Ø1.2mm x Length 180mm




3426-01-180 Guide Wire with Threaded Trocar Tip, Ø1.2mm x Thread Length 5mm x Length 180mm



3767-1.20 Double Drill Guide, Ø2.7/1.2mm



1484-4.0 Cannulated Countersink with T-Handle for Ø4.0mm Screw



1486-2.7 Protection Sleeve for Drill Bit Ø2.8mm



7-056-02 Wire Sleeve for Guide Wire Ø2.7/1.2mm



7-056-01 Screw Holding Forcep for Ø4.0mm Screw



2103-2.7-160 Cannulated Drill Bit Plain Shank/Jacob Chuck, Ø2.7mm x Length 160mm



3435-01 Stopper for Drill Bit Ø2.7mm



3433-01 Cannulated Screwdriver, Hex 2.5mm



1489-01 Holding Sleeve for Cannulated Screwdriver, Hex 2.5mm



1487-2.5 Allen Key, Hex 2.5mm, for Ø4.0mm Screw



2103-11 Cannulated T-Handle Tap for Ø4.0mm Screw



3431-01 Direct Measuring Device for Ø4.0mm Screw




1488-01 Extraction Screw with T- Handle for Ø4.0mm Screw




1485-1.2 Stylet, Ø1.2mm




ST-005-4.0 Screw Caddy for 4.0mm Cannulated Cancellous Screw



A10-009 Container with Lid for 4.0mm Cannulated Cancellous Screw Instrument set



2337-000 4.0mm Cannulated Cancellous Screw Instrument Set


Item Code	Item Name	Unit
451-1.2-180E	Guide Wire, Ø1.2mm x Length 180mm	3
3426-01-180	Guide Wire with Threaded Trocar Tip, Ø1.2mm x Thread Length 5mm x Length 180mm	3
3767-1.20	Double Drill Guide, Ø2.7/1.2mm	1
1484-4.0	Cannulated Countersink with T-Handle for Ø4.0mm Screw	1
1486-2.7	Protection Sleeve for Drill Bit Ø2.8mm	1
7-056-02	Wire Sleeve for Guide Wire Ø2.7/1.2mm	1
7-056-01	Screw Holding Forcep for Ø4.0mm Screw	1
2103-2.7-160	Cannulated Drill Bit Plain Shank/Jacob Chuck, Ø2.7mm x Length 160mm	2
3435-01	Stopper for Drill Bit Ø2.7mm	1
3433-01	Cannulated Screwdriver, Hex 2.5mm	2
1489-01	Holding Sleeve for Cannulated Screwdriver, Hex 2.5mm	1
1487-2.5	Allen Key, Hex 2.5mm, for Ø4.0mm Screw	1
2103-11	Cannulated T-Handle Tap for Ø4.0mm Screw	1
3431-01	Direct Measuring Device for Ø4.0mm Screw	1
1488-01	Extraction Screw with T- Handle for Ø4.0mm Screw	1
1485-1.2	Stylet, Ø1.2mm	1
ST-005-4.0	Screw Caddy for 4.0mm Cannulated Cancellous Screw	1
A10-009	Container with Lid for 4.0mm Cannulated Cancellous Screw Instrument set	1