

4.5mm Cannulated Screws



4.5mm Cannulated Cortical Screw, Short Thread



Length (mm)	Stainless Steel	Titanium
20	122.020	TI-122.020
22	122.022	TI-122.022
24	122.024	TI-122.024
26	122.026	TI-122.026
28	122.028	TI-122.028
30	122.030	TI-122.030
32	122.032	TI-122.032
34	122.034	TI-122.034
36	122.036	TI-122.036
38	122.038	TI-122.038
40	122.040	TI-122.040
42	122.042	TI-122.042
44	122.044	TI-122.044
46	122.046	TI-122.046
48	122.048	TI-122.048
50	122.050	TI-122.050
52	122.052	TI-122.052
54	122.054	TI-122.054
56	122.056	TI-122.056
58	122.058	TI-122.058
60	122.060	TI-122.060
62	122.062	TI-122.062
64	122.064	TI-122.064
66	122.066	TI-122.066
68	122.068	TI-122.068
70	122.070	TI-122.070
72	122.072	TI-122.072
74	122.074	TI-122.074
76	122.076	TI-122.076
78	122.078	TI-122.078
80	122.080	TI-122.080

4.5mm Cannulated Cortical Screw, Full Thread



Length (mm)	Stainless Steel	Titanium
20	122.220	TI-122.220
22	122.222	TI-122.222
24	122.224	TI-122.224
26	122.226	TI-122.226
28	122.228	TI-122.228
30	122.230	TI-122.230
32	122.232	TI-122.232
34	122.234	TI-122.234
36	122.236	TI-122.236
38	122.238	TI-122.238
40	122.240	TI-122.240
42	122.242	TI-122.242
44	122.244	TI-122.244
46	122.246	TI-122.246
48	122.248	TI-122.248
50	122.250	TI-122.250
52	122.252	TI-122.252
54	122.254	TI-122.254
56	122.256	TI-122.256
58	122.258	TI-122.258
60	122.260	TI-122.260
62	122.262	TI-122.262
64	122.264	TI-122.264
66	122.266	TI-122.266
68	122.268	TI-122.268
70	122.270	TI-122.270
72	122.272	TI-122.272
74	122.274	TI-122.274
76	122.276	TI-122.276
78	122.278	TI-122.278
80	122.280	TI-122.280

STERILE

4.5mm Cannulated Cortical Screw, Short Thread



Length (mm)	Stainless Steel	Titanium
20	122.020-S	TI-122.020-S
22	122.022-S	TI-122.022-S
24	122.024-S	TI-122.024-S
26	122.026-S	TI-122.026-S
28	122.028-S	TI-122.028-S
30	122.030-S	TI-122.030-S
32	122.032-S	TI-122.032-S
34	122.034-S	TI-122.034-S
36	122.036-S	TI-122.036-S
38	122.038-S	TI-122.038-S
40	122.040-S	TI-122.040-S
42	122.042-S	TI-122.042-S
44	122.044-S	TI-122.044-S
46	122.046-S	TI-122.046-S
48	122.048-S	TI-122.048-S
50	122.050-S	TI-122.050-S
52	122.052-S	TI-122.052-S
54	122.054-S	TI-122.054-S
56	122.056-S	TI-122.056-S
58	122.058-S	TI-122.058-S
60	122.060-S	TI-122.060-S
62	122.062-S	TI-122.062-S
64	122.064-S	TI-122.064-S
66	122.066-S	TI-122.066-S
68	122.068-S	TI-122.068-S
70	122.070-S	TI-122.070-S
72	122.072-S	TI-122.072-S
74	122.074-S	TI-122.074-S
76	122.076-S	TI-122.076-S
78	122.078-S	TI-122.078-S
80	122.080-S	TI-122.080-S

4.5mm Cannulated Cortical Screw, Full Thread



Length (mm)	Stainless Steel	Titanium
20	122.220-S	TI-122.220-S
22	122.222-S	TI-122.222-S
24	122.224-S	TI-122.224-S
26	122.226-S	TI-122.226-S
28	122.228-S	TI-122.228-S
30	122.230-S	TI-122.230-S
32	122.232-S	TI-122.232-S
34	122.234-S	TI-122.234-S
36	122.236-S	TI-122.236-S
38	122.238-S	TI-122.238-S
40	122.240-S	TI-122.240-S
42	122.242-S	TI-122.242-S
44	122.244-S	TI-122.244-S
46	122.246-S	TI-122.246-S
48	122.248-S	TI-122.248-S
50	122.250-S	TI-122.250-S
52	122.252-S	TI-122.252-S
54	122.254-S	TI-122.254-S
56	122.256-S	TI-122.256-S
58	122.258-S	TI-122.258-S
60	122.260-S	TI-122.260-S
62	122.262-S	TI-122.262-S
64	122.264-S	TI-122.264-S
66	122.266-S	TI-122.266-S
68	122.268-S	TI-122.268-S
70	122.270-S	TI-122.270-S
72	122.272-S	TI-122.272-S
74	122.274-S	TI-122.274-S
76	122.276-S	TI-122.276-S
78	122.278-S	TI-122.278-S
80	122.280-S	TI-122.280-S




4.5mm Cannulated Cortical Screw, Short Thread, Self-Tapping



Length (mm)	Stainless Steel	Titanium
20	122.120	TI-122.120
22	122.122	TI-122.122
24	122.124	TI-122.124
26	122.126	TI-122.126
28	122.128	TI-122.128
30	122.130	TI-122.130
32	122.132	TI-122.132
34	122.134	TI-122.134
36	122.136	TI-122.136
38	122.138	TI-122.138
40	122.140	TI-122.140
42	122.142	TI-122.142
44	122.144	TI-122.144
46	122.146	TI-122.146
48	122.148	TI-122.148
50	122.150	TI-122.150
52	122.152	TI-122.152
54	122.154	TI-122.154
56	122.156	TI-122.156
58	122.158	TI-122.158
60	122.160	TI-122.160
62	122.162	TI-122.162
64	122.164	TI-122.164
66	122.166	TI-122.166
68	122.168	TI-122.168
70	122.170	TI-122.170
72	122.172	TI-122.172
74	122.174	TI-122.174
76	122.176	TI-122.176
78	122.178	TI-122.178
80	122.180	TI-122.180


4.5mm Cannulated Cortical Screw, Full Thread, Self-Tapping



Length (mm)	Stainless Steel	Titanium
20	122.320	TI-122.320
22	122.322	TI-122.322
24	122.324	TI-122.324
26	122.326	TI-122.326
28	122.328	TI-122.328
30	122.330	TI-122.330
32	122.332	TI-122.332
34	122.334	TI-122.334
36	122.336	TI-122.336
38	122.338	TI-122.338
40	122.340	TI-122.340
42	122.342	TI-122.342
44	122.344	TI-122.344
46	122.346	TI-122.346
48	122.348	TI-122.348
50	122.350	TI-122.350
52	122.352	TI-122.352
54	122.354	TI-122.354
56	122.356	TI-122.356
58	122.358	TI-122.358
60	122.360	TI-122.360
62	122.362	TI-122.362
64	122.364	TI-122.364
66	122.366	TI-122.366
68	122.368	TI-122.368
70	122.370	TI-122.370
72	122.372	TI-122.372
74	122.374	TI-122.374
76	122.376	TI-122.376
78	122.378	TI-122.378
80	122.380	TI-122.380

Washer For Large Fragment Screw

	Stainless Steel	Titanium
Code	100.120	TI-100.120




STERILE

4.5mm Cannulated Cortical Screw, Short Thread, Self-Tapping



Length (mm)	Stainless Steel	Titanium
20	122.120-S	TI-122.120-S
22	122.122-S	TI-122.122-S
24	122.124-S	TI-122.124-S
26	122.126-S	TI-122.126-S
28	122.128-S	TI-122.128-S
30	122.130-S	TI-122.130-S
32	122.132-S	TI-122.132-S
34	122.134-S	TI-122.134-S
36	122.136-S	TI-122.136-S
38	122.138-S	TI-122.138-S
40	122.140-S	TI-122.140-S
42	122.142-S	TI-122.142-S
44	122.144-S	TI-122.144-S
46	122.146-S	TI-122.146-S
48	122.148-S	TI-122.148-S
50	122.150-S	TI-122.150-S
52	122.152-S	TI-122.152-S
54	122.154-S	TI-122.154-S
56	122.156-S	TI-122.156-S
58	122.158-S	TI-122.158-S
60	122.160-S	TI-122.160-S
62	122.162-S	TI-122.162-S
64	122.164-S	TI-122.164-S
66	122.166-S	TI-122.166-S
68	122.168-S	TI-122.168-S
70	122.170-S	TI-122.170-S
72	122.172-S	TI-122.172-S
74	122.174-S	TI-122.174-S
76	122.176-S	TI-122.176-S
78	122.178-S	TI-122.178-S
80	122.180-S	TI-122.180-S


4.5mm Cannulated Cortical Screw, Full Thread, Self-Tapping



Length (mm)	Stainless Steel	Titanium
20	122.320-S	TI-122.320-S
22	122.322-S	TI-122.322-S
24	122.324-S	TI-122.324-S
26	122.326-S	TI-122.326-S
28	122.328-S	TI-122.328-S
30	122.330-S	TI-122.330-S
32	122.332-S	TI-122.332-S
34	122.334-S	TI-122.334-S
36	122.336-S	TI-122.336-S
38	122.338-S	TI-122.338-S
40	122.340-S	TI-122.340-S
42	122.342-S	TI-122.342-S
44	122.344-S	TI-122.344-S
46	122.346-S	TI-122.346-S
48	122.348-S	TI-122.348-S
50	122.350-S	TI-122.350-S
52	122.352-S	TI-122.352-S
54	122.354-S	TI-122.354-S
56	122.356-S	TI-122.356-S
58	122.358-S	TI-122.358-S
60	122.360-S	TI-122.360-S
62	122.362-S	TI-122.362-S
64	122.364-S	TI-122.364-S
66	122.366-S	TI-122.366-S
68	122.368-S	TI-122.368-S
70	122.370-S	TI-122.370-S
72	122.372-S	TI-122.372-S
74	122.374-S	TI-122.374-S
76	122.376-S	TI-122.376-S
78	122.378-S	TI-122.378-S
80	122.380-S	TI-122.380-S

Washer For Large Fragment Screw

	Stainless Steel	Titanium
Code	100.120-S	TI-100.120-S



3435-04 Cannulated Drill Bit with Quick Coupling, Ø4.5mm x Length 170mm



3435-03 Cannulated Drill Bit with Quick Coupling, Ø3.2mm x Length 170mm




2100-1.5-160 Drill Bit Quick Coupling End, Ø1.5mm x Length 160mm



3767-4.5 Double Drill Guide, Ø4.5/3.2mm




3767-3.2 Double Drill Guide, Ø3.2/1.6mm



3432-01 Bone Tap with Quick Coupling for Ø4.5mm Cannulated Screw, Quick Coupling



3433-02 Cannulated Screwdriver, Hex 3.5mm



3446-000 Fiber Handle with Quick Coupling, Cannulated



3430-02 Cannulated Countersink with Quick Coupling for Ø4.5mm Screw



3427-02 Stylet, Ø1.6mm




3426-02 Guide Wire with Threaded Trocar Tip Ø1.6mm x Thread Length 14mm x Length 240mm




3431-02 Direct Measuring Device for Ø4.5mm Screw




3425-000 Holding Clip For Washer



3415-000 Screw Holding Forcep




7-122-01 Instrument Tray for 4.5mm Cannulated Cortical Screw Instruments Set



A10-010 Container for 4.5mm Cannulated Cortical Screw Instruments Set



2338-000 4.5mm Cannulated Cortical Screw Instrument Set


Item Code	Item Name	Unit
3435-04	Cannulated Drill Bit with Quick Coupling, Ø4.5mm x Length 170mm	1
3435-03	Cannulated Drill Bit with Quick Coupling, Ø3.2mm x Length 170mm	2
2100-1.5-160	Drill Bit Quick Coupling End, Ø1.5mm x Length 160mm	1
3767-4.5	Double Drill Guide, Ø4.5/3.2mm	1
3767-3.2	Double Drill Guide, Ø3.2/1.6mm	1
3432-01	Bone Tap with Quick Coupling for Ø4.5mm Cannulated Screw, Quick Coupling	1
3433-02	Cannulated Screwdriver, Hex 3.5mm	1
3446-000	Fiber Handle with Quick Coupling, Cannulated	1
3430-02	Cannulated Countersink with Quick Coupling for Ø4.5mm Screw	1
3427-02	Stylet, Ø1.6mm	1
3426-02	Guide Wire with Threaded Trocar Tip Ø1.6mm x Thread Length 14mm x Length 240mm	10
3431-02	Direct Measuring Device for Ø4.5mm Screw	1
3425-000	Holding Clip For Washer	1
3415-000	Screw Holding Forcep	1
7-122-01	Instrument Tray for 4.5mm Cannulated Cortical Screw Instruments Set	1
A10-010	Container for 4.5mm Cannulated Cortical Screw Instruments Set	1