

## **6.5mm Cannulated Screws**




### 6.5mm Cannulated Screw, 16mm Thread, Self-Drilling



Length (mm)	Stainless Steel	Titanium
30	<b>132.030</b>	<b>TI-132.030</b>
35	<b>132.035</b>	<b>TI-132.035</b>
40	<b>132.040</b>	<b>TI-132.040</b>
45	<b>132.045</b>	<b>TI-132.045</b>
50	<b>132.050</b>	<b>TI-132.050</b>
55	<b>132.055</b>	<b>TI-132.055</b>
60	<b>132.060</b>	<b>TI-132.060</b>
65	<b>132.065</b>	<b>TI-132.065</b>
70	<b>132.070</b>	<b>TI-132.070</b>
75	<b>132.075</b>	<b>TI-132.075</b>
80	<b>132.080</b>	<b>TI-132.080</b>
85	<b>132.085</b>	<b>TI-132.085</b>
90	<b>132.090</b>	<b>TI-132.090</b>
95	<b>132.095</b>	<b>TI-132.095</b>
100	<b>132.100</b>	<b>TI-132.100</b>
105	<b>132.105</b>	<b>TI-132.105</b>
110	<b>132.110</b>	<b>TI-132.110</b>
115	<b>132.115</b>	<b>TI-132.115</b>
120	<b>132.120</b>	<b>TI-132.120</b>
125	<b>132.125</b>	<b>TI-132.125</b>
130	<b>132.130</b>	<b>TI-132.130</b>
135	<b>132.135</b>	<b>TI-132.135</b>
140	<b>132.140</b>	<b>TI-132.140</b>
145	<b>132.145</b>	<b>TI-132.145</b>
150	<b>132.150</b>	<b>TI-132.150</b>

### 6.5mm Cannulated Screw, 32mm Thread, Self-Drilling



Length (mm)	Stainless Steel	Titanium
45	<b>132.245</b>	<b>TI-132.245</b>
50	<b>132.250</b>	<b>TI-132.250</b>
55	<b>132.255</b>	<b>TI-132.255</b>
60	<b>132.260</b>	<b>TI-132.260</b>
65	<b>132.265</b>	<b>TI-132.265</b>
70	<b>132.270</b>	<b>TI-132.270</b>
75	<b>132.275</b>	<b>TI-132.275</b>
80	<b>132.280</b>	<b>TI-132.280</b>
85	<b>132.285</b>	<b>TI-132.285</b>
90	<b>132.290</b>	<b>TI-132.290</b>
95	<b>132.295</b>	<b>TI-132.295</b>
100	<b>132.300</b>	<b>TI-132.300</b>
105	<b>132.305</b>	<b>TI-132.305</b>
110	<b>132.310</b>	<b>TI-132.310</b>
115	<b>132.315</b>	<b>TI-132.315</b>
120	<b>132.320</b>	<b>TI-132.320</b>
125	<b>132.325</b>	<b>TI-132.325</b>
130	<b>132.330</b>	<b>TI-132.330</b>
135	<b>132.335</b>	<b>TI-132.335</b>
140	<b>132.340</b>	<b>TI-132.340</b>
145	<b>132.345</b>	<b>TI-132.345</b>
150	<b>132.350</b>	<b>TI-132.350</b>


**STERILE**

### 6.5mm Cannulated Screw, 16mm Thread, Self-Drilling



Length (mm)	Stainless Steel	Titanium
30	132.030-S	TI-132.030-S
35	132.035-S	TI-132.035-S
40	132.040-S	TI-132.040-S
45	132.045-S	TI-132.045-S
50	132.050-S	TI-132.050-S
55	132.055-S	TI-132.055-S
60	132.060-S	TI-132.060-S
65	132.065-S	TI-132.065-S
70	132.070-S	TI-132.070-S
75	132.075-S	TI-132.075-S
80	132.080-S	TI-132.080-S
85	132.085-S	TI-132.085-S
90	132.090-S	TI-132.090-S
95	132.095-S	TI-132.095-S
100	132.100-S	TI-132.100-S
105	132.105-S	TI-132.105-S
110	132.110-S	TI-132.110-S
115	132.115-S	TI-132.115-S
120	132.120-S	TI-132.120-S
125	132.125-S	TI-132.125-S
130	132.130-S	TI-132.130-S
135	132.135-S	TI-132.135-S
140	132.140-S	TI-132.140-S
145	132.145-S	TI-132.145-S
150	132.150-S	TI-132.150-S

### 6.5mm Cannulated Screw, 32mm Thread, Self-Drilling



Length (mm)	Stainless Steel	Titanium
45	132.245-S	TI-132.245-S
50	132.250-S	TI-132.250-S
55	132.255-S	TI-132.255-S
60	132.260-S	TI-132.260-S
65	132.265-S	TI-132.265-S
70	132.270-S	TI-132.270-S
75	132.275-S	TI-132.275-S
80	132.280-S	TI-132.280-S
85	132.285-S	TI-132.285-S
90	132.290-S	TI-132.290-S
95	132.295-S	TI-132.295-S
100	132.300-S	TI-132.300-S
105	132.305-S	TI-132.305-S
110	132.310-S	TI-132.310-S
115	132.315-S	TI-132.315-S
120	132.320-S	TI-132.320-S
125	132.325-S	TI-132.325-S
130	132.330-S	TI-132.330-S
135	132.335-S	TI-132.335-S
140	132.340-S	TI-132.340-S
145	132.345-S	TI-132.345-S
150	132.350-S	TI-132.350-S




## 6.5mm Cannulated Screw, Full Thread, Self-Drilling

Length (mm)	Stainless Steel	Titanium
20	133.020	TI-133.020
25	133.025	TI-133.025
30	133.030	TI-133.030
35	133.035	TI-133.035
40	133.040	TI-133.040
45	133.045	TI-133.045
50	133.050	TI-133.050
55	133.055	TI-133.055
60	133.060	TI-133.060
65	133.065	TI-133.065
70	133.070	TI-133.070
75	133.075	TI-133.075
80	133.080	TI-133.080
85	133.085	TI-133.085
90	133.090	TI-133.090
95	133.095	TI-133.095
100	133.100	TI-133.100
105	133.105	TI-133.105
110	133.110	TI-133.110
115	133.115	TI-133.115
120	133.120	TI-133.120
125	133.125	TI-133.125
130	133.130	TI-133.130



## Washer For Large Fragment Screw

	Stainless Steel	Titanium
Code	100.120	TI-100.120




**STERILE**
**6.5mm Cannulated Screw, Full Thread, Self-Drilling**

Length (mm)	Stainless Steel	Titanium
20	133.020-S	TI-133.020-S
25	133.025-S	TI-133.025-S
30	133.030-S	TI-133.030-S
35	133.035-S	TI-133.035-S
40	133.040-S	TI-133.040-S
45	133.045-S	TI-133.045-S
50	133.050-S	TI-133.050-S
55	133.055-S	TI-133.055-S
60	133.060-S	TI-133.060-S
65	133.065-S	TI-133.065-S
70	133.070-S	TI-133.070-S
75	133.075-S	TI-133.075-S
80	133.080-S	TI-133.080-S
85	133.085-S	TI-133.085-S
90	133.090-S	TI-133.090-S
95	133.095-S	TI-133.095-S
100	133.100-S	TI-133.100-S
105	133.105-S	TI-133.105-S
110	133.110-S	TI-133.110-S
115	133.115-S	TI-133.115-S
120	133.120-S	TI-133.120-S
125	133.125-S	TI-133.125-S
130	133.130-S	TI-133.130-S


**Washer For Large Fragment Screw**

	Stainless Steel	Titanium
Code	100.120-S	TI-100.120-S



## **7.0mm Cannulated Screws**


**7.0mm Cannulated Cancellous Screw, 16mm Thread, Self-Drilling**

Length (mm)	Stainless Steel	Titanium
30	<b>129.230</b>	<b>TI-129.230</b>
35	<b>129.235</b>	<b>TI-129.235</b>
40	<b>129.240</b>	<b>TI-129.240</b>
45	<b>129.245</b>	<b>TI-129.245</b>
50	<b>129.250</b>	<b>TI-129.250</b>
55	<b>129.255</b>	<b>TI-129.255</b>
60	<b>129.260</b>	<b>TI-129.260</b>
65	<b>129.265</b>	<b>TI-129.265</b>
70	<b>129.270</b>	<b>TI-129.270</b>
75	<b>129.275</b>	<b>TI-129.275</b>
80	<b>129.280</b>	<b>TI-129.280</b>
85	<b>129.285</b>	<b>TI-129.285</b>
90	<b>129.290</b>	<b>TI-129.290</b>
95	<b>129.295</b>	<b>TI-129.295</b>
100	<b>129.300</b>	<b>TI-129.300</b>
105	<b>129.305</b>	<b>TI-129.305</b>
110	<b>129.310</b>	<b>TI-129.310</b>
* 115	<b>129.315</b>	<b>TI-129.315</b>
* 120	<b>129.320</b>	<b>TI-129.320</b>

\* Sizes not available in Screw Caddy


**7.0mm Cannulated Cancellous Screw, 32mm Thread, Self-Drilling**

Length (mm)	Stainless Steel	Titanium
35	<b>130.235</b>	<b>TI-130.235</b>
40	<b>130.240</b>	<b>TI-130.240</b>
45	<b>130.245</b>	<b>TI-130.245</b>
50	<b>130.250</b>	<b>TI-130.250</b>
55	<b>130.255</b>	<b>TI-130.255</b>
60	<b>130.260</b>	<b>TI-130.260</b>
65	<b>130.265</b>	<b>TI-130.265</b>
70	<b>130.270</b>	<b>TI-130.270</b>
75	<b>130.275</b>	<b>TI-130.275</b>
80	<b>130.280</b>	<b>TI-130.280</b>
85	<b>130.285</b>	<b>TI-130.285</b>
90	<b>130.290</b>	<b>TI-130.290</b>
95	<b>130.295</b>	<b>TI-130.295</b>
100	<b>130.300</b>	<b>TI-130.300</b>
105	<b>130.305</b>	<b>TI-130.305</b>
110	<b>130.310</b>	<b>TI-130.310</b>
* 115	<b>130.315</b>	<b>TI-130.315</b>
* 120	<b>130.320</b>	<b>TI-130.320</b>

\* Sizes not available in Screw Caddy



**STERILE**
**7.0mm Cannulated Cancellous Screw, 16mm Thread, Self-Drilling**

Length (mm)	Stainless Steel	Titanium
30	<b>129.230-S</b>	<b>TI-129.230-S</b>
35	<b>129.235-S</b>	<b>TI-129.235-S</b>
40	<b>129.240-S</b>	<b>TI-129.240-S</b>
45	<b>129.245-S</b>	<b>TI-129.245-S</b>
50	<b>129.250-S</b>	<b>TI-129.250-S</b>
55	<b>129.255-S</b>	<b>TI-129.255-S</b>
60	<b>129.260-S</b>	<b>TI-129.260-S</b>
65	<b>129.265-S</b>	<b>TI-129.265-S</b>
70	<b>129.270-S</b>	<b>TI-129.270-S</b>
75	<b>129.275-S</b>	<b>TI-129.275-S</b>
80	<b>129.280-S</b>	<b>TI-129.280-S</b>
85	<b>129.285-S</b>	<b>TI-129.285-S</b>
90	<b>129.290-S</b>	<b>TI-129.290-S</b>
95	<b>129.295-S</b>	<b>TI-129.295-S</b>
100	<b>129.300-S</b>	<b>TI-129.300-S</b>
105	<b>129.305-S</b>	<b>TI-129.305-S</b>
110	<b>129.310-S</b>	<b>TI-129.310-S</b>
* 115	<b>129.315-S</b>	<b>TI-129.315-S</b>
* 120	<b>129.320-S</b>	<b>TI-129.320-S</b>

\* Sizes not available in Screw Caddy


**7.0mm Cannulated Cancellous Screw, 32mm Thread, Self-Drilling**

Length (mm)	Stainless Steel	Titanium
35	<b>130.235-S</b>	<b>TI-130.235-S</b>
40	<b>130.240-S</b>	<b>TI-130.240-S</b>
45	<b>130.245-S</b>	<b>TI-130.245-S</b>
50	<b>130.250-S</b>	<b>TI-130.250-S</b>
55	<b>130.255-S</b>	<b>TI-130.255-S</b>
60	<b>130.260-S</b>	<b>TI-130.260-S</b>
65	<b>130.265-S</b>	<b>TI-130.265-S</b>
70	<b>130.270-S</b>	<b>TI-130.270-S</b>
75	<b>130.275-S</b>	<b>TI-130.275-S</b>
80	<b>130.280-S</b>	<b>TI-130.280-S</b>
85	<b>130.285-S</b>	<b>TI-130.285-S</b>
90	<b>130.290-S</b>	<b>TI-130.290-S</b>
95	<b>130.295-S</b>	<b>TI-130.295-S</b>
100	<b>130.300-S</b>	<b>TI-130.300-S</b>
105	<b>130.305-S</b>	<b>TI-130.305-S</b>
110	<b>130.310-S</b>	<b>TI-130.310-S</b>
* 115	<b>130.315-S</b>	<b>TI-130.315-S</b>
* 120	<b>130.320-S</b>	<b>TI-130.320-S</b>


\* Sizes not available in Screw Caddy






**7.0mm Cannulated Cancellous Screw, Full Thread, Self-Drilling**


Length (mm)	Stainless Steel	Titanium
30	<b>131.230</b>	<b>TI-131.230</b>
35	<b>131.235</b>	<b>TI-131.235</b>
40	<b>131.240</b>	<b>TI-131.240</b>
45	<b>131.245</b>	<b>TI-131.245</b>
50	<b>131.250</b>	<b>TI-131.250</b>
55	<b>131.255</b>	<b>TI-131.255</b>
60	<b>131.260</b>	<b>TI-131.260</b>
65	<b>131.265</b>	<b>TI-131.265</b>
70	<b>131.270</b>	<b>TI-131.270</b>
75	<b>131.275</b>	<b>TI-131.275</b>
80	<b>131.280</b>	<b>TI-131.280</b>
85	<b>131.285</b>	<b>TI-131.285</b>
90	<b>131.290</b>	<b>TI-131.290</b>
95	<b>131.295</b>	<b>TI-131.295</b>
100	<b>131.300</b>	<b>TI-131.300</b>
105	<b>131.305</b>	<b>TI-131.305</b>
110	<b>131.310</b>	<b>TI-131.310</b>
* 115	<b>131.315</b>	<b>TI-131.315</b>
* 120	<b>131.320</b>	<b>TI-131.320</b>



\* Sizes not available in Screw Caddy


**Washer For Large Fragment Screw**

	Stainless Steel	Titanium
Code	<b>100.120</b>	<b>TI-100.120</b>



**STERILE**
**7.0mm Cannulated Cancellous Screw, Full Thread, Self-Drilling**


Length (mm)	Stainless Steel	Titanium
30	<b>131.230-S</b>	<b>TI-131.230-S</b>
35	<b>131.235-S</b>	<b>TI-131.235-S</b>
40	<b>131.240-S</b>	<b>TI-131.240-S</b>
45	<b>131.245-S</b>	<b>TI-131.245-S</b>
50	<b>131.250-S</b>	<b>TI-131.250-S</b>
55	<b>131.255-S</b>	<b>TI-131.255-S</b>
60	<b>131.260-S</b>	<b>TI-131.260-S</b>
65	<b>131.265-S</b>	<b>TI-131.265-S</b>
70	<b>131.270-S</b>	<b>TI-131.270-S</b>
75	<b>131.275-S</b>	<b>TI-131.275-S</b>
80	<b>131.280-S</b>	<b>TI-131.280-S</b>
85	<b>131.285-S</b>	<b>TI-131.285-S</b>
90	<b>131.290-S</b>	<b>TI-131.290-S</b>
95	<b>131.295-S</b>	<b>TI-131.295-S</b>
100	<b>131.300-S</b>	<b>TI-131.300-S</b>
105	<b>131.305-S</b>	<b>TI-131.305-S</b>
110	<b>131.310-S</b>	<b>TI-131.310-S</b>
* 115	<b>131.315-S</b>	<b>TI-131.315-S</b>
* 120	<b>131.320-S</b>	<b>TI-131.320-S</b>




\* Sizes not available in Screw Caddy

**Washer For Large Fragment Screw**

	Stainless Steel	Titanium
Code	<b>100.120-S</b>	<b>TI-100.120-S</b>



**ST-005-7.0** Screw Caddy For 7.0mm Cannulated Cancellous Screw  
*(Tray Without Screw)*




**7.0mm Cannulated Cancellous Screw,  
16mm Thread, Self-Drilling**

Stainless Steel	Titanium	Length	Unit
129.230	TI-129.230	30mm	2
129.235	TI-129.235	35mm	2
129.240	TI-129.240	40mm	2
129.245	TI-129.245	45mm	2
129.250	TI-129.250	50mm	2
129.255	TI-129.255	55mm	2
129.260	TI-129.260	60mm	2
129.265	TI-129.265	65mm	2
129.270	TI-129.270	70mm	2
129.275	TI-129.275	75mm	4
129.280	TI-129.280	80mm	4
129.285	TI-129.285	85mm	4
129.290	TI-129.290	90mm	4
129.295	TI-129.295	95mm	2
129.300	TI-129.300	100mm	2
129.305	TI-129.305	105mm	2
129.310	TI-129.310	110mm	2
129.315	TI-129.315	115mm	2

**7.0mm Cannulated Cancellous Screw,  
Full Thread, Self-Drilling**

Stainless Steel	Titanium	Length	Unit
131.230	TI-131.250	30mm	2
131.235	TI-131.255	35mm	2
131.240	TI-131.260	40mm	2
131.245	TI-131.265	45mm	2
131.250	TI-131.250	50mm	2
131.255	TI-131.255	55mm	2
131.260	TI-131.260	60mm	2
131.265	TI-131.265	65mm	2
131.270	TI-131.270	70mm	2
131.275	TI-131.275	75mm	4
131.280	TI-131.280	80mm	4
131.285	TI-131.285	85mm	4
131.290	TI-131.290	90mm	4
131.295	TI-131.295	95mm	2
131.300	TI-131.300	100mm	2
131.305	TI-131.305	105mm	2
131.310	TI-131.310	110mm	2
131.315	TI-131.315	115mm	2

**7.0mm Cannulated Cancellous Screw,  
32mm Thread, Self-Drilling**

Stainless Steel	Titanium	Length	Unit
130.235	TI-130.235	35mm	2
130.240	TI-130.240	40mm	2
130.245	TI-130.245	45mm	2
130.250	TI-130.250	50mm	2
130.255	TI-130.255	55mm	2
130.260	TI-130.260	60mm	2
130.265	TI-130.265	65mm	2
130.270	TI-130.270	70mm	2
130.275	TI-130.275	75mm	4
130.280	TI-130.280	80mm	4
130.285	TI-130.285	85mm	4
130.290	TI-130.290	90mm	4
130.295	TI-130.295	95mm	2
130.300	TI-130.300	100mm	2
130.305	TI-130.305	105mm	2
130.310	TI-130.310	110mm	2
130.315	TI-130.315	115mm	2

**451-2.0-250E** Guide Wire, Ø2.0mm x Length 250mm



**GW-2.0-250** Guide Wire with Threaded Tip, Ø2.0mm x Thread Length 8mm x Length 250mm



**3433-02** Cannulated Screwdriver, Hex 3.5mm



**1490-01** Holding Sleeve for Cannulated Screwdriver, Hex 3.5mm



**1482-01** Wire Sleeve Bolt Key



**1481-01** Wire Sleeve for Guide Wire, Ø2.0mm



**1480-4.5-2.0**Double Drill Guide,  $\varnothing$ 4.5/2.0mm**3436-013**Parallel Guide for Guide Wire,  $\varnothing$ 2.0mm**3436-014**

Direct Measuring Device for Cannulated Cancellous Screw

**7-057-01**Screw Holding Forcep for  $\varnothing$ 7.0mm Screw**2191-4.5-250**Cannulated Drill Bit Plain Shank/Jacob Chuck End,  $\varnothing$ 4.5mm x Length 250mm**3435-000**Stopper for Drill Bit  $\varnothing$ 4.5mm

**7-057-02** Allen Key, Hex 3.0mm, for Ø7.0mm Screw



**1491-01** Trocar Ø2.0mm, for Ø7.0mm Screw



**1492-01** Guide Sleeve Ø4.5/2.0mm



**1493-01** Drill Sleeve Ø8.0/4.5mm



**1483-01** Cannulated Countersink with T-Handle for Ø7.0mm Screw



**3443.38-5.0** Extraction Screw, Ø5.0mm



**3436-012** Protection Sleeve for Drill Bit Ø4.5mm




**3436-011** Cannulated Tap with T-Handle for Ø7.0mm Screw



**3436-016** Stylet Ø2.0mm




**ST-005-7.0** Screw Caddy for 7.0mm Cannulated Cancellous Screw



**7-057-03** Instrument Tray for 7.0mm  
Cannulated Cancellous Screw Instrument Set



**A10-012** Container For 7.0mm  
Cannulated Cancellous Screw Instrument Set





**IS006** 7.0mm Cannulated Cancellous Screw Instrument Set



**IS006 7.0mm Cannulated Cancellous Screw Instrument Set**

Item Code	Item Name	Unit
<b>451-2.0-250E</b>	Guide Wire, Ø2.0mm x Length 250mm	3
<b>GW-2.0-250</b>	Guide Wire with Threaded Tip, Ø2.0mm x Thread Length 8mm x Length 250mm	3
<b>3433-02</b>	Cannulated Screwdriver, Hex 3.5mm	2
<b>1490-01</b>	Holding Sleeve for Cannulated Screwdriver, Hex 3.5mm	1
<b>1482-01</b>	Wire Sleeve Bolt Key	1
<b>1481-01</b>	Wire Sleeve for Guide Wire, Ø2.0mm	1
<b>1480-4.5-2.0</b>	Double Drill Guide, Ø4.5/2.0mm	1
<b>3436-013</b>	Parallel Guide for Guide Wire, Ø2.0mm	1
<b>3436-014</b>	Direct Measuring Device for Cannulated Cancellous Screw	1
<b>7-057-01</b>	Screw Holding Forcep for Ø7.0mm Screw	1
<b>2191-4.5-250</b>	Cannulated Drill Bit Plain Shank/Jacob Chuck End, Ø4.5mm x Length 250mm	1
<b>3435-000</b>	Stopper for Drill Bit Ø4.5mm	1
<b>7-057-02</b>	Allen Key, Hex 3.0mm, for Ø7.0mm Screw	1
<b>1491-01</b>	Trocar Ø2.0mm, for Ø7.0mm Screw	1
<b>1492-01</b>	Guide Sleeve Ø4.5/2.0mm	1
<b>1493-01</b>	Drill Sleeve Ø8.0/4.5mm	1
<b>1483-01</b>	Cannulated Countersink with T-Handle for Ø7.0mm Screw	1
<b>3443-38-5.0</b>	Extraction Screw, Ø5.0mm	1
<b>3436-012</b>	Protection Sleeve for Drill Bit Ø4.5mm	1
<b>3436-011</b>	Cannulated Tap with T-Handle for Ø7.0mm Screw	1
<b>3436-016</b>	Stylet Ø2.0mm	1
<b>ST-005-7.0</b>	Screw Caddy for 7.0mm Cannulated Cancellous Screw	1
<b>7-057-03</b>	Instrument Tray for 7.0mm Cannulated Cancellous Screw Instrument Set	2
<b>A10-012</b>	Container For 7.0mm Cannulated Cancellous Screw Instrument Set	1