

ATHOS NAILING SYSTEM

ATHOS NAILING SYSTEM



edition
2023

 **Auxein**[®]

about us

Auxein Medical is an integrated, research based, orthopaedic Implants & instruments manufacturing company, producing a wide range of quality, affordable generic implants, trusted by healthcare professionals and patients across geographies. It is the Company's constant endeavor to provide a wide basket of generic and our innovator products that exceed the highest expectations of customers in term of quality and safety. The company has world-class manufacturing unit established in india and serves customers in over 75 countries worldwide.

Our Achievements



Orthopaedic Implants



They can because they think they can.

ATHOS Nailing System (Type-II)

125° Athos Nail Type-II, SHORT


Ø Dia	Length (mm)	Stainless Steel	Titanium
9mm	180	1500S-09-180	TI-1500S-09-180
9mm	200	1500S-09-200	TI-1500S-09-200
9mm	220	1500S-09-220	TI-1500S-09-220
9mm	240	1500S-09-240	TI-1500S-09-240
10mm	180	1500S-10-180	TI-1500S-10-180
10mm	200	1500S-10-200	TI-1500S-10-200
10mm	220	1500S-10-220	TI-1500S-10-220
10mm	240	1500S-10-240	TI-1500S-10-240
11mm	180	1500S-11-180	TI-1500S-11-180
11mm	200	1500S-11-200	TI-1500S-11-200
11mm	220	1500S-11-220	TI-1500S-11-220
11mm	240	1500S-11-240	TI-1500S-11-240
12mm	180	1500S-12-180	TI-1500S-12-180
12mm	200	1500S-12-200	TI-1500S-12-200
12mm	220	1500S-12-220	TI-1500S-12-220
12mm	240	1500S-12-240	TI-1500S-12-240
13mm	180	1500S-13-180	TI-1500S-13-180
13mm	200	1500S-13-200	TI-1500S-13-200
13mm	220	1500S-13-220	TI-1500S-13-220
13mm	240	1500S-13-240	TI-1500S-13-240



125° Athos Nail Type-II, SHORT
STERILE

Ø Dia	Length (mm)	Stainless Steel	Titanium
9mm	180	1500S-09-180-S	TI-1500S-09-180-S
9mm	200	1500S-09-200-S	TI-1500S-09-200-S
9mm	220	1500S-09-220-S	TI-1500S-09-220-S
9mm	240	1500S-09-240-S	TI-1500S-09-240-S
10mm	180	1500S-10-180-S	TI-1500S-10-180-S
10mm	200	1500S-10-200-S	TI-1500S-10-200-S
10mm	220	1500S-10-220-S	TI-1500S-10-220-S
10mm	240	1500S-10-240-S	TI-1500S-10-240-S
11mm	180	1500S-11-180-S	TI-1500S-11-180-S
11mm	200	1500S-11-200-S	TI-1500S-11-200-S
11mm	220	1500S-11-220-S	TI-1500S-11-220-S
11mm	240	1500S-11-240-S	TI-1500S-11-240-S
12mm	180	1500S-12-180-S	TI-1500S-12-180-S
12mm	200	1500S-12-200-S	TI-1500S-12-200-S
12mm	220	1500S-12-220-S	TI-1500S-12-220-S
12mm	240	1500S-12-240-S	TI-1500S-12-240-S
13mm	180	1500S-13-180-S	TI-1500S-13-180-S
13mm	200	1500S-13-200-S	TI-1500S-13-200-S
13mm	220	1500S-13-220-S	TI-1500S-13-220-S
13mm	240	1500S-13-240-S	TI-1500S-13-240-S



125° Athos Nail Type-II, LONG


Ø Dia	Length (mm)	Stainless Steel (Left)	Titanium (Left)	Stainless Steel (Right)	Titanium (Right)
9mm	320	1500L-09-320L	TI-1500L-09-320L	1500L-09-320R	TI-1500L-09-320R
9mm	340	1500L-09-340L	TI-1500L-09-340L	1500L-09-340R	TI-1500L-09-340R
9mm	360	1500L-09-360L	TI-1500L-09-360L	1500L-09-360R	TI-1500L-09-360R
9mm	380	1500L-09-380L	TI-1500L-09-380L	1500L-09-380R	TI-1500L-09-380R
9mm	400	1500L-09-400L	TI-1500L-09-400L	1500L-09-400R	TI-1500L-09-400R
9mm	420	1500L-09-420L	TI-1500L-09-420L	1500L-09-420R	TI-1500L-09-420R
9mm	440	1500L-09-440L	TI-1500L-09-440L	1500L-09-440R	TI-1500L-09-440R
10mm	320	1500L-10-320L	TI-1500L-10-320L	1500L-10-320R	TI-1500L-10-320R
10mm	340	1500L-10-340L	TI-1500L-10-340L	1500L-10-340R	TI-1500L-10-340R
10mm	360	1500L-10-360L	TI-1500L-10-360L	1500L-10-360R	TI-1500L-10-360R
10mm	380	1500L-10-380L	TI-1500L-10-380L	1500L-10-380R	TI-1500L-10-380R
10mm	400	1500L-10-400L	TI-1500L-10-400L	1500L-10-400R	TI-1500L-10-400R
10mm	420	1500L-10-420L	TI-1500L-10-420L	1500L-10-420R	TI-1500L-10-420R
10mm	440	1500L-10-440L	TI-1500L-10-440L	1500L-10-440R	TI-1500L-10-440R
11mm	320	1500L-11-320L	TI-1500L-11-320L	1500L-11-320R	TI-1500L-11-320R
11mm	340	1500L-11-340L	TI-1500L-11-340L	1500L-11-340R	TI-1500L-11-340R
11mm	360	1500L-11-360L	TI-1500L-11-360L	1500L-11-360R	TI-1500L-11-360R
11mm	380	1500L-11-380L	TI-1500L-11-380L	1500L-11-380R	TI-1500L-11-380R
11mm	400	1500L-11-400L	TI-1500L-11-400L	1500L-11-400R	TI-1500L-11-400R
11mm	420	1500L-11-420L	TI-1500L-11-420L	1500L-11-420R	TI-1500L-11-420R
11mm	440	1500L-11-440L	TI-1500L-11-440L	1500L-11-440R	TI-1500L-11-440R
12mm	320	1500L-12-320L	TI-1500L-12-320L	1500L-12-320R	TI-1500L-12-320R
12mm	340	1500L-12-340L	TI-1500L-12-340L	1500L-12-340R	TI-1500L-12-340R
12mm	360	1500L-12-360L	TI-1500L-12-360L	1500L-12-360R	TI-1500L-12-360R
12mm	380	1500L-12-380L	TI-1500L-12-380L	1500L-12-380R	TI-1500L-12-380R
12mm	400	1500L-12-400L	TI-1500L-12-400L	1500L-12-400R	TI-1500L-12-400R
12mm	420	1500L-12-420L	TI-1500L-12-420L	1500L-12-420R	TI-1500L-12-420R
12mm	440	1500L-12-440L	TI-1500L-12-440L	1500L-12-440R	TI-1500L-12-440R
13mm	320	1500L-13-320L	TI-1500L-13-320L	1500L-13-320R	TI-1500L-13-320R
13mm	340	1500L-13-340L	TI-1500L-13-340L	1500L-13-340R	TI-1500L-13-340R
13mm	360	1500L-13-360L	TI-1500L-13-360L	1500L-13-360R	TI-1500L-13-360R
13mm	380	1500L-13-380L	TI-1500L-13-380L	1500L-13-380R	TI-1500L-13-380R
13mm	400	1500L-13-400L	TI-1500L-13-400L	1500L-13-400R	TI-1500L-13-400R
13mm	420	1500L-13-420L	TI-1500L-13-420L	1500L-13-420R	TI-1500L-13-420R
13mm	440	1500L-13-440L	TI-1500L-13-440L	1500L-13-440R	TI-1500L-13-440R



125° Athos Nail Type-II, LONG
STERILE

Ø Dia	Length (mm)	Stainless Steel (Left)	Titanium (Left)	Stainless Steel (Right)	Titanium (Right)
9mm	320	1500L-09-320L-S	TI-1500L-09-320L-S	1500L-09-320R-S	TI-1500L-09-320R-S
9mm	340	1500L-09-340L-S	TI-1500L-09-340L-S	1500L-09-340R-S	TI-1500L-09-340R-S
9mm	360	1500L-09-360L-S	TI-1500L-09-360L-S	1500L-09-360R-S	TI-1500L-09-360R-S
9mm	380	1500L-09-380L-S	TI-1500L-09-380L-S	1500L-09-380R-S	TI-1500L-09-380R-S
9mm	400	1500L-09-400L-S	TI-1500L-09-400L-S	1500L-09-400R-S	TI-1500L-09-400R-S
9mm	420	1500L-09-420L-S	TI-1500L-09-420L-S	1500L-09-420R-S	TI-1500L-09-420R-S
9mm	440	1500L-09-440L-S	TI-1500L-09-440L-S	1500L-09-440R-S	TI-1500L-09-440R-S
10mm	320	1500L-10-320L-S	TI-1500L-10-320L-S	1500L-10-320R-S	TI-1500L-10-320R-S
10mm	340	1500L-10-340L-S	TI-1500L-10-340L-S	1500L-10-340R-S	TI-1500L-10-340R-S
10mm	360	1500L-10-360L-S	TI-1500L-10-360L-S	1500L-10-360R-S	TI-1500L-10-360R-S
10mm	380	1500L-10-380L-S	TI-1500L-10-380L-S	1500L-10-380R-S	TI-1500L-10-380R-S
10mm	400	1500L-10-400L-S	TI-1500L-10-400L-S	1500L-10-400R-S	TI-1500L-10-400R-S
10mm	420	1500L-10-420L-S	TI-1500L-10-420L-S	1500L-10-420R-S	TI-1500L-10-420R-S
10mm	440	1500L-10-440L-S	TI-1500L-10-440L-S	1500L-10-440R-S	TI-1500L-10-440R-S
11mm	320	1500L-11-320L-S	TI-1500L-11-320L-S	1500L-11-320R-S	TI-1500L-11-320R-S
11mm	340	1500L-11-340L-S	TI-1500L-11-340L-S	1500L-11-340R-S	TI-1500L-11-340R-S
11mm	360	1500L-11-360L-S	TI-1500L-11-360L-S	1500L-11-360R-S	TI-1500L-11-360R-S
11mm	380	1500L-11-380L-S	TI-1500L-11-380L-S	1500L-11-380R-S	TI-1500L-11-380R-S
11mm	400	1500L-11-400L-S	TI-1500L-11-400L-S	1500L-11-400R-S	TI-1500L-11-400R-S
11mm	420	1500L-11-420L-S	TI-1500L-11-420L-S	1500L-11-420R-S	TI-1500L-11-420R-S
11mm	440	1500L-11-440L-S	TI-1500L-11-440L-S	1500L-11-440R-S	TI-1500L-11-440R-S
12mm	320	1500L-12-320L-S	TI-1500L-12-320L-S	1500L-12-320R-S	TI-1500L-12-320R-S
12mm	340	1500L-12-340L-S	TI-1500L-12-340L-S	1500L-12-340R-S	TI-1500L-12-340R-S
12mm	360	1500L-12-360L-S	TI-1500L-12-360L-S	1500L-12-360R-S	TI-1500L-12-360R-S
12mm	380	1500L-12-380L-S	TI-1500L-12-380L-S	1500L-12-380R-S	TI-1500L-12-380R-S
12mm	400	1500L-12-400L-S	TI-1500L-12-400L-S	1500L-12-400R-S	TI-1500L-12-400R-S
12mm	420	1500L-12-420L-S	TI-1500L-12-420L-S	1500L-12-420R-S	TI-1500L-12-420R-S
12mm	440	1500L-12-440L-S	TI-1500L-12-440L-S	1500L-12-440R-S	TI-1500L-12-440R-S
13mm	320	1500L-13-320L-S	TI-1500L-13-320L-S	1500L-13-320R-S	TI-1500L-13-320R-S
13mm	340	1500L-13-340L-S	TI-1500L-13-340L-S	1500L-13-340R-S	TI-1500L-13-340R-S
13mm	360	1500L-13-360L-S	TI-1500L-13-360L-S	1500L-13-360R-S	TI-1500L-13-360R-S
13mm	380	1500L-13-380L-S	TI-1500L-13-380L-S	1500L-13-380R-S	TI-1500L-13-380R-S
13mm	400	1500L-13-400L-S	TI-1500L-13-400L-S	1500L-13-400R-S	TI-1500L-13-400R-S
13mm	420	1500L-13-420L-S	TI-1500L-13-420L-S	1500L-13-420R-S	TI-1500L-13-420R-S
13mm	440	1500L-13-440L-S	TI-1500L-13-440L-S	1500L-13-440R-S	TI-1500L-13-440R-S



130° Athos Nail Type-II, SHORT


Ø Dia	Length (mm)	Stainless Steel	Titanium
9mm	180	1457S-09-180	TI-1457S-09-180
9mm	200	1457S-09-200	TI-1457S-09-200
9mm	220	1457S-09-220	TI-1457S-09-220
9mm	240	1457S-09-240	TI-1457S-09-240
10mm	180	1457S-10-180	TI-1457S-10-180
10mm	200	1457S-10-200	TI-1457S-10-200
10mm	220	1457S-10-220	TI-1457S-10-220
10mm	240	1457S-10-240	TI-1457S-10-240
11mm	180	1457S-11-180	TI-1457S-11-180
11mm	200	1457S-11-200	TI-1457S-11-200
11mm	220	1457S-11-220	TI-1457S-11-220
11mm	240	1457S-11-240	TI-1457S-11-240
12mm	180	1457S-12-180	TI-1457S-12-180
12mm	200	1457S-12-200	TI-1457S-12-200
12mm	220	1457S-12-220	TI-1457S-12-220
12mm	240	1457S-12-240	TI-1457S-12-240
13mm	180	1457S-13-180	TI-1457S-13-180
13mm	200	1457S-13-200	TI-1457S-13-200
13mm	220	1457S-13-220	TI-1457S-13-220
13mm	240	1457S-13-240	TI-1457S-13-240



130° Athos Nail Type-II, SHORT
STERILE

Ø Dia	Length (mm)	Stainless Steel	Titanium
9mm	180	1457S-09-180-S	TI-1457S-09-180-S
9mm	200	1457S-09-200-S	TI-1457S-09-200-S
9mm	220	1457S-09-220-S	TI-1457S-09-220-S
9mm	240	1457S-09-240-S	TI-1457S-09-240-S
10mm	180	1457S-10-180-S	TI-1457S-10-180-S
10mm	200	1457S-10-200-S	TI-1457S-10-200-S
10mm	220	1457S-10-220-S	TI-1457S-10-220-S
10mm	240	1457S-10-240-S	TI-1457S-10-240-S
11mm	180	1457S-11-180-S	TI-1457S-11-180-S
11mm	200	1457S-11-200-S	TI-1457S-11-200-S
11mm	220	1457S-11-220-S	TI-1457S-11-220-S
11mm	240	1457S-11-240-S	TI-1457S-11-240-S
12mm	180	1457S-12-180-S	TI-1457S-12-180-S
12mm	200	1457S-12-200-S	TI-1457S-12-200-S
12mm	220	1457S-12-220-S	TI-1457S-12-220-S
12mm	240	1457S-12-240-S	TI-1457S-12-240-S
13mm	180	1457S-13-180-S	TI-1457S-13-180-S
13mm	200	1457S-13-200-S	TI-1457S-13-200-S
13mm	220	1457S-13-220-S	TI-1457S-13-220-S
13mm	240	1457S-13-240-S	TI-1457S-13-240-S



130° Athos Nail Type-II, LONG



Ø Dia	Length (mm)	Stainless Steel (Left)	Titanium (Left)	Stainless Steel (Right)	Titanium (Right)
9mm	320	1457L-09-320L	TI-1457L-09-320L	1457L-09-320R	TI-1457L-09-320R
9mm	340	1457L-09-340L	TI-1457L-09-340L	1457L-09-340R	TI-1457L-09-340R
9mm	360	1457L-09-360L	TI-1457L-09-360L	1457L-09-360R	TI-1457L-09-360R
9mm	380	1457L-09-380L	TI-1457L-09-380L	1457L-09-380R	TI-1457L-09-380R
9mm	400	1457L-09-400L	TI-1457L-09-400L	1457L-09-400R	TI-1457L-09-400R
9mm	420	1457L-09-420L	TI-1457L-09-420L	1457L-09-420R	TI-1457L-09-420R
9mm	440	1457L-09-440L	TI-1457L-09-440L	1457L-09-440R	TI-1457L-09-440R
10mm	320	1457L-10-320L	TI-1457L-10-320L	1457L-10-320R	TI-1457L-10-320R
10mm	340	1457L-10-340L	TI-1457L-10-340L	1457L-10-340R	TI-1457L-10-340R
10mm	360	1457L-10-360L	TI-1457L-10-360L	1457L-10-360R	TI-1457L-10-360R
10mm	380	1457L-10-380L	TI-1457L-10-380L	1457L-10-380R	TI-1457L-10-380R
10mm	400	1457L-10-400L	TI-1457L-10-400L	1457L-10-400R	TI-1457L-10-400R
10mm	420	1457L-10-420L	TI-1457L-10-420L	1457L-10-420R	TI-1457L-10-420R
10mm	440	1457L-10-440L	TI-1457L-10-440L	1457L-10-440R	TI-1457L-10-440R
11mm	320	1457L-11-320L	TI-1457L-11-320L	1457L-11-320R	TI-1457L-11-320R
11mm	340	1457L-11-340L	TI-1457L-11-340L	1457L-11-340R	TI-1457L-11-340R
11mm	360	1457L-11-360L	TI-1457L-11-360L	1457L-11-360R	TI-1457L-11-360R
11mm	380	1457L-11-380L	TI-1457L-11-380L	1457L-11-380R	TI-1457L-11-380R
11mm	400	1457L-11-400L	TI-1457L-11-400L	1457L-11-400R	TI-1457L-11-400R
11mm	420	1457L-11-420L	TI-1457L-11-420L	1457L-11-420R	TI-1457L-11-420R
11mm	440	1457L-11-440L	TI-1457L-11-440L	1457L-11-440R	TI-1457L-11-440R
12mm	320	1457L-12-320L	TI-1457L-12-320L	1457L-12-320R	TI-1457L-12-320R
12mm	340	1457L-12-340L	TI-1457L-12-340L	1457L-12-340R	TI-1457L-12-340R
12mm	360	1457L-12-360L	TI-1457L-12-360L	1457L-12-360R	TI-1457L-12-360R
12mm	380	1457L-12-380L	TI-1457L-12-380L	1457L-12-380R	TI-1457L-12-380R
12mm	400	1457L-12-400L	TI-1457L-12-400L	1457L-12-400R	TI-1457L-12-400R
12mm	420	1457L-12-420L	TI-1457L-12-420L	1457L-12-420R	TI-1457L-12-420R
12mm	440	1457L-12-440L	TI-1457L-12-440L	1457L-12-440R	TI-1457L-12-440R
13mm	320	1457L-13-320L	TI-1457L-13-320L	1457L-13-320R	TI-1457L-13-320R
13mm	340	1457L-13-340L	TI-1457L-13-340L	1457L-13-340R	TI-1457L-13-340R
13mm	360	1457L-13-360L	TI-1457L-13-360L	1457L-13-360R	TI-1457L-13-360R
13mm	380	1457L-13-380L	TI-1457L-13-380L	1457L-13-380R	TI-1457L-13-380R
13mm	400	1457L-13-400L	TI-1457L-13-400L	1457L-13-400R	TI-1457L-13-400R
13mm	420	1457L-13-420L	TI-1457L-13-420L	1457L-13-420R	TI-1457L-13-420R
13mm	440	1457L-13-440L	TI-1457L-13-440L	1457L-13-440R	TI-1457L-13-440R



130° Athos Nail Type-II, LONG
STERILE

Ø Dia	Length (mm)	Stainless Steel (Left)	Titanium (Left)	Stainless Steel (Right)	Titanium (Right)
9mm	320	1457L-09-320L-S	TI-1457L-09-320L-S	1457L-09-320R-S	TI-1457L-09-320R-S
9mm	340	1457L-09-340L-S	TI-1457L-09-340L-S	1457L-09-340R-S	TI-1457L-09-340R-S
9mm	360	1457L-09-360L-S	TI-1457L-09-360L-S	1457L-09-360R-S	TI-1457L-09-360R-S
9mm	380	1457L-09-380L-S	TI-1457L-09-380L-S	1457L-09-380R-S	TI-1457L-09-380R-S
9mm	400	1457L-09-400L-S	TI-1457L-09-400L-S	1457L-09-400R-S	TI-1457L-09-400R-S
9mm	420	1457L-09-420L-S	TI-1457L-09-420L-S	1457L-09-420R-S	TI-1457L-09-420R-S
9mm	440	1457L-09-440L-S	TI-1457L-09-440L-S	1457L-09-440R-S	TI-1457L-09-440R-S
10mm	320	1457L-10-320L-S	TI-1457L-10-320L-S	1457L-10-320R-S	TI-1457L-10-320R-S
10mm	340	1457L-10-340L-S	TI-1457L-10-340L-S	1457L-10-340R-S	TI-1457L-10-340R-S
10mm	360	1457L-10-360L-S	TI-1457L-10-360L-S	1457L-10-360R-S	TI-1457L-10-360R-S
10mm	380	1457L-10-380L-S	TI-1457L-10-380L-S	1457L-10-380R-S	TI-1457L-10-380R-S
10mm	400	1457L-10-400L-S	TI-1457L-10-400L-S	1457L-10-400R-S	TI-1457L-10-400R-S
10mm	420	1457L-10-420L-S	TI-1457L-10-420L-S	1457L-10-420R-S	TI-1457L-10-420R-S
10mm	440	1457L-10-440L-S	TI-1457L-10-440L-S	1457L-10-440R-S	TI-1457L-10-440R-S
11mm	320	1457L-11-320L-S	TI-1457L-11-320L-S	1457L-11-320R-S	TI-1457L-11-320R-S
11mm	340	1457L-11-340L-S	TI-1457L-11-340L-S	1457L-11-340R-S	TI-1457L-11-340R-S
11mm	360	1457L-11-360L-S	TI-1457L-11-360L-S	1457L-11-360R-S	TI-1457L-11-360R-S
11mm	380	1457L-11-380L-S	TI-1457L-11-380L-S	1457L-11-380R-S	TI-1457L-11-380R-S
11mm	400	1457L-11-400L-S	TI-1457L-11-400L-S	1457L-11-400R-S	TI-1457L-11-400R-S
11mm	420	1457L-11-420L-S	TI-1457L-11-420L-S	1457L-11-420R-S	TI-1457L-11-420R-S
11mm	440	1457L-11-440L-S	TI-1457L-11-440L-S	1457L-11-440R-S	TI-1457L-11-440R-S
12mm	320	1457L-12-320L-S	TI-1457L-12-320L-S	1457L-12-320R-S	TI-1457L-12-320R-S
12mm	340	1457L-12-340L-S	TI-1457L-12-340L-S	1457L-12-340R-S	TI-1457L-12-340R-S
12mm	360	1457L-12-360L-S	TI-1457L-12-360L-S	1457L-12-360R-S	TI-1457L-12-360R-S
12mm	380	1457L-12-380L-S	TI-1457L-12-380L-S	1457L-12-380R-S	TI-1457L-12-380R-S
12mm	400	1457L-12-400L-S	TI-1457L-12-400L-S	1457L-12-400R-S	TI-1457L-12-400R-S
12mm	420	1457L-12-420L-S	TI-1457L-12-420L-S	1457L-12-420R-S	TI-1457L-12-420R-S
12mm	440	1457L-12-440L-S	TI-1457L-12-440L-S	1457L-12-440R-S	TI-1457L-12-440R-S
13mm	320	1457L-13-320L-S	TI-1457L-13-320L-S	1457L-13-320R-S	TI-1457L-13-320R-S
13mm	340	1457L-13-340L-S	TI-1457L-13-340L-S	1457L-13-340R-S	TI-1457L-13-340R-S
13mm	360	1457L-13-360L-S	TI-1457L-13-360L-S	1457L-13-360R-S	TI-1457L-13-360R-S
13mm	380	1457L-13-380L-S	TI-1457L-13-380L-S	1457L-13-380R-S	TI-1457L-13-380R-S
13mm	400	1457L-13-400L-S	TI-1457L-13-400L-S	1457L-13-400R-S	TI-1457L-13-400R-S
13mm	420	1457L-13-420L-S	TI-1457L-13-420L-S	1457L-13-420R-S	TI-1457L-13-420R-S
13mm	440	1457L-13-440L-S	TI-1457L-13-440L-S	1457L-13-440R-S	TI-1457L-13-440R-S




End Cap For Athos Nail Type-II



Length (mm)	Stainless Steel	Titanium
0	1457-001E	TI-1457-001E
5	1457-005E	TI-1457-005E
10	1457-010E	TI-1457-010E
15	1457-015E	TI-1457-015E

Inner Screw For Athos Nail Type-II




Stainless Steel	Titanium
1457-0S	TI-1457-0S

Ø10.5mm Cephalic Screw, For Athos Nail




Ø Dia	Length (mm)	Stainless Steel	Titanium
10.5mm	70	600C-10.5-070	TI-600C-10.5-070
10.5mm	75	600C-10.5-075	TI-600C-10.5-075
10.5mm	80	600C-10.5-080	TI-600C-10.5-080
10.5mm	85	600C-10.5-085	TI-600C-10.5-085
10.5mm	90	600C-10.5-090	TI-600C-10.5-090
10.5mm	95	600C-10.5-095	TI-600C-10.5-095
10.5mm	100	600C-10.5-100	TI-600C-10.5-100
10.5mm	105	600C-10.5-105	TI-600C-10.5-105
10.5mm	110	600C-10.5-110	TI-600C-10.5-110
10.5mm	115	600C-10.5-115	TI-600C-10.5-115
10.5mm	120	600C-10.5-120	TI-600C-10.5-120

End Cap For Ø10.5mm Cephalic Screw For Athos Nail



Stainless Steel	Titanium
GM01.06	TI-GM01.06

Ø4.8mm Locking Bolt, Self-Tapping, For Athos Nail




Length (mm)	Stainless Steel	Titanium
26	600-026	TI-600-026
28	600-028	TI-600-028
30	600-030	TI-600-030
32	600-032	TI-600-032
34	600-034	TI-600-034
36	600-036	TI-600-036
38	600-038	TI-600-038
40	600-040	TI-600-040
42	600-042	TI-600-042
44	600-044	TI-600-044
46	600-046	TI-600-046
48	600-048	TI-600-048
50	600-050	TI-600-050
52	600-052	TI-600-052
54	600-054	TI-600-054
56	600-056	TI-600-056
58	600-058	TI-600-058
60	600-060	TI-600-060
65	600-065	TI-600-065
70	600-070	TI-600-070
75	600-075	TI-600-075
80	600-080	TI-600-080
85	600-085	TI-600-085
90	600-090	TI-600-090

End Cap For Athos Nail Type-II



Length (mm)	Stainless Steel	Titanium
0	1457-001E-S	TI-1457-001E-S
5	1457-005E-S	TI-1457-005E-S
10	1457-010E-S	TI-1457-010E-S
15	1457-015E-S	TI-1457-015E-S

Inner Screw For Athos Nail Type-II




Stainless Steel	Titanium
1457-05-S	TI-1457-05-S

Ø10.5mm Cephalic Screw, For Athos Nail



Ø Dia	Length (mm)	Stainless Steel	Titanium
10.5mm	70	600C-10.5-070-S	TI-600C-10.5-070-S
10.5mm	75	600C-10.5-075-S	TI-600C-10.5-075-S
10.5mm	80	600C-10.5-080-S	TI-600C-10.5-080-S
10.5mm	85	600C-10.5-085-S	TI-600C-10.5-085-S
10.5mm	90	600C-10.5-090-S	TI-600C-10.5-090-S
10.5mm	95	600C-10.5-095-S	TI-600C-10.5-095-S
10.5mm	100	600C-10.5-100-S	TI-600C-10.5-100-S
10.5mm	105	600C-10.5-105-S	TI-600C-10.5-105-S
10.5mm	110	600C-10.5-110-S	TI-600C-10.5-110-S
10.5mm	115	600C-10.5-115-S	TI-600C-10.5-115-S
10.5mm	120	600C-10.5-120-S	TI-600C-10.5-120-S

End Cap For Ø10.5mm Cephalic Screw For Athos Nail




Stainless Steel	Titanium
GM01.06-S	TI-GM01.06-S

Ø4.8mm Locking Bolt, Self-Tapping, For Athos Nail




Length (mm)	Stainless Steel	Titanium
26	600-026-S	TI-600-026-S
28	600-028-S	TI-600-028-S
30	600-030-S	TI-600-030-S
32	600-032-S	TI-600-032-S
34	600-034-S	TI-600-034-S
36	600-036-S	TI-600-036-S
38	600-038-S	TI-600-038-S
40	600-040-S	TI-600-040-S
42	600-042-S	TI-600-042-S
44	600-044-S	TI-600-044-S
46	600-046-S	TI-600-046-S
48	600-048-S	TI-600-048-S
50	600-050-S	TI-600-050-S
52	600-052-S	TI-600-052-S
54	600-054-S	TI-600-054-S
56	600-056-S	TI-600-056-S
58	600-058-S	TI-600-058-S
60	600-060-S	TI-600-060-S
65	600-065-S	TI-600-065-S
70	600-070-S	TI-600-070-S
75	600-075-S	TI-600-075-S
80	600-080-S	TI-600-080-S
85	600-085-S	TI-600-085-S
90	600-090-S	TI-600-090-S

1-003-02L Implant Box for 125° or 130° Athos Nail Type-II (Left)



Note: 125° or 130° Athos Nail Type-II will be placed in trays as per order


Tray 1



Type	Angle	Dia	Length	Qty
Short	125° or 130°	Ø9mm	180mm to 240mm	1pcs
Long	125° or 130°	Ø9mm	320mm to 440mm	1pcs

*Stainless Steel or Titanium Implants can be placed as per requirement
Note: 125° or 130° Athos Nail Type-II will be placed in trays as per order*


Tray 2



Type	Angle	Dia	Length	Qty
Short	125° or 130°	Ø10mm	180mm to 240mm	1pcs
Long	125° or 130°	Ø10mm	320mm to 440mm	1pcs

*Stainless Steel or Titanium Implants can be placed as per requirement
Note: 125° or 130° Athos Nail Type-II will be placed in trays as per order*


Tray 3



Type	Angle	Dia	Length	Qty
Short	125° or 130°	Ø11mm	180mm to 240mm	1pcs
Long	125° or 130°	Ø11mm	320mm to 440mm	1pcs

*Stainless Steel or Titanium Implants can be placed as per requirement
Note: 125° or 130° Athos Nail Type-II will be placed in trays as per order*


Tray 4



Type	Angle	Dia	Length	Qty
Short	125° or 130°	Ø12mm	180mm to 240mm	1pcs
Long	125° or 130°	Ø12mm	320mm to 440mm	1pcs

*Stainless Steel or Titanium Implants can be placed as per requirement
Note: 125° or 130° Athos Nail Type-II will be placed in trays as per order*

Tray 5



Type	Angle	Dia	Length	Qty
Short	125° or 130°	Ø13mm	180mm to 240mm	1pcs
Long	125° or 130°	Ø13mm	320mm to 440mm	1pcs

*Stainless Steel or Titanium Implants can be placed as per requirement
Note: 125° or 130° Athos Nail Type-II will be placed in trays as per order*



Ø4.8mm Locking Bolt, Self-Tapping, For Athos Nail

Dia	Length	Qty
Ø4.8mm	26mm to 90mm	4pcs

*Stainless Steel or Titanium Implants
can be placed as per requirement*



Cephalic Screw For Athos Nail

Dia	Length	Qty
Ø10.5mm	70mm to 120mm	1pcs

Inner Screw For Athos Nail Type-II


Qty
5pcs

End Cap For Athos Nail Type-II


Length	Qty
0mm to 15mm	2pcs

*Stainless Steel or Titanium Implants
can be placed as per requirement*

1-003-02R Implant Box for 125° or 130° Athos Nail Type-II (Right)



Note: 125° or 130° Athos Nail Type-II will be placed in trays as per order

Tray 1


Type	Angle	Dia	Length	Qty
Short	125° or 130°	Ø9mm	180mm to 240mm	1pcs
Long	125° or 130°	Ø9mm	320mm to 440mm	1pcs

*Stainless Steel or Titanium Implants can be placed as per requirement
Note: 125° or 130° Athos Nail Type-II will be placed in trays as per order*

Tray 2


Type	Angle	Dia	Length	Qty
Short	125° or 130°	Ø10mm	180mm to 240mm	1pcs
Long	125° or 130°	Ø10mm	320mm to 440mm	1pcs

*Stainless Steel or Titanium Implants can be placed as per requirement
Note: 125° or 130° Athos Nail Type-II will be placed in trays as per order*

Tray 3


Type	Angle	Dia	Length	Qty
Short	125° or 130°	Ø11mm	180mm to 240mm	1pcs
Long	125° or 130°	Ø11mm	320mm to 440mm	1pcs

*Stainless Steel or Titanium Implants can be placed as per requirement
Note: 125° or 130° Athos Nail Type-II will be placed in trays as per order*

Tray 4


Type	Angle	Dia	Length	Qty
Short	125° or 130°	Ø12mm	180mm to 240mm	1pcs
Long	125° or 130°	Ø12mm	320mm to 440mm	1pcs

*Stainless Steel or Titanium Implants can be placed as per requirement
Note: 125° or 130° Athos Nail Type-II will be placed in trays as per order*

Tray 5


Type	Angle	Dia	Length	Qty
Short	125° or 130°	Ø13mm	180mm to 240mm	1pcs
Long	125° or 130°	Ø13mm	320mm to 440mm	1pcs

*Stainless Steel or Titanium Implants can be placed as per requirement
Note: 125° or 130° Athos Nail Type-II will be placed in trays as per order*



Ø4.8mm Locking Bolt, Self-Tapping, For Athos Nail

Dia	Length	Qty
Ø4.8mm	26mm to 90mm	4pcs

*Stainless Steel or Titanium Implants
can be placed as per requirement*



Cephalic Screw For Athos Nail

Dia	Length	Qty
Ø10.5mm	70mm to 120mm	1pcs

Inner Screw For Athos Nail Type-II

Qty
5pcs

End Cap For Athos Nail Type-II

Length	Qty
0mm to 15mm	2pcs

*Stainless Steel or Titanium Implants
can be placed as per requirement*



They can because they think they can.

ATHOS Nailing System (With Anti-Rotation)



125° Anti-Rotation Athos Nail, SHORT



Ø Dia	Length (mm)	Stainless Steel	Titanium
9mm	180	1501S-09-180	TI-1501S-09-180
9mm	200	1501S-09-200	TI-1501S-09-200
9mm	220	1501S-09-220	TI-1501S-09-220
9mm	240	1501S-09-240	TI-1501S-09-240
10mm	180	1501S-10-180	TI-1501S-10-180
10mm	200	1501S-10-200	TI-1501S-10-200
10mm	220	1501S-10-220	TI-1501S-10-220
10mm	240	1501S-10-240	TI-1501S-10-240
11mm	180	1501S-11-180	TI-1501S-11-180
11mm	200	1501S-11-200	TI-1501S-11-200
11mm	220	1501S-11-220	TI-1501S-11-220
11mm	240	1501S-11-240	TI-1501S-11-240
12mm	180	1501S-12-180	TI-1501S-12-180
12mm	200	1501S-12-200	TI-1501S-12-200
12mm	220	1501S-12-220	TI-1501S-12-220
12mm	240	1501S-12-240	TI-1501S-12-240
13mm	180	1501S-13-180	TI-1501S-13-180
13mm	200	1501S-13-200	TI-1501S-13-200
13mm	220	1501S-13-220	TI-1501S-13-220
13mm	240	1501S-13-240	TI-1501S-13-240



125° Anti-Rotation Athos Nail, SHORT
STERILE

Ø Dia	Length (mm)	Stainless Steel	Titanium
9mm	180	1501S-09-180-S	TI-1501S-09-180-S
9mm	200	1501S-09-200-S	TI-1501S-09-200-S
9mm	220	1501S-09-220-S	TI-1501S-09-220-S
9mm	240	1501S-09-240-S	TI-1501S-09-240-S
10mm	180	1501S-10-180-S	TI-1501S-10-180-S
10mm	200	1501S-10-200-S	TI-1501S-10-200-S
10mm	220	1501S-10-220-S	TI-1501S-10-220-S
10mm	240	1501S-10-240-S	TI-1501S-10-240-S
11mm	180	1501S-11-180-S	TI-1501S-11-180-S
11mm	200	1501S-11-200-S	TI-1501S-11-200-S
11mm	220	1501S-11-220-S	TI-1501S-11-220-S
11mm	240	1501S-11-240-S	TI-1501S-11-240-S
12mm	180	1501S-12-180-S	TI-1501S-12-180-S
12mm	200	1501S-12-200-S	TI-1501S-12-200-S
12mm	220	1501S-12-220-S	TI-1501S-12-220-S
12mm	240	1501S-12-240-S	TI-1501S-12-240-S
13mm	180	1501S-13-180-S	TI-1501S-13-180-S
13mm	200	1501S-13-200-S	TI-1501S-13-200-S
13mm	220	1501S-13-220-S	TI-1501S-13-220-S
13mm	240	1501S-13-240-S	TI-1501S-13-240-S



125° Anti-Rotation Athos Nail, Long



Ø Dia	Length (mm)	Stainless Steel (Left)	Titanium (Left)	Stainless Steel (Right)	Titanium (Right)
9mm	320	1501L-09-320L	TI-1501L-09-320L	1501L-09-320R	TI-1501L-09-320R
9mm	340	1501L-09-340L	TI-1501L-09-340L	1501L-09-340R	TI-1501L-09-340R
9mm	360	1501L-09-360L	TI-1501L-09-360L	1501L-09-360R	TI-1501L-09-360R
9mm	380	1501L-09-380L	TI-1501L-09-380L	1501L-09-380R	TI-1501L-09-380R
9mm	400	1501L-09-400L	TI-1501L-09-400L	1501L-09-400R	TI-1501L-09-400R
9mm	420	1501L-09-420L	TI-1501L-09-420L	1501L-09-420R	TI-1501L-09-420R
9mm	440	1501L-09-440L	TI-1501L-09-440L	1501L-09-440R	TI-1501L-09-440R
10mm	320	1501L-10-320L	TI-1501L-10-320L	1501L-10-320R	TI-1501L-10-320R
10mm	340	1501L-10-340L	TI-1501L-10-340L	1501L-10-340R	TI-1501L-10-340R
10mm	360	1501L-10-360L	TI-1501L-10-360L	1501L-10-360R	TI-1501L-10-360R
10mm	380	1501L-10-380L	TI-1501L-10-380L	1501L-10-380R	TI-1501L-10-380R
10mm	400	1501L-10-400L	TI-1501L-10-400L	1501L-10-400R	TI-1501L-10-400R
10mm	420	1501L-10-420L	TI-1501L-10-420L	1501L-10-420R	TI-1501L-10-420R
10mm	440	1501L-10-440L	TI-1501L-10-440L	1501L-10-440R	TI-1501L-10-440R
11mm	320	1501L-11-320L	TI-1501L-11-320L	1501L-11-320R	TI-1501L-11-320R
11mm	340	1501L-11-340L	TI-1501L-11-340L	1501L-11-340R	TI-1501L-11-340R
11mm	360	1501L-11-360L	TI-1501L-11-360L	1501L-11-360R	TI-1501L-11-360R
11mm	380	1501L-11-380L	TI-1501L-11-380L	1501L-11-380R	TI-1501L-11-380R
11mm	400	1501L-11-400L	TI-1501L-11-400L	1501L-11-400R	TI-1501L-11-400R
11mm	420	1501L-11-420L	TI-1501L-11-420L	1501L-11-420R	TI-1501L-11-420R
11mm	440	1501L-11-440L	TI-1501L-11-440L	1501L-11-440R	TI-1501L-11-440R
12mm	320	1501L-12-320L	TI-1501L-12-320L	1501L-12-320R	TI-1501L-12-320R
12mm	340	1501L-12-340L	TI-1501L-12-340L	1501L-12-340R	TI-1501L-12-340R
12mm	360	1501L-12-360L	TI-1501L-12-360L	1501L-12-360R	TI-1501L-12-360R
12mm	380	1501L-12-380L	TI-1501L-12-380L	1501L-12-380R	TI-1501L-12-380R
12mm	400	1501L-12-400L	TI-1501L-12-400L	1501L-12-400R	TI-1501L-12-400R
12mm	420	1501L-12-420L	TI-1501L-12-420L	1501L-12-420R	TI-1501L-12-420R
12mm	440	1501L-12-440L	TI-1501L-12-440L	1501L-12-440R	TI-1501L-12-440R
13mm	320	1501L-13-320L	TI-1501L-13-320L	1501L-13-320R	TI-1501L-13-320R
13mm	340	1501L-13-340L	TI-1501L-13-340L	1501L-13-340R	TI-1501L-13-340R
13mm	360	1501L-13-360L	TI-1501L-13-360L	1501L-13-360R	TI-1501L-13-360R
13mm	380	1501L-13-380L	TI-1501L-13-380L	1501L-13-380R	TI-1501L-13-380R
13mm	400	1501L-13-400L	TI-1501L-13-400L	1501L-13-400R	TI-1501L-13-400R
13mm	420	1501L-13-420L	TI-1501L-13-420L	1501L-13-420R	TI-1501L-13-420R
13mm	440	1501L-13-440L	TI-1501L-13-440L	1501L-13-440R	TI-1501L-13-440R



125° Anti-Rotation Athos Nail, Long
STERILE

Ø Dia	Length (mm)	Stainless Steel (Left)	Titanium (Left)	Stainless Steel (Right)	Titanium (Right)
9mm	320	1501L-09-320L-S	TI-1501L-09-320L-S	1501L-09-320R-S	TI-1501L-09-320R-S
9mm	340	1501L-09-340L-S	TI-1501L-09-340L-S	1501L-09-340R-S	TI-1501L-09-340R-S
9mm	360	1501L-09-360L-S	TI-1501L-09-360L-S	1501L-09-360R-S	TI-1501L-09-360R-S
9mm	380	1501L-09-380L-S	TI-1501L-09-380L-S	1501L-09-380R-S	TI-1501L-09-380R-S
9mm	400	1501L-09-400L-S	TI-1501L-09-400L-S	1501L-09-400R-S	TI-1501L-09-400R-S
9mm	420	1501L-09-420L-S	TI-1501L-09-420L-S	1501L-09-420R-S	TI-1501L-09-420R-S
9mm	440	1501L-09-440L-S	TI-1501L-09-440L-S	1501L-09-440R-S	TI-1501L-09-440R-S
10mm	320	1501L-10-320L-S	TI-1501L-10-320L-S	1501L-10-320R-S	TI-1501L-10-320R-S
10mm	340	1501L-10-340L-S	TI-1501L-10-340L-S	1501L-10-340R-S	TI-1501L-10-340R-S
10mm	360	1501L-10-360L-S	TI-1501L-10-360L-S	1501L-10-360R-S	TI-1501L-10-360R-S
10mm	380	1501L-10-380L-S	TI-1501L-10-380L-S	1501L-10-380R-S	TI-1501L-10-380R-S
10mm	400	1501L-10-400L-S	TI-1501L-10-400L-S	1501L-10-400R-S	TI-1501L-10-400R-S
10mm	420	1501L-10-420L-S	TI-1501L-10-420L-S	1501L-10-420R-S	TI-1501L-10-420R-S
10mm	440	1501L-10-440L-S	TI-1501L-10-440L-S	1501L-10-440R-S	TI-1501L-10-440R-S
11mm	320	1501L-11-320L-S	TI-1501L-11-320L-S	1501L-11-320R-S	TI-1501L-11-320R-S
11mm	340	1501L-11-340L-S	TI-1501L-11-340L-S	1501L-11-340R-S	TI-1501L-11-340R-S
11mm	360	1501L-11-360L-S	TI-1501L-11-360L-S	1501L-11-360R-S	TI-1501L-11-360R-S
11mm	380	1501L-11-380L-S	TI-1501L-11-380L-S	1501L-11-380R-S	TI-1501L-11-380R-S
11mm	400	1501L-11-400L-S	TI-1501L-11-400L-S	1501L-11-400R-S	TI-1501L-11-400R-S
11mm	420	1501L-11-420L-S	TI-1501L-11-420L-S	1501L-11-420R-S	TI-1501L-11-420R-S
11mm	440	1501L-11-440L-S	TI-1501L-11-440L-S	1501L-11-440R-S	TI-1501L-11-440R-S
12mm	320	1501L-12-320L-S	TI-1501L-12-320L-S	1501L-12-320R-S	TI-1501L-12-320R-S
12mm	340	1501L-12-340L-S	TI-1501L-12-340L-S	1501L-12-340R-S	TI-1501L-12-340R-S
12mm	360	1501L-12-360L-S	TI-1501L-12-360L-S	1501L-12-360R-S	TI-1501L-12-360R-S
12mm	380	1501L-12-380L-S	TI-1501L-12-380L-S	1501L-12-380R-S	TI-1501L-12-380R-S
12mm	400	1501L-12-400L-S	TI-1501L-12-400L-S	1501L-12-400R-S	TI-1501L-12-400R-S
12mm	420	1501L-12-420L-S	TI-1501L-12-420L-S	1501L-12-420R-S	TI-1501L-12-420R-S
12mm	440	1501L-12-440L-S	TI-1501L-12-440L-S	1501L-12-440R-S	TI-1501L-12-440R-S
13mm	320	1501L-13-320L-S	TI-1501L-13-320L-S	1501L-13-320R-S	TI-1501L-13-320R-S
13mm	340	1501L-13-340L-S	TI-1501L-13-340L-S	1501L-13-340R-S	TI-1501L-13-340R-S
13mm	360	1501L-13-360L-S	TI-1501L-13-360L-S	1501L-13-360R-S	TI-1501L-13-360R-S
13mm	380	1501L-13-380L-S	TI-1501L-13-380L-S	1501L-13-380R-S	TI-1501L-13-380R-S
13mm	400	1501L-13-400L-S	TI-1501L-13-400L-S	1501L-13-400R-S	TI-1501L-13-400R-S
13mm	420	1501L-13-420L-S	TI-1501L-13-420L-S	1501L-13-420R-S	TI-1501L-13-420R-S
13mm	440	1501L-13-440L-S	TI-1501L-13-440L-S	1501L-13-440R-S	TI-1501L-13-440R-S



130° Anti-Rotation Athos Nail, SHORT



Ø Dia	Length (mm)	Stainless Steel	Titanium
9mm	180	600S-09-180	TI-600S-09-180
9mm	200	600S-09-200	TI-600S-09-200
9mm	220	600S-09-220	TI-600S-09-220
9mm	240	600S-09-240	TI-600S-09-240
10mm	180	600S-10-180	TI-600S-10-180
10mm	200	600S-10-200	TI-600S-10-200
10mm	220	600S-10-220	TI-600S-10-220
10mm	240	600S-10-240	TI-600S-10-240
11mm	180	600S-11-180	TI-600S-11-180
11mm	200	600S-11-200	TI-600S-11-200
11mm	220	600S-11-220	TI-600S-11-220
11mm	240	600S-11-240	TI-600S-11-240
12mm	180	600S-12-180	TI-600S-12-180
12mm	200	600S-12-200	TI-600S-12-200
12mm	220	600S-12-220	TI-600S-12-220
12mm	240	600S-12-240	TI-600S-12-240
13mm	180	600S-13-180	TI-600S-13-180
13mm	200	600S-13-200	TI-600S-13-200
13mm	220	600S-13-220	TI-600S-13-220
13mm	240	600S-13-240	TI-600S-13-240



130° Anti-Rotation Athos Nail, SHORT
STERILE

Ø Dia	Length (mm)	Stainless Steel	Titanium
9mm	180	600S-09-180-S	TI-600S-09-180-S
9mm	200	600S-09-200-S	TI-600S-09-200-S
9mm	220	600S-09-220-S	TI-600S-09-220-S
9mm	240	600S-09-240-S	TI-600S-09-240-S
10mm	180	600S-10-180-S	TI-600S-10-180-S
10mm	200	600S-10-200-S	TI-600S-10-200-S
10mm	220	600S-10-220-S	TI-600S-10-220-S
10mm	240	600S-10-240-S	TI-600S-10-240-S
11mm	180	600S-11-180-S	TI-600S-11-180-S
11mm	200	600S-11-200-S	TI-600S-11-200-S
11mm	220	600S-11-220-S	TI-600S-11-220-S
11mm	240	600S-11-240-S	TI-600S-11-240-S
12mm	180	600S-12-180-S	TI-600S-12-180-S
12mm	200	600S-12-200-S	TI-600S-12-200-S
12mm	220	600S-12-220-S	TI-600S-12-220-S
12mm	240	600S-12-240-S	TI-600S-12-240-S
13mm	180	600S-13-180-S	TI-600S-13-180-S
13mm	200	600S-13-200-S	TI-600S-13-200-S
13mm	220	600S-13-220-S	TI-600S-13-220-S
13mm	240	600S-13-240-S	TI-600S-13-240-S



130° Anti-Rotation Athos Nail, LONG



Ø Dia	Length (mm)	Stainless Steel (Left)	Titanium (Left)	Stainless Steel (Right)	Titanium (Right)
9mm	320	600L-09-320L	TI-600L-09-320L	600L-09-320R	TI-600L-09-320R
9mm	340	600L-09-340L	TI-600L-09-340L	600L-09-340R	TI-600L-09-340R
9mm	360	600L-09-360L	TI-600L-09-360L	600L-09-360R	TI-600L-09-360R
9mm	380	600L-09-380L	TI-600L-09-380L	600L-09-380R	TI-600L-09-380R
9mm	400	600L-09-400L	TI-600L-09-400L	600L-09-400R	TI-600L-09-400R
9mm	420	600L-09-420L	TI-600L-09-420L	600L-09-420R	TI-600L-09-420R
9mm	440	600L-09-440L	TI-600L-09-440L	600L-09-440R	TI-600L-09-440R
10mm	320	600L-10-320L	TI-600L-10-320L	600L-10-320R	TI-600L-10-320R
10mm	340	600L-10-340L	TI-600L-10-340L	600L-10-340R	TI-600L-10-340R
10mm	360	600L-10-360L	TI-600L-10-360L	600L-10-360R	TI-600L-10-360R
10mm	380	600L-10-380L	TI-600L-10-380L	600L-10-380R	TI-600L-10-380R
10mm	400	600L-10-400L	TI-600L-10-400L	600L-10-400R	TI-600L-10-400R
10mm	420	600L-10-420L	TI-600L-10-420L	600L-10-420R	TI-600L-10-420R
10mm	440	600L-10-440L	TI-600L-10-440L	600L-10-440R	TI-600L-10-440R
11mm	320	600L-11-320L	TI-600L-11-320L	600L-11-320R	TI-600L-11-320R
11mm	340	600L-11-340L	TI-600L-11-340L	600L-11-340R	TI-600L-11-340R
11mm	360	600L-11-360L	TI-600L-11-360L	600L-11-360R	TI-600L-11-360R
11mm	380	600L-11-380L	TI-600L-11-380L	600L-11-380R	TI-600L-11-380R
11mm	400	600L-11-400L	TI-600L-11-400L	600L-11-400R	TI-600L-11-400R
11mm	420	600L-11-420L	TI-600L-11-420L	600L-11-420R	TI-600L-11-420R
11mm	440	600L-11-440L	TI-600L-11-440L	600L-11-440R	TI-600L-11-440R
12mm	320	600L-12-320L	TI-600L-12-320L	600L-12-320R	TI-600L-12-320R
12mm	340	600L-12-340L	TI-600L-12-340L	600L-12-340R	TI-600L-12-340R
12mm	360	600L-12-360L	TI-600L-12-360L	600L-12-360R	TI-600L-12-360R
12mm	380	600L-12-380L	TI-600L-12-380L	600L-12-380R	TI-600L-12-380R
12mm	400	600L-12-400L	TI-600L-12-400L	600L-12-400R	TI-600L-12-400R
12mm	420	600L-12-420L	TI-600L-12-420L	600L-12-420R	TI-600L-12-420R
12mm	440	600L-12-440L	TI-600L-12-440L	600L-12-440R	TI-600L-12-440R
13mm	320	600L-13-320L	TI-600L-13-320L	600L-13-320R	TI-600L-13-320R
13mm	340	600L-13-340L	TI-600L-13-340L	600L-13-340R	TI-600L-13-340R
13mm	360	600L-13-360L	TI-600L-13-360L	600L-13-360R	TI-600L-13-360R
13mm	380	600L-13-380L	TI-600L-13-380L	600L-13-380R	TI-600L-13-380R
13mm	400	600L-13-400L	TI-600L-13-400L	600L-13-400R	TI-600L-13-400R
13mm	420	600L-13-420L	TI-600L-13-420L	600L-13-420R	TI-600L-13-420R
13mm	440	600L-13-440L	TI-600L-13-440L	600L-13-440R	TI-600L-13-440R



130° Anti-Rotation Athos Nail, LONG
STERILE

Ø Dia	Length (mm)	Stainless Steel (Left)	Titanium (Left)	Stainless Steel (Right)	Titanium (Right)
9mm	320	600L-09-320L-S	TI-600L-09-320L-S	600L-09-320R-S	TI-600L-09-320R-S
9mm	340	600L-09-340L-S	TI-600L-09-340L-S	600L-09-340R-S	TI-600L-09-340R-S
9mm	360	600L-09-360L-S	TI-600L-09-360L-S	600L-09-360R-S	TI-600L-09-360R-S
9mm	380	600L-09-380L-S	TI-600L-09-380L-S	600L-09-380R-S	TI-600L-09-380R-S
9mm	400	600L-09-400L-S	TI-600L-09-400L-S	600L-09-400R-S	TI-600L-09-400R-S
9mm	420	600L-09-420L-S	TI-600L-09-420L-S	600L-09-420R-S	TI-600L-09-420R-S
9mm	440	600L-09-440L-S	TI-600L-09-440L-S	600L-09-440R-S	TI-600L-09-440R-S
10mm	320	600L-10-320L-S	TI-600L-10-320L-S	600L-10-320R-S	TI-600L-10-320R-S
10mm	340	600L-10-340L-S	TI-600L-10-340L-S	600L-10-340R-S	TI-600L-10-340R-S
10mm	360	600L-10-360L-S	TI-600L-10-360L-S	600L-10-360R-S	TI-600L-10-360R-S
10mm	380	600L-10-380L-S	TI-600L-10-380L-S	600L-10-380R-S	TI-600L-10-380R-S
10mm	400	600L-10-400L-S	TI-600L-10-400L-S	600L-10-400R-S	TI-600L-10-400R-S
10mm	420	600L-10-420L-S	TI-600L-10-420L-S	600L-10-420R-S	TI-600L-10-420R-S
10mm	440	600L-10-440L-S	TI-600L-10-440L-S	600L-10-440R-S	TI-600L-10-440R-S
11mm	320	600L-11-320L-S	TI-600L-11-320L-S	600L-11-320R-S	TI-600L-11-320R-S
11mm	340	600L-11-340L-S	TI-600L-11-340L-S	600L-11-340R-S	TI-600L-11-340R-S
11mm	360	600L-11-360L-S	TI-600L-11-360L-S	600L-11-360R-S	TI-600L-11-360R-S
11mm	380	600L-11-380L-S	TI-600L-11-380L-S	600L-11-380R-S	TI-600L-11-380R-S
11mm	400	600L-11-400L-S	TI-600L-11-400L-S	600L-11-400R-S	TI-600L-11-400R-S
11mm	420	600L-11-420L-S	TI-600L-11-420L-S	600L-11-420R-S	TI-600L-11-420R-S
11mm	440	600L-11-440L-S	TI-600L-11-440L-S	600L-11-440R-S	TI-600L-11-440R-S
12mm	320	600L-12-320L-S	TI-600L-12-320L-S	600L-12-320R-S	TI-600L-12-320R-S
12mm	340	600L-12-340L-S	TI-600L-12-340L-S	600L-12-340R-S	TI-600L-12-340R-S
12mm	360	600L-12-360L-S	TI-600L-12-360L-S	600L-12-360R-S	TI-600L-12-360R-S
12mm	380	600L-12-380L-S	TI-600L-12-380L-S	600L-12-380R-S	TI-600L-12-380R-S
12mm	400	600L-12-400L-S	TI-600L-12-400L-S	600L-12-400R-S	TI-600L-12-400R-S
12mm	420	600L-12-420L-S	TI-600L-12-420L-S	600L-12-420R-S	TI-600L-12-420R-S
12mm	440	600L-12-440L-S	TI-600L-12-440L-S	600L-12-440R-S	TI-600L-12-440R-S
13mm	320	600L-13-320L-S	TI-600L-13-320L-S	600L-13-320R-S	TI-600L-13-320R-S
13mm	340	600L-13-340L-S	TI-600L-13-340L-S	600L-13-340R-S	TI-600L-13-340R-S
13mm	360	600L-13-360L-S	TI-600L-13-360L-S	600L-13-360R-S	TI-600L-13-360R-S
13mm	380	600L-13-380L-S	TI-600L-13-380L-S	600L-13-380R-S	TI-600L-13-380R-S
13mm	400	600L-13-400L-S	TI-600L-13-400L-S	600L-13-400R-S	TI-600L-13-400R-S
13mm	420	600L-13-420L-S	TI-600L-13-420L-S	600L-13-420R-S	TI-600L-13-420R-S
13mm	440	600L-13-440L-S	TI-600L-13-440L-S	600L-13-440R-S	TI-600L-13-440R-S




End Cap For Anti-Rotation Athos Nail

Length (mm)	Stainless Steel	Titanium
0	600-001E	TI-600-001E
5	600-005E	TI-600-005E
10	600-010E	TI-600-010E
15	600-015E	TI-600-015E



Inner Screw For Anti-Rotation Athos Nail-Long (For Cephalic Screw)

Stainless Steel	Titanium
600-0S	TI-600-0S



Inner Screw For Anti-Rotation Athos Nail-Short (For Anti-Rotation Screw)

Stainless Steel	Titanium
601-0S	TI-601-0S



Ø6.4mm Cannulated Anti-Rotation Screw

Length (mm)	Stainless Steel	Titanium
60	600A-6.4-060	TI-600A-6.4-060
65	600A-6.4-065	TI-600A-6.4-065
70	600A-6.4-070	TI-600A-6.4-070
75	600A-6.4-075	TI-600A-6.4-075
80	600A-6.4-080	TI-600A-6.4-080
85	600A-6.4-085	TI-600A-6.4-085
90	600A-6.4-090	TI-600A-6.4-090
95	600A-6.4-095	TI-600A-6.4-095
100	600A-6.4-100	TI-600A-6.4-100
105	600A-6.4-105	TI-600A-6.4-105
110	600A-6.4-110	TI-600A-6.4-110
115	600A-6.4-115	TI-600A-6.4-115
120	600A-6.4-120	TI-600A-6.4-120
125	600A-6.4-125	TI-600A-6.4-125
130	600A-6.4-130	TI-600A-6.4-130



End Cap For Ø10.5mm Cephalic Screw For Athos Nail



Stainless Steel	Titanium
GM01.06	TI-GM01.06

Ø10.5mm Cephalic Screw For Athos Nail



Ø Dia	Length (mm)	Stainless Steel	Titanium
10.5mm	70	600C-10.5-070	TI-600C-10.5-070
10.5mm	75	600C-10.5-075	TI-600C-10.5-075
10.5mm	80	600C-10.5-080	TI-600C-10.5-080
10.5mm	85	600C-10.5-085	TI-600C-10.5-085
10.5mm	90	600C-10.5-090	TI-600C-10.5-090
10.5mm	95	600C-10.5-095	TI-600C-10.5-095
10.5mm	100	600C-10.5-100	TI-600C-10.5-100
10.5mm	105	600C-10.5-105	TI-600C-10.5-105
10.5mm	110	600C-10.5-110	TI-600C-10.5-110
10.5mm	115	600C-10.5-115	TI-600C-10.5-115
10.5mm	120	600C-10.5-120	TI-600C-10.5-120



End Cap For Anti-Rotation Athos Nail

Length (mm)	Stainless Steel	Titanium
0	600-001E-S	TI-600-001E-S
5	600-005E-S	TI-600-005E-S
10	600-010E-S	TI-600-010E-S
15	600-015E-S	TI-600-015E-S

STERILE



Inner Screw For Anti-Rotation Athos Nail-Long (For Cephalic Screw)

Stainless Steel	Titanium
600-0S-S	TI-600-0S-S

STERILE



Inner Screw For Anti-Rotation Athos Nail-Short (For Anti-Rotation Screw)

Stainless Steel	Titanium
601-0S-S	TI-601-0S-S

STERILE



Ø6.4mm Cannulated Anti-Rotation Screw

Length (mm)	Stainless Steel	Titanium
60	600A-6.4-060-S	TI-600A-6.4-060-S
65	600A-6.4-065-S	TI-600A-6.4-065-S
70	600A-6.4-070-S	TI-600A-6.4-070-S
75	600A-6.4-075-S	TI-600A-6.4-075-S
80	600A-6.4-080-S	TI-600A-6.4-080-S
85	600A-6.4-085-S	TI-600A-6.4-085-S
90	600A-6.4-090-S	TI-600A-6.4-090-S
95	600A-6.4-095-S	TI-600A-6.4-095-S
100	600A-6.4-100-S	TI-600A-6.4-100-S
105	600A-6.4-105-S	TI-600A-6.4-105-S
110	600A-6.4-110-S	TI-600A-6.4-110-S
115	600A-6.4-115-S	TI-600A-6.4-115-S
120	600A-6.4-120-S	TI-600A-6.4-120-S
125	600A-6.4-125-S	TI-600A-6.4-125-S
130	600A-6.4-130-S	TI-600A-6.4-130-S

STERILE



End Cap For Ø10.5mm Cephalic Screw For Athos Nail

STERILE



Stainless Steel	Titanium
GM01.06-S	TI-GM01.06-S

Ø10.5mm Cephalic Screw For Athos Nail

STERILE

Ø Dia	Length (mm)	Stainless Steel	Titanium
10.5mm	70	600C-10.5-070-S	TI-600C-10.5-070-S
10.5mm	75	600C-10.5-075-S	TI-600C-10.5-075-S
10.5mm	80	600C-10.5-080-S	TI-600C-10.5-080-S
10.5mm	85	600C-10.5-085-S	TI-600C-10.5-085-S
10.5mm	90	600C-10.5-090-S	TI-600C-10.5-090-S
10.5mm	95	600C-10.5-095-S	TI-600C-10.5-095-S
10.5mm	100	600C-10.5-100-S	TI-600C-10.5-100-S
10.5mm	105	600C-10.5-105-S	TI-600C-10.5-105-S
10.5mm	110	600C-10.5-110-S	TI-600C-10.5-110-S
10.5mm	115	600C-10.5-115-S	TI-600C-10.5-115-S
10.5mm	120	600C-10.5-120-S	TI-600C-10.5-120-S




Ø4.8mm Locking Bolt, Self-Tapping for Athos Nail




STERILE

Length (mm)	Stainless Steel	Titanium
26	600-026	TI-600-026
28	600-028	TI-600-028
30	600-030	TI-600-030
32	600-032	TI-600-032
34	600-034	TI-600-034
36	600-036	TI-600-036
38	600-038	TI-600-038
40	600-040	TI-600-040
42	600-042	TI-600-042
44	600-044	TI-600-044
46	600-046	TI-600-046
48	600-048	TI-600-048
50	600-050	TI-600-050
52	600-052	TI-600-052
54	600-054	TI-600-054
56	600-056	TI-600-056
58	600-058	TI-600-058
60	600-060	TI-600-060
65	600-065	TI-600-065
70	600-070	TI-600-070
75	600-075	TI-600-075
80	600-080	TI-600-080
85	600-085	TI-600-085
90	600-090	TI-600-090

Length (mm)	Stainless Steel	Titanium
26	600-026-S	TI-600-026-S
28	600-028-S	TI-600-028-S
30	600-030-S	TI-600-030-S
32	600-032-S	TI-600-032-S
34	600-034-S	TI-600-034-S
36	600-036-S	TI-600-036-S
38	600-038-S	TI-600-038-S
40	600-040-S	TI-600-040-S
42	600-042-S	TI-600-042-S
44	600-044-S	TI-600-044-S
46	600-046-S	TI-600-046-S
48	600-048-S	TI-600-048-S
50	600-050-S	TI-600-050-S
52	600-052-S	TI-600-052-S
54	600-054-S	TI-600-054-S
56	600-056-S	TI-600-056-S
58	600-058-S	TI-600-058-S
60	600-060-S	TI-600-060-S
65	600-065-S	TI-600-065-S
70	600-070-S	TI-600-070-S
75	600-075-S	TI-600-075-S
80	600-080-S	TI-600-080-S
85	600-085-S	TI-600-085-S
90	600-090-S	TI-600-090-S


1-003-01L Implant Box for Athos Nail Anti-Rotation (Left)

Note: 125° or 130° Anti-Rotation Athos Nail will be placed in trays as per order

Tray 1



Type	Angle	Dia	Length	Qty
Short	125° or 130°	Ø9mm	180mm to 240mm	1pcs
Long	125° or 130°	Ø9mm	320mm to 440mm	1pcs

Stainless Steel or Titanium Implants can be placed as per requirement
Note: 125° or 130° Anti-Rotation Athos Nail will be placed in trays as per order

Tray 2



Type	Angle	Dia	Length	Qty
Short	125° or 130°	Ø10mm	180mm to 240mm	1pcs
Long	125° or 130°	Ø10mm	320mm to 440mm	1pcs

Stainless Steel or Titanium Implants can be placed as per requirement
Note: 125° or 130° Anti-Rotation Athos Nail will be placed in trays as per order

Tray 3



Type	Angle	Dia	Length	Qty
Short	125° or 130°	Ø11mm	180mm to 240mm	1pcs
Long	125° or 130°	Ø11mm	320mm to 440mm	1pcs

Stainless Steel or Titanium Implants can be placed as per requirement
Note: 125° or 130° Anti-Rotation Athos Nail will be placed in trays as per order

Tray 4


Type	Angle	Dia	Length	Qty
Short	125° or 130°	Ø12mm	180mm to 240mm	1pcs
Long	125° or 130°	Ø12mm	320mm to 440mm	1pcs

Stainless Steel or Titanium Implants can be placed as per requirement
Note: 125° or 130° Anti-Rotation Athos Nail will be placed in trays as per order

Tray 5


Type	Angle	Dia	Length	Qty
Short	125° or 130°	Ø13mm	180mm to 240mm	1pcs
Long	125° or 130°	Ø13mm	320mm to 440mm	1pcs

Stainless Steel or Titanium Implants can be placed as per requirement
Note: 125° or 130° Anti-Rotation Athos Nail will be placed in trays as per order



Ø4.8mm Locking Bolt, Self-Tapping, For Athos Nail

Dia	Length	Qty
Ø4.8mm	26mm to 90mm	3pcs

Stainless Steel or Titanium Implants can be placed as per requirement

Ø6.4mm Cannulated Anti-Rotation Screw for Athos Nail

Dia	Length	Qty
Ø6.4mm	60mm to 130mm	2pcs

Stainless Steel or Titanium Implants can be placed as per requirement



Cephalic Screw For Athos Nail

Dia	Length	Qty
Ø10.5mm	70mm to 120mm	1pcs

Inner Screw For Anti-Rotation Athos Nail (For Cephalic Screw)


For Long Nail	For Short Nail
5pcs	5pcs

End Cap For Anti-Rotation Athos Nail

Length	Qty
0mm to 15mm	2pcs


Stainless Steel or Titanium Implants can be placed as per requirement

1-003-01R Implant Box for Athos Nail Anti-Rotation (Right)



Note: 125° or 130° Anti-Rotation Athos Nail will be placed in trays as per order


Tray 1



Type	Angle	Dia	Length	Qty
Short	125° or 130°	Ø9mm	180mm to 240mm	1pcs
Long	125° or 130°	Ø9mm	320mm to 440mm	1pcs

*Stainless Steel or Titanium Implants can be placed as per requirement
Note: 125° or 130° Anti-Rotation Athos Nail will be placed in trays as per order*


Tray 2



Type	Angle	Dia	Length	Qty
Short	125° or 130°	Ø10mm	180mm to 240mm	1pcs
Long	125° or 130°	Ø10mm	320mm to 440mm	1pcs

*Stainless Steel or Titanium Implants can be placed as per requirement
Note: 125° or 130° Anti-Rotation Athos Nail will be placed in trays as per order*


Tray 3



Type	Angle	Dia	Length	Qty
Short	125° or 130°	Ø11mm	180mm to 240mm	1pcs
Long	125° or 130°	Ø11mm	320mm to 440mm	1pcs

*Stainless Steel or Titanium Implants can be placed as per requirement
Note: 125° or 130° Anti-Rotation Athos Nail will be placed in trays as per order*


Tray 4



Type	Angle	Dia	Length	Qty
Short	125° or 130°	Ø12mm	180mm to 240mm	1pcs
Long	125° or 130°	Ø12mm	320mm to 440mm	1pcs

*Stainless Steel or Titanium Implants can be placed as per requirement
Note: 125° or 130° Anti-Rotation Athos Nail will be placed in trays as per order*

Tray 5



Type	Angle	Dia	Length	Qty
Short	125° or 130°	Ø13mm	180mm to 240mm	1pcs
Long	125° or 130°	Ø13mm	320mm to 440mm	1pcs

*Stainless Steel or Titanium Implants can be placed as per requirement
Note: 125° or 130° Anti-Rotation Athos Nail will be placed in trays as per order*



Ø4.8mm Locking Bolt, Self-Tapping, For Athos Nail

Dia	Length	Qty
Ø4.8mm	26mm to 90mm	3pcs

*Stainless Steel or Titanium Implants
can be placed as per requirement*

Ø6.4mm Cannulated Anti-Rotation Screw for Athos Nail

Dia	Length	Qty
Ø6.4mm	60mm to 130mm	2pcs

*Stainless Steel or Titanium Implants
can be placed as per requirement*



Cephalic Screw For Athos Nail

Dia	Length	Qty
Ø10.5mm	70mm to 120mm	1pcs

Inner Screw For Anti-Rotation Athos Nail (For Cephalic Screw)

For Long Nail	For Short Nail
5pcs	5pcs

End Cap For Anti-Rotation Athos Nail

Length	Qty
0mm to 15mm	2pcs

*Stainless Steel or Titanium Implants
can be placed as per requirement*

Athos Nail
Instrument Set
Aluminium Targeting Device

1457-001 Radiographic Ruler for Short Athos Nail



1457-055 Entry Reamer Protection Sleeve 20/17mm for Athos Nail



1457-056 Entry Reamer Guide Wire Sleeve 17/3.2mm for Athos Nail



1457-004 Guide Wire With Ball Tip Ø2.5/3.65mm x Length 680mm - Nitinol, for Athos Nail



1457-053 Guide Wire Without Ball Tip Ø2.5mm x Length 680mm - Nitinol, for Athos Nail



1457-005-10 Flexible Shaft with Reamer Ø10mm for Athos Nail



1457-006-11 Flexible Shaft with Reamer Ø11mm for Athos Nail



1457-007-12 Flexible Shaft with Reamer Ø12mm for Athos Nail



1457-008-13 Flexible Shaft with Reamer Ø13mm for Athos Nail



1457-009 T Handle with Quick Coupling for Entry Reamer - Athos Nail



1457-010 Entry Reamer Ø16.5mm with Quick Coupling End for Athos Nail



1457-011 Cannulated Awl for Athos Nail



1457-012 Tissue Protector for Athos Nail



1457-013 Insertion Handle, Aluminium, for Athos Nail



1457-014 Nail Holding Bolt for Aluminium Targeting Device for Athos Nail



1457-015 Guide Wire Holder for Athos Nail



1457-016 Insertion Connecting Rod for Athos Nail



1457-054 Block for Insertion Connecting Rod - Athos Nail



1457-017 Combination Wrench 11mm for Athos Nail



1457-018 Insertion Hammer, Solid, for Athos Nail




1457-019-130 130° Proximal Targeting Device, Aluminium, for Athos Nail




1457-019-125 125° Proximal Targeting Device, Aluminium, for Athos Nail



7-062-01 Locking Bolt for Aluminium Targeting Device - Athos Nail



1457-020 Protection Sleeve 10/8.2mm for Athos Nail



1457-021 Trocar Ø8mm for Athos Nail



1457-022-4.3 Drill Sleeve 8/4.3mm for Drill Bit Ø4.3mm - Athos Nail



1457-023 Short Aluminium Distal Targeting Device for Length upto 240mm - Athos Nail



1457-024 Sliding Hammer, Slotted, for Athos Nail



1457-025 Flexible Screwdriver, Hex 3.5mm for Inner Screw - Athos Nail



1457-026 Allen Key, Hex 3mm for Athos Nail



1457-027 Universal Screwdriver, Hex 7mm for Athos Nail



1457-028 Protection Sleeve 14/11.2mm for Cephalic Screw - Athos Nail



1457-029 Trocar Sleeve 11.2/3.2mm for Cephalic Screw - Athos Nail



1457-030 Trocar Ø3.2mm for Cephalic Screw Ø10.5mm - Athos Nail



1457-031 Measuring Device upto 130mm for Cephalic Screw Ø10.5mm - Athos Nail



1457-032 Inserter for Cephalic Screw Ø10.5mm & End Cap - Athos Nail



1457-033 Screwdriver with T-Handle, Hex 3.5mm, for Athos Nail



1457-034 Universal Screwdriver with T-Handle, Hex 8mm, for Athos Nail



1457-035 Proximal Cortex Drill Ø10mm with Quick Coupling End for Cephalic Screw Ø10.5mm - Athos Nail



1457-036 Cannulated Reamer, Ø10.5mm for Cephalic Screw Ø10.5mm - Athos Nail



7-007-08 Stopper for Cannulated Reamer - Athos Nail



1457-037 Measuring Device upto 130mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail



1457-038 Protection Sleeve 10/8.2mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail



1457-039 Trocar Sleeve 8.1/2.5mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail



1457-040 Trocar Ø2.5mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail




1457-041 Inserter for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail



1457-042 Tapered Drill 6.4/4.5mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail



7-007-09 Stopper for Tapered Drill 6.4/4.5mm - Athos Nail



1457-043 Holding Driver, Hex 3.5 for Inner Screw, for Athos Nail



1457-044-2.5 Guide Wire Ø2.5mm x Length 380mm for Ø6.4mm Cannulated Anti -Rotation Screw



1457-045-3.0 Guide Wire with Threaded Tip Ø3.0mm x Thread Length 12mm x Length 400mm for Cephalic Screw Ø10.5mm



1457-046 Extraction Hammering Rod for Athos Nail



1457-047 Depth Gauge measuring upto 100mm for Athos Nail



1457-048 Depth Gauge measuring upto 115mm for Athos Nail



1457-049 Stylet, Ø3mm, for Athos Nail



1457-050 Compression Screw for Athos Nail



1457-051-4.3 Drill Bit Plain Shank/Jacob Chuck End Ø4.3mm x Length 300mm for Athos Nail




1457-052 Stopper for Drill Bit Ø4.3mm - Athos Nail




1457-057 Curved Awl- Ø9.5-Ø5.6mm for Athos Nail



1457-00T Instrument Trays for Athos Nailing Instrument Set, Aluminium Targeting Device



1457-00B Container with PPSU Lid for Athos Nailing Instrument Set, Aluminium Targeting Device



Optional Instruments


1457-004S Guide Wire With Ball Tip Ø2.5/3.65mm x Length 680mm - Stainless Steel, for Athos Nail



1457-053S Guide Wire Without Ball Tip Ø2.5mm x Length 680mm - Stainless Steel, for Athos Nail



1457-000S Athos Nailing Instrument Set, Aluminium Targeting Device



1457-000S Athos Nailing Instrument Set, Aluminium Targeting Device


Code	Set Consisting of	Units
1457-001	Radiographic Ruler for Short Athos Nail	1
1457-055	Entry Reamer Protection Sleeve 20/17mm for Athos Nail	1
1457-056	Entry Reamer Guide Wire Sleeve 17/3.2mm for Athos Nail	1
1457-004	Guide Wire With Ball Tip Ø2.5/3.65mm x Length 680mm - Nitinol, for Athos Nail	1
1457-053	Guide Wire Without Ball Tip Ø2.5mm x Length 680mm - Nitinol, for Athos Nail	1
1457-005-10	Flexible Shaft with Reamer Ø10mm for Athos Nail	1
1457-006-11	Flexible Shaft with Reamer Ø11mm for Athos Nail	1
1457-007-12	Flexible Shaft with Reamer Ø12mm for Athos Nail	1
1457-008-13	Flexible Shaft with Reamer Ø13mm for Athos Nail	1
1457-009	T Handle with Quick Coupling for Entry Reamer - Athos Nail	1
1457-010	Entry Reamer Ø16.5mm with Quick Coupling End for Athos Nail	1
1457-011	Cannulated Awl for Athos Nail	1
1457-012	Tissue Protector for Athos Nail	1
1457-013	Insertion Handle, Aluminium, for Athos Nail	1
1457-014	Nail Holding Bolt for Aluminium Targeting Device for Athos Nail	2
1457-015	Guide Wire Holder for Athos Nail	1
1457-016	Insertion Connecting Rod for Athos Nail	1
1457-054	Block for Insertion Connecting Rod - Athos Nail	1
1457-017	Combination Wrench 11mm for Athos Nail	1
1457-018	Insertion Hammer, Solid, for Athos Nail	1
1457-019-130	130° Proximal Targeting Device, Aluminium, for Athos Nail	1
1457-019-125	125° Proximal Targeting Device, Aluminium, for Athos Nail	1
7-062-01	Locking Bolt for Aluminium Targeting Device - Athos Nail	3
1457-020	Protection Sleeve 10/8.2mm for Athos Nail	2
1457-021	Trocar Ø8mm for Athos Nail	1
1457-022-4.3	Drill Sleeve 8/4.3mm for Drill Bit Ø4.3mm - Athos Nail	2
1457-023	Short Aluminium Distal Targeting Device for Length upto 240mm - Athos Nail	1
1457-024	Sliding Hammer, Slotted, for Athos Nail	1
1457-025	Flexible Screwdriver, Hex 3.5mm for Inner Screw - Athos Nail	1
1457-026	Allen Key, Hex 3mm for Athos Nail	1
1457-027	Universal Screwdriver, Hex 7mm for Athos Nail	1
1457-028	Protection Sleeve 14/11.2mm for Cephalic Screw - Athos Nail	1
1457-029	Trocar Sleeve 11.2/3.2mm for Cephalic Screw - Athos Nail	1
1457-030	Trocar Ø3.2mm for Cephalic Screw Ø10.5mm - Athos Nail	1
1457-031	Measuring Device upto 130mm for Cephalic Screw Ø10.5mm - Athos Nail	1
1457-032	Insertor for Cephalic Screw Ø10.5mm & End Cap - Athos Nail	1

Code	Set Consisting of	Units
1457-033	Screwdriver with T-Handle, Hex 3.5mm, for Athos Nail	1
1457-034	Universal Screwdriver with T-Handle, Hex 8mm, for Athos Nail	1
1457-035	Proximal Cortex Drill Ø10mm with Quick Coupling End for Cephalic Screw Ø10.5mm - Athos Nail	1
1457-036	Cannulated Reamer, Ø10.5mm for Cephalic Screw Ø10.5mm - Athos Nail	1
7-007-08	Stopper for Cannulated Reamer - Athos Nail	1
1457-037	Measuring Device upto 130mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail	1
1457-038	Protection Sleeve 10/8.2mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail	1
1457-039	Trocar Sleeve 8.1/2.5mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail	1
1457-040	Trocar Ø2.5mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail	1
1457-041	Insertor for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail	1
1457-042	Tapered Drill 6.4/4.5mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail	1
7-007-09	Stopper for Tapered Drill 6.4/4.5mm - Athos Nail	1
1457-043	Holding Driver, Hex 3.5 for Inner Screw, for Athos Nail	1
1457-044-2.5	Guide Wire Ø2.5mm x Length 380mm for Ø6.4mm Cannulated Anti -Rotation Screw	5
1457-045-3.0	Guide Wire with Threaded Tip Ø3.0mm x Thread Length 12mm x Length 400mm for Cephalic Screw Ø10.5mm	5
1457-046	Extraction Hammering Rod for Athos Nail	1
1457-047	Depth Gauge measuring upto 100mm for Athos Nail	1
1457-048	Depth Gauge measuring upto 115mm for Athos Nail	1
1457-049	Stylet, Ø3mm, for Athos Nail	1
1457-050	Compression Screw for Athos Nail	1
1457-051-4.3	Drill Bit Plain Shank/Jacob Chuck End Ø4.3mm x Length 300mm for Athos Nail	3
1457-052	Stopper for Drill Bit Ø4.3mm - Athos Nail	1
1457-057	Curved Awl- Ø9.5-Ø5.6mm for Athos Nail	1
1457-00T	Instrument Trays for Athos Nailing Instrument Set, Aluminium Targeting Device	3
1457-00B	Container with PPSU Lid for Athos Nailing Instrument Set, Aluminium Targeting Device	1

Athos Nail Instrument Set

Peek

1457-001 Radiographic Ruler for Short Athos Nail



1457-055 Entry Reamer Protection Sleeve 20/17mm for Athos Nail



1457-056 Entry Reamer Guide Wire Sleeve 17/3.2mm for Athos Nail



1457-004 Guide Wire With Ball Tip $\varnothing 2.5/3.65$ mm x Length 680mm - Nitinol, for Athos Nail



1457-053 Guide Wire Without Ball Tip $\varnothing 2.5$ mm x Length 680mm - Nitinol, for Athos Nail



1457-005-10 Flexible Shaft with Reamer $\varnothing 10$ mm for Athos Nail



1457-006-11 Flexible Shaft with Reamer Ø11mm for Athos Nail



1457-007-12 Flexible Shaft with Reamer Ø12mm for Athos Nail



1457-008-13 Flexible Shaft with Reamer Ø13mm for Athos Nail



1457-009 T Handle with Quick Coupling for Entry Reamer - Athos Nail



1457-010 Entry Reamer Ø16.5mm with Quick Coupling End for Athos Nail



1457-011 Cannulated Awl for Athos Nail



1457-012 Tissue Protector for Athos Nail



7-007-01 Insertion Handle, Carbon PEEK, for Athos Nail



7-007-10 Nail Holding Bolt for Insertion Handle, Carbon Peek, for Athos Nail



1457-015 Guide Wire Holder for Athos Nail



1457-016 Insertion Connecting Rod for Athos Nail



1457-017 Combination Wrench 11mm for Athos Nail



1457-018 Insertion Hammer, Solid, for Athos Nail



7-007-02 130° Proximal Targeting Device, Carbon PEEK, for Athos Nail




7-007-07 Locking Bolt for Carbon PEEK Targeting Device - Athos Nail



7-007-03 125° Proximal Targeting Device, Carbon PEEK, for Athos Nail



1457-020 Protection Sleeve 10/8.2mm for Athos Nail



1457-021 Trocar Ø8mm for Athos Nail



1457-022-4.3 Drill Sleeve 8/4.3mm for Drill Bit Ø4.3mm - Athos Nail



7-007-04 Short Carbon PEEK Distal Targeting Device for Length upto 240mm - Athos Nail



1457-024 Sliding Hammer, Slotted, for Athos Nail



1457-025 Flexible Screwdriver, Hex 3.5mm for Inner Screw - Athos Nail



1457-026 Allen Key, Hex 3mm for Athos Nail



1457-027 Universal Screwdriver, Hex 7mm for Athos Nail



1457-028 Protection Sleeve 14/11.2mm for Cephalic Screw - Athos Nail



1457-029 Trocar Sleeve 11.2/3.2mm for Cephalic Screw - Athos Nail



1457-030 Trocar Ø3.2mm for Cephalic Screw Ø10.5mm - Athos Nail




1457-031 Measuring Device upto 130mm for Cephalic Screw Ø10.5mm - Athos Nail



1457-032 Inserter for Cephalic Screw Ø10.5mm & End Cap - Athos Nail



1457-033 Screwdriver with T-Handle, Hex 3.5mm, for Athos Nail



1457-034 Universal Screwdriver with T-Handle, Hex 8mm, for Athos Nail



1457-035 Proximal Cortex Drill Ø10mm with Quick Coupling End for Cephalic Screw Ø10.5mm - Athos Nail



1457-036 Cannulated Reamer, Ø10.5mm for Cephalic Screw Ø10.5mm - Athos Nail



7-007-08 Stopper for Cannulated Reamer - Athos Nail



1457-037 Measuring Device upto 130mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail



1457-038 Protection Sleeve 10/8.2mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail



1457-039 Trocar Sleeve 8.1/2.5mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail



1457-040 Trocar Ø2.5mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail



1457-041 Inserter for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail



1457-042 Tapered Drill 6.4/4.5mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail



7-007-09 Stopper for Tapered Drill 6.4/4.5mm - Athos Nail



1457-043 Holding Driver, Hex 3.5 for Inner Screw, for Athos Nail



1457-044-2.5 Guide Wire Ø2.5mm x Length 380mm for Ø6.4mm Cannulated Anti -Rotation Screw



1457-045-3.0 Guide Wire with Threaded Tip Ø3.0mm x Thread Length 12mm x Length 400mm for Cephalic Screw Ø10.5mm



1457-046 Extraction Hammering Rod for Athos Nail



1457-047 Depth Gauge measuring upto 100mm for Athos Nail



1457-048 Depth Gauge measuring upto 115mm for Athos Nail




1457-049 Stylet, Ø3mm, for Athos Nail



1457-050 Compression Screw for Athos Nail



1457-051-4.3 Drill Bit Plain Shank/Jacob Chuck End Ø4.3mm x Length 300mm for Athos Nail




1457-052 Stopper for Drill Bit Ø4.3mm - Athos Nail




1457-057 Curved Awl- Ø9.5-Ø5.6mm for Athos Nail



7-007-05 Instrument Trays for Athos Nailing Instrument Set (PEEK)



7-007-06 Container with PPSU Lid for Athos Nailing Instrument Set (PEEK)



Optional Instruments

1457-004S Guide Wire With Ball Tip Ø2.5/3.65mm x Length 680mm - Stainless Steel, for Athos Nail



1457-053S Guide Wire Without Ball Tip Ø2.5mm x Length 680mm - Stainless Steel, for Athos Nail



7-007 Athos Nailing Instrument Set (PEEK)



7-007 Athos Nailing Instrument Set (PEEK)

Code	Set Consisting of	Units
1457-001	Radiographic Ruler for Short Athos Nail	1
1457-055	Entry Reamer Protection Sleeve 20/17mm for Athos Nail	1
1457-056	Entry Reamer Guide Wire Sleeve 17/3.2mm for Athos Nail	1
1457-004	Guide Wire With Ball Tip Ø2.5/3.65mm x Length 680mm - Nitinol, for Athos Nail	1
1457-053	Guide Wire Without Ball Tip Ø2.5mm x Length 680mm - Nitinol, for Athos Nail	1
1457-005-10	Flexible Shaft with Reamer Ø10mm for Athos Nail	1
1457-006-11	Flexible Shaft with Reamer Ø11mm for Athos Nail	1
1457-007-12	Flexible Shaft with Reamer Ø12mm for Athos Nail	1
1457-008-13	Flexible Shaft with Reamer Ø13mm for Athos Nail	1
1457-009	T Handle with Quick Coupling for Entry Reamer - Athos Nail	1
1457-010	Entry Reamer Ø16.5mm with Quick Coupling End for Athos Nail	1
1457-011	Cannulated Awl for Athos Nail	1
1457-012	Tissue Protector for Athos Nail	1
7-007-01	Insertion Handle, Carbon PEEK, for Athos Nail	1
7-007-10	Nail Holding Bolt for Insertion Handle, Carbon Peek, for Athos Nail	2
1457-015	Guide Wire Holder for Athos Nail	1
1457-016	Insertion Connecting Rod for Athos Nail	1
1457-017	Combination Wrench 11mm for Athos Nail	1
1457-018	Insertion Hammer, Solid, for Athos Nail	1
7-007-02	130° Proximal Targeting Device, Carbon PEEK, for Athos Nail	1
7-007-07	Locking Bolt for Carbon PEEK Targeting Device - Athos Nail	3
7-007-03	125° Proximal Targeting Device, Carbon PEEK, for Athos Nail	1
1457-020	Protection Sleeve 10/8.2mm for Athos Nail	2
1457-021	Trocar Ø8mm for Athos Nail	1
1457-022-4.3	Drill Sleeve 8/4.3mm for Drill Bit Ø4.3mm - Athos Nail	2
7-007-04	Short Carbon PEEK Distal Targeting Device for Length upto 240mm - Athos Nail	1
1457-024	Sliding Hammer, Slotted, for Athos Nail	1
1457-025	Flexible Screwdriver, Hex 3.5mm for Inner Screw - Athos Nail	1
1457-026	Allen Key, Hex 3mm for Athos Nail	1
1457-027	Universal Screwdriver, Hex 7mm for Athos Nail	1
1457-028	Protection Sleeve 14/11.2mm for Cephalic Screw - Athos Nail	1
1457-029	Trocar Sleeve 11.2/3.2mm for Cephalic Screw - Athos Nail	1
1457-030	Trocar Ø3.2mm for Cephalic Screw Ø10.5mm - Athos Nail	1
1457-031	Measuring Device upto 130mm for Cephalic Screw Ø10.5mm - Athos Nail	1
1457-032	Insertor for Cephalic Screw Ø10.5mm & End Cap - Athos Nail	1
1457-033	Screwdriver with T-Handle, Hex 3.5mm, for Athos Nail	1

Code	Set Consisting of	Units
1457-034	Universal Screwdriver with T-Handle, Hex 8mm, for Athos Nail	1
1457-035	Proximal Cortex Drill Ø10mm with Quick Coupling End for Cephalic Screw Ø10.5mm - Athos Nail	1
1457-036	Cannulated Reamer, Ø10.5mm for Cephalic Screw Ø10.5mm - Athos Nail	1
7-007-08	Stopper for Cannulated Reamer - Athos Nail	1
1457-037	Measuring Device upto 130mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail	1
1457-038	Protection Sleeve 10/8.2mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail	1
1457-039	Trocar Sleeve 8.1/2.5mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail	1
1457-040	Trocar Ø2.5mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail	1
1457-041	Insertor for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail	1
1457-042	Tapered Drill 6.4/4.5mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail	1
7-007-09	Stopper for Tapered Drill 6.4/4.5mm - Athos Nail	1
1457-043	Holding Driver, Hex 3.5 for Inner Screw, for Athos Nail	1
1457-044-2.5	Guide Wire Ø2.5mm x Length 380mm for Ø6.4mm Cannulated Anti -Rotation Screw	5
1457-045-3.0	Guide Wire with Threaded Tip Ø3.0mm x Thread Length 12mm x Length 400mm for Cephalic Screw Ø10.5mm	5
1457-046	Extraction Hammering Rod for Athos Nail	1
1457-047	Depth Gauge measuring upto 100mm for Athos Nail	1
1457-048	Depth Gauge measuring upto 115mm for Athos Nail	1
1457-049	Stylet, Ø3mm, for Athos Nail	1
1457-050	Compression Screw for Athos Nail	1
1457-051-4.3	Drill Bit Plain Shank/Jacob Chuck End Ø4.3mm x Length 300mm for Athos Nail	3
1457-052	Stopper for Drill Bit Ø4.3mm - Athos Nail	1
1457-057	Curved Awl- Ø9.5-Ø5.6mm for Athos Nail	1
7-007-05	Instrument Trays for Athos Nailing Instrument Set (PEEK)	3
7-007-06	Container with PPSU Lid for Athos Nailing Instrument Set (PEEK)	1

Athos Nail Instrument Set **Distal Targeting Device**

1457-001 Radiographic Ruler for Short Athos Nail



1457-055 Entry Reamer Protection Sleeve 20/17mm for Athos Nail



1457-056 Entry Reamer Guide Wire Sleeve 17/3.2mm for Athos Nail



1457-005-10 Flexible Shaft with Reamer Ø10mm for Athos Nail



1457-006-11 Flexible Shaft with Reamer Ø11mm for Athos Nail



1457-007-12 Flexible Shaft with Reamer Ø12mm for Athos Nail



1457-008-13 Flexible Shaft with Reamer \varnothing 13mm for Athos Nail



1457-009 T Handle with Quick Coupling for Entry Reamer - Athos Nail



1457-010 Entry Reamer \varnothing 16.5mm with Quick Coupling End for Athos Nail



1457-011 Cannulated Awl for Athos Nail



1457-012 Tissue Protector for Athos Nail



1457-013 Insertion Handle, Aluminium, for Athos Nail



1457-014 Nail Holding Bolt for Aluminium Targeting Device for Athos Nail



1457-015 Guide Wire Holder for Athos Nail



1457-016 Insertion Connecting Rod for Athos Nail



1457-054 Block for Insertion Connecting Rod - Athos Nail



1457-017 Combination Wrench 11mm for Athos Nail



1457-018 Insertion Hammer, Solid, for Athos Nail




1457-019-130 130° Proximal Targeting Device, Aluminium, for Athos Nail



1457-019-125 125° Proximal Targeting Device, Aluminium, for Athos Nail



7-062-01 Locking Bolt for Aluminium Targeting Device - Athos Nail



1457-020 Protection Sleeve 10/8.2mm for Athos Nail



1457-021 Trocar Ø8mm for Athos Nail



1457-022-4.3 Drill Sleeve 8/4.3mm for Drill Bit Ø4.3mm - Athos Nail



1457-023 Short Aluminium Distal Targeting Device for Length upto 240mm - Athos Nail



1457-024 Sliding Hammer, Slotted, for Athos Nail



1457-025 Flexible Screwdriver, Hex 3.5mm for Inner Screw - Athos Nail



1457-026 Allen Key, Hex 3mm for Athos Nail



1457-027 Universal Screwdriver, Hex 7mm for Athos Nail



1457-028 Protection Sleeve 14/11.2mm for Cephalic Screw - Athos Nail



1457-029 Trocar Sleeve 11.2/3.2mm for Cephalic Screw - Athos Nail



1457-030 Trocar Ø3.2mm for Cephalic Screw Ø10.5mm - Athos Nail



1457-031 Measuring Device upto 130mm for Cephalic Screw Ø10.5mm - Athos Nail



1457-032 Inserter for Cephalic Screw Ø10.5mm & End Cap - Athos Nail



1457-033 Screwdriver with T-Handle, Hex 3.5mm, for Athos Nail



1457-034 Universal Screwdriver with T-Handle, Hex 8mm, for Athos Nail



1457-035 Proximal Cortex Drill Ø10mm with Quick Coupling End for Cephalic Screw Ø10.5mm - Athos Nail



1457-036 Cannulated Reamer, Ø10.5mm for Cephalic Screw Ø10.5mm - Athos Nail



7-007-08 Stopper for Cannulated Reamer - Athos Nail



1457-037 Measuring Device upto 130mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail



1457-038 Protection Sleeve 10/8.2mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail



1457-039 Trocar Sleeve 8.1/2.5mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail



1457-040 Trocar Ø2.5mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail




1457-041 Inserter for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail



1457-042 Tapered Drill 6.4/4.5mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail



7-007-09 Stopper for Tapered Drill 6.4/4.5mm - Athos Nail



1457-043 Holding Driver, Hex 3.5 for Inner Screw, for Athos Nail



1457-044-2.5 Guide Wire Ø2.5mm x Length 380mm for Ø6.4mm Cannulated Anti -Rotation Screw



1457-045-3.0 Guide Wire with Threaded Tip \varnothing 3.0mm x Thread Length 12mm x Length 400mm for Cephalic Screw \varnothing 10.5mm



1457-046 Extraction Hammering Rod for Athos Nail



1457-047 Depth Gauge measuring upto 100mm for Athos Nail



1457-048 Depth Gauge measuring upto 115mm for Athos Nail



1457-049 Stylet, \varnothing 3mm, for Athos Nail



1457-050 Compression Screw for Athos Nail



1457-051-4.3 Drill Bit Plain Shank/Jacob Chuck End Ø4.3mm x Length 300mm for Athos Nail



1457-052 Stopper for Drill Bit Ø4.3mm - Athos Nail



7-008-01 Ø5.2mm T-Handle Drill Bit with Flat End for Athos Nail



7-008-02 Drill Bit Plain Shank/Jacob Chuck End Ø5.2mm x Length 250mm for Athos Nail



7-008-03 Radiographic Ruler For Long Athos Nail



7-008-04 Distal Targeting Device for Athos Nail



7-008-05 Allen Key, Hex 5mm for Athos Nail




7-008-06 Stabilizing Device (Ø9, Ø10, Ø11) for Athos Nail



7-008-34 Stabilizing Device (Ø12, Ø13) for Athos Nail



7-008-07 Flexible Reamer Shaft (AO Connection) for Athos Nail



7-008-08 Outer Drill Sleeve 10/8.1mm for Distal Targeting Device, for Athos Nail



7-008-09 Trocar Ø8mm for Long Athos Nail



7-008-10 Drill Sleeve 8.1/5.2mm for Positioning Rod, for Athos Nail



7-008-11 Positioning Rod 8.1/5.2mm for Athos Nail



7-008-12 Reduction Rod for Long Athos Nail



7-008-13 Proximal Aiming Bar for Long Athos Nail



7-008-14 Distal Aiming Bar for Long Athos Nail



Reamer Head

Code	Dia	Code	Dia
7-008-15	Ø8.5mm	7-008-21	Ø11.5mm
7-008-16	Ø9mm	7-008-22	Ø12mm
7-008-17	Ø9.5mm	7-008-23	Ø12.5mm
7-008-18	Ø10mm	7-008-24	Ø13mm
7-008-19	Ø10.5mm	7-008-25	Ø13.5mm
7-008-20	Ø11mm	7-008-26	Ø14mm



7-008-27 Locking Bolt for Distal Aiming Bar - Athos Nail



7-008-28 Locking Bolt for Proximal Aiming Bar - Athos Nail



7-008-29 Distal Bolt, Hex 5mm for Distal Targeting Device - Athos Nail



7-008-32 Guide Wire without Ball Tip Ø2.5mm x Length 1000mm - Nitinol, for Athos Nail



7-008-33 Guide Wire with Ball Tip Ø2.5/3.65mm x Length 1000mm - Nitinol, for Athos Nail




1457-057 Curved Awl- Ø9.5-Ø5.6mm for Athos Nail



7-008-30 Instrument Trays for Athos Nailing instrument set, Distal Targeting Device



7-008-31 Container with PPSU Lid for Athos Nailing instrument set, Distal Targeting Device



Optional Instruments

7-008-32S Guide Wire without Ball Tip Ø2.5mm x Length 1000mm - Stainless Steel, for Athos Nail



7-008-33S Guide Wire with Ball Tip Ø2.5/3.65mm x Length 1000mm - Stainless Steel, for Athos Nail



7-008 Athos Nailing Instrument Set, Distal Targeting Device

7-008 Athos Nailing Instrument Set, Distal Targeting Device

Code	Set Consisting of	Units
1457-001	Radiographic Ruler for Short Athos Nail	1
1457-055	Entry Reamer Protection Sleeve 20/17mm for Athos Nail	1
1457-056	Entry Reamer Guide Wire Sleeve 17/3.2mm for Athos Nail	1
1457-005-10	Flexible Shaft with Reamer Ø10mm for Athos Nail	1
1457-006-11	Flexible Shaft with Reamer Ø11mm for Athos Nail	1
1457-007-12	Flexible Shaft with Reamer Ø12mm for Athos Nail	1
1457-008-13	Flexible Shaft with Reamer Ø13mm for Athos Nail	1
1457-009	T Handle with Quick Coupling for Entry Reamer - Athos Nail	1
1457-010	Entry Reamer Ø16.5mm with Quick Coupling End for Athos Nail	1
1457-011	Cannulated Awl for Athos Nail	1
1457-012	Tissue Protector for Athos Nail	1
1457-013	Insertion Handle, Aluminium, for Athos Nail	1
1457-014	Nail Holding Bolt for Aluminium Targeting Device for Athos Nail	2
1457-015	Guide Wire Holder for Athos Nail	1
1457-016	Insertion Connecting Rod for Athos Nail	1
1457-054	Block for Insertion Connecting Rod - Athos Nail	1
1457-017	Combination Wrench 11mm for Athos Nail	1
1457-018	Insertion Hammer, Solid, for Athos Nail	1
1457-019-130	130° Proximal Targeting Device, Aluminium, for Athos Nail	1
1457-019-125	125° Proximal Targeting Device, Aluminium, for Athos Nail	1
7-062-01	Locking Bolt for Aluminium Targeting Device - Athos Nail	3
1457-020	Protection Sleeve 10/8.2mm for Athos Nail	2
1457-021	Trocar Ø8mm for Athos Nail	1
1457-022-4.3	Drill Sleeve 8/4.3mm for Drill Bit Ø4.3mm - Athos Nail	2
1457-023	Short Aluminium Distal Targeting Device for Length upto 240mm - Athos Nail	1
1457-024	Sliding Hammer, Slotted, for Athos Nail	1
1457-025	Flexible Screwdriver, Hex 3.5mm for Inner Screw - Athos Nail	1
1457-026	Allen Key, Hex 3mm for Athos Nail	1
1457-027	Universal Screwdriver, Hex 7mm for Athos Nail	1
1457-028	Protection Sleeve 14/11.2mm for Cephalic Screw - Athos Nail	1
1457-029	Trocar Sleeve 11.2/3.2mm for Cephalic Screw - Athos Nail	1
1457-030	Trocar Ø3.2mm for Cephalic Screw Ø10.5mm - Athos Nail	1
1457-031	Measuring Device upto 130mm for Cephalic Screw Ø10.5mm - Athos Nail	1
1457-032	Insertor for Cephalic Screw Ø10.5mm & End Cap - Athos Nail	1
1457-033	Screwdriver with T-Handle, Hex 3.5mm, for Athos Nail	1
1457-034	Universal Screwdriver with T-Handle, Hex 8mm, for Athos Nail	1
1457-035	Proximal Cortex Drill Ø10mm with Quick Coupling End for Cephalic Screw Ø10.5mm - Athos Nail	1

Code	Set Consisting of	Units
1457-036	Cannulated Reamer, Ø10.5mm for Cephalic Screw Ø10.5mm - Athos Nail	1
7-007-08	Stopper for Cannulated Reamer - Athos Nail	1
1457-037	Measuring Device upto 130mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail	1
1457-038	Protection Sleeve 10/8.2mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail	1
1457-039	Trocar Sleeve 8.1/2.5mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail	1
1457-040	Trocar Ø2.5mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail	1
1457-041	Insertor for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail	1
1457-042	Tapered Drill 6.4/4.5mm for Ø6.4mm Cannulated Anti -Rotation Screw, for Athos Nail	1
7-007-09	Stopper for Tapered Drill 6.4/4.5mm - Athos Nail	1
1457-043	Holding Driver, Hex 3.5 for Inner Screw, for Athos Nail	1
1457-044-2.5	Guide Wire Ø2.5mm x Length 380mm for Ø6.4mm Cannulated Anti -Rotation Screw	5
1457-045-3.0	Guide Wire with Threaded Tip Ø3.0mm x Thread Length 12mm x Length 400mm for Cephalic Screw Ø10.5mm	5
1457-046	Extraction Hammering Rod for Athos Nail	1
1457-047	Depth Gauge measuring upto 100mm for Athos Nail	1
1457-048	Depth Gauge measuring upto 115mm for Athos Nail	1
1457-049	Stylet, Ø3mm, for Athos Nail	1
1457-050	Compression Screw for Athos Nail	1
1457-051-4.3	Drill Bit Plain Shank/Jacob Chuck End Ø4.3mm x Length 300mm for Athos Nail	3
1457-052	Stopper for Drill Bit Ø4.3mm - Athos Nail	1
7-008-01	Ø5.2mm T-Handle Drill Bit with Flat End for Athos Nail	1
7-008-02	Drill Bit Plain Shank/Jacob Chuck End Ø5.2mm x Length 250mm for Athos Nail	1
7-008-03	Radiographic Ruler For Long Athos Nail	1
7-008-04	Distal Targeting Device for Athos Nail	1
7-008-05	Allen Key, Hex 5mm for Athos Nail	1
7-008-06	Stabilizing Device (Ø9, Ø10, Ø11) for Athos Nail	1
7-008-34	Stabilizing Device (Ø12, Ø13) for Athos Nail	1
7-008-07	Flexible Reamer Shaft (AO Connection) for Athos Nail	2
7-008-08	Outer Drill Sleeve 10/8.1mm for Distal Targeting Device, for Athos Nail	1
7-008-09	Trocar Ø8mm for Long Athos Nail	1
7-008-10	Drill Sleeve 8.1/5.2mm for Positioning Rod, for Athos Nail	1
7-008-11	Positioning Rod 8.1/5.2mm for Athos Nail	1
7-008-12	Reduction Rod for Long Athos Nail	1
7-008-13	Proximal Aiming Bar for Long Athos Nail	1
7-008-14	Distal Aiming Bar for Long Athos Nail	1
7-008-15	Reamer Head, Ø8.5mm for Athos Nail	1
7-008-16	Reamer Head, Ø9.0mm for Athos Nail	1
7-008-17	Reamer Head, Ø9.5mm for Athos Nail	1

Code	Set Consisting of	Units
7-008-18	Reamer Head, Ø10.0mm for Athos Nail	1
7-008-19	Reamer Head, Ø10.5mm for Athos Nail	1
7-008-20	Reamer Head, Ø11.0mm for Athos Nail	1
7-008-21	Reamer Head, Ø11.5mm for Athos Nail	1
7-008-22	Reamer Head, Ø12.0mm for Athos Nail	1
7-008-23	Reamer Head, Ø12.5mm for Athos Nail	1
7-008-24	Reamer Head, Ø13.0mm for Athos Nail	1
7-008-25	Reamer Head, Ø13.5mm for Athos Nail	1
7-008-26	Reamer Head, Ø14.0mm for Athos Nail	1
7-008-27	Locking Bolt for Distal Aiming Bar - Athos Nail	1
7-008-28	Locking Bolt for Proximal Aiming Bar - Athos Nail	2
7-008-29	Distal Bolt, Hex 5mm for Distal Targeting Device - Athos Nail	1
7-008-32	Guide Wire without Ball Tip Ø2.5mm x Length 1000mm - Nitinol, for Athos Nail	1
7-008-33	Guide Wire with Ball Tip Ø2.5/3.65mm x Length 1000mm - Nitinol, for Athos Nail	1
1457-057	Curved Awl- Ø9.5-Ø5.6mm for Athos Nail	1
7-008-30	Instrument Trays for Athos Nailing instrument set, Distal Targeting Device	4
7-008-31	Container with PPSU Lid for Athos Nailing instrument set, Distal Targeting Device	1



USA

Auxein Inc.
1500 Nw 89th Court, Suite 107-108
Doral, Florida 33172
Tel: +1 305 395 6062
E Fax: +1 305 395 6262
Email: USoffice@auxein.com

MEXICO

Auxein México, S.A. de C.V.
Tepic 139 int 801, Colonia Roma Sur,
Alcaldía Cuauhtémoc, CDMX,
México, C.P. 06760
Tel: +521 55 7261 0318
Email: info@auxein.mx

INDIA

Auxein Medical Pvt. Ltd.
Plot No. 168-169-170, Phase-4,
Kundli Industrial Area,
HSIIDC, Sector-57, Sonapat - 131028, Haryana
Tel: +91 99106 43638 | Fax: +91 86077 70197
Email: info@auxein.com