

Large Fragment

4.5mm Cortical Screw, (Hex Head)

Drill Bit : 3.2mm



Length (mm)	Stainless Steel	Titanium
12	105.012	TI-105.012
14	105.014	TI-105.014
16	105.016	TI-105.016
18	105.018	TI-105.018
20	105.020	TI-105.020
22	105.022	TI-105.022
24	105.024	TI-105.024
26	105.026	TI-105.026
28	105.028	TI-105.028
30	105.030	TI-105.030
32	105.032	TI-105.032
34	105.034	TI-105.034
36	105.036	TI-105.036
38	105.038	TI-105.038
40	105.040	TI-105.040
42	105.042	TI-105.042
44	105.044	TI-105.044
46	105.046	TI-105.046
48	105.048	TI-105.048
50	105.050	TI-105.050
52	105.052	TI-105.052
54	105.054	TI-105.054
56	105.056	TI-105.056
58	105.058	TI-105.058
60	105.060	TI-105.060
62	105.062	TI-105.062
64	105.064	TI-105.064
66	105.066	TI-105.066
68	105.068	TI-105.068
70	105.070	TI-105.070
72	105.072	TI-105.072
74	105.074	TI-105.074
76	105.076	TI-105.076
78	105.078	TI-105.078
80	105.080	TI-105.080

**4.5mm Cortical Screw,
Self-Tapping (Hex Head)**

Drill Bit : 3.2mm



Length (mm)	Stainless Steel	Titanium
12	105.212	TI-105.212
14	105.214	TI-105.214
16	105.216	TI-105.216
18	105.218	TI-105.218
20	105.220	TI-105.220
22	105.222	TI-105.222
24	105.224	TI-105.224
26	105.226	TI-105.226
28	105.228	TI-105.228
30	105.230	TI-105.230
32	105.232	TI-105.232
34	105.234	TI-105.234
36	105.236	TI-105.236
38	105.238	TI-105.238
40	105.240	TI-105.240
42	105.242	TI-105.242
44	105.244	TI-105.244
46	105.246	TI-105.246
48	105.248	TI-105.248
50	105.250	TI-105.250
52	105.252	TI-105.252
54	105.254	TI-105.254
56	105.256	TI-105.256
58	105.258	TI-105.258
60	105.260	TI-105.260
62	105.262	TI-105.262
64	105.264	TI-105.264
66	105.266	TI-105.266
68	105.268	TI-105.268
70	105.270	TI-105.270
72	105.272	TI-105.272
74	105.274	TI-105.274
76	105.276	TI-105.276
78	105.278	TI-105.278
80	105.280	TI-105.280
85	105.285	TI-105.285
90	105.290	TI-105.290

4.5mm Malleolar Screw

Drill Bit : 3.2mm



Length (mm)	Stainless Steel	Titanium
25	106.025	TI-106.025
30	106.030	TI-106.030
35	106.035	TI-106.035
40	106.040	TI-106.040
45	106.045	TI-106.045
50	106.050	TI-106.050
55	106.055	TI-106.055
60	106.060	TI-106.060
65	105.065	TI-105.065
70	106.070	TI-106.070
75	106.075	TI-106.075
80	106.080	TI-106.080
85	106.085	TI-106.085
90	106.090	TI-106.090
95	106.095	TI-106.095
100	106.100	TI-106.100

Washer for 4.5mm to 7mm Screws



	Stainless Steel	Titanium
Code	100.120	TI-100.120

6.5mm Cancellous Screw, 16mm Thread

Drill Bit : 3.2mm



Length (mm)	Stainless Steel	Titanium
25	111.025	TI-111.025
30	111.030	TI-111.030
35	111.035	TI-111.035
40	111.040	TI-111.040
45	111.045	TI-111.045
50	111.050	TI-111.050
55	111.055	TI-111.055
60	111.060	TI-111.060
65	111.065	TI-111.065
70	111.070	TI-111.070
75	111.075	TI-111.075
80	111.080	TI-111.080
85	111.085	TI-111.085
90	111.090	TI-111.090
95	111.095	TI-111.095
100	111.100	TI-111.100
105	111.105	TI-111.105
110	111.110	TI-111.110
115	111.115	TI-111.115
120	111.120	TI-111.120

6.5mm Cancellous Screw, 32mm Thread

Drill Bit : 3.2mm



Length (mm)	Stainless Steel	Titanium
35	112.035	TI-112.035
40	112.040	TI-112.040
45	112.045	TI-112.045
50	112.050	TI-112.050
55	112.055	TI-112.055
60	112.060	TI-112.060
65	112.065	TI-112.065
70	112.070	TI-112.070
75	112.075	TI-112.075
80	112.080	TI-112.080
85	112.085	TI-112.085
90	112.090	TI-112.090
95	112.095	TI-112.095
100	112.100	TI-112.100
105	112.105	TI-112.105
110	112.110	TI-112.110
115	112.115	TI-112.115
120	112.120	TI-112.120

6.5mm Cancellous Screw, Full Thread

Drill Bit : 3.2mm



Length (mm)	Stainless Steel	Titanium
25	113.025	TI-113.025
30	113.030	TI-113.030
35	113.035	TI-113.035
40	113.040	TI-113.040
45	113.045	TI-113.045
50	113.050	TI-113.050
55	113.055	TI-113.055
60	113.060	TI-113.060
65	113.065	TI-113.065
70	113.070	TI-113.070
75	113.075	TI-113.075
80	113.080	TI-113.080
85	113.085	TI-113.085
90	113.090	TI-113.090
95	113.095	TI-113.095
100	113.100	TI-113.100
105	113.105	TI-113.105
110	113.110	TI-113.110
115	113.115	TI-113.115
120	113.120	TI-113.120

4.5mm Narrow Dynamic Compression Plate



Holes	Stainless Steel	Titanium
4	722.104	TI-722.104
5	722.105	TI-722.105
6	722.106	TI-722.106
7	722.107	TI-722.107
8	722.108	TI-722.108
9	722.109	TI-722.109
10	722.110	TI-722.110
11	722.111	TI-722.111
12	722.112	TI-722.112
13	722.113	TI-722.113
14	722.114	TI-722.114
15	722.115	TI-722.115
16	722.116	TI-722.116
17	722.117	TI-722.117
18	722.118	TI-722.118

4.5mm Narrow Limited Contact Dynamic Compression Plate



Holes	Stainless Steel	Titanium
4	723.104	TI-723.104
5	723.105	TI-723.105
6	723.106	TI-723.106
7	723.107	TI-723.107
8	723.108	TI-723.108
9	723.109	TI-723.109
10	723.110	TI-723.110
11	723.111	TI-723.111
12	723.112	TI-723.112
13	723.113	TI-723.113
14	723.114	TI-723.114
15	723.115	TI-723.115
16	723.116	TI-723.116
17	723.117	TI-723.117
18	723.118	TI-723.118

4.5mm Broad Dynamic Compression Plate



Holes	Stainless Steel	Titanium
4	724.104	TI-724.104
5	724.105	TI-724.105
6	724.106	TI-724.106
7	724.107	TI-724.107
8	724.108	TI-724.108
9	724.109	TI-724.109
10	724.110	TI-724.110
11	724.111	TI-724.111
12	724.112	TI-724.112
13	724.113	TI-724.113
14	724.114	TI-724.114
15	724.115	TI-724.115
16	724.116	TI-724.116
17	724.117	TI-724.117
18	724.118	TI-724.118
19	724.119	TI-724.119
20	724.120	TI-724.120

4.5mm Broad Limited Contact Dynamic Compression Plate



Holes	Stainless Steel	Titanium
4	725.104	TI-725.104
5	725.105	TI-725.105
6	725.106	TI-725.106
7	725.107	TI-725.107
8	725.108	TI-725.108
9	725.109	TI-725.109
10	725.110	TI-725.110
11	725.111	TI-725.111
12	725.112	TI-725.112
13	725.113	TI-725.113
14	725.114	TI-725.114
15	725.115	TI-725.115
16	725.116	TI-725.116
17	725.117	TI-725.117
18	725.118	TI-725.118
19	725.119	TI-725.119
20	725.120	TI-725.120

4.5mm Narrow Lengthening Plate, 8 Holes



Lengthening (mm)	Length (mm)	Stainless Steel	Titanium
30	135	755.030	TI-755.030
40	145	755.040	TI-755.040
50	155	755.050	TI-755.050
60	165	755.060	TI-755.060
70	175	755.070	TI-755.070
80	185	755.080	TI-755.080

4.5mm Broad Lengthening Plate, 8 Holes



Lengthening (mm)	Length (mm)	Stainless Steel	Titanium
30	135	754.030	TI-754.030
40	145	754.040	TI-754.040
50	155	754.050	TI-754.050
60	165	754.060	TI-754.060

4.5mm Broad Lengthening Plate, 10 Holes



Lengthening (mm)	Length (mm)	Stainless Steel	Titanium
50	179	753.050	TI-753.050
60	189	753.060	TI-753.060
70	199	753.070	TI-753.070
80	209	753.080	TI-753.080
90	219	753.090	TI-753.090
100	229	753.100	TI-753.100
110	239	753.110	TI-753.110
120	249	753.120	TI-753.120

4.5mm Semi Tubular Plate



Holes	Stainless Steel	Titanium
4	704.204	TI-704.204
5	704.205	TI-704.205
6	704.206	TI-704.206
7	704.207	TI-704.207
8	704.208	TI-704.208
9	704.209	TI-704.209
10	704.210	TI-704.210
11	704.211	TI-704.211
12	704.212	TI-704.212

4.5mm Lateral Tibial Head Buttress Plate, Right

Fixation with 4.5 & 6.5mm Screws



Holes	Stainless Steel	Titanium
5	733.105R	TI-733.105R
7	733.107R	TI-733.107R
9	733.109R	TI-733.109R
11	733.111R	TI-733.111R
13	733.113R	TI-733.113R

4.5mm Lateral Tibial Head Buttress Plate, Left

Fixation with 4.5 & 6.5mm Screws



Holes	Stainless Steel	Titanium
5	733.105L	TI-733.105L
7	733.107L	TI-733.107L
9	733.109L	TI-733.109L
11	733.111L	TI-733.111L
13	733.113L	TI-733.113L

4.5mm Condylar Buttress Plate, Left



Holes	Stainless Steel	Titanium
7	731.107L	TI-731.107L
9	731.109L	TI-731.109L
11	731.111L	TI-731.111L
12	731.112L	TI-731.112L
13	731.113L	TI-731.113L
15	731.115L	TI-731.115L

4.5mm Condylar Buttress Plate, Right



Holes	Stainless Steel	Titanium
7	731.107R	TI-731.107R
9	731.109R	TI-731.109R
11	731.111R	TI-731.111R
12	731.112R	TI-731.112R
13	731.113R	TI-731.113R
15	731.115R	TI-731.115R

4.5mm "T" Plate



Holes	Stainless Steel	Titanium
3	713.103	TI-713.103
4	713.104	TI-713.104
5	713.105	TI-713.105
6	713.106	TI-713.106
7	713.107	TI-713.107
8	713.108	TI-713.108
9	713.109	TI-713.109
10	713.110	TI-713.110
11	713.111	TI-713.111
12	713.112	TI-713.112
13	713.113	TI-713.113
14	713.114	TI-713.114

4.5mm "T" Buttress Plate



Holes	Stainless Steel	Titanium
4	714.104	TI-714.104
5	714.105	TI-714.105
6	714.106	TI-714.106
7	714.107	TI-714.107
8	714.108	TI-714.108
9	714.109	TI-714.109
10	714.110	TI-714.110
11	714.111	TI-714.111
12	714.112	TI-714.112
13	714.113	TI-714.113
14	714.114	TI-714.114

4.5mm "L" Buttress Plate, Right



Holes	Stainless Steel	Titanium
3	706.103R	TI-706.103R
4	706.104R	TI-706.104R
5	706.105R	TI-706.105R
6	706.106R	TI-706.106R
7	706.107R	TI-706.107R
8	706.108R	TI-706.108R
9	706.109R	TI-706.109R
10	706.110R	TI-706.110R
11	706.111R	TI-706.111R
12	706.112R	TI-706.112R
13	706.113R	TI-706.113R
14	706.114R	TI-706.114R

4.5mm "L" Buttress Plate, Left



Holes	Stainless Steel	Titanium
3	706.103L	TI-706.103L
4	706.104L	TI-706.104L
5	706.105L	TI-706.105L
6	706.106L	TI-706.106L
7	706.107L	TI-706.107L
8	706.108L	TI-706.108L
9	706.109L	TI-706.109L
10	706.110L	TI-706.110L
11	706.111L	TI-706.111L
12	706.112L	TI-706.112L
13	706.113L	TI-706.113L
14	706.114L	TI-706.114L

4.5mm Spoon Plate



Holes	Stainless Steel	Titanium
5	718.105	TI-718.105
6	718.106	TI-718.106

4.5mm Reconstruction Plate, Straight

Do not bend more than 15°



Holes	Stainless Steel	Titanium
3	728.103	TI-728.103
4	728.104	TI-728.104
5	728.105	TI-728.105
6	728.106	TI-728.106
7	728.107	TI-728.107
8	728.108	TI-728.108
9	728.109	TI-728.109
10	728.110	TI-728.110
11	728.111	TI-728.111
12	728.112	TI-728.112
13	728.113	TI-728.113
14	728.114	TI-728.114
15	728.115	TI-728.115
16	728.116	TI-728.116
17	728.117	TI-728.117
18	728.118	TI-728.118
20	728.120	TI-728.120
22	728.122	TI-728.122

4.5mm Cobra Head Plate



Holes	Stainless Steel	Titanium
8	735.108	TI-735.108
9	735.109	TI-735.109
10	735.110	TI-735.110
11	735.111	TI-735.111
12	735.112	TI-735.112
13	735.113	TI-735.113
14	735.114	TI-735.114

4.5mm Hook Plate, 6 Holes

Fixation with 4.5 & 6.5mm Screws

Shaft with DCP dynamic compression holes and slot for tension device. Used after a blade of an angled hip plate breaks off at the proximal femur.



Holes	Stainless Steel	Titanium
6	730.106	TI-730.106

4.5mm Roy Camille Plate



Holes	Stainless Steel	Titanium
5	804.005	TI-804.005
6	804.006	TI-804.006
7	804.007	TI-804.007
8	804.008	TI-804.008
9	804.009	TI-804.009
10	804.010	TI-804.010
11	804.011	TI-804.011
12	804.012	TI-804.012
13	804.013	TI-804.013
14	804.014	TI-804.014

Sherman Plate



Holes	Stainless Steel	Titanium
3	802.003	TI-802.003
4	802.004	TI-802.004
5	802.005	TI-802.005
6	802.006	TI-802.006
7	802.007	TI-802.007
8	802.008	TI-802.008
9	802.009	TI-802.009
10	802.010	TI-802.010
11	802.011	TI-802.011
12	802.012	TI-802.012
13	802.013	TI-802.013
14	802.014	TI-802.014

4.5mm Proximal Tibia Medial Plate

Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
3	763.103L	TI-763.103L	763.103R	TI-763.103R
5	763.105L	TI-763.105L	763.105R	TI-763.105R
7	763.107L	TI-763.107L	763.107R	TI-763.107R
9	763.109L	TI-763.109L	763.109R	TI-763.109R
11	763.111L	TI-763.111L	763.111R	TI-763.111R
13	763.113L	TI-763.113L	763.113R	TI-763.113R



4.5mm Proximal Tibia Plate with Round Holes

Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
4	MP03.04R	TI-MP03.04R	MP03.04L	TI-MP03.04L
5	MP03.05R	TI-MP03.05R	MP03.05L	TI-MP03.05L
6	MP03.06R	TI-MP03.06R	MP03.06L	TI-MP03.06L
7	MP03.07R	TI-MP03.07R	MP03.07L	TI-MP03.07L
8	MP03.08R	TI-MP03.08R	MP03.08L	TI-MP03.08L
9	MP03.09R	TI-MP03.09R	MP03.09L	TI-MP03.09L
10	MP03.10R	TI-MP03.10R	MP03.10L	TI-MP03.10L



4.5mm Proximal Lateral Tibia Plate



Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
3	736.103L	TI-736.103L	736.103R	TI-736.103R
5	736.105L	TI-736.105L	736.105R	TI-736.105R
7	736.107L	TI-736.107L	736.107R	TI-736.107R
9	736.109L	TI-736.109L	736.109R	TI-736.109R
11	736.111L	TI-736.111L	736.111R	TI-736.111R
13	736.113L	TI-736.113L	736.113R	TI-736.113R

4.5mm Proximal Femur Plate



Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
3	764.103L	TI-764.103L	764.103R	TI-764.103R
5	764.105L	TI-764.105L	764.105R	TI-764.105R
7	764.107L	TI-764.107L	764.107R	TI-764.107R
9	764.109L	TI-764.109L	764.109R	TI-764.109R
11	764.111L	TI-764.111L	764.111R	TI-764.111R
13	764.113L	TI-764.113L	764.113R	TI-764.113R

4.5mm Distal Tibia Plate



	Left Direction		Right Direction	
Holes	Stainless Steel	Titanium	Stainless Steel	Titanium
3	737.103L	TI-737.103L	737.103R	TI-737.103R
5	737.105L	TI-737.105L	737.105R	TI-737.105R
7	737.107L	TI-737.107L	737.107R	TI-737.107R
9	737.109L	TI-737.109L	737.109R	TI-737.109R
11	737.111L	TI-737.111L	737.111R	TI-737.111R
13	737.113L	TI-737.113L	737.113R	TI-737.113R

4.5mm Distal Lateral Tibia Plate with Round Holes



Holes	Type	Stainless Steel	Titanium
5	Left	CP01.05L	TI-CP01.05L
5	Right	CP01.05R	TI-CP01.05R
7	Left	CP01.07L	TI-CP01.07L
7	Right	CP01.07R	TI-CP01.07R
9	Left	CP01.09L	TI-CP01.09L
9	Right	CP01.09R	TI-CP01.09R
11	Left	CP01.11L	TI-CP01.11L
11	Right	CP01.11R	TI-CP01.11R
13	Left	CP01.13L	TI-CP01.13L
13	Right	CP01.13R	TI-CP01.13R

4.5mm Distal Tibia Lateral Plate



	Left Direction		Right Direction	
Holes	Stainless Steel	Titanium	Stainless Steel	Titanium
3	737.203L	TI-737.203L	737.203R	TI-737.203R
5	737.205L	TI-737.205L	737.205R	TI-737.205R
7	737.207L	TI-737.207L	737.207R	TI-737.207R
9	737.209L	TI-737.209L	737.209R	TI-737.209R
11	737.211L	TI-737.211L	737.211R	TI-737.211R
13	737.213L	TI-737.213L	737.213R	TI-737.213R

4.5mm Fibular Distal Tibia Plate



Holes	Type	Stainless Steel	Titanium
7	Right	CP12.07R	TI-CP12.07R
9	Right	CP12.09R	TI-CP12.09R
11	Right	CP12.11R	TI-CP12.11R
13	Right	CP12.13R	TI-CP12.13R
7	Left	CP12.07L	TI-CP12.07L
9	Left	CP12.09L	TI-CP12.09L
11	Left	CP12.11L	TI-CP12.11L
13	Left	CP12.13L	TI-CP12.13L

4.5mm Distal Femur Plate



	Left Direction		Right Direction	
Holes	Stainless Steel	Titanium	Stainless Steel	Titanium
3	737.303L	TI-737.303L	737.303R	TI-737.303R
5	737.305L	TI-737.305L	737.305R	TI-737.305R
7	737.307L	TI-737.307L	737.307R	TI-737.307R
9	737.309L	TI-737.309L	737.309R	TI-737.309R
11	737.311L	TI-737.311L	737.311R	TI-737.311R
13	737.313L	TI-737.313L	737.313R	TI-737.313R

ST-002NW : Screw Caddy for Large Fragment Instrument Set


Screw Caddy Composition

4.5mm Cortical Screw, Self-Tapping (Hex Head)

Drill Bit : 3.2mm

Stainless Steel	Titanium	Length	Unit
105.214	TI-105.214	14mm	6
105.216	TI-105.216	16mm	6
105.218	TI-105.218	18mm	6
105.220	TI-105.220	20mm	6
105.222	TI-105.222	22mm	6
105.224	TI-105.224	24mm	6
105.226	TI-105.226	26mm	6
105.228	TI-105.228	28mm	6
105.230	TI-105.230	30mm	6
105.232	TI-105.232	32mm	6
105.234	TI-105.234	34mm	6
105.236	TI-105.236	36mm	6
105.238	TI-105.238	38mm	6
105.240	TI-105.240	40mm	6
105.242	TI-105.242	42mm	6
105.244	TI-105.244	44mm	6
105.246	TI-105.246	46mm	6
105.248	TI-105.248	48mm	6
105.250	TI-105.250	50mm	6
105.252	TI-105.252	52mm	6
105.254	TI-105.254	54mm	6
105.256	TI-105.256	56mm	6
105.258	TI-105.258	58mm	6
105.260	TI-105.260	60mm	6
105.262	TI-105.262	62mm	6
105.264	TI-105.264	64mm	6

Optional Screw

4.5mm Cortical Screw, (Hex Head)

Drill Bit : 3.2mm

Stainless Steel	Titanium	Length	Unit
105.014	TI-105.014	14mm	6
105.016	TI-105.016	16mm	6
105.018	TI-105.018	18mm	6
105.020	TI-105.020	20mm	6
105.022	TI-105.022	22mm	6
105.024	TI-105.024	24mm	6
105.026	TI-105.026	26mm	6
105.028	TI-105.028	28mm	6
105.030	TI-105.030	30mm	6
105.032	TI-105.032	32mm	6
105.034	TI-105.034	34mm	6
105.036	TI-105.036	36mm	6
105.038	TI-105.038	38mm	6
105.040	TI-105.040	40mm	6
105.042	TI-105.042	42mm	6
105.044	TI-105.044	44mm	6
105.046	TI-105.046	46mm	6
105.048	TI-105.048	48mm	6
105.050	TI-105.050	50mm	6
105.052	TI-105.052	52mm	6
105.054	TI-105.054	54mm	6
105.056	TI-105.056	56mm	6
105.058	TI-105.058	58mm	6
105.060	TI-105.060	60mm	6
105.062	TI-105.062	62mm	6
105.064	TI-105.064	64mm	6
105.066	TI-105.066	66mm	6

OR

Screw Caddy Composition

6.5mm Cancellous Screw, 16mm Thread

Stainless steel	Titanium	Length	Unit
111.030	TI-111.030	30mm	2
111.035	TI-111.035	35mm	2
111.040	TI-111.040	40mm	2
111.045	TI-111.045	45mm	2
111.050	TI-111.050	50mm	2
111.055	TI-111.055	55mm	2
111.060	TI-111.060	60mm	2
111.065	TI-111.065	65mm	2
111.070	TI-111.070	70mm	2
111.075	TI-111.075	75mm	2
111.080	TI-111.080	80mm	2
111.085	TI-111.085	85mm	2
111.090	TI-111.090	90mm	2
111.095	TI-111.095	95mm	2
111.100	TI-111.100	100mm	2
111.105	TI-111.105	105mm	2
111.110	TI-111.110	110mm	2

6.5mm Cancellous Screw, 32mm Thread

Stainless steel	Titanium	Length	Unit
112.035	TI-112.035	35mm	2
112.040	TI-112.040	40mm	2
112.045	TI-112.045	45mm	2
112.050	TI-112.050	50mm	2
112.055	TI-112.055	55mm	2
112.060	TI-112.060	60mm	2
112.065	TI-112.065	65mm	2
112.070	TI-112.070	70mm	2
112.075	TI-112.075	75mm	2
112.080	TI-112.080	80mm	2
112.085	TI-112.085	85mm	2
112.090	TI-112.090	90mm	2
112.095	TI-112.095	95mm	2
112.100	TI-112.100	100mm	2
112.105	TI-112.105	105mm	2
112.110	TI-112.110	110mm	2

6.5mm Cancellous Screw, Full Thread

Stainless steel	Titanium	Length	Unit
113.030	TI-113.030	30mm	2
113.035	TI-113.035	35mm	2
113.040	TI-113.040	40mm	2
113.045	TI-113.045	45mm	2
113.050	TI-113.050	50mm	2
113.055	TI-113.055	55mm	2
113.060	TI-113.060	60mm	2
113.065	TI-113.065	65mm	2
113.070	TI-113.070	70mm	2
113.075	TI-113.075	75mm	2
113.080	TI-113.080	80mm	2
113.085	TI-113.085	85mm	2
113.090	TI-113.090	90mm	2
113.095	TI-113.095	95mm	2
113.100	TI-113.100	100mm	2
113.105	TI-113.105	105mm	2
113.110	TI-113.110	110mm	2

2100-2.0-100

Drill Bit with Quick Coupling End, Ø2.0mm x Length 100mm, for Large Fragment


2100-3.2-145

Drill Bit with Quick Coupling End, Ø3.2mm x Length 145mm, for Large Fragment


2100-4.5-145

Drill Bit with Quick Coupling End, Ø4.5mm x Length 145mm, for Large Fragment


2103-07

Bone Tap Quick Coupling for Ø4.5mm Cortical Screws, for Large Fragment


2103-09

Bone Tap Quick Coupling for Ø6.5mm Cancellous Screws, for Large Fragment


3767-4.5

Double Drill Guide, Ø4.5/3.2mm



1472-058 Self-Centering Double Drill Guide, Ø4.5/3.2mm, for Large Fragment



3767-6.5 Double Drill Guide, Ø6.5/3.2mm



3767-01 Drill Sleeve Ø6.5/4.5mm for Large Fragment



3412-030 Drill Guide For Neutral and Loaded Position, DCP Ø4.5/3.2mm, for Large Fragment



1472-040 Drill Guide For Neutral and Loaded Position, LC-DCP Ø3.2/3.2mm, for Large Fragment



1472-050 Pointed Drill Guide, Ø6.5mm, for Large Fragment



3420-020 Insert Drill Sleeve Ø4.5/3.2mm, for Large Fragment



3443-38-5.0 Extraction Screw, Ø5.0mm



3402-000 T-Handle With Quick Coupling



1472-054 Quick Coupling Shaft



451-2.0-150E Kirschner Wire with One Side Trocar Tip, Ø2.0mm x Length 150mm



GW-2.0-150 Guide Wire with Threaded Trocar Tip, Ø2.0mm x Thread Length 8mm x Length 150mm



3409-010L Large Bending Iron, Left, for Large Fragment



3409-010R Large Bending Iron, Right, for Large Fragment



BT-4.5-120 Bending Template, Small, for Large Fragment



BT-4.5-155 Bending Template, Medium, for Large Fragment



BT-4.5-212 Bending Template, Large, for Large Fragment



3406-04 Screwdriver, Hex 3.5mm



1472-056 Screwdriver Holding Sleeve for Cortical and Cancellous Screws



3408-04 Hexagonal Screwdriver Shaft - 3.5mm Tip, Quick Coupling, Short



3400-02 T-Handle Countersink for Ø4.5/6.5mm Screws, for Large Fragment




3443-400 Depth Gauge measuring upto 110mm



2139-000 Sharp Hook for Large Fragment



1472-032 Articulated Tension Device



1472-034 Articulated Tension Device Key



2150-1008 Periosteal Elevator, Round, 8mm



2150-1016 Periosteal Elevator, Flat, 16mm



1472-070 Hohmann Retractor, 44mm, for Large Fragment



2146-016 Hohmann Retractor, 16mm, for Large Fragment



2106-1210 Serrated Reduction Forcep, Speed Lock, for Large Fragment



2106-2210

Pointed Reduction Forcep, Ratchet Lock, for Large Fragment


2105-000

Self-Centering Bone Holding Forcep, Speed Lock


7-047-01

Screw Holding forcep for Large Fragment


ST-002NW

Screw Caddy for Large Fragment Instrument System


7-047-02




Instrument trays for Large Fragment Instrument Set


7-047-03

Container for Large Fragment Instrument Set



2309-000 Instrument Set For Large Fragment



2309-000
Instrument Set For Large Fragment

Item Code	Item Name	Unit
2100-2.0-100	Drill Bit with Quick Coupling End, Ø2.0mm x Length 100mm, for Large Fragment	2
2100-3.2-145	Drill Bit with Quick Coupling End, Ø3.2mm x Length 145mm, for Large Fragment	3
2100-4.5-145	Drill Bit with Quick Coupling End, Ø4.5mm x Length 145mm, for Large Fragment	2
2103-07	Bone Tap Quick Coupling for Ø4.5mm Cortical Screws, for Large Fragment	3
2103-09	Bone Tap Quick Coupling for Ø6.5mm Cancellous Screws, for Large Fragment	1
3767-4.5	Double Drill Guide, Ø4.5/3.2mm	1
1472-058	Self-Centering Double Drill Guide, Ø4.5/3.2mm, for Large Fragment	1
3767-6.5	Double Drill Guide, Ø6.5/3.2mm	1
3767-01	Drill Sleeve Ø6.5/4.5mm for Large Fragment	1
3412-030	Drill Guide For Neutral and Loaded Position, DCP Ø4.5/3.2mm, for Large Fragment	1
1472-040	Drill Guide For Neutral and Loaded Position, LC-DCP Ø3.2/3.2mm, for Large Fragment	1
1472-050	Pointed Drill Guide, Ø6.5mm, for Large Fragment	1
3420-020	Insert Drill Sleeve Ø4.5/3.2mm, for Large Fragment	1
3443-38-5.0	Extraction Screw, Ø5.0mm	1
3402-000	T-Handle With Quick Coupling	1
1472-054	Quick Coupling Shaft	1
451-2.0-150E	Kirschner Wire with One Side Trocar Tip, Ø2.0mm x Length 150mm	3
GW-2.0-150	Guide Wire with Threaded Trocar Tip, Ø2.0mm x Thread Length 8mm x Length 150mm	3
3409-010L	Large Bending Iron, Left, for Large Fragment	1
3409-010R	Large Bending Iron, Right, for Large Fragment	1
BT-4.5-120	Bending Template, Small, for Large Fragment	1
BT-4.5-155	Bending Template, Medium, for Large Fragment	1
BT-4.5-212	Bending Template, Large, for Large Fragment	1
3406-04	Screwdriver, Hex 3.5mm	1
1472-056	Screwdriver Holding Sleeve for Cortical and Cancellous Screws	1
3408-04	Hexagonal Screwdriver Shaft - 3.5mm Tip, Quick Coupling, Short	1
3400-02	T-Handle Countersink for Ø4.5/6.5mm Screws, for Large Fragment	1
3443-400	Depth Gauge measuring upto 110mm	1
2139-000	Sharp Hook for Large Fragment	1
1472-032	Articulated Tension Device	1
1472-034	Articulated Tension Device Key	1
2150-1008	Periosteal Elevator, Round, 8mm	1
2150-1016	Periosteal Elevator, Flat, 16mm	1
1472-070	Hohmann Retractor, 44mm, for Large Fragment	1
2146-016	Hohmann Retractor, 16mm, for Large Fragment	1
2106-1210	Serrated Reduction Forcep, Speed Lock, for Large Fragment	1
2106-2210	Pointed Reduction Forcep, Ratchet Lock, for Large Fragment	1
2105-000	Self-Centering Bone Holding Forcep, Speed Lock	2
7-047-01	Screw Holding forcep for Large Fragment	1
ST-002NW	Screw Caddy for Large Fragment Instrument System	1
7-047-02	Instrument trays for Large Fragment Instrument Set	3
7-047-03	Container for Large Fragment Instrument Set	1