

auxilock® 

SMALL JOINT Arthroscopy System

 **Auxein**®



Hand & Wrist




Foot & Ankle






SMALL JOINT
Arthroscopy System

AUXILOCK® AUXSUTURE ANCHOR



Ordering Information

| Code | Product Description | Suture/Tape Colour | Needle |
|----------|---|---|---|
| 6-040-01 | AUXILOCK® 1.2mm AuxSuture Anchor With One #0 BioBraid: White/Blue |  | |
| 6-040-02 | AUXILOCK® 1.2mm AuxSuture Anchor With One #0 BioBraid: White/Blue, With Needles |  |  |

Recommended Instrumentation







| Code | Product Description | Compatible Implants |
|----------|--|---------------------|
| 7-139-02 | 8 Point Slotted Drill Guide, Length 50mm | 6-040-01, 6-040-02 |
| 7-139-52 | Ø1.2mm X 110mm Drill Bit | 6-040-01, 6-040-02 |

STERILE 

AUXILOCK® TITANIUM SCREW-IN SUTURE ANCHOR



Ordering Information


| Code | Product Description | Suture/Tape Colour | Needle |
|----------|--|---|---|
| 6-005-16 | AUXILOCK® 2.0mm Titanium Screw-In Suture Anchor With One #0 BioBraid: White/Blue |  | |
| 6-005-11 | AUXILOCK® 2.0mm Titanium Screw-In Suture Anchor With One #0 BioBraid: White/Blue, With Needles |  |  |
| 6-005-15 | AUXILOCK® 2.5mm Titanium Screw-In Suture Anchor With One #1 BioBraid: White/Blue |  | |
| 6-005-12 | AUXILOCK® 2.5mm Titanium Screw-In Suture Anchor With One #1 BioBraid: White/Blue, With Needles: MO-6 |  |  |

Recommended Instrumentation

| Code | Product Description | Compatible Implants |
|----------|--|--|
| 7-139-01 | Ø1.2mm X 100mm Drill Bit | 6-005-11, 6-005-16 |
| 7-139-02 | 8 Point Slotted Drill Guide, Length 50mm | 6-005-11, 6-005-12, 6-005-16, 6-005-15 |
| 7-139-66 | Ø1.8mm X 100mm Drill Bit | 6-005-15, 6-005-12 |

STERILE|EO

AUXILOCK® PEEK CF INTERFERENCE SCREW



Ordering Information


| Code | Product Description |
|----------|--|
| 6-009-27 | AUXILOCK® 3mm x 8mm PEEK CF Interference Screw (With Driver) |
| 6-009-21 | AUXILOCK® 4mm x 10mm PEEK CF Interference Screw |
| 6-009-22 | AUXILOCK® 4mm x 15mm PEEK CF Interference Screw |
| 6-009-28 | AUXILOCK® 5mm x 10mm PEEK CF Interference Screw |
| 6-009-23 | AUXILOCK® 5mm x 15mm PEEK CF Interference Screw |
| 6-009-24 | AUXILOCK® 5mm x 20mm PEEK CF Interference Screw |
| 6-009-29 | AUXILOCK® 6mm x 15mm PEEK CF Interference Screw |
| 6-009-25 | AUXILOCK® 6mm x 20mm PEEK CF Interference Screw |
| 6-009-26 | AUXILOCK® 6mm x 25mm PEEK CF Interference Screw |

Related Instrumentation

| Code | Product Description |
|----------|---|
| 7-139-54 | Ø1.2mm X 150mm Threaded Guide wire |
| 7-139-55 | Ø1.2mm X 180mm Blunt tip Guide wire |
| 7-139-68 | Ø3.0mm X 100mm Cannulated Reamer |
| 7-139-67 | Ø3.2mm X 100mm Cannulated Reamer |
| 7-139-56 | Ø3.5mm X 100mm Cannulated Reamer |
| 7-139-57 | Ø4.0mm X 100mm Cannulated Reamer |
| 7-139-58 | Ø4.5mm X 100mm Cannulated Reamer |
| 7-139-59 | Ø5.0mm X 100mm Cannulated Reamer |
| 7-139-60 | Ø5.5mm X 100mm Cannulated Reamer |
| 7-139-61 | Ø6.0mm X 100mm Cannulated Reamer |
| 7-139-62 | Ø6.5mm X 100mm Cannulated Reamer |
| 7-139-63 | Graft Sizer, 4.0mm to 7.0mm (0.5mm Steps) |
| 7-139-65 | Screwdriver For Ø4mm, Ø5.0mm & Ø6.0 mm Polymer Interference Screw |

STERILE|EO

AUXILOCK® PEEK OPTIMA INTERFERENCE SCREW



Ordering Information

| Code | Product Description |
|----------|--|
| 6-014-27 | AUXILOCK® 3mm x 8mm PEEK OPTIMA Interference Screw (With Driver) |
| 6-014-21 | AUXILOCK® 4mm x 10mm PEEK OPTIMA Interference Screw |
| 6-014-22 | AUXILOCK® 4mm x 15mm PEEK OPTIMA Interference Screw |
| 6-014-28 | AUXILOCK® 5mm x 10mm PEEK OPTIMA Interference Screw |
| 6-014-23 | AUXILOCK® 5mm x 15mm PEEK OPTIMA Interference Screw |
| 6-014-24 | AUXILOCK® 5mm x 20mm PEEK OPTIMA Interference Screw |
| 6-014-29 | AUXILOCK® 6mm x 15mm PEEK OPTIMA Interference Screw |
| 6-014-25 | AUXILOCK® 6mm x 20mm PEEK OPTIMA Interference Screw |
| 6-014-26 | AUXILOCK® 6mm x 25mm PEEK OPTIMA Interference Screw |

Related Instrumentation

| Code | Product Description |
|----------|---|
| 7-139-54 | Ø1.2mm X 150mm Threaded Guide wire |
| 7-139-55 | Ø1.2mm X 180mm Blunt tip Guide wire |
| 7-139-68 | Ø3.0mm X 100mm Cannulated Reamer |
| 7-139-67 | Ø3.2mm X 100mm Cannulated Reamer |
| 7-139-56 | Ø3.5mm X 100mm Cannulated Reamer |
| 7-139-57 | Ø4.0mm X 100mm Cannulated Reamer |
| 7-139-58 | Ø4.5mm X 100mm Cannulated Reamer |
| 7-139-59 | Ø5.0mm X 100mm Cannulated Reamer |
| 7-139-60 | Ø5.5mm X 100mm Cannulated Reamer |
| 7-139-61 | Ø6.0mm X 100mm Cannulated Reamer |
| 7-139-62 | Ø6.5mm X 100mm Cannulated Reamer |
| 7-139-63 | Graft Sizer, 4.0mm to 7.0mm (0.5mm Steps) |
| 7-139-65 | Screwdriver For Ø4mm, Ø5.0mm & Ø6.0 mm Polymer Interference Screw |

STERILE|EO

AUXILOCK® ROTADOR PEEK OPTIMA SCREW-IN ANCHOR



Ordering Information


| Code | Product Description |
|----------|---|
| 6-020-01 | AUXILOCK® Rotador 4.75mm x 15mm PEEK OPTIMA Screw-In Anchor |

Recommended Instrumentation

| Code | Product Description | Compatible Implants |
|----------|---|---------------------|
| 7-139-69 | Tap for 4.75 mm Rotador Screw-in Anchor | 6-020-01 |

STERILE EO

AUXILOCK[®] SYNDESMOSIS ULTIMATE KIT



AUXILOCK[®] Syndesmosis Ultimate Kit can be used for the fixation of Ankle Syndesmosis joint. The versatile design of the kit is ideal for use with or without a fracture plate. The kit comprises of adjustable loop with round shaped button (Dia. 5.5mm) and oblong shaped button (L 12mm X W 3.2mm X H 1.5mm). The round button has a tapered slot design which can easily fix on any fracture plate. The kit is passed through 3.5mm drilling tunnel from lateral to medial provides the fixation of oblong shaped button on the medial side and round button on the lateral side of the syndesmosis joint. The syndesmosis kit provides a double locking mechanism which eliminates the need for knot tying.

Ordering Information


| Code | Product Description |
|----------|--|
| 6-041-01 | AUXILOCK [®] Syndesmosis Ultimate Kit |

Related Instrumentation (Include in Kit)

| Code | Product Description |
|----------|---|
| 7-147-01 | Cannulated Drill Bit with Quick Coupling End, Ø3.5mm x Length 175mm |
| 7-147-02 | Ø1.5mm K-Wire |
| 7-147-03 | Ø2.4mm Passing Pin |
| 7-147-04 | Suture Pull Handle |

STERILEEO

AUXILOCK® ADVANCE SYNDESMOSIS ULTIMATE KIT



The Advance Syndesmosis Handle implant system features a unique delivery mechanism that allows the user to insert a Syndesmosis implant without pulling a needle through the medial skin. Advance Syndesmosis Handle system gives the user control to flip the medial oblong button below the skin for less soft-tissue interposition.

Ergonomic Advance Syndesmosis Handle implant tensioning handles have also been added to the system. These handles are designed to tension the Advance Syndesmosis Handle implant without hurting the surgeon's fingers. The Advance Syndesmosis Handle implant system also features a new trocar style drill bit that reduces skiving off the fibula when drilling in the transmalleolar plane 30° anterior to the coronal plane.

Ordering Information

| Code | Product Description |
|----------|--|
| 6-051-01 | AUXILOCK® Advance Syndesmosis Ultimate Kit |

Related Instrumentation (Include in Kit)

| Code | Product Description |
|----------|---|
| 7-147-01 | Cannulated Drill Bit with Quick Coupling End, Ø3.5mm x Length 175mm |
| 7-147-02 | Ø1.5mm K-Wire |

STERILE EO

7-139-01
Ø1.2mm X 100mm Drill Bit
(For 2.0mm Ti Anchor)



7-139-02
8 point Slotted Drill Guide, Length 50mm



7-139-52
Ø1.2mm X 110mm Drill Bit
(For 1.2mm AuxSuture Anchor)



7-139-66
Ø1.8mm X 100mm Drill Bit
(For 2.5mm Ti Anchor)



7-139-54
Ø1.2mm X 150mm Threaded Guide wire



7-139-55
Ø1.2mm X 180mm Blunt tip Guide wire



Cannulated Reamer

| Code | Diameter |
|----------|----------------------------------|
| 7-139-68 | Ø3.0mm X 100mm Cannulated Reamer |
| 7-139-67 | Ø3.2mm X 100mm Cannulated Reamer |
| 7-139-56 | Ø3.5mm X 100mm Cannulated Reamer |
| 7-139-57 | Ø4.0mm X 100mm Cannulated Reamer |
| 7-139-58 | Ø4.5mm X 100mm Cannulated Reamer |
| 7-139-59 | Ø5.0mm X 100mm Cannulated Reamer |
| 7-139-60 | Ø5.5mm X 100mm Cannulated Reamer |
| 7-139-61 | Ø6.0mm X 100mm Cannulated Reamer |
| 7-139-62 | Ø6.5mm X 100mm Cannulated Reamer |



7-139-63
Graft Sizer, 4.0mm to 7.0mm (0.5mm Steps)



7-139-65
Screwdriver For Ø4.0mm, Ø5.0mm & Ø6.0mm Polymer Interference Screw



7-139-69
Tap for 4.75 mm Rotador Screw-in Anchor



OPTIONAL INSTRUMENTS

7-139-05
Exploring Probe, Graduated, Curved



Mini Rasp

| Code | Shape |
|----------|------------------------|
| 7-139-06 | Mini Rasp, Concave Jaw |
| 7-139-07 | Mini Rasp, Convex Jaw |



7-139-09
Mini Knife With V - Knotch



7-139-11
Mini Bone Curette



7-139-21
Scalpel Knife



7-139-22
Banana Knife



7-139-23
Hook Knife, Reverse Cutting



7-139-26
Mini Micro Fracture Awl, 25°



7-139-27
Mini Micro Fracture Awl, 45°



7-139-28
Mini Micro Fracture Awl, 60°



7-139-29
Mini Micro Fracture Awl, 90°



7-139-31
Mini Punch



7-139-32
Mini Scissors, Upwards Cutting



7-139-33
Mini Grasping Forceps



7-139-43
Blunt Nose Mini Basket Punch, Straight Jaws, Straight Shaft



7-139-48
Shark Mini Grasping Forceps, Straight Jaws, Straight Shaft



Order Information
7-139 Small Joint Arthroscopy Instrument Set

| Code | Set Consisting of | Unit |
|----------|--|------|
| 7-139-01 | Ø1.2mm X 100mm Drill Bit | 1 |
| 7-139-02 | 8 Point Slotted Drill Guide, Length 50mm | 1 |
| 7-139-52 | Ø1.2mm X 110mm Drill Bit | 1 |
| 7-139-66 | Ø1.8mm X 100mm Drill Bit | 1 |
| 7-139-54 | Ø1.2mm X 150mm Threaded Guide wire | 1 |
| 7-139-55 | Ø1.2mm X 180mm Blunt tip Guide wire | 1 |
| 7-139-56 | Ø3.5mm X 100mm Cannulated Reamer | 1 |
| 7-139-57 | Ø4.0mm X 100mm Cannulated Reamer | 1 |
| 7-139-58 | Ø4.5mm X 100mm Cannulated Reamer | 1 |
| 7-139-59 | Ø5.0mm X 100mm Cannulated Reamer | 1 |
| 7-139-60 | Ø5.5mm X 100mm Cannulated Reamer | 1 |
| 7-139-61 | Ø6.0mm X 100mm Cannulated Reamer | 1 |
| 7-139-62 | Ø6.5mm X 100mm Cannulated Reamer | 1 |
| 7-139-63 | Graft Sizer, 4.0mm to 7.0mm (0.5mm Steps) | 1 |
| 7-139-65 | Screwdriver For Ø4.0mm, Ø5.0mm & Ø6.0mm Polymer Interference Screw | 1 |
| 7-139-05 | Exploring Probe, Graduated, Curved | 1 |
| 7-139-06 | Mini Rasp, Concave Jaw | 1 |
| 7-139-07 | Mini Rasp, Convex Jaw | 1 |
| 7-139-09 | Mini Knife With V - Knotch | 1 |
| 7-139-11 | Mini Bone Curette | 1 |
| 7-139-21 | Scalpel Knife | 1 |
| 7-139-22 | Banana Knife | 1 |
| 7-139-23 | Hook Knife, Reverse Cutting | 1 |
| 7-139-27 | Mini Micro Fracture Awl, 45° | 1 |
| 7-139-28 | Mini Micro Fracture Awl, 60° | 1 |
| 7-139-31 | Mini Punch | 1 |
| 7-139-32 | Mini Scissors, Upwards Cutting | 1 |
| 7-139-33 | Mini Grasping Forceps | 1 |
| 7-139-43 | Blunt Nose Mini Basket Punch, Straight Jaws, Straight Shaft | 1 |
| 7-139-48 | Shark Mini Grasping Forceps, Straight Jaws, Straight Shaft | 1 |
| 7-139-68 | Ø3.0mm X 100mm Cannulated Reamer | 1 |
| 7-139-67 | Ø3.2mm X 100mm Cannulated Reamer | 1 |