


Staples, Pins & Wires


Staple with Offset

A	B	C	Titanium
24mm	36mm	5mm	462-24-36-5
24mm	40mm	10mm	462-24-40-10
24mm	44mm	14mm	462-24-44-14




Three Legged Staple

A	B	C	Titanium
26mm	34mm	5mm	463-26-34-5



Ligament Staple

A	X	Y	Z	Titanium
8mm	13mm	20mm	3.7mm	464-8-13-20
6mm	11mm	25mm	3.7mm	464-6-11-25
8mm	13mm	25mm	3.7mm	464-8-13-25
11mm	16mm	25mm	3.7mm	464-11-16-25
16mm	21mm	25mm	3.7mm	464-16-21-25



Staple - Coventry

Codes	Description
460.005	5mm Step
460.010	10mm Step
460.015	15mm Step



Staple U - Type

Stainless Steel

Dia (mm)	15 mm	20 mm	25 mm
1.5	9-028-01SS	9-028-05SS	9-028-09SS
2.0	9-028-02SS	9-028-06SS	9-028-10SS
2.5	9-028-03SS	9-028-07SS	9-028-11SS
3.0	9-028-04SS	9-028-08SS	9-028-12SS

Staple U - Type

Titanium


Dia (mm)	15 mm	20 mm	25 mm
1.5	459-1.5-015	459-1.5-020	459-1.5-025
2.0	459-2.0-015	459-2.0-020	459-2.0-025
2.5	459-2.5-015	459-2.5-020	459-2.5-025
3.0	459-3.0-015	459-3.0-020	459-3.0-025



Straight Staple

Used for Tibial Valgus Osteotomy
Used on Kney

A	B	Titanium
25mm	10mm	461-25-10
25mm	16mm	461-25-16
25mm	20mm	461-25-20
25mm	22mm	461-25-22
25mm	26mm	461-25-26
25mm	36mm	461-25-36



Suture Wire



Codes	Size (mm)
450.016-10	1.60mm, 10 Meter
450.017-10	1.50mm, 10 Meter
450.018-10	1.25mm, 10 Meter
450.019-10	1.00mm, 10 Meter
450.020-10	0.90mm, 10 Meter
450.021-10	0.80mm, 10 Meter
450.022-10	0.70mm, 10 Meter
450.023-10	0.60mm, 10 Meter
450.024-10	0.55mm, 10 Meter
450.026-10	0.45mm, 10 Meter
450.035-10	0.35mm, 10 Meter
450.028-10	0.28mm, 10 Meter
450.030-10	0.30mm, 10 Meter
450.016-5	1.60mm, 5 Meter
450.017-5	1.50mm, 5 Meter
450.018-5	1.25mm, 5 Meter
450.019-5	1.00mm, 5 Meter
450.020-5	0.90mm, 5 Meter
450.021-5	0.80mm, 5 Meter
450.022-5	0.70mm, 5 Meter
450.023-5	0.60mm, 5 Meter
450.024-5	0.55mm, 5 Meter
450.026-5	0.45mm, 5 Meter
450.035-5	0.35mm, 5 Meter
450.028-5	0.28mm, 5 Meter
450.030-5	0.30mm, 5 Meter

Steinmann Pins



Codes	Size (mm)
453-2.0-230	Ø2.0mm x 230mm
453-2.3-230	Ø2.3mm x 230mm
453-2.0-300	Ø2.0mm x 300mm
453-2.5-300	Ø2.5mm x 300mm
453-3.0-150	Ø3.0mm x 150mm
453-3.0-175	Ø3.0mm x 175mm
453-3.0-200	Ø3.0mm x 200mm
453-3.0-225	Ø3.0mm x 225mm
453-3.5-150	Ø3.5mm x 150mm
453-3.5-175	Ø3.5mm x 175mm
453-3.5-200	Ø3.5mm x 200mm
453-3.5-225	Ø3.5mm x 225mm
453-4.0-150	Ø4.0mm x 150mm
453-4.0-175	Ø4.0mm x 175mm
453-4.0-200	Ø4.0mm x 200mm
453-4.0-225	Ø4.0mm x 225mm
453-4.5-150	Ø4.5mm x 150mm
453-4.5-175	Ø4.5mm x 175mm
453-4.5-200	Ø4.5mm x 200mm
453-4.5-225	Ø4.5mm x 225mm
453-5.0-150	Ø5.0mm x 150mm
453-5.0-175	Ø5.0mm x 175mm
453-5.0-200	Ø5.0mm x 200mm
453-5.0-225	Ø5.0mm x 225mm

Centrally Threaded Steinman Pin



Codes	Size (mm)
454-2.0-100	Ø2.0mm x 100mm
454-3.5-250	Ø3.5mm x 250mm
454-3.5-300	Ø3.5mm x 300mm
454-4.0-225	Ø 4.0mm x 225mm
454-4.0-300	Ø 4.0mm x 300mm
454-4.5-225	Ø 4.5mm x 225mm
454-4.5-300	Ø4.5mm x 300mm
454-5.0-200	Ø5.0mm x 200mm
454-5.0-225	Ø 5.0mm x 225mm
454-5.0-226	Ø 5.0mm x 226mm
454-5.0-300	Ø 5.0mm x 300mm
454-6.0-225	Ø 6.0mm x 225mm

Kirschner Wire Fully Threaded



Codes	Dia (mm)	Length (mm)
452-1.5-225	1.5	225
452-2.0-225	2.0	225
452-2.5-225	2.5	225
452-1.5-150	1.5	150
452-2.0-150	2.0	150
452-2.5-150	2.5	150



Circlage Wire With Loop

Length 280mm	Size (mm)
457-17-280	280mm x 17 SWG (1.50mm)
457-18-280	280mm x 18 SWG (1.25mm)
457-19-280	280mm x 19 SWG (1.00mm)
457-20-280	280mm x 20 SWG (0.90mm)
457-21-280	280mm x 21 SWG (0.80mm)
457-17-600	600mm x 17 SWG (1.50mm)
457-18-600	600mm x 18 SWG (1.25mm)
457-19-600	600mm x 19 SWG (1.00mm)
457-20-600	600mm x 20 SWG (0.90mm)
457-21-600	600mm x 21 SWG (0.80mm)
457-26-600	600mm x 26 SWG (0.50mm)
457-24-600	600mm x 24 SWG (0.60mm)
457-22-600	600mm x 22 SWG (0.70mm)



Kirschner Wire with Trocar Tip Both End


Codes	Size (mm)
451-0.8-70	Ø0.8mm x 70mm
451-0.9-70	Ø0.9mm x 70mm
451-1.0-70	Ø1.0mm x 70mm
451-1.1-70	Ø1.1mm x 70mm
451-1.2-70	Ø1.2mm x 70mm
451-1.4-70	Ø1.4mm x 70mm
451-1.5-70	Ø1.5mm x 70mm
451-1.6-70	Ø1.6mm x 70mm
451-1.8-70	Ø1.8mm x 70mm
451-2.0-70	Ø2.0mm x 70mm
451-2.2-70	Ø2.2mm x 70mm
451-2.3-70	Ø2.3mm x 70mm
451-2.5-70	Ø2.5mm x 70mm
451-3.0-70	Ø3.0mm x 70mm
451-0.8-100	Ø0.8mm x 100mm
451-0.9-100	Ø0.9mm x 100mm
451-1.0-100	Ø1.0mm x 100mm
451-1.1-100	Ø1.1mm x 100mm
451-1.2-100	Ø1.2mm x 100mm
451-1.4-100	Ø1.4mm x 100mm
451-1.5-100	Ø1.5mm x 100mm
451-1.6-100	Ø1.6mm x 100mm
451-1.8-100	Ø1.8mm x 100mm
451-2.0-100	Ø2.0mm x 100mm
451-2.2-100	Ø2.2mm x 100mm
451-2.3-100	Ø2.3mm x 100mm
451-2.5-100	Ø2.5mm x 100mm
451-3.0-100	Ø3.0mm x 100mm
451-0.8-150	Ø0.8mm x 150mm
451-0.9-150	Ø0.9mm x 150mm
451-1.0-150	Ø1.0mm x 150mm
451-1.1-150	Ø1.1mm x 150mm
451-1.2-230	Ø1.2mm x 230mm
451-1.2-150	Ø1.2mm x 150mm
451-1.4-150	Ø1.4mm x 150mm
451-1.5-230	Ø1.5mm x 230mm
451-1.5-150	Ø1.5mm x 150mm
451-1.6-150	Ø1.6mm x 150mm
451-1.8-150	Ø1.8mm x 150mm

Codes	Size (mm)
451-2.2-150	Ø2.2mm x 150mm
451-2.3-150	Ø2.3mm x 150mm
451-2.5-150	Ø2.5mm x 150mm
451-3.0-150	Ø3.0mm x 150mm
451-0.8-225	Ø0.8mm x 225mm
451-0.9-225	Ø0.9mm x 225mm
451-1.0-225	Ø1.0mm x 225mm
451-1.1-225	Ø1.1mm x 225mm
451-1.2-225	Ø1.2mm x 225mm
451-1.4-225	Ø1.4mm x 225mm
451-1.5-225	Ø1.5mm x 225mm
451-1.6-225	Ø1.6mm x 225mm
451-1.8-225	Ø1.8mm x 225mm
451-2.0-225	Ø2.0mm x 225mm
451-2.2-225	Ø2.2mm x 225mm
451-2.3-225	Ø2.3mm x 225mm
451-2.5-225	Ø2.5mm x 225mm
451-3.0-225	Ø3.0mm x 225mm
451-1.0-230	Ø1.0mm x 230mm
451-1.5-250	Ø1.5mm x 250mm
451-2.0-230	Ø2.0mm x 230mm
451-2.5-230	Ø2.5mm x 230mm
451-0.8-300	Ø0.8mm x 300mm
451-0.9-300	Ø0.9mm x 300mm
451-1.0-300	Ø1.0mm x 300mm
451-1.1-300	Ø1.1mm x 300mm
451-1.2-300	Ø1.2mm x 300mm
451-1.4-300	Ø1.4mm x 300mm
451-1.5-300	Ø1.5mm x 300mm
451-1.6-300	Ø1.6mm x 300mm
451-1.8-300	Ø1.8mm x 300mm
451-2.0-300	Ø2.0mm x 300mm
451-2.2-300	Ø2.2mm x 300mm
451-2.3-300	Ø2.3mm x 300mm
451-2.5-300	Ø2.5mm x 300mm
451-2.8-300	Ø2.8mm x 300mm
451-3.0-300	Ø3.0mm x 300mm
9-016-001	Ø0.8mm x 310mm
9-016-002	Ø1.0mm x 310mm
9-016-003	Ø1.2mm x 310mm
9-016-004	Ø1.4mm x 310mm
9-016-005	Ø1.6mm x 310mm
9-016-006	Ø1.8mm x 310mm

Kirschner Wire with One Side Trocar Tip



Codes	Size (mm)
451-0.8-150E	Ø0.8mm x 150mm
451-0.9-150E	Ø0.9mm x 150mm
451-1.0-150E	Ø1.0mm x 150mm
451-1.4-150E	Ø1.4mm x 150mm
451-1.6-150E	Ø1.6mm x 150mm
451-1.8-150E	Ø1.8mm x 150mm
451-1.2-300E	Ø1.2mm x 300mm
451-1.4-300E	Ø1.4mm x 300mm
451-1.5-300E	Ø1.5mm x 300mm
451-1.6-300E	Ø1.6mm x 300mm
451-1.8-300E	Ø1.8mm x 300mm
451-2.0-300E	Ø2.0mm x 300mm
451-2.2-300E	Ø2.2mm x 300mm
451-2.5-300E	Ø2.5mm x 300mm
451-1.5-310E	Ø1.5mm x 310mm
451-2.0-310E	Ø2.0mm x 310mm
451-2.2-310E	Ø2.2mm x 310mm
451-2.5-310E	Ø2.5mm x 310mm
451-1.8-310E	Ø1.8mm x 310mm
451-3.0-310E	Ø3.0mm x 310mm
451-2.2-225E	Ø2.2mm x 225mm