



सत्यमेव जयते

FORM MD-5

[See sub-rule (4) of rule 20 and sub-rule (6) of rule 20]

Licence to Manufacture for Sale or for Distribution of Class A or Class B medical device

Licence Number: MFG/MD/2022/000516

Endorsement No. 1

1. M/s Auxein Medical Pvt Ltd, Plot No.169-170, Phase-IV, Kundli Ind Area, HSIIDC, Sector-57, Sonapat, Haryana-131028 IndiaKundli, --, Haryana (India) - 131028 Telephone No.: 9910643638 FAX: 9910643638 has been licenced to manufacture for sale or for distribution the below listed medical device(s) at the premises situated at M/s Auxein Medical Private Limited, Plot No. 168-169-170, Phase-4, Kundli Industrial Area, HSIIDC, Sector-57, Sonipat, Haryana (India) - 131028 Telephone No.: 9560557733 FAX: 86077 70197

2. Details of medical device(s) [Annexed]

3. This licence is subject to the provisions of the Medical Devices Rules, 2017 and conditions prescribed therein.

ANNEXURE

S.No.	Details Of Device(s)
-------	----------------------

सत्यमेव जयते

1

Generic Name:Intramedullary Locking Nail Instrument Sets

Model No.:AJAX Cephalic Screw Instrument Set - ,Cephalic Screw Inserter for AJAX Cephalic Screw - ,Reamer Dia10.5mm for AJAX Cephalic Screw - ,Guide Wire Dia3.2mm x Length 400mm for AJAX Cephalic Screw - ,Protection Sleeve for AJAX Cephalic Screw - ,Cannulated Trocar Sleeve for AJAX Cephalic Screw - ,Trocar Dia3.2mm for AJAX Cephalic Screw - ,Caddy for AJAX Cephalic Screw End Cap - ,Inner Screw Holder, Hex 4.0mm - ,Inner Screwdriver Hex 4.0mm - ,Inner Screw Holder Hex 4.0mm - ,Inner Screw Holder Hex 4.0mm - ,Curved Awl Dia9.5-Dia5.6mm for AJAX Cephalic Screw - ,Container for AJAX Cephalic Screw Instrument Set - , AJAX Advance Nailing Instrument Set (Short Targeting device) - ,AJAX Advance Nailing Instrument Set (Short Targeting device) - ,Radiographic Ruler for AJAX Advance Nail - ,T-Handle Quick Coupling (For Flexible Shaft/Entry Reamer/Proximal Cortex Cannulated Drill/ Reamer For AJAX Blade) - ,Entry Reamer Dia17mm for AJAX Advance Nail - ,Cannulated Awl for AJAX Advance Nail - ,Tissue Protector for AJAX Advance Nail - ,Nail Holding Bolt for AJAX Advance Nail - ,Key for AJAX Blade - ,Slotted Hammer for AJAX Advance Nail - ,Distal Targeting Device for Short AJAX Advance Nail - ,Bolt for Distal Targeting Device for Short AJAX Advance Nail - ,Guide Wire with Threaded Tip Dia3.2mm x Thread Length 10mm X Length 400mm - ,Guide Wire Dia3.2mm x Length 400mm - ,Proximal Cortex Cannulated Drill Dia10.5mm for AJAX Advance Nail - ,Reamer Dia10.5mm for AJAX Blade - ,Extraction Screw for AJAX Blade - ,Impactor for AJAX Blade - ,Hammer Guide for Slotted Hammer M8 - , Cannulated Trocar Sleeve Dia10.9/3.2mm for AJAX Blade - ,Combination Wrench 11mm for AJAX Advance Nail - ,130° Proximal Targeting Device for AJAX Advance Nail - ,Bolt for 130° Proximal Targeting Device for AJAX Advance Nail - ,Drill Bit Plain Shank/Jacob Chuck End Dia4.0mm x Length 300mm for AJAX Advance Nail - ,Stopper for Dia4.0mm Drill Bit - AJAX Advance Nail - ,Allen Key Hex 3mm for AJAX Advance Nail - ,Screwdriver Hex 3.5mm for AJAX Advance Nail - ,Guide Wire With Hook Dia2.8mm x Length 460mm - ,Cleaning Stylet Dia2.8mm for AJAX Advance Nail - ,Guide Wire Introducer for AJAX Advance Nail - ,Entry Reamer Protection Sleeve 20/17mm for AJAX Advance Nail - ,Entry Reamer Guide Wire Sleeve 17/3.2mm for AJAX Advance Nail - ,Aiming Jig For Anti Rotation Wire - ,Flexible Reaming Shaft Jacob End for AJAX Advance Nail - ,Reamer Head Dia8.5mm-14mm for AJAX Advance Nail - ,Quick Coupling Handle (For Flexible Shaft/Entry Reamer/Proximal Cortex Cannulated Drill/ Reamer For AJAX Blade) - ,Compression Instrument for AJAX Blade - , Insertion Handle for AJAX Advance Nail - ,Protection Sleeve for AJAX Advance Nail - ,Trocar Dia3.2mm for AJAX Blade - ,Insertion Handle Connector for AJAX Advance Nail - ,Spherical Head Screwdriver Hex 4.0mm for AJAX Advance Nail - ,Aiming Jig Drill Sleeve for Anti-Rotation Wire - ,Aiming Jig Drill Sleeve for Anti-Rotation Wire - ,Protection Sleeve Dia11/8mm for AJAX Advance Nail - ,Drill Sleeve Dia8/4mm for AJAX Advance Nail - ,Trocar Dia4.0mm for AJAX Advance Nail - ,Guide Wire Without Ball Tip Dia2.5mm x Length 1000mm - Nitinol for AJAX Advance Nail - ,Direct Measuring Device for Guide Wire - AJAX Advance Nail - ,Pin Wrench Dia 4.0mm for AJAX Advance Nail - ,Measuring Device for Locking Bolt upto 100mm - AJAX Advance Nail - ,Reduction Instrument for AJAX Advance Nail - ,Driver for Nail Holding Bolt - AJAX Advance Nail - ,Guide Wire With Ball Tip Dia2.5/3.65mm x Length 1000mm - Nitinol for AJAX Advance Nail - ,Instrument Trays for AJAX Advance Nailing Instrument Set (Short Targeting Device) - ,Container with PPSU Lid for AJAX Advance Nailing Instrument Set (Short Targeting Device) - ,Curved Awl- Dia9.5-Dia5.6mm for AJAX Advanced Nail - ,Athos Nailing Instrument Set Aluminium Targeting Device - ,AJAX Advance Nailing Instrument Set (Distal Targeting Device) - ,Radiographic Ruler for AJAX Advance Nail - ,T-Handle Quick Coupling (For Flexible Shaft/Entry Reamer/Proximal Cortex Cannulated Drill/ Reamer For AJAX Blade) - ,Entry Reamer Dia17mm for AJAX Advance Nail - ,Cannulated Awl for AJAX Advance Nail - ,Tissue Protector for AJAX Advance Nail - ,Nail Holding Bolt for AJAX Advance Nail - NA ,Pin Wrench Dia4.0mm for AJAX Advance Nail - ,Cannulated Driver Dia4.0mm for

AJAX Nail End Cap - ,Measuring Device for Locking Bolt upto 100mm - AJAX Advance Nail - , Curved Awl- Dia9.5-Dia5.6mm for AJAX Advanced Nail - ,AJAX Advance Nailing Instrument Set (Distal Targeting Device) - ,Bolt for 130° Proximal Targeting Device for AJAX Advance Nail - ,Guide Block for AJAX Advance Nail - Right/left - ,Locking Bolt for Insertion Handle and Distal Guide Bar - AJAX Advance Nail - ,Locking Bolt for Distal Targeting Device - AJAX Advance Nail - ,Locking Bolt for Distal Aiming Bar- AJAX Advance Nail - ,Positioning Rod for AJAX Advance Nail - ,Drill Bit Plain Shank/Jacob Chuck End Dia5.2mm x Length 250mm for Long AJAX Advance Nail - ,Distal Guide Bar for AJAX Advance Nail - ,Distal Targeting Device for Long AJAX Advance Nail - ,Distal Aiming Bar for Long AJAX Advance Nail - ,Trocar Dia5.1mm for AJAX Advance Nail - ,Positioning Rod Drill Sleeve for AJAX Advance Nail - ,Allen Key Hex 5mm for AJAX Advance Nail - ,Instrument Trays for AJAX Advance Nailing Instrument Set (Distal Targeting Device) - ,Container with PPSU Lid for AJAX Advance Nailing Instrument set (Distal Targeting Device) - ,Expert Femur Nailing Instrument Set - ,Cannulated Awl for Expert Femur Nail - ,Entry Reamer Dia14.3mm for Expert Femur Nail - ,T-Handle with Quick Coupling for Entry Reamer - Expert Femur Nail - ,Guide Wire With Ball Tip Dia2.5/3.65mm x Length 1000mm - Nitinol for Expert Femur Nail - ,Guide Wire Without Ball Tip Dia2.5mm x Length 1000mm - Nitinol for Expert Femur Nail - ,Insertion Handle for Expert Femur Nail - ,Flexible Reamer Shaft (AO Connection) for Expert Femur Nail - ,Reduction Rod for Expert Femur Nail - ,Reamer HeadDia8.5mm-15mm for Expert Femur Nail - ,Nail Holding Bolt for Expert Femur Nail - ,Long Screwdriver with T-Handle Hex 5mm for Expert Femur Nail - ,Sliding Hammer for Expert Femur Nail - ,Proximal Aiming Bar for Expert Femur Nail - ,Locking Bolt For Proximal Aiming Bar - Expert Femur Nail - ,Allen Key Hex 5mm for Expert Femur Nail - ,Proximal Aiming Device for Expert Femur Nail - ,Distal Aiming Bar for Expert Femur Nail - ,Outer Drill Sleeve 10/8.1mm for Distal Targeting Device - Expert Femur Nail - ,Locking Bolt for Distal Aiming Bar - Expert Femur Nail - ,Distal Targeting Device for Expert Femur Nail - ,Trocar for Sleeve 8.1mm for Distal Targeting Device- Expert Femur Nail - ,Drill Sleeve 8.1/5.2mm for Positioning Rod - Expert Femur Nail - ,Drill Bit Plain Shank/Jacob Chuck End Dia5.2mm x Length 250mm for Expert Femur Nail - ,Dia5.2mm T-Handle Drill Bit with Flat End for Expert Femur Nail - , Positioning Rod 8.1/5.2mm for Expert Femur Nail - ,Stabilizing Device for Expert Femur Nail - , Outer Drill Sleeve 11/8.2mm for Expert Femur Nail - ,Trocar Sleeve Dia8.2/2.5mm for Expert Femur Nail - ,Trocar Dia2.5mm for Expert Femur Nail - ,Drill Sleeve 8/4.4mm for Expert Femur Nail - ,Trocar Dia4.3mm for Expert Femur Nail - ,Drill Bit Plain Shank/Jacob Chuck End Dia4.3mm x Length 300mm for Expert Femur Nail - ,Stopper for Dia4.3mm Drill Bit - Expert Femur Nail - ,Allen Key Hex 3mm for Expert Femur Nail - ,Depth Gauge measuring upto 90mm for Dia4.8mm Locking Bolt - Expert Femur Nail - ,Screwdriver with T-Handle Hex 3.5mm for Dia4.8mm Locking Bolt - Expert Femur Nail - ,Universal Screwdriver Hex 6.5mm Ball Tip for Nail Holding Bolt- Expert Femur Nail - ,Distal Bolt Hex 5mm for Distal Targeting Device - Expert Femur Nail - ,Guide Wire with Threaded Tip Dia2.5mm x Thread Length 10mm x Length 338mm - ,Guide Wire Dia2.5mm x Length 338mm - ,Direct Measuring Device Length upto 120mm for Expert Femur Nail - ,Tissue Protector for Expert Femur Nail - ,Cannulated Step Drill Bit for Anti-Rotation Screw - Expert Femur Nail - ,Stopper for Step Drill Bit - Expert Femur Nail - , Protection Sleeve 17/14.5mm for Expert Femur Nail - ,Guide Sleeve 14.3/3.2mm for Protection Sleeve - Expert Femur Nail - ,Impactor - Extractor Rod for Expert Femur Nail - ,Guide Wire Holder for Expert Femur Nail - ,Distal Screw Device (Static/ Dynamic Locking) for Expert Femur Nail - ,Combination Wrench 11mm for Expert Femur Nail - ,Connecting Rod - Impactor for Expert Femur Nail - ,Connecting Block for Connecting Rod - Expert Femur Nail - , Compression Bolt Dia4mm for Expert Femur Nail - ,Guide Pin Dia3.2mm x Length 480mm - , Radiographic Ruler for Expert Femur Nail - ,Depth Gauge measuring upto 100mm for Expert Femur Nail - ,Medullary Exchange Tube - ,T-Handle for Flexible Reamer (AO Connection) - , Instrument Trays for Expert Femur Nailing Instrument Set - ,Container with PPSU Lid for

Expert Femur Nailing Instrument Set - ,Guide Wire With Ball Tip Dia2.5/3.65mm x Length 1000mm -Stainless Steel for Expert Femur Nail - ,Guide Wire Without Ball Tip Dia2.5mm x Length 1000mm -Stainless Steel for Expert Femur Nail - ,Ga-mma Nailing Instrument Set Aluminium Targeting Device - ,Radiographic Ruler for Short Ga-mma Nail - ,Protection Sleeve 20/17mm for Ga-mma Nail - ,Guide Sleeve for Guide Wire Dia3.0mm - Ga-mma Nail - ,Guide Wire With Ball Tip Dia2.5/3.65mm x Length 680mm - Nitinol for Ga-mma Nail - ,Guide Wire Without Ball Tip Dia2.5mm x Length 680mm - Nitinol for Ga-mma Nail - ,Flexible Shaft with Reamer Dia10mm-14mm for Ga-mma Nail - ,T Handle with Quick Coupling for Entry Reamer - Ga-mma Nail - ,Entry Reamer Dia16.5mm with Quick Coupling End for Ga-mma Nail - , Cannulated Awl for Ga-mma Nail - ,Tissue Protector for Ga-mma Nail - ,Insertion Handle Aluminium for Ga-mma Nail - ,Nail Holding Bolt for Aluminium Targeting Device for Ga-mma Nail - ,Guide Wire Holder for Ga-mma Nail - ,Insertion Connecting Rod for Ga-mma Nail - ,Block for Insertion Connecting Rod - Ga-mma Nail - ,Combination Wrench 11mm for Ga-mma Nail - , Insertion Hammer Solid for Ga-mma Nail - ,130° Proximal Targeting Device Aluminium for Ga-mma Nail - ,125° Proximal Targeting Device Aluminium for Ga-mma Nail - ,Locking Bolt for Aluminium Targeting Device - Ga-mma Nail - ,Protection Sleeve 10/8.2mm for Ga-mma Nail - , Trocar Dia8mm for Ga-mma Nail - ,Drill Sleeve 8/4.3mm for Drill Bit Dia4.3mm - Ga-mma Nail - ,Short Aluminium Distal Targeting Device for Length upto 240mm - Ga-mma Nail - ,Sliding Hammer Slotted for Ga-mma Nail - ,Flexible Screwdriver Hex 3.5mm for Inner Screw - Ga-mma Nail - ,Allen Key Hex 3mm for Ga-mma Nail - ,Universal Screwdriver Hex 7mm for Ga-mma Nail - ,Protection Sleeve 14/11.2mm for Cephalic Screw - Ga-mma Nail - ,Trocar Sleeve 11.2/3.2mm for Cephalic Screw - Ga-mma Nail - ,Trocar Dia3.2mm for Cephalic Screw Dia10.5mm - Ga-mma Nail - ,Measuring Device upto 130mm for Cephalic Screw Dia10.5mm - Ga-mma Nail - , Inserter for Cephalic Screw Dia10.5mm & End Cap - Ga-mma Nail - ,Screwdriver with T-Handle Hex 3.5mm for Ga-mma Nail - ,Universal Screwdriver with T-Handle Hex 8mm for Ga-mma Nail - ,Proximal Cortex Drill Dia10mm with Quick Coupling End for Cephalic Screw Dia10.5mm - Ga-mma Nail - ,Cannulated Reamer Dia10.5mm for Cephalic Screw Dia10.5mm - Ga-mma Nail - , Stopper for Cannulated Reamer - Ga-mma Nail - ,Measuring Device upto 130mm for Dia6.4mm Cannulated Anti -Rotation Screw for Ga-mma Nail - ,Protection Sleeve 10/8.2mm for Dia6.4mm Cannulated Anti -Rotation Screw for Ga-mma Nail - ,Trocar Dia2.5mm for Dia6.4mm Cannulated Anti -Rotation Screw for Ga-mma Nail - ,Inserter for Dia6.4mm Cannulated Anti -Rotation Screw for Ga-mma Nail - ,Tapered Drill 6.4/4.5mm for Dia6.4mm Cannulated Anti -Rotation Screw for Ga-mma Nail - ,Stopper for Tapered Drill 6.4/4.5mm - Ga-mma Nail - , Holding Driver Hex 3.5 for Inner Screw for Ga-mma Nail - ,Guide Wire Dia2.5mm x Length 380mm for Dia6.4mm Cannulated Anti -Rotation Screw - ,Guide Wire with Threaded Tip Dia3.0mm x Thread Length 12mm x Length 400mm for Cephalic Screw Dia10.5mm - ,Extraction Hammering Rod for Ga-mma Nail - ,Depth Gauge measuring upto 100mm-150 for Ga-mma Nail - ,Stylet Dia3mm for Ga-mma Nail - ,Compression Screw for Ga-mma Nail - ,Drill Bit Plain Shank/Jacob Chuck End Dia4.3mm x Length 300mm for Ga-mma Nail - ,Stopper for Drill Bit Dia4.3mm - Ga-mma Nail - ,Entry Reamer Protection Sleeve 20/17mm for Ga-mma Nail - , Entry Reamer Guide Wire Sleeve 17/3.2mm for Ga-mma Nail - ,Instrument Trays for Ga-mma Nailing Instrument Set Aluminium Targeting Device - ,Curved Awl- Dia9.5-Dia5.6mm for Ga-mma Nail - ,Guide Wire With Ball Tip Dia2.5/3.65mm x Length 680mm - Stainless Steel for Ga-mma Nail - ,Container with PPSU Lid for Ga-mma Nailing Instrument Set Aluminium Targeting Device - ,Guide Wire Without Ball Tip Dia2.5mm x Length 680mm - Stainless Steel for Ga-mma Nail - ,Insertion Handle Carbon PEEK for Ga-mma Nail - ,Ga-mma Nailing Instrument Set (PEEK) - ,Nail Holding Bolt for Insertion Handle Carbon Peek for Ga-mma Nail - ,130° Proximal Targeting Device Carbon PEEK for Ga-mma Nail - ,Locking Bolt for Carbon PEEK Targeting Device - Ga-mma Nail - ,125° Proximal Targeting Device Carbon PEEK for Ga-mma Nail - ,Short Carbon PEEK Distal Targeting Device for Length upto 240mm - Ga-mma Nail - NA ,Proximal

Cortex Cannulated Drill Dia10.5mm for AJAX Cephalic Screw - ,Container with PPSU Lid for Ga-mma Nailing Instrument Set (PEEK) - ,Ga-mma Nailing Instrument Set Distal Targeting Device - ,Dia5.2mm T-Handle Drill Bit with Flat End for Ga-mma Nail - ,Drill Bit Plain Shank/Jacob Chuck End Dia5.2mm x Length 250mm for Ga-mma Nail - ,Radiographic Ruler For Long Ga-mma Nail - ,Distal Targeting Device for Ga-mma Nail - ,Allen Key Hex 5mm for Ga-mma Nail - ,Stabilizing Device (Dia9 Dia10 Dia11) for Ga-mma Nail - ,Stabilizing Device (Dia12 Dia13) for Ga-mma Nail - ,Flexible Reamer Shaft (AO Connection) for Ga-mma Nail - ,Outer Drill Sleeve 10/8.1mm for Distal Targeting Device for Ga-mma Nail - ,Drill Sleeve 8.1/5.2mm for Positioning Rod for Ga-mma Nail - ,Positioning Rod 8.1/5.2mm for Ga-mma Nail - ,Reduction Rod for Long Ga-mma Nail - ,Proximal Aiming Bar for Long Ga-mma Nail - ,Distal Aiming Bar for Long Ga-mma Nail - ,Reamer HeadDia8.5mm-14mm for Ga-mma Nail - ,Locking Bolt for Distal Aiming Bar - Ga-mma Nail - ,Locking Bolt for Proximal Aiming Bar - Ga-mma Nail - , Distal Bolt Hex 5mm for Distal Targeting Device - Ga-mma Nail - ,Guide Wire without Ball Tip Dia2.5mm x Length 1000mm - Nitinol for Ga-mma Nail - ,Guide Wire with Ball Tip Dia2.5/3.65mm x Length 1000mm - Nitinol for Ga-mma Nail - ,Instrument Trays for Ga-mma Nailing instrument set Distal Targeting Device - ,Container with PPSU Lid for Ga-mma Nailing instrument set Distal Targeting Device - ,Guide Wire without Ball Tip Dia2.5mm x Length 1000mm - Stainless Steel for Ga-mma Nail - ,Guide Wire with Ball Tip Dia2.5/3.65mm x Length 1000mm - Stainless Steel for Ga-mma Nail - ,JIN Type - Femur Nailing Instrument Set - ,Drill Sleeve 8/4mm for Drill Bit Dia4mm - JIN Type - Femur Nail - ,Protection Sleeve 10/8.2mm for JIN Type - Femur Nail - ,Drill Sleeve 8/5.3mm for Drill Bit Dia5.2mm - JIN Type - Femur Nail - , Tissue protector for JIN Type - Femur Nail - ,Right Angle Locking Rod Dia4mm For Nail Holding Bolt - JIN Type - Femur Nail - ,T-Handle Screwdriver Hex 3.5mm JIN Type - Femur Nail - ,Bolt for Distal Targeting Device - JIN - Type Femur Nail - ,Dia5.2mm T-Handle Drill Bit with Flat End for JIN Type - Femur Nail - ,Positioning Rod Dia5mm for JIN Type - Femur Nail - ,Allen Key Hex 5mm for JIN Type - Femur Nail - ,Allen Key Hex 3mm for JIN Type - Femur Nail - , Combination Wrench 12mm for JIN Type - Femur Nail - ,Cannulated Awl for JIN Type - Femur Nail - ,Reamer Head Dia8.0mm-13.0mm for JIN Type - Femur Nail - ,Drill Bit Plain Shank/ Jacob Chuck End Dia4.0mm x Length 300mm for JIN Type - Femur Nail - ,Stopper for Drill Bit Dia4mm - JIN Type - Femur Nail - ,Drill Bit Plain Shank/ Jacob Chuck End Dia5.2mm x Length 250mm for JIN Type - Femur Nail - ,Entry Reamer Dia12.5mm with Quick Coupling End for JIN Type - Femur Nail - ,Reduction Device for JIN Type - Femur Nail - ,Flexible Reaming Shaft for Reamer Head Dia8mm to 14mm - JIN Type - Femur Nail - ,Insertion Handle for JIN Type - Femur Nail - ,Distal Targeting Arm for JIN Type - Femur Nail - ,T-Handle Quick Coupling for Flexible Reamer Shaft/Entry Reamer - JIN Type - Femur Nail - ,Positioning Block for JIN Type - Femur Nail - ,Trocar Dia8mm for JIN Type - Femur Nail - ,Distal Targeting Device for Length 320mm to 440mm for JIN Type - Femur Nail - ,Protection Sleeve 15.5/13.5mm for Entry Reamer for JIN Type - Femur Nail - ,Depth Gauge measuring upto 90mm for JIN Type - Femur Nail - ,Extraction Rod with Ram for JIN Type - Femur Nail - ,Extraction Handle for JIN Type- Femur Nail - ,Impactor Dia9.9mm for JIN Type - Femur Nail - ,Guide Wire with Ball Tip Dia2.5/3.5mm x Length 1000mm - Nitinol for JIN Type - Femur Nail - ,Guide Wire without Ball Tip Dia2.5mm x Length 1000mm - Nitinol for JIN Type - Femur Nail - ,Nail Holding Bolt for JIN Type - Femur Nail - ,Bolt for Proximal Targeting Device for JIN Type - Femur Nail - ,Proximal Targeting Device for JIN Type - Femur Nail - ,Guide Wire Introducer for JIN Type - Femur Nail - ,Guide Wire with Threaded Tip Dia3.2mm x Thread Length 12mm x Length 400mm - ,Plastic Exchange Tube for JIN Type - Femur Nail - ,Flexible Reaming Shaft for Reamer Head Dia8mm to 14mm - JIN Type - Femur Nail - ,Instrument Trays For JIN Type - Femur Nailing Instrument Set - ,Container for JIN Type - Femur Nailing Instrument Set - ,Guide Wire with Ball Tip Dia2.5/3.5mm x Length 1000mm - Stainless Steel for JIN Type - Femur Nail - ,Guide Wire without Ball Tip Dia2.5mm x Length 1000mm - Stainless Steel for JIN Type - Femur Nail - ,Konzept

Femur Nailing Instrument Set - ,Targeter Arm for Konzept Femur Nail - ,Targeter 135° for Konzept Femur Nail - ,Distal Target D for Konzept Femur Nail - ,Connecting Screw M10x1 Length 55mm for Konzept Femur Nail - ,Connecting Screw M10x1 Length 66mm for Konzept Femur Nail - ,Compression Screw for Konzept Femur Nail - ,Nail Length Measuring Device for Konzept Femur Nail - ,Trocar Dia9mm for Konzept Femur Nail - ,Protective Guide Dia11/9mm for Konzept Femur Nail - ,Drill Guide Dia9/6.5mm for Konzept Femur Nail - ,Drill Guide Dia9/4.5mm for Konzept Femur Nail - ,Kirschner Guide for Konzept Femur Nail - ,Reconstruction Screw Length Measuring Device for Konzept Femur Nail - ,Kirschner Wire Dia2.0mm x Length 380mm for Konzept Femur Nail - ,Protective Guide Dia9/6.5mm for Konzept Femur Nail - ,Drill Guide Dia6.5/3.5mm for Konzept Femur Nail - Set Block Dia9/4.5mm for Konzept Femur Nail , Trocar Dia6.5mm for Konzept Femur Nail - ,Drill Guide Dia6.5/4.5mm for Konzept Femur Nail - ,Screw Length Measuring Device for Konzept Femur Nail - ,Curved Awl Dia8.0mm for Konzept Femur Nail - ,Impactor-Extractor Rod for Konzept Femur Nail - ,Universal Wrench S10 for Konzept Femur Nail - ,Mallet for Konzept Femur Nail - ,Universal Wrench S10 for Konzept Femur Nail - ,Teflon Pipe Guide for Konzept Femur Nail - ,Connector M10 x 1/M12 for Konzept Femur Nail - ,Guide Rod Dia3.0mm x Length 580mm for Konzept Femur Nail - ,Guide Rod Handle for Konzept Femur Nail - ,Screwdriver Hex 3.5mm for Konzept Femur Nail - ,Drill with Scale Dia4.5mm x Length 350mm for Konzept Femur Nail - ,Drill with Scale Dia3.5mm x Length 250mm for Konzept Femur Nail - ,Drill Dia6.5mm x Length 350mm for Konzept Femur NailCannulated Drill Dia6.5mm x Length 350mm for Konzept Femur Nail - ,Cannulated Drill Dia6.5mm x Length 350mm for Konzept Femur Nail - ,Cannulated Screwdriver Hex 5.0mm for Konzept Femur Nail - ,Cannulated Screw Length Measuring Device for Konzept Femur Nail - , Aiming Insert Dia9.0mm for Konzept Femur Nail - ,Aiming Insert Dia11.0mm for Konzept Femur Nail - ,Screwdriver with T- Handle Hex 3.5mm for Konzept Femur Nail - ,Bolt Guide with T- Handle for Konzept Femur Nail - ,Drill Dia4.5mm x 250mm for Konzept Femur Nail - , Protective Guide Dia11/9mm Short for Konzept Femur Nail - ,Angle Block for Konzept Femur Nail - ,Instrument Trays for Konzept Femur Nailing Instrument Set - ,Aluminium Sterilization Container 560mm x 280mm x 200mm - NA ,Dia5.2mm T-Handle Drill Bit with Flat End for AJAX Advance Nail - ,Retrograde Nail Instrument Set - ,Guide Wire with Threaded Tip Dia3.2mm x Thread Length 15mm x Length 400mm - ,Tissue Protector for Retrograde Nail - ,Depth Gauge measuring upto 120mm for Retrograde Nail - ,Protection Sleeve 17/14mm For Entry Reamer/Wire Guide for Retrograde Nail - ,Entry Wire Guide Dia14mm for 3.2mm Guide Wire - Retrograde Nail - ,Entry Reamer Dia13.5mm for Retrograde Nail - ,Cannulated Awl Dia13.5mm for Retrograde Nail - ,Insertion Handle for Retrograde Nail - ,Distal Aiming Device for Long Retrograde Nail - ,Proximal/Distal Aiming Attachment for Retrograde Nail - ,Proximal Aiming Arm for Retrograde Nail - ,Distal Arm Attachment for Distal Aiming Device - Retrograde Nail - , Proximal/ Distal Short Nail Aiming Device for Retrograde Nail - ,Distal Aiming Device Bolt for Retrograde Nail - ,Stabilizing Rod Guide Dia10/8.0mm for Retrograde Nail - ,Stabilizing Rod With Quick Coupling End for Retrograde Nail - ,Stabilizing Spacer for Retrograde Nail - ,Distal Arm for Retrograde Nail - ,Locking Bolt For Distal Arm for Retrograde Nail - ,Rod With Thread Guide 11/8.0mm for Retrograde Nail - ,Threaded Lateral Stabilizing Rod with Quick Coupling End Dia9.5mm-13mm for Retrograde Nail - ,Stabilizing Spacer for Threaded Rod for Retrograde Nail - ,Nail Holding Bolt for Retrograde Nail - ,Allen key Hex 5.0mm for Retrograde Nail - ,Impactor For Guide Handle for Retrograde Nail - ,Drill For Stabilizing Rod with Quick Coupling End for Retrograde Nail - ,Hammer Guide for Retrograde Nail - ,Extraction Screw for Retrograde Nail - ,Trocar Nail Dia3.2mm for Retrograde Nail - ,Position Rod Dia3.8mm x Length 260mm for Retrograde Nail - ,Reamer Head Dia9.0mm-15mm for Retrograde Nail - , Handle with Quick Coupling for Retrograde Nail - ,Reducer for Retrograde Nail - ,Guide Wire with Olive Dia2.5mm x Length 1000mm x Olive Dia3.8mm - ,Flexible Reamer Shaft with Jacob Coupling for Retrograde Nail - ,Outer Sleeve 11/8mm for Retrograde Nail - ,Cannulated Sleeve

for Drill Bit 8/4mm for Retrograde Nail - ,Long Trocar Dia4.0mm x Length 205mm for Retrograde Nail - ,Drill Bit Plain Shank/Jacob Chuck End Dia4.0mm x Length 320mm for Retrograde Nail - ,Stopper for Drill Bit Dia4.0mm for Retrograde Nail - ,Locating Pin Dia4.0mm x Length 320mm for Retrograde Nail - ,Reamer For Lateral Cortex with Quick Coupling End for Retrograde Nail - ,Hexagonal Wrench Hex 4.5mm for Retrograde Nail - ,Threaded Trocar For Hexagonal Wrench Dia2.2mm x Thread 4mm x Length 267mm for Retrograde Nail - ,Combined Hammer for Retrograde Nail - ,Combined Wrench 11mm for Retrograde Nail - ,Combined Wrench 11mm for Retrograde Nail - ,L Handle Pin Wrench Dia4.5mm for Impactor - Retrograde Nail - ,Instrument Trays for Retrograde Nailing Instrument Set - ,Radiographic ruler for Retrograde Nail - ,Wire Holder for Retrograde Nail - ,Container For Retrograde Nailing Instrument Set - ,Konzept Fibula & Forearm Nail Instrument Set - ,Proximal Targeter B for Knozept Fibula & Forearm Nail - ,Clamping Screw M4 - ,Socket Wrench, Hex 7mm - ,Impactor - Extractor for Konzept Fibula & Forearm Nail - ,Protective Guide Dia7/5mm - ,Kirschner Wire Guide B Dia5/2mm - ,Screw Length Measure upto 40mm - ,Targeter D for Konzept Fibula & Forearm Nail - ,Mallet for Konzept Fibula & Forearm Nail - ,Connector M4 - ,Screwdriver Hex 2.0mm for Konzept Fibula & Forearm Nail - ,Nail Trail - , Bender - ,Kirschner Wire one side Trocar Tip Dia2.0mm x Length 200mm - ,Cannulated Drill Dia6.0 x 2.2 x 150mm - ,Kirschner Wire Threaded Ti Dia1.5mm x Thread Length 7.5mm x Length 180mm - ,Instrument Tray for Konzept Fibula & Forearm Nail Instrument Set - ,Container with Lid for Konzept Fibula & Forearm Nail Instrument Set - ,Trocar Dia8mm for Long Ga-mma Nail - ,Radiographic Ruler for Short Athos Nail - ,Protection Sleeve 20/17mm forAthos Nail - ,Guide Sleeve for Guide Wire Dia3.0mm -Athos Nail - ,Guide Wire With Ball Tip Dia2.5/3.65mm x Length 680mm - Nitinol forAthos Nail - ,Guide Wire Without Ball Tip Dia2.5mm x Length 680mm - Nitinol forAthos Nail - ,Flexible Shaft with Reamer Dia 10mm-14.0mm forAthos Nail - ,T Handle with Quick Coupling for Entry Reamer -Athos Nail - ,Entry Reamer Dia16.5mm with Quick Coupling End forAthos Nail - ,Cannulated Awl forAthos Nail - ,Tissue Protector forAthos Nail - ,Insertion Handle Aluminium forAthos Nail - ,Nail Holding Bolt for Aluminium Targeting Device forAthos Nail - , Guide Wire Holder forAthos Nail - ,Insertion Connecting Rod forAthos Nail - ,Block for Insertion Connecting Rod -Athos Nail - ,Combination Wrench 11mm forAthos Nail - ,Insertion Hammer Solid forAthos Nail - ,125°-130° Proximal Targeting Device Aluminium forAthos Nail - ,Locking Bolt for Aluminium Targeting Device -Athos Nail - ,Protection Sleeve 10/8.2mm forAthos Nail - ,Trocar Dia8mm forAthos Nail - ,Drill Sleeve 8/4.3mm for Drill Bit Dia4.3mm -Athos Nail - , Short Aluminium Distal Targeting Device for Length upto 240mm -Athos Nail - ,Sliding Hammer Slotted forAthos Nail - ,Flexible Screwdriver Hex 3.5mm for Inner Screw -Athos Nail - ,Allen Key Hex 3mm forAthos Nail - ,Universal Screwdriver Hex 7mm forAthos Nail - , Protection Sleeve 14/11.2mm for Cephalic Screw -Athos Nail - ,Trocar Sleeve 11.2/3.2mm for Cephalic Screw -Athos Nail - ,Trocar Dia3.2mm for Cephalic Screw Dia10.5mm -Athos Nail - , Measuring Device upto 130mm for Cephalic Screw Dia10.5mm -Athos Nail - ,Inserter for Cephalic Screw Dia10.5mm & End Cap -Athos Nail - ,Screwdriver with T-Handle Hex 3.5mm forAthos Nail - ,Universal Screwdriver with T-Handle Hex 8mm forAthos Nail - ,Proximal Cortex Drill Dia10mm with Quick Coupling End for Cephalic Screw Dia10.5mm -Athos Nail - , Cannulated Reamer Dia10.5mm for Cephalic Screw Dia10.5mm -Athos Nail - ,Stopper for Cannulated Reamer -Athos Nail - ,Measuring Device upto 130mm for Dia6.4mm Cannulated Anti -Rotation Screw forAthos Nail - ,Protection Sleeve 10/8.2mm for Dia6.4mm Cannulated Anti -Rotation Screw forAthos Nail - ,Trocar Sleeve 8.1/2.5mm for Dia6.4mm Cannulated Anti -Rotation Screw forAthos Nail - ,Trocar Dia2.5mm for Dia6.4mm Cannulated Anti -Rotation Screw forAthos Nail - ,Inserter for Dia6.4mm Cannulated Anti -Rotation Screw forAthos Nail - , Tapered Drill 6.4/4.5mm for Dia6.4mm Cannulated Anti -Rotation Screw forAthos Nail - , Stopper for Tapered Drill 6.4/4.5mm -Athos Nail - ,Holding Driver Hex 3.5 for Inner Screw forAthos Nail - ,Guide Wire Dia2.5mm x Length 380mm for Dia6.4mm Cannulated Anti -

Rotation Screw - ,Guide Wire with Threaded Tip Dia3.0mm x Thread Length 12mm x Length 400mm for Cephalic Screw Dia10.5mm - ,Extraction Hammering Rod forAthos Nail - ,Depth Gauge measuring upto 100mm forAthos Nail - ,Depth Gauge measuring upto 115mm forAthos Nail - ,Stylet Dia3mm forAthos Nail - ,Compression Screw forAthos Nail - ,Drill Bit Plain Shank/Jacob Chuck End Dia4.3mm x Length 300mm forAthos Nail - ,Stopper for Drill Bit Dia4.3mm -Athos Nail - ,Entry Reamer Protection Sleeve 20/17mm forAthos Nail - ,Entry Reamer Guide Wire Sleeve 17/3.2mm forAthos Nail - ,Curved Awl- Dia9.5-Dia5.6mm forAthos Nail - , Instrument Trays forAthos Nailing Instrument Set Aluminium Targeting Device - ,Guide Wire With Ball Tip Dia2.5/3.65mm x Length 680mm - Stainless Steel forAthos Nail - ,Guide Wire Without Ball Tip Dia2.5mm x Length 680mm - Stainless Steel forAthos Nail - ,Gamma Nailing Instrument Set (PEEK) - ,Insertion Handle Carbon PEEK forAthos Nail - ,Nail Holding Bolt for Insertion Handle Carbon Peek forAthos Nail - ,130° Proximal Targeting Device Carbon PEEK forAthos Nail - ,Locking Bolt for Carbon PEEK Targeting Device -Athos Nail - ,125° Proximal Targeting Device Carbon PEEK forAthos Nail - ,Short Carbon PEEK Distal Targeting Device for Length upto 240mm -Athos Nail - ,Instrument Trays forAthos Nailing Instrument Set (PEEK) - , Container with PPSU Lid forAthos Nailing Instrument Set (PEEK) - ,Athos Nailing Instrument Set Distal Targeting Device - ,Dia5.2mm T-Handle Drill Bit with Flat End forAthos Nail - ,Drill Bit Plain Shank/Jacob Chuck End Dia5.2mm x Length 250mm forAthos Nail - ,Radiographic Ruler For LongAthos Nail - ,Distal Targeting Device forAthos Nail - ,Allen Key Hex 5mm forAthos Nail - ,Stabilizing Device (Dia9 Dia10 Dia11) forAthos Nail - ,Stabilizing Device (Dia12 Dia13) forAthos Nail - ,Flexible Reamer Shaft (AO Connection) forAthos Nail - ,Outer Drill Sleeve 10/8.1mm for Distal Targeting Device forAthos Nail - ,Trocac Dia8mm for LongAthos Nail - ,Drill Sleeve 8.1/5.2mm for Positioning Rod forAthos Nail - ,Positioning Rod 8.1/5.2mm forAthos Nail - ,Reduction Rod for LongAthos Nail - ,Proximal Aiming Bar for Long Athos Nail - ,Distal Aiming Bar for Long Athos Nail - ,Reamer Head Dia8.5mm-14.0mm forAthos Nail - , Locking Bolt for Distal Aiming Bar -Athos Nail - ,Locking Bolt for Proximal Aiming Bar -Athos Nail - ,Distal Bolt Hex 5mm for Distal Targeting Device -Athos Nail - ,Guide Wire without Ball Tip Dia2.5mm x Length 1000mm - Nitinol forAthos Nail - ,Guide Wire with Ball Tip Dia2.5/3.65mm x Length 1000mm - Nitinol forAthos Nail - ,Instrument Trays forAthos Nailing instrument set Distal Targeting Device - ,Container with PPSU Lid forAthos Nailing instrument set Distal Targeting Device - ,Guide Wire without Ball Tip Dia2.5mm x Length 1000mm - Stainless Steel forAthos Nail - ,Guide Wire with Ball Tip Dia2.5/3.65mm x Length 1000mm - Stainless Steel forAthos Nail - ,Athos Nailing Instrument Set Distal Targeting Device - ,Athos Nailing Instrument Set (PEEK) - Athos Nailing Instrument Set Aluminium Targeting Device

Intended Use:The Intramedullary locking nail instrument sets includes Awl, Tissue Protector, Nut for coupling bolt, Proximal Jig, Distal Jig, Knob, Proximal Arm for Jig, Coupling bolt, Measuring device, T handle, Universal Spanner, Tommy Bar, Ram, Ram Rod, Jig cover , Detachable Slide Hammer,F-Tool, Spanner Wrench, Standard Tamp, Screw Tightner,Medullary tube Polyamide.Orthopedic Instruments are used externally during the Surgery, It help in Surgical procedure for inserting the Implants into the body. These Instruments are used in No. of surgeries.

Class of medical device:Class B

Material of construction:Stainless steel as per ISO 7153-1/ASTM F899,Alumunium,Silicon, PPSU,Nitinol,Propylux

Dimension(if any):Various Dimension of surgical instruments are manufactured

Shelflife:Not applicable

Sterile or Non sterile:Non-Sterilized

Brand Name(if registered under the Trade Marks Act, 1999):NIL

2	<p>Generic Name:Intramedullary Locking Nail Instrument Set</p> <p>Model No.:Tarsus Nailing Instrument Set - ,Radiographic Ruler for Tarsus Nail - ,18/8.0mm Protection Sleeve for Tarsus Nail - ,Threaded Alignment Pin for Tarsus Nail - ,Driving Cap for Tarsus Nail - ,Insertion Handle for Tarsus Nail - ,Three Fluted Drill Bit with Quick Couling End, Ø5.0mm x Length 356mm for Tarsus Nail - ,Aiming Arm for Tarsus Nail - ,Aiming Arm Adapter with Bolt for Tarsus Nail - ,Spiral Blade Inserter for Tarsus Nail - ,Holding Device for Guide Wire for Tarsus Nail - ,Sliding Hammer for Tarsus Nail - ,Three Fluted Drill Bit with Quick Couling End, Ø4.2mm x Length 330 for Tarsus Nail - ,12/8.0mm Protection Sleeve for Tarsus Nail - ,8.0 /3.2mm Drill Sleeve for Tarsus Nail - ,8.0/4.2mm Drill Sleeve for Tarsus Nail - ,8.0/5.0mm Drill Sleeve for Tarsus Nail - ,3.2mm Trocar for Tarsus Nail - ,4.2mm Trocar for Tarsus Nail - ,5.0mm Trocar for Tarsus Nail - ,Depth Gauge measuring upto 100mm for Tarsus Nail - ,15.0/13.0mm Protection Sleeve for Tarsus Nail - ,13.0/3.2mm Guide Wire Sleeve for Tarsus Nail - ,Measuring Device for Spiral Blade for Tarsus Nail - ,Universal Screwdriver, Hex 8mm for Tarsus Nail - , Guide Wire Push Rod for Tarsus Nail - ,Self Retaining Screwdiver, Star Head T25 for Tarsus Nail - ,Self Retaining Screwdiver Shaft, Star Head T25 for Tarsus Nail - ,Screw Holding Sleeve with Locking Device for Tarsus Nail - ,Guide Wire with Threaded Tip, Ø3.2mm x Thread Length 13mm x Length 290mm for Tarsus Nail - ,Cannulated Nail Connecting Screw for Insertion Handle for Tarsus Nail - ,4.5mm Pin Wrench for Tarsus Nail - ,Ratchet Wrench, Hex 11mm for Tarsus Nail - ,13.0mm Cannulated Entry Reamer for Tarsus Nail - ,13.0mm Protection Sleeve for Tarsus Nail - ,13.0/3.2mm Trocar for Tarsus Nail - ,Hammer Guide for Tarsus Nail - , Connecting Screw for Spiral Blade Inserter for Tarsus Nail - Quick Coupling Handle,Extraction Screw for Tarsus Nail - Cannulated Shaft, Hex 8mm for Tarsus Nail,Guide Wire with Threaded Tip, Ø3.2mm x Thread Length 13mm x Length 400mm for Tarsus Nail - Instrument Trays for Tarsus Nailing Instrument Set,Container for Tarsus Nailing Instrument Set - T- Handle for Entry Reamer</p> <p>Intended Use:The Intramedullary locking nail instrument sets includes Awl, Tissue Protector, Nut for coupling bolt, Proximal Jig, Distal Jig, Knob, Proximal Arm for Jig, Coupling bolt, Measuring device, T handle, Universal Spanner, Tommy Bar, Ram, Ram Rod, Jig cover , Detachable Slide Hammer,F-Tool, Spanner Wrench, Standard Tamp, Screw Tightner,Medullary tube Polyamide.Orthopedic Instruments are used externally during the Surgery, It help in Surgical procedure for inserting the Implants into the body. These Instruments are used in No. of surgeries.</p> <p>Class of medical device:Class B</p> <p>Material of construction:Stainless steel as per ISO 7153-1/ASTM F899,Alumunium,Silicon, PPSU,Nitinol,Propylux</p> <p>Dimension(if any):Various Dimension of surgical instruments are manufactured</p> <p>Shelflife:Not applicable</p> <p>Sterile or Non sterile:Non-Sterilized</p> <p>Brand Name(if registered under the Trade Marks Act, 1999):NIL</p>
---	--

3

Generic Name:Intramedullary Locking Nail Instrument Sets

Model No.:Konzept Humerus Nailing Instrument Set - ,Humeral Target B for Konzept Humerus Nail - ,Distal Target D for Konzept Humerus Nail - ,Angular Reconstruction Target for Konzept Humerus Nail - ,Connecting Screw M7x1spec. Length 95mm, for Konzept Humerus Nail - , Connecting Screw M7x1spec. Length 101mm, for Konzept Humerus Nail - ,Set Block Ø3.5/4.5mm for Konzept Humerus Nail - ,Protective Guide Ø6.5/9mm for Konzept Humerus Nail - , Drill Guide Ø6.5/3.5mm for Konzept Humerus Nail - ,Drill Guide Ø6.5/2.8mm for Konzept Humerus Nail - ,Drill Guide Ø6.5/4.5mm for Konzept Humerus Nail - ,Trocar Ø6.5mm for Konzept Humerus Nail - ,Target D for Konzept Humerus Nail - ,Short Trocar Ø7mm for Konzept Humerus Nail - ,Drill Guide Short Ø7/3.5mm for Konzept Humerus Nail - ,Drill Guide Ø7/2.8mm for Konzept Humerus Nail - ,Impactor-Extractor Rod for Konzept Humerus Nail - ,Mallet for Konzept Humerus Nail - ,Connector M7/M16 for Konzept Humerus Nail - ,Screwdriver, Hex 3.5 mm, for Konzept Humerus Nail - ,Socket Wrench, Hex 11mm for Konzept Humerus Nail - ,Screw Length Measuring Device for Konzept Humerus Nail - ,Guide Rod Ø1.8mm x Length 500mm for Konzept Humerus Nail - ,Handle Guide Rod for Konzept Humerus Nail - ,Teflon Pipe Guide for Konzept Humerus Nail - ,Drill with Scale Ø2.8mm x Length 240mm, for Konzept Humerus Nail - ,Drill with Scale Ø3.5mm x Length 240mm, for Konzept Humerus Nail - ,Drill with Scale Ø4.5mm x Length 240mm, for Konzept Humerus Nail - ,Nail Length Measuring Device for Konzept Humerus Nail - ,Insertion Target Ø9.0mm for Konzept Humerus Nail - ,Curved Awl Ø8.0mm for Konzept Humerus Nail - ,Instrument Trays for Konzept Humerus Nailing Instrument Set - , Aluminium Sterilization Container, 560mm x 270mm x 150mm - ,JIN Type - Humerus Nailing Instrument Set - ,Proximal Targeting Arm for JIN Type - Humerus Nail - ,Distal Targeting Arm for JIN Type - Humerus Nail - ,Bolt for Distal Targeting Device M6 - Hex 5mm, for JIN Type - Humerus Nail - ,Positioning Rod Ø5mm for JIN Type - Humerus Nail - ,Positioning Block for JIN Type - Humerus Nail - ,Trocar Ø6mm for JIN Type - Humerus Nail - ,Drill Sleeve 8/5.7mm for Drill Bit Ø5.5mm - JIN Type - Humerus Nail - ,Drill Sleeve Ø8/6mm for JIN Type - Humerus Nail - ,Depth Gauge Drill Sleeve Ø6mm for Drill Bit Ø2.9/3.5mm - JIN Type - Humerus Nail - , Insertion Handle for JIN Type - Humerus Nail - ,Nail Holding Bolt for JIN Type - Humerus Nail - ,Step Drill Bit Plain Shank/Jacob Chuck End Ø2.9/3.5mm x Length 250mm for JIN Type - Humerus Nail - ,Distal Targeting Device for Length 180mm To 320mm - JIN Type - Humerus Nail - ,Drill Bit Plain Shank/Jacob Chuck End Ø5.5mm x Length 300mm, for JIN Type - Humerus Nail - ,Cannulated Awl for JIN Type - Humerus Nail - ,Combination Wrench 12mm for JIN Type - Humerus Nail - ,Handle For Reamer (AO Connection) for JIN Type - Humerus Nail - , Allen Key, Hex 5mm for JIN Type - Humerus Nail - ,T-Handle Screwdriver, Hex 3.5mm, for JIN Type - Humerus Nail - ,Ø5.5mm T-Handle Drill Bit with Flat End for JIN Type - Humerus Nail - , T-Handle Tap for Ø3.5mm Locking Bolt - JIN Type - Humerus Nail - ,T-Handle Screwdriver, Hex 2.5mm, for JIN Type - Humerus Nail - ,Fixed Reamer Ø7.0mm x Length 400mm with Quick Coupling End for JIN Type - Humerus Nail - ,Fixed Reamer Ø8.0mm x Length 400mm with Quick Coupling End for JIN Type - Humerus Nail - ,Fixed Reamer Ø9.0mm x Length 400mm with Quick Coupling End for JIN Type - Humerus Nail - ,Fixed Reamer Ø10.0mm x Length 400mm with Quick Coupling End for JIN Type - Humerus Nail - ,Flexible Reamer Ø6.5mm-12mm for JIN Type - Humerus Nail - ,Protection Sleeve for Entry Reamer - JIN Type - Humerus Nail - ,Quick Coupling Handle for Jacob Connection for JIN Type - Humerus Nail - , Radiographic Ruler for JIN Type - Humerus Nail - ,Guide Wire with Threaded Tip, Ø2.5mm x Thread Length 10mm x Length 200mm - ,Extraction Handle for JIN Type- Humerus Nail - , Extraction Rod with Ram for JIN Type- Humerus Nail - ,Entry Reamer for JIN Type- Humerus Nail - ,Wire Pusher for JIN Type- Humerus Nail - ,Reduction Device for JIN Type- Humerus Nail - ,Plastic Exchange Tube for JIN Type- Humerus Nail - ,Guide Wire with Ball Tip Ø2.5/3.2mm x Length 1000mm - Stainless Steel, for JIN Type- Humerus Nail - ,Guide Wire without Ball Tip Ø2.5mm x Length 1000mm - Stainless Steel, for JIN Type- Humerus Nail - ,Instrument Trays

	<p>For JIN Type - Humerus Nailing Set - ,Container For JIN Type - Humerus Nailing Set - NA Intended Use:The Intramedullary locking nail instrument sets includes Awl, Tissue Protector, Nut for coupling bolt, Proximal Jig, Distal Jig, Knob, Proximal Arm for Jig, Coupling bolt, Measuring device, T handle, Universal Spanner, Tommy Bar, Ram, Ram Rod, Jig cover , Detachable Slide Hammer,F-Tool, Spanner Wrench, Standard Tamp, Screw Tightner,Medullary tube Polyamide.Orthopedic Instruments are used externally during the Surgery, It help in Surgical procedure for inserting the Implants into the body. These Instruments are used in No. of surgeries.</p> <p>Class of medical device:Class B</p> <p>Material of construction:Stainless steel as per ISO 7153-1/ASTM F899,Alumunium,Silicon, Plastic,Propylux,Titanium</p> <p>Dimension(if any):Various Dimension of surgical instruments are manufactured</p> <p>Shelflife:Not applicable</p> <p>Sterile or Non sterile:Non-Sterilized</p> <p>Brand Name(if registered under the Trade Marks Act, 1999):NIL</p>
4	<p>Generic Name:Intramedullary Locking Nail Instrument Sets</p> <p>Model No.:Elastic Nailing Instrument Set - ,Drill Bit Plain Shank/Jacob Chuck End - ,Ø2.7mm x Length 115mm for Elastic Nail - Entry Reamer Protection Sleeve 20/17mm for Athos Nail, Flexible Reamer Shaft (AO Connection) for Expert Tibia Nail Suprapatellar Insertion Length 620mm - ,Drill Bit Plain Shank/Jacob Chuck End - ,Ø3.2mm x Length 150mm for Elastic Nail - Extraction Rod for Elastic Nail,Distal Aiming Device Bolt for Retrograde Nail - ,Drill Bit Plain Shank/Jacob Chuck End - ,Ø4.5mm x Length 150mm for Elastic Nail - ,Impactor for Elastic Nail Straight - ,Impactor for Elastic Nail Beveled - ,Inserter for Elastic Nail - ,Awl Curved - ,Awl - , Length 180mm for Clavicular Fractures - ,F-Tool for Reduction - Small, for Elastic Nail - , Adjustable Reductor for Elastic Nail - ,Plier for Elastic Nail - ,Double Drill Guide Ø4.5/3.2mm for Elastic Nail - ,Cutter for Elastic Nail - ,Rotatable Wrench (For Cutter), for Elastic Nail - , Hammer for Elastic Nail - ,Sliding Hammer for Elastic Nail - ,Pin Wrench dia 4.5mm - ,Awl for Elastic Nail - ,Driver for End Cap - ,for Elastic Nail - ,Hammer Guide for Elastic Nail - ,Extraction Rod for Elastic Nail - ,Triangle Wrench for End Cap, Large, for Elastic Nail - ,Triangle Wrench for End Cap, Small, for Elastic Nail - ,Caddy for End Cap, for Elastic Nail - ,Container For Elastic Nailing Instrument Set - ,Instrument Trays for Elastic Nailing Instrument Set - ,Implant Box - NA</p> <p>Intended Use:The Intramedullary locking nail instrument sets includes Awl, Tissue Protector, Nut for coupling bolt, Proximal Jig, Distal Jig, Knob, Proximal Arm for Jig, Coupling bolt, Measuring device, T handle, Universal Spanner, Tommy Bar, Ram, Ram Rod, Jig cover , Detachable Slide Hammer,F-Tool, Spanner Wrench, Standard Tamp, Screw Tightner,Medullary tube Polyamide.Orthopedic Instruments are used externally during the Surgery, It help in Surgical procedure for inserting the Implants into the body. These Instruments are used in No. of surgeries.</p> <p>Class of medical device:Class B</p> <p>Material of construction:Stainless steel as per ASTM F899/ISO 7153-1,Silicon,Alumunium, PPSU</p> <p>Dimension(if any):Various Dimension of surgical instruments are manufactured</p> <p>Shelflife:NA</p> <p>Sterile or Non sterile:Non-Sterilized</p> <p>Brand Name(if registered under the Trade Marks Act, 1999):NIL</p>

5

Generic Name:Intramedullary Locking Nail Instrument Sets


Model No.:Expert Tibia Nailing Instrument Set - ,Guide Wire With Threaded Tip Ø3.2mm x Thread Length 10mm x Length 300mm - ,Radiographic Ruler for Expert Tibia Nail - ,Guide Wire Holder for Expert Tibia Nail - ,Protection Sleeve 14/12mm for Expert Tibia Nail - ,Entry Cutter Ø12mm for Expert Tibia Nail - ,Tissue Protector for Expert Tibia Nail - ,Cannulated Awl for Expert Tibia Nail - ,Entry Reamer Ø12mm for Expert Tibia Nail - ,T- Handle for Entry Reamer - ,Reduction Device for Expert Tibia Nail - ,Guide wire with Ball Tip Ø2.5/3.65mm x Length 1000mm - Nitinol - ,for Expert Tibia Nail - ,Guide wire without Ball Tip Ø2.5mm x Length 1000mm - Nitinol - ,for Expert Tibia Nail - ,Flexible Reamer Shaft (AO Connection) for Expert Tibia Nail - ,Reamer Head - ,Ø7.5mm-15.0mm for Expert Tibia Nail - ,Insertion Handle for Expert Tibia Nail - ,Nail Holding Bolt for Expert Tibia Nail - ,Block for Connecting Shaft - Expert Tibia Nail - ,Connecting Shaft - ,M10 for Hammering Device - Expert Tibia Nail - ,Combination Wrench 11mm for Expert Tibia Nail - ,Hammer Guide Shaft for Expert Tibia Nail - ,Nut for Hammer Guide Shaft - Expert Tibia Nail - ,Sliding Hammer for Expert Tibia Nail - ,Distal Aiming Device for Expert Tibia Nail - ,Bolt for Distal Aiming Device - Expert Tibia Nail - ,Allen Key Hex 5mm for Expert Tibia Nail - ,Drill Sleeve - ,Ø5.2mm for Positioning Rod - Expert Tibia Nail - ,Drill Bit Plain Shank/ Jacob Chuck End Ø5.2mm x Length 250mm for Expert Tibia Nail - ,Ø5.2mm T-Handle Drill Bit with Flat End for Expert Tibia Nail - ,Positioning Rod for Expert Tibia Nail - ,Stabilizing Device for Expert Tibia Nail - ,Distal Aiming Arm for Expert Tibia Nail - ,Bolt for Distal Aiming Arm - Expert Tibia Nail - ,Protection Drill Sleeve 10/8mm for Expert Tibia Nail - ,Trocar Ø8mm for Expert Tibia Nail - ,Drill Sleeve 8/4mm for Ø4mm Drill Bit - Expert Tibia Nail - ,Drill Bit Plain Shank/Jacob Chuck End Ø4.0mm x Length 300mm for Expert Tibia Nail - ,Stopper for Ø4.0mm Drill Bit - Expert Tibia Nail - ,Allen Key Hex 3mm for Expert Tibia Nail - ,Depth Gauge measuring upto 90mm for Expert Tibia Nail - ,Screwdriver with T-Handle Hex 3.5 mm for Expert Tibia Nail - ,Proximal Aiming Device for Ø4.4mm Locking Bolt - Expert Tibia Nail - ,Bolt for Proximal Aiming Device - Expert Tibia Nail - ,Proximal Aiming Device for Ø4.8mm Locking Bolt - Expert Tibia Nail - ,Protection Sleeve 11/8.6mm for Ø4.8mm Locking Bolt - Expert Tibia Nail - ,Drill Sleeve 8.5/3.2mm for Ø3.2mm Drill Bit - Expert Tibia Nail - ,Trocar Ø3.2mm for Expert Tibia Nail - ,Drill Bit Plain Shank/Jacob Chuck End Ø3.2mm x Length 250mm for Expert Tibia Nail - ,Stopper for Ø3.2mm Drill Bit - Expert Tibia Nail - ,Compression Device for Expert Tibia Nail - ,Universal Driver for Nail Holding Bolt - Expert Tibia Nail - ,Universal Screwdriver Hex 3.5mm for Expert Tibia Nail - ,Depth Gauge measuring upto 100mm for Expert Tibia Nail - Medullary Exchange Tube ,T-Handle for Flexible Reamer (AO Connection) - ,Instrument Trays For Expert Tibia Nailing Instrument Set - ,Container with PPSU Lid for Expert Tibia Nailing Instrument Set - ,Guide Wire With Ball Tip Ø2.5/3.65mm x Length 1000mm - Stainless Steel for Expert Tibia Nail - ,Guide Wire Without Ball Tip Ø2.5mm x Length 1000mm - Stainless Steel for Expert Tibia Nail - ,Expert Tibia Nailing Instrument Set (Suprapatellar Insertion) - ,Insertion Handle for Expert Tibia Nail - Suprapatellar Insertion - ,Protection Sleeve Handle for Expert Tibia Nail - Suprapatellar Insertion - ,Outer Protection Sleeve for Expert Tibia Nail - Suprapatellar Insertion - ,Protection Sleeve 16/14.5mm for Expert Tibia Nail - Suprapatellar Insertion - ,Trocar Ø14.5mm PEEK for Expert Tibia Nail - Suprapatellar Insertion - ,Centering Sleeve 14.5/3.2mm for Expert Tibia Nail - Suprapatellar Insertion - ,Proximal Aiming Device for Ø4.4mm Locking Bolt - Expert Tibia Nail (Suprapatellar Insertion) - ,Bolt for Proximal Aiming Device - Expert Tibia Nail (Suprapatellar Insertion) - ,Proximal Aiming Device for Ø4.8mm Locking Bolt - Expert Tibia Nail (Suprapatellar Insertion) - ,Positioning Rod For Expert Tibia Nail - Suprapatellar Insertion - ,Stabilizing Device for Expert Tibia Nail - Suprapatellar Insertion - ,Distal Aiming Arm for Expert Tibia Nail - Suprapatellar Insertion - , Bolt for Distal Targeting Device for Expert Tibia Nail - Suprapatellar Insertion - ,Universal Driver for Nail Holding Bolt - Expert Tibia Nail (Suprapatellar Insertion) - ,Compression Device for Expert Tibia Nail - Suprapatellar Insertion - ,Entry Reamer for Expert Tibia Nail -

Suprapatellar Insertion - ,Compression Device for Expert Tibia Nail - Suprapatellar Insertion - , Extraction Screw for Expert Tibia Nail - Suprapatellar Insertion - ,Connecting Shaft for Expert Tibia Nail - Suprapatellar Insertion - ,Nail Holding Bolt Long for Expert Tibia Nail - Suprapatellar Insertion - ,Combination Wrench 11mm for Expert Tibia Nail - Suprapatellar Insertion - ,Sliding Hammer for Expert Tibia Nail - Suprapatellar Insertion - ,Hammer Guide Shaft for Expert Tibia Nail - Suprapatellar Insertion - ,Nut for Hammer Guide Shaft - Expert Tibia Nail - Suprapatellar Insertion - ,Radiographic Ruler for Expert Tibia Nail - Suprapatellar Insertion - ,Guide Wire With Threaded Tip Ø3.2mm x Thread Length 10mm x Length 300mm - , Entry Cutter for Expert Tibia Nail - Suprapatellar Insertion - ,Quick Coupling T Handle for Expert Tibia Nail - Suprapatellar Insertion - ,Cannulated Awl for Expert Tibia Nail - Suprapatellar Insertion - ,Reduction Device for Expert Tibia Nail - Suprapatellar Insertion - , Guide Wire Holder for Expert Tibia Nail - Suprapatellar Insertion - ,Flexible Reamer Shaft (Jacob Connection) for Expert Tibia Nail - Suprapatellar Insertion - ,Reamer Head Ø7.5mm-15mm for Expert Tibia Nail - Suprapatellar Insertion - ,Distal Aiming Device for Expert Tibia Nail - Suprapatellar Insertion - ,Ø5.2mm T-Handle Drill Bit with Flat End for Expert Tibia Nail - Suprapatellar Insertion - ,Bolt for Distal Aiming Arm - Expert Tibia Nail (Suprapatellar Insertion) - ,Allen Key Hex 5mm for Expert Tibia Nail (Suprapatellar Insertion) - ,Drill Sleeve Ø5.2mm for Positioning Rod - Expert Tibia Nail (Suprapatellar Insertion) - ,Drill Bit Plain Shank/ Jacob Chuck End Ø5.2mm x Length 250mm for Expert Tibia Nail (Suprapatellar Insertion) - ,Protection Drill Sleeve 10/8mm for Expert Tibia Nail (Suprapatellar Insertion) - NA ,Trocar Ø8mm for Expert Tibia Nail (Suprapatellar Insertion) - ,Drill Sleeve 8/4mm for Ø4mm Drill Bit - Expert Tibia Nail (Suprapatellar Insertion) - ,Drill Bit Plain Shank/Jacob Chuck End Ø4.0mm x Length 300mm for Expert Tibia Nail (Suprapatellar Insertion) - ,Stopper for Ø4.0mm Drill Bit - Expert Tibia Nail (Suprapatellar Insertion) - ,Allen Key Hex 3mm for Expert Tibia Nail (Suprapatellar Insertion) - ,Depth Gauge measuring upto 90mm for Expert Tibia Nail (Suprapatellar Insertion) - ,Screwdriver with T-Handle Hex 3.5mm for Expert Tibia Nail (Suprapatellar Insertion) - ,Protection Sleeve 11/8.6mm for Ø4.8mm Locking Bolt - Expert Tibia Nail (Suprapatellar Insertion) - ,Drill Sleeve 8.5/3.2mm for Ø3.2mm Drill Bit - Expert Tibia Nail (Suprapatellar Insertion) - ,Trocar Ø3.2mm for Expert Tibia Nail (Suprapatellar Insertion) - ,Drill Bit Plain Shank/Jacob Chuck End Ø3.2mm x Length 250mm for Expert Tibia Nail (Suprapatellar Insertion) - ,Stopper for Ø3.2mm Drill Bit - Expert Tibia Nail (Suprapatellar Insertion) - ,Instrument Trays for Expert Tibia Nailing Instrument Set (Suprapatellar Insertion) - ,Flexible Reamer Shaft (Jacob Connection) for Expert Tibia Nail - Suprapatellar Insertion - , JIN Type - Tibia Nailing Instrument Set - ,Drill Sleeve 8/4mm for Drill Bit Ø4mm - JIN Type - Tibia Nail - ,Protection Sleeve 10/8.2mm for Drill Bit Ø4mm - JIN Type - Tibia Nail - ,Drill Sleeve 8/5.3mm for Drill Bit Ø5.2mm - JIN Type - Tibia Nail - ,Trocar Ø8mm for JIN Type - Tibia Nail - ,Reamer Head Ø7.0-14.0mm for JIN Type - Tibia Nail - ,Stopper for Drill Bit Ø4mm - JIN Type - Tibia Nail - ,Flexible Reaming Shaft for Reamer Head Ø8mm to 13mm for JIN Type - Tibia Nail - ,Ø5.2mm T-Handle Drill Bit with Flat End for JIN Type - Tibia Nail - ,Cannulated Awl for JIN Type - Tibia Nail - ,Right Angle Locking Device Ø4mm for JIN Type - Tibia Nail - ,Drill Bit Plain Shank/ Jacob Chuck End Ø4.0mm x Length 300mm for JIN Type - Tibia Nail - ,Depth Gauge measuring upto 90mm for JIN Type - Tibia Nail - ,Hexagonal Screwdriver With T-Handle Hex 3.5mm for JIN Type - Tibia Nail - ,Drill Bit Plain Shank/ Jacob Chuck End Ø5.2mm x Length 250mm for JIN Type - Tibia Nail - ,Guide Wire with Ball Tip Ø2.5/3.65mm x Length 1000mm - Nitinol for JIN Type - Tibia Nail - ,Guide Wire without Ball Tip Ø2.5mm x Length 1000mm - Nitinol for JIN Type - Tibia Nail - ,Wrench 12mm for JIN Type - Tibia Nail - ,Allen Key Hex 3mm for JIN Type - Tibia Nail - ,Proximal Targeting Arm for JIN Type - Tibia Nail - ,Distal Targeting Arm for JIN Type - Tibia Nail - ,Insertion Handle for JIN Type - Tibia Nail - , Positioning Block for Positioning Rod - JIN Type - Tibia Nail - ,Bolt for Distal Targeting Arm - JIN Type - Tibia Nail - ,Bolt for Proximal Targeting Arm & Distal Targeting Device - JIN Type -

Tibia Nail - ,Positioning Rod Ø5mm for JIN Type - Tibia Nail - ,Allen Key Hex 5mm for JIN Type - Tibia Nail - ,Extraction Rod with Ram for JIN Type - Tibia Nail - ,Extraction Handle for JIN Type - Tibia Nail - ,Tissue Protector for JIN Type - Tibia Nail - ,Distal Targeting Device for Length 240mm to 380mm - JIN Type - Tibia Nail - ,Nail Holding Bolt for JIN Type - Tibia Nail - , Ø4.5mm Tap with T-Handle for JIN Type - Tibia Nail - ,T-Handle For Flexible Reaming Shaft for JIN Type - Tibia Nail - ,Guide Wire Introducer for JIN Type - Tibia Nail - ,Radiographic Ruler for JIN-Type Tibia Nail - ,Reduction Device for JIN Type - Tibia Nail - ,Plastic Exchange Tube for JIN-Type Tibia Nail - ,Guide Wire with Threaded Tip Ø3.2mm x Thread Length 12mm x Length 300mm - ,Instrument Trays For JIN Type - Tibia Nailing Instrument Set - ,Container For JIN Type - Tibia Nailing Instrument Set - ,Guide Wire with Ball Tip Ø2.5/3.65mm x Length 1000mm - Stainless Steel for JIN Type - Tibia Nail - ,Guide Wire without Ball Tip Ø2.5mm x Length 1000mm - Stainless Steel for JIN Type - Tibia Nail - ,Konzept Tibia Nailing Instrument Set - , Targeter Arm B for Konzept Tibia Nail - ,Distal Targeter D for Konzept Tibia Nail - ,Targeter B for Konzept Tibia Nail - ,Universal Wrench S8 for Konzept Tibia Nail - ,Connecting screw M8 x 1.25 Length 91mm for Konzept Tibia Nail - ,Reconstruction Targeter for Konzept Tibia Nail - , Impactor-Extractor Rod for Konzept Tibia Nail - ,Connector M8 x 1.25/M14 for Konzept Tibia Nail - ,Compression Screw for Konzept Tibia Nail - ,Curved Awl Ø8.0mm for Konzept Tibia Nail - ,Mallet for Konzept Tibia Nail for Konzept Tibia Nail - ,Protective Guide Ø9/6.5mm for Konzept Tibia Nail - ,Drill Guide Ø6.5/3.5mm for Konzept Tibia Nail - ,Set Block Ø9/4.5mm for Konzept Tibia Nail - ,Trocar Ø6.5mm for Konzept Tibia Nail - ,Drill Guide Ø6.5/4.5mm for Konzept Tibia Nail - ,Depth Gauge for Konzept Tibia Nail - ,Hole Depth Measuring Device for Konzept Tibia Nail - ,Nail Length Measuring Device for Konzept Tibia Nail - ,Targeter D for Konzept Tibia Nail - ,Short Trocar Ø7mm for Konzept Tibia Nail - ,Drill Guide Short Ø7/3.5mm for Konzept Tibia Nail - ,Guide Rod Handle for Konzept Tibia Nail - ,Teflon Pipe Guide 8/400mm for Konzept Tibia Nail - ,Aiming Insert Ø9.0mm for Konzept Tibia Nail - ,Guide Rod Ø2.5mm x Length 580mm for Konzept Tibia Nail - ,Screwdriver Hex 3.5mm for Konzept Tibia Nail - ,Drill with Scale Ø3.5mm x Length 250mm for Konzept Tibia Nail - ,Drill Ø3.5mm x Length 150mm for Konzept Tibia Nail - ,Drill Ø4.5mm x Length 250mm for Konzept Tibia Nail - ,Instrument Trays for Konzept Tibia Nailing Instrument Set - ,Aluminium Sterilization Container 560mm x 270mm x 150mm - ,Retrograde Distal Tibia Nailing Instrument Set - ,Guide Wire Ø2.0mm x Length 180mm - ,Wire Guide for Guide Wire Ø2.0mm - ,Protection Sleeve - , Proximal Rigid Reamer Ø7.5mm x Length 165mm - ,Proximal Rigid Reamer Ø8.5mm x Length 165mm - ,Reamer Ø7.5mm x Length 195mm - Reamer Ø8.5mm x Length 195mm,Trocar Ø3. 3mm - ,Protection Sleeve Ø8/5.6mm x Length 118mm - ,Trocar Ø2.8mm - ,Aluminium Target Device 7mm-8mm - ,Quick Coupling Handle for Retrograde Distal Tibia Nailing Instrument Set - ,Wrench for Retrograde Distal Tibia Nailing Instrument Set - ,Connecting Bolt - ,Aluminium Target Device 8mm Long - ,PEEK Lateral Target Device - ,Measuring Device with Straight Tip upto 60mm - ,Measuring Device with Hook Tip upto 60mm - ,Drill Sleeve Ø5.6/2.8mm - ,Drill Sleeve Ø5.6/3.2mm - ,Nail Extractor - ,Trial Ø7mm-8mm - ,Trial Ø8mm Long - ,Drill Bit Ø2. 8mm x Length 220mm - ,Drill Bit Ø3.2mm x Length 220mm - ,Locking Screwdriver T20 - , Sliding Hammer - ,Wire Holder - ,Locking Scewdriver Shaft T20 - ,Instrument Trays for Retrograde Distal Tibia Nailing Instrument Set - ,Container with PPSU Lid for Retrograde Distal Tibia Nailing Instrument Set - NA

Intended Use:The Intramedullary locking nail instrument sets includes Awl, Tissue Protector, Nut for coupling bolt, Proximal Jig, Distal Jig, Knob, Proximal Arm for Jig, Coupling bolt, Measuring device, T handle, Universal Spanner, Tommy Bar, Ram, Ram Rod, Jig cover , Detachable Slide Hammer,F-Tool, Spanner Wrench, Standard Tamp, Screw Tightner,Medullary tube Polyamide.Orthopedic Instruments are used externally during the Surgery, It help in Surgical procedure for inserting the Implants into the body. These Instruments are used in No. of surgeries.

	<p>Class of medical device:Class B</p> <p>Material of construction:Stainless steel as per ISO 7153-1/ASTM F899,Alumunium,Titanium, Plastic, PPSU,Silicon</p> <p>Dimension(if any):Various Dimension of surgical instruments are manufactured</p> <p>Shelflife:Not applicable</p> <p>Sterile or Non sterile:Non-Sterilized</p> <p>Brand Name(if registered under the Trade Marks Act, 1999):NIL</p>
6	<p>Generic Name:Hip System Instrument</p> <p>Model No.:Thompson Hip Prosthesis Instrument Set - ,Rasp For Thompson - ,Murphy Lane Bone Skid - ,Moore Hollow Chisel - ,Judget Auger Extractor - ,Spare Hook For Extractor - , Impactor- Nylon Faced - ,Measuring Gauge For Prosthesis - ,Extractor with Two Hooks - , Instrument Tray, 540mm x 255mm x55mm - ,Aluminium Sterilization Container, 560mm x 270mm x 150mm - ,Austin Moore Hip Prosthesis Instrument Set - ,Rasp For Austin Moore - , Rasp For Austin Moore, Extra Long - ,Extractor with Two Hooks - ,Bipolar Hip Prosthesis Instrument Set - ,Rasp For Bipolar - ,Implant Box - NA</p> <p>Intended Use:These are surgically invasive instruments which are used manually to assist in the implantation of the femoral or acetabular components in total or hemiarthroplasty. The devices are single use/reusable. The product does not include orthopaedic implants.</p> <p>Class of medical device:Class B</p> <p>Material of construction:Stainless steel as per ISO 7153-1/ASTM F899,Alumunium</p> <p>Dimension(if any):Various Dimension of surgical instruments are manufactured</p> <p>Shelflife:Not applicable</p> <p>Sterile or Non sterile:Non-Sterilized</p> <p>Brand Name(if registered under the Trade Marks Act, 1999):NIL</p>



7	<p>Generic Name:Surgical Drill & Its attachment</p> <p>Model No.:Osteodrive Power Tool - ,Sagittal Saw Chuck - ,Sagittal Saw Blade - ,Coarse - , 14x41mm - ,Sagittal Saw Blade - ,Fine - ,9.5x25.5mm - ,Sagittal Saw Blade - ,Coarse - ,9.5x25.5mm - ,Sagittal Saw Blade - ,Fine - ,10x18.5mm - ,Oscillating Saw Blade - ,90 x 24.8 x 19.5mm with 1.2mm thickness - ,Oscillating Saw Blade - ,90 x 24.8 x 25mm with 1.2mm thickness - , Oscillating Saw Blade - ,70 x 24.8 x 12.5mm with 1.2mm thickness - ,Charger - ,Charger Conversion - ,Battery - ,4.0mm Drill Chuck Key- 1 - 1 Multipurpose Attachment,4.0mm Drill Chuck - 1 - 1 Multipurpose Attachment,4.0mm Self-Locking Drill Chuck - 1 - 1 Multipurpose Attachment,8.0mm Self-Locking Drill Chuck - 1 - 1 Multipurpose Attachment,AO/ Trinkle - 1 - 1 Quick Connect Drill Attachment,Large AO - 1 - 1 Quick Connect Drill Attachment,Zimmer / Hudson - 1 - 1 Quick Connect Drill Attachment,High Torque Chuck (Max Dia. 8.0mm) - 3 - 1 Reamer Attachment,Zimmer / Hudson - 3 - 1 Reamer Attachment,Large AO Reamer - 3 - 1 Reamer Attachment,Trinkle Reamer - 3 - 1 Reamer Attachment,High Torque Chuck (Max Dia. 10.0mm) - 5 - 1 Reamer Attachment,Key for 10.0mm chuck - ,Zimmer / Hudson - 5 - 1 Reamer Attachment,Multiple Charger - ,Power Tool Set for Trauma Surgery - ,Power Drill for Trauma Hand Piece (without battery) - ,Kirschner Drill Attachments (Dia1.8 - 4.0mm) - ,Kirschner Drill Attachments (Dia0.7 - 1.6mm) - ,Battery Case - ,Battery Channel - ,8.0mm Drill Chuck Key - 1 - 1 Multipurpose Attachment,Mini AO - 1 - 1 Quick Connect Drill Attachment,8.0mm Drill Chuck - 1 - 1 Multipurpose Attachment,Small AO - 1 - 1 Quick Connect Drill Attachment,Mini AO - 1 - 1 Quick Connect Drill Attachment,DHS Reamer - 3 - 1 Reamer Attachment,Large AO Reamer - 5 - 1 Reamer Attachment,Tray for Power Tool Trauma Surgery - ,Container for Power Tool Trauma Surgery - ,Cleaning Basket For Trauma - ,Lid for Cleaning Basket - ,Container For Cleaning Basket (280x280x100mm) - ,Power Tool Set for Joint Surgery - ,Oscillating Saw Drill Hand Piece (without battery) - ,Oscillating Saw Blade - ,90 x 24.8 x 19.5mm with Thickness 1mm - ,Oscillating Saw Blade - ,90 x 24.8 x 25mm with Thickness 1mm - ,Oscillating Saw Blade - ,70 x 24.8 x 12.5mm with Thickness 1mm - ,Battery Case - ,Battery Channel - ,Tray for Power Tool Joint Surgery - ,Container for Power Tool Joint Surgery - ,Cleaning Basket For Saw - ,Lid for Cleaning Basket - NA</p> <p>Intended Use:The surgical drilling machine that, when rotated at an appropriate speed, will cut into bone creating a hole of the same dimension as the diameter of the bit. The attachment includes drill bit, drill guides, burr & hand piece.used to cut, shape, fixate, boring, drilling , reaming and dissect the fixation device and bones</p> <p>Class of medical device:Class B</p> <p>Material of construction:Stainless steel as per ASTM F899/ISO 7153-1,Alumunium, PLASTIC, LITHYM BATTERY</p> <p>Dimension(if any):Various Dimension of surgical instruments are manufactured</p> <p>Shelflife:NA</p> <p>Sterile or Non sterile:Non-Sterilized</p> <p>Brand Name(if registered under the Trade Marks Act, 1999):NIL</p>
---	--

8

Generic Name:Arthroscopic Instruments

Model No.:Instruments Setfor MENISCO Inside-Out Meniscal Repair System - ,Single Lumen Cannula for Meniscal Repair Straight - ,Single Lumen Cannula for Meniscal Repair 10° Curve - , Single Lumen Cannula for Meniscal Repair 20° Curve - ,Single Lumen Cannula for Meniscal Repair 30° Curve - ,Single Lumen Cannula for Meniscal Repair 40° Curve - ,Bender for Cannula - ,Needle Pusher - ,Slotted Cannula - ,Knot Pusher for Meniscal Repair - ,Curved Probe for Meniscal Repair - ,Diamond Rasp 45° for Meniscal Repair - ,Diamond Rasp 90° for Meniscal Repair - ,Ring Curette for Meniscal Repair - ,Knot Pusher with Suture Cutter for Meniscal Repair - ,Arthroscopy Knee ACL/PCL Instrument Set - ,Transportal Femoral Offset Guide 6mm - ,Transportal Femoral Offset Guide 7mm - ,Screwdriver For Polymer Interference Screw - , Screwdriver For Ti Interference Screw T25 Star Driver - ,Cannulated Headed Reamer Dia4. 7mm - ,Tibial Cannulated Reamer Dia 6mm-15mm - ,Femoral Cannulated Reamer Dia 6mm- 15mm - ,Drill Guide Handle - ,PCL Tibial Aimer With O Tip - ,ACL Tip C Aimer Right - ,ACL Tip C Aimer Left - ,ACL Tip O Aimer - ,ACL Tip Aimer - ,ACL Elbow Aimer - ,Drill Guide Bullet - ,PCL Tibial Aimer With C Tip - ,PCL Femoral Aimer - ,Nitinol Guide Wire Dia1.2mm x Length 300mm (For Interference Screws) - ,Depth Gauge For Knee ACL/PCL Instrument - ,Transtibial Femoral Offset Guide 5mm - ,Transtibial Femoral Offset Guide 6mm - ,Transtibial Femoral Offset Guide 7mm - ,Tendon Stripper (Closed End) Dia6mm-8mm - ,Tendon Stripper (Closed End) Dia6mm- 8mm - ,Graft Sizer 6mm to 12mm (0.5mm steps) - ,Quick Coupling T-Handle For Tunnel Dilator - ,Tunnel Dilator Cannulated Dia6mm-12mm - ,Straight Rasp - ,Convex Rasp - Graft Station Arthroscopy Instrument Set ,Half-Round Rasp - PCL Elevator With Wire Capture Hole ,Curette 25° Angled Down - Tunnel Plug 9-10mm ,Arthroscopic Probe - Knee - Tunnel Plug 8-9mm ,Pin Trocar-Tip Dia2.4mm x 355mm - Tunnel Plug 7-8mm ,Pin Drill Tip Dia2.4mm x 355mm - Micro Fracture Awl 60° ,Passing Pin Dia2.4mm x 250mm - Micro Fracture Awl 40° ,Micro Fracture Awl 0° - Micro Fracture Awl 25° ,ACL Tip C Aimer Left and Right - ,Tibial Cannulated Reamer dia 5mm-13mm - ,Femoral Cannulated Reamer dia 5mm-13mm - ,Transtibial Femoral Offset Guide 5mm-8mm - ,Tendon Stripper (Closed End) dia 5mm-8mm - ,Tendon Stripper (Open End) dia 5mm-8mm - ,Tunnel Dilator Cannulated dia 6mm-12mm - ,Micro Fracture Awl 0°-60° - ,Tunnel Plug 6-12mm - ,Graft Grasper Clamp - Left and Right - ,Auxilock FlyKuter dia6.5mm- 13mm Type-I - ,FlyKuter Guide Bullet - ,Flexible Cannulated Reamer Dia4.7mm-13.0mm For Knee ACL System - ,Femoral ACL Guide Left and Right - ,8 Point Slotted Drill Guide Length 100mm-190mm - ,Dia1.8mm-3.0mm X 100mm-300mm Drill Bit - ,Dia2.9 - 4.1mm Awl - ,Dia6. 0mm-9.0mm Tocar Tip Headed Reamer - ,Smart Hook Suture passer Left and Right - ,Dia1. 2mm-2.8mm X 100mm-150mm Drill Bit - ,Dia3.5mm-Dia6.5mm X 100mm Cannulated Reamer - ,Smilie Miniscotome 3mm-8mm Wide Straight Cutting Edge - ,Mini Micro Fracture Awl 25° -115° - ,Dia3.5mm Cannulated Drill Bit - ,Dia2.4mm Passing Pin - ,Suture Pull Handle - , Arthroscopy Knee ACL/PCL Instrument Set - ,Transportal Femoral Offset Guide 6mm - , Screwdriver For Polymer Interference Screw - ,Screwdriver For Ti Interference Screw T25 Star Driver - ,Cannulated Headed Reamer Dia4.7mm - ,Drill Guide Handle - ,PCL Tibial Aimer With O Tip - ,ACL Tip C Aimer Left and Right - ,ACL Tip O Aimer - ,ACL Tip Aimer - ,ACL Elbow Aimer - ,Drill Guide Bullet - ,PCL Tibial Aimer With C Tip - ,PCL Femoral Aimer - ,Nitinol Guide Wire Dia1.2mm x Length 300mm (For Interference Screws) - ,Depth Gauge For Knee ACL/PCL Instrument - ,Transtibial Femoral Offset Guide 5mm - ,Transtibial Femoral Offset Guide 4mm- 8mm - ,Tendon Stripper (Closed End) Dia6mm-8mm - ,Tendon Stripper (Open End) dia 5mm- 8mm - ,Graft Sizer 6mm to 12mm (0.5mm steps) - ,Quick Coupling T-Handle For Tunnel Dilator - ,Tunnel Dilator Cannulated Dia6mm-12mm - ,Straight Rasp - ,Convex Rasp - ,Half-Round Rasp - ,Curette 25° Angled Down - ,Arthroscopic Probe - Knee - ,Pin Trocar-Tip Dia2.4mm x 355mm - ,Pin Trocar-Tip Dia2.4mm x 355mm - ,Pin Drill Tip Dia2.4mm x 355mm - ,Passing Pin Dia2. 4mm x 250mm - ,Micro Fracture Awl 0°-60° - ,Tunnel Plug 7-8mm - ,7-8mm - ,Tunnel Plug 8- 9mm - ,Tunnel Plug 9-10mm - ,PCL Elevator With Wire Capture Hole - ,Graft Station

Arthroscopy Instrument Set - ,Graft Station - ,Sliding base - ,Graft Grasper Clamp - Left & Right - ,Button Holder With Scale - ,Suture Holder With Tensioner - ,Instruments Box - ,Tray C For Graft Station Instruments - ,Tray A For ACL/PCL Instruments - ,Tray B For ACL/PCL Instruments - ,Tray D For ACL/PCL Instruments - ,Container For ACL/PCL Instrument Set - ,Lid For Container ACL/PCL Instrument Set - ,Auxilock FlyKuter dia6.5mm-13mm Type-I - ,FlyKuter Guide Bullet - ,Ratchet Handle For Hudson Coupling Screwdriver Shaft - ,Screwdriver Shaft For Titanium Interference Screw T25 Star Driver Hudson Coupling - ,Screwdriver Shaft For Polymer Interference Screw Hudson Coupling - ,Flexible Cannulated Reamer Dia4.0mm-14.0mm For Knee ACL System - ,Tray For Flexible Cannulated Reamer Case - ,Case For Flexible Cannulated Reamer - ,Lid For Flexible Cannulated Reamer Case - ,RetroConstruction Drill Guide System - ,RetroConstruction Drill Guide Handle Side Release - ,Guide Pin Sleeve - ,Drill Sleeve For FlyKuter - ,Femoral ACL Guide Right - ,Femoral ACL Guide Left - ,Tibial ACL Marking Hook - ,Shoulder Arthroscopy Instrument Set - ,8 Point Slotted Drill Guide - ,Length 100mm-190mm - ,V-Mouth Drill Guide - ,8 Point Drill Guide - ,8 Point Drill Guide - Curve - ,Trocar Tip Obturator - ,Trocar Tip Obturator - Curve - ,Dia1.8mm -2.8mmX 100mm-400mm Drill Bit - ,Dia1.5mm X 300mm Drill Bit Stainless Steel - ,Dia1.5mm X 300mm Drill Bit Nitinol - ,Dia2.9mm Awl - ,Dia3.2mm Awl - Dia4.1mm Awl ,Awl For 4.5/5.5mm PEEK Screw-In Anchor - ,Awl For 6.5mm PEEK Screw-In Anchor - ,Awl/ Tap For 4.5/5.5mm PEEK Screw-In Anchor - ,Awl/ Tap For 6.5mm PEEK Screw-In Anchor - ,Tap For 4.5/5.5mm PEEK Screw-In Anchor - ,Tap For 6.5mm PEEK Screw-In Anchor - ,4.5/5.5mm Knotless PEEK Anchor Driver - ,Switching Stick - ,Arthroscopic Probe - Shoulder - ,Tissue Elevator Up - ,Tissue Elevator Down - ,Rasp Up & down - ,Ring Curette - ,Knot Pusher - ,Suture Retriever - ,Tissue Grasper - ,Suture Cutter Knot Pusher With Lock Dia4.2mm V-Knotch Left Opened - Hammer ,Dia1.8mm X 325 mm Drill Bit - ,Dia2.5mm X 200 mm Drill Bit (For Knotless Anchor) - ,Dia3.2mm X 200 mm Drill Bit (For Knotless Anchor) - ,Dia2.4mm x 250 mm Passing Pin - ,Dia4.5mm Cannulated Headed Reamer - ,Graft Sizer 6.0mm to 9.0mm (1.0mm Steps) - ,Dia6.0mm Tocar Tip Headed Reamer - ,Dia7.0mm Tocar Tip Headed Reamer - ,Dia8.0mm Tocar Tip Headed Reamer - ,Dia9.0mm Tocar Tip Headed Reamer - ,Tray For Shoulder Arthroscopy Instruments Set - ,Container For Shoulder Arthroscopy Instrument Set - Lid For Container Shoulder Arthroscopy Instrument Set, ESCORPIAN Suture Passer - ,Needle With Lateral Opening For ESCORPIAN Suture Passer - ,Smart Hook Suture passer Straight - ,Small Joint Instrument System - ,Smart Hook Suture passer Left and Right - ,Dia1.2mm X 100mm Drill Bit - ,8 Point Slotted Drill Guide Length 50mm - ,Dia1.2mm X 110mm Drill Bit - ,Dia1.3mm X 100mm Drill Bit - ,Dia1.8mm X 100mm Drill Bit - ,Dia2.4mm X 100mm Drill Bit - ,Dia2.8mm X 100mm Drill Bit - ,Dia1.2mm X 150mm Threaded Guide wire - ,Dia1.2mm X 180mm Blunt tip Guide wire - ,Dia3.5mm-Dia7.5mm X 100mm-200mm Cannulated Reamer - ,Graft Sizer 4.0mm to 7.0mm (0.5mm Steps) - ,Screwdriver For Dia4.0mm Polymer Interference Screw - ,Screwdriver For Dia5.0mm & Dia6.0 mm Polymer Interference Screw - ,Exploring Probe Graduated Straight - ,Exploring Probe Graduated Curved - ,Mini Rasp Concave Jaw - ,Mini Rasp Convex Jaw - ,Mini Knife - ,Mini Knife With V-Knotch - ,Mini Knife Curve - ,Mini Bone Curette - ,Hook Probe and Retractor 40mm Working Length 2mm Hook Length - 90° - ,Hook Probe and Retractor 40mm Working Length 3mm Hook Length - 45° - ,Probe Hook Graduated 1mm Hook Dia1.5mm 75mm Working Length - ,Probe Hook Graduated 1mm Hook Dia2.3mm 140mm Working Length - ,Exploring Probe 90° Angled Tip Dia1.0mm Graduated 130mm Working Length Knurled Handle - ,3mm Spoon Angled Tip - ,Smilie Miniscotome 3mm Wide Straight Cutting Edge - ,Smilie Miniscotome 5mm Wide Straight Cutting Edge - ,Smilie Miniscotome 7mm Wide Straight Cutting Edge - ,Scalpel Knife - ,Banana Knife - ,Hook Knife Reverse Cutting - ,Rosen Knife Toothed Blade - ,Retrograde Knife 45° Angled Blade - ,Mini Micro Fracture Awl 25° - ,Mini Micro Fracture Awl 45°Mini Micro Fracture Awl 60° - ,Mini Micro Fracture Awl 90° - ,Mini Micro Fracture Awl 115° - ,Mini Punch - ,Mini Scissors Upwards Cutting - ,Mini Grasping Forceps - ,UpBiter Dia2.7mm Upwards Cutting

110mm Working Length - ,Mini Scissors Shot Upwards Cutting - ,UpBiter Dia2.7mm Upwards Cutting 110mm Working Length - ,DownBiter Dia2.7mm Downwards Cutting 110mm Working Length - ,Rotor Dia2.7mm 360° Rotating 110mm Working Length - ,Dunckbill Mini Punch Cut 1.5mm Straight Jaws Straight Shaft - ,Dunckbill Mini Punch Cut 1.5mm Straight Jaws Upbiter - ,Dunckbill Mini Punch Cut 1.5mm Straight Jaws Left Curved Shaft - ,Dunckbill Mini Punch Cut 1.5mm Straight Jaws Right curved shaft - ,Oval Mini Punch Straight Jaws Straight Shaft - ,Blunt Nose Mini Basket Punch Straight Jaws Straight Shaft - ,Oval Mini Punch Left Jaws Straight Shaft - ,Oval Mini Punch Right Jaws Straight Shaft - ,Hook Scissors Straight Dia2.7mm - ,Mini Rongeur Straight - ,Shark Mini Grasping Forceps Straight Jaws Straight Shaft - ,Alligator Mini Grasping Forceps Straight Jaws Straight Shaft - ,Side Cutter Mini Basket Punch Left Side Cutting 2.2mm - ,Side Cutter Mini Basket Punch Right Side Cutting 2.2mm - ,8 Point Drill Guide Long - ,Trocar Tip Obturator Long - ,Dia2.5mm X 360mm Knotless Drill bit Long - ,Tissue Grasper Long - ,Ø3.5mm Cannulated Drill Bit - ,Dia1.5mm K-Wire - ,Dia2.4mm Passing Pin - Suture Pull Handle,etroConstruction Drill GuideInstrument Set - NA

Intended Use:These are surgically invasive instruments for manipulating and removing bone and bone fragments. Intended to used in orthoscopic surgical procedure.

Class of medical device:Class B


Material of construction:Stainless steel as per ISO 7153-1/ASTM F899,Alumunium, Silicon, PPSU,Nitinol

Dimension(if any):Various Dimension of surgical instruments are manufactured

Shelflife:Not applicable

Sterile or Non sterile:Both

Brand Name(if registered under the Trade Marks Act, 1999):NIL



9

Generic Name:External Ring fixation system

Model No.:Post Length 50mm-150mm - ,Self-drilling Screws Shaft dia6mm - ,Thread dia6.0-5.6mm Thread Length 30mm-100mm x Total Length 150mm-300mm - ,Self-drilling Cortical Screws Shaft dia6mm - ,Thread dia6.0-5.0mm Thread Length 40mm-80mm x Total Length 150mm-250mm - ,Self-drilling Cortical Screws Shaft dia6mm - ,Wire Fixation Bolt Cannulated - ,Connection Plate with Threaded End, 5 Holes-11 Holes - ,Threaded Rod Length 75mm-450mm - ,Aluminium box for Ilizarov Set-Small - ,Post Male, 2-4 Holes - ,ILIZAROV SET - SMALL-120mm - ,Post Female, 2-4 Holes - ,Short Connection Plate 2 Holes-10holes - ,Straight Post dia8mm - ,30° Angled Post dia8mm - ,90° Angled Post dia8mm - ,dia8mm Connectin Rod - ,Carbon Connecting Rod 65mm-500mm - ,dia8mm Aluminium Connecting Rod 65mm-500mm - ,dia8mm Stainless Steel Connecting Rod 65mm-500mm - ,Small Semi-Circular Curved Rod-Aluminium Length 160mm - ,ILIZAROV SET - MEDIUM-140mm (Carbon Fiber Items) - ,Telescopic Rod, Length 100mm-300mm - ,Threaded Rod Slotted Length 75mm-150mm - ,Threaded Socket, Length 20mm-60mm - ,Thread Length 30mm-80mm - ,dia6mm Self Drilling/Self Tapping Pin - ,Total Length 150mm-250mm Thread Length 50mm-80mm - ,Cancellous Pin dia6.0/5.0mm - Total Length 120mm-250mm Thread Length 35mm-80mm , Aluminium box for Ilizarov Set-Medium - ,dia5mm Blunt Pin - ,FIXING VERTEBRAL AND SPINAL SYSTEM - ,Aluminium-Large - ,Aluminium -Medium - ,Lengthening and Correction of Deformities Kit - ,Drill Bit dia4.8mm x Length 180mm - ,Drill Bit dia4.8mm x Length 240mm - ,Hybrid Fixation System Sterilization Box Empty - ,Tray for Hybrid Fixation System Sterilization Box - ,Hybrid Fixator Standard {Assembly Kit Consisting of - D.A.F. Standard Central Body , Hybrid Coupling with Ball-Joint - ,Hybrid Fixation System Sterilization BoxEmpty - Hybrid Fixator Short ,2/3 Rings Inner dia 100mm-250 - ,1/3 Ring Inner dia 120mm-250mm - , ILIZAROV - 1/2 Ring Length 80mm-300mm - ,Ring Locking Screw - ,Lengthening and Correction of Deformities Kit - ,Lengthening and Correction of Deformities Kit - ,Drill Bit dia4.8mm x Length 180mm - ,Drill Bit dia4.8mm x Length 240mm - ,Hybrid Fixation System Sterilization Box Empty - ,Tray for Hybrid Fixation System Sterilization Box - ,2/3 Rings Inner dia150mm - ,1/3 Ring Inner dia150mm (Not illustrated) - ,2/3 Rings Inner dia190mm - , ILIZAROV- Full Ring Length 80mm-300mm - ,ILIZAROV - 1/2 Ring Length 80mm-300mm - , ILIZAROV - 5/8 Ring Length 100mm-300mm - ,Carbon Fiber Ring Full Ring ID : 80mm-200mm Stainless Steel OD : 120mm-300mm - ,Carbon Fiber Ring 3/4 Ring ID : 80mm-220 Stainless Steel OD : 120mm-300mm - ,Carbon Fiber Ring 5/8 Ring ID : 80mm-240mm OD : 120mm-300mm - ,Italian Femoral Arche 90°-120° 100mm-260mm - ,Carbon Fiber Italian Femoral Arche 90°-120° 100mm-260mm - ,Threaded Rod Length 75mm-450mm - ,Short Connection Plate 2 Holes-10holes - ,Carbon Fiber Ring - ,Threaded Rod Slotted Length 75mm-150mm - ,Graduated Telescopic Rod Length 100mm-150mm - 80mm-240mm ,Carbon Fibre Connecting Plate 2 Holes-6 Holes - 120mm-300mm ,Curved Plate 3 Holes-6 Holes - ,Twisted Plate 2-4 Holes - ,Connection Plate with Threaded End 5 Holes-11 Holes - 80mm-240mm ,Post Male 2-4 Holes - 120mm-280mm ,Post Female 2-4 Holes - ,Telescopic Rod Length 100mm-300mm - ,Threaded Socket Length 20mm-60mm - 80mm-240mm ,Hinge- Male - Hinge - 90° , Carbon Fiber Ring - ,Hinge - Female - ,Multi Pin Fixation Clamp 2 -4 Slots - Single Pin Fixation Bolt with Washer - Deluxe ,Single Pin Fixation Bolt - Wire Fixation Bolt Cannulated ,Italian Femoral Arche 90°-120° - ,100mm-260mm - ,Ilizarov Wire Bayonet Point dia1.5mm-1.8mm Length 400mm - ,Carbon Fiber Italian Femoral Arche 90°-120° - ,100mm-260mm - ,Ilizarov Wire Trocar Point dia1.5mm-1.8mm Length 400mm - ,Threaded Rod Slotted - ,Length 75mm-450mm - ,Thread Length 50mm-100mm - ,Olive Wire Bayonet Point dia1.5mm-1.8mm Length 400mm - ,Short Connection Plate - ,2 Holes-10holes - ,Olive Wire Trocar Point dia1.5mm-1.8 mm Length 400mm - ,Threaded Rod Slotted, Length 75mm-150mm - ,Carbon Fiber Ring Half Ring ID : 80mm-240mm Stainless Steel OD : 120mm-280mm - ,Ilizarov Foot Ring Small 120mm-240mm - ,Graduated Telescopic Rod, Length 100mm-150mm - ,Carbon Fiber Ring 3/8

Ring ID : 80mm-240mm OD : 120mm-280mm - ,Ilizarov Foot Ring Large 120mm-240mm Aluminium - ,Carbon Fibre Connecting Plate, 2 Holes-6 Holes - ,Carbon Fiber Ring 1/4 Ring ID : 80mm-220mm Stainless Steel OD : 120mm-260mm - ,Ilizarov Foot Ring 140mm -160mm Short/Long - ,Curved Plate, 3 Holes-6 Holes - ,10-Hole Pin Clamp dia4mm dia5mm dia6mm - , Pelvic Clamp dia4mm dia5mm dia6mm - ,Rod-to-Rod Coupling Rods or Posts of dia8mm - , Tube-to-Rod Coupling Tubes of dia20mm; Rods or posts of dia8mm - ,Italian Femoral Arche 90°-120° 100mm-260mm - ,ILIZAROV SET - SMALL-80mm - ,Twisted Plate, 2-4 Holes - , Carbon Fiber Italian Femoral Arche 90°-120° 100mm-260mm - ,Thread Length 30mm-90mm x Total Length 90mm-250mm - ,Cortical Screws Shaft dia6mm - ,Thread dia4.5-3.5mm (Drill Bit dia3.2mm). Thread Length 20mm-40mm x Total Length 60mm-150mm - ,Cortical Screws Shaft dia6mm - ,Thread dia3.5-3.2mm (Drill Bit dia2.9mm). Thread Length 20mm-40mm x Total Length 70mm-100mm - ,Wrist Cortical Screws Shaft dia4mm - ,Thread dia3.3-3.0mm (Drill Bit dia2.7mm). Thread Length 20mm-40mm x Total Length 70mm-100mm - ,Wrist Cortical Screws Shaft dia4mm Thread dia3-0-2.5mm (Drill Bit dia2.0mm). Thread Length 20mm x Total Length 70mm - ,Aluminium-Small - ,PEEK-Large - ,PEEK-Medium - PEEK-Small , Hybrid Fixator Assembly - ,2/3 Ring 2 Two-Hole X-Wire Securing Pins 2 Three-Hole Wire Clamp Slider - ,ProCallus Central Body - ,ProCallus Straight Clamp - ,Cortical Screws Shaft dia6mm Thread dia3.5-3.2mm (Drill Bit dia2.9mm). Thread Length 20mm-40mm x Total Length 70mm-100mm - ,Cortical Screws Shaft dia6mm Thread dia4.5-3.5mm (Drill Bit dia3.2mm) Thread Length 20mm-40mm x Total Length 60mm-150mm - Extra-Caliber External Fixator ,Dynamic Axial Fixator - ,Small Dynamic Axial Fixator - Fixation For HTO (High Tibial Osteotomy) ,Pertrochanteric Fixator - Hybrid Fixation System and Ring Fixators ,Adult Limb Reconstruction System - ,Paediatric Limb Reconstruction System - Pelvic Fixator ,Elbow Fixators - ,Radiolucent Wrist Fixator - Dynamic Wrist Fixator ,Mini Fixator - ,Minirail System - , Bonofix-5 External Fixation System - Bonofix-8 External Fixation System ,AO-III External Fixation System - ,Fixing Vertebral & Spinal - ,LineFix and Colles Fixator - ,Ilizarov Ring Fixators - ,Distal Radius Fixator - Ao Type External Fixators ,Hybrid Coupling with Ball-Joint - , Supplementary Screw Holder Bars - ,Supplementary Screw Holder Clamp. - ,Sheffield Ring Fixator Assembly for Trauma - ,2/3 Ring 2 Two-Hole Securing Pins 2 Three-Hole Wire Clamp Slider - ,Sheffield Clamp 3 Reduction Unit. - ,Sheffield Clamp 3 Reduction Unit. - ,Sheffield Ring Fixator Assembly for Reconstruction - ,2/3 Ring 2 1/3 Ring 4 Locking Screws 1 Sheffield Clamp - ,Compression-Distractor Clicker Unit 2 Extension Plates and 2 Single Screw Clamp - , 2/3 Rings Inner dia125mm-250mm - ,Compression-Distractor Clicker Unit Long Extends to 8cm. - ,Reduction Unit 3 Unit are required to connect 2 Ring. - ,Small Single Pin Clamp 4.0 x 2.5mm Modified - ,Small Connecting Clamp 4.0 x 4.0mm Modified - ,Front Threaded Pin dia3.5mm Shaft 4.0mm-5.0mm Thread Length- 14mm-30mm Total Length 125mm - ,Cancellous Front Threaded Pin dia3.5mm Shaft 4.0mm Thread Length 20mm Total Length 125mm - , Carbon Fiber Ring Full Ring ID : 80mm-200mm Stainless Steel OD : 120mm-300mm - ,Carbon Fiber Ring 3/4 Ring ID : 80mm-220 Stainless Steel OD : 120mm-300mm - ,Front Threaded Pins dia1.5mm-2.5mm X Length 75mm-100mm - ,Carbon Fiber Ring 5/8 Ring ID : 80mm-240mm OD : 120mm-300mm - ,Connecting Rod, dia4.0mm x Length 100mm-300mm - , Carbon Fiber Ring Half Ring ID : 80mm-240mm Stainless Steel OD : 120mm-280mm - ,Carbon Fibre Rod dia4.0mm x Length 100mm-300mm - ,Carbon Fiber Ring 3/8 Ring ID 80mm-240mm OD 120mm-280mm - ,Single Pin Clamp (Deluxe) Stainless Steel - ,Single Pin Clamp (Open Wise) Stainless Steel - ,Double Pin Clamp Stainless Steel - ,Open Single Pin Clamp Stainless Steel - ,Open Connecting Clamp Stainless Steel - ,Connecting Clamp Stainless Steel - ,Twin Adjustable Clamp - Straight Stainless Steel - ,Twin Adjustable Clamp - Curved Stainless Steel - ,Transverse Clamp Stainless Steel - ,Tube to Tube Clamp Stainless Steel - ,Self Holding Clamp Stainless Steel - ,Compression Distractor Device Stainless Steel - ,Schanz Pin IntRoducer Stainless Steel - ,Connecting Rod dia5.0mm x Length 200mm Stainless Steel - ,

Tubular Rods - 11mm x 100mm-450mm ,dia11mm Carbon Connecting Rod 100mm-500mm - , Bone Pin Cancellous Front Threaded Pin dia6.5mm, Thread Length 16mm-50mm, Total Length 225mm - ,Carbon Fiber Ring 1/4 Ring ID : 80mm-220mm Stainless Steel OD : 120mm-260mm - ,Italian Femoral Arche 90°-120° 100mm-260mm - ,Front Threaded Pin (Shanz Screw) dia4.5mm Thread Length 32mm Total Length 200mm Stainless steel - ,Front Threaded Pin (Shanz Screw), dia4mm-dia6.0mm, Thread Length 18mm-50mm, Total Length 125mm-250mm - , Front Threaded Pin dia3.5mm Shaft 4.0mm-5.0mm Thread Length- 14mm-30mm Total Length 125mm - ,Front Threaded Pins dia1.5mm-2.5mm X Length 75mm-100mm - ,Connecting Rod dia4.0mm x Length 100mm-300mm - ,Carbon Fibre Rod dia4.0mm x Length 100mm-300mm - ,Tubular Rods : 11mm x 100mm-450mm - ,dia11mm Carbon Connecting Rod 100mm-500mm - , 3/4 Ring Length 115mm-205mm - ,Bone Pin Cancellous Front Threaded Pin dia6.5mm Thread Length 16mm-50mm Total Length 225mm - ,ILIZAROV- Full Ring, Length 80mm-300mm - , Front Threaded Pin (Shanz Screw) dia4mm-dia6.0mm Thread Length 18mm-50mm Total Length 125mm-250mm - ,Omege Ring Length 120mm-200mm - ,ILIZAROV - 1/2 Ring Length 120mm - ,Carbon Fiber Ring, Full Ring, ID : 80mm-200mm, Stainless Steel OD : 120mm-300mm - 80mm-200mm Stainless Steel OD ,ILIZAROV - 5/8 Ring Length 100mm-300mm - , 3/4 Ring Length 110mm-205mm - ,Omege Ring, Length 120mm-200mm - ,Total Length 120mm-250mm - ,Thread Length 30mm-70mm - ,dia6mm Blunt Pin - ,Total Length 150mm-250mm - ,Transfixing Pin dia5.0/4.0mm - ,Total Length 200mm-300mm - ,Thread Length 35mm-70mm - ,Staight Post dia5mm - ,30° Angled Post dia5mm - ,dia5mm Carbon Connecting Rod 65mm-250mm - ,Compression-Distracton Tube dia15mm - ,dia3mm Self Drilling/ Self Tapping Pins Total Length 80mm Thread Length 15mm - ,dia4mm Self Drilling/ Self Tapping Pins Total Length 120mm Thread Length 30mm - ,dia4mm Self Drilling/ Self Tapping Pins Total Length 150mm Thread Length 40mm - ,dia4mm Self Drilling/ Self Tapping Pins Total Length 180mm Thread Length 40mm - ,dia5mm Self Drilling/Self Tapping Pin Total Length 150mm Thread Length 40mm - ,dia5mm Self Drilling/Self Tapping Pin Total Length 180mm Thread Length 50mm - ,5-Hole Pin Clampdia4mmdia5mm dia6mm - ,dia3.8mm Drill bit - ,dia3.0mm Drill bit - ,Cortical Screws Shaft dia6mm - ,Thread dia6.0-5.0mm (Drill Bit dia4.8mm) - ,Thread dia4.5-3.5mm Thread Length 40mm-60mm x Total Length 120mm - ,Wrist Self-drilling Cortical Screws Shaft dia4mm - ,Thread dia3.3-3.0mm (Drill Bit dia2.0mm). Thread Length 20mm-30mm x Total Length 60mm-100mm - ,Self-drilling Cortical Screws Shaft dia3mm - ,Thread dia3-0-2.5mm - ,For use with the M100 Range. Thread Length 18mm -30mmx Total Length 50mm-100mm - ,1/3 Rings Inner dia125mm-250mm - ,1/3 RadioLucent Rings Innerdia125mm-250mm - ,Ring Locking Screw - ,Foot Ring Inner dia150mm Aluminium - ,Three-Hole Wire Clamp Slider Unit - ,Two-Hole X-Wire Securing Pin - ,Independent Wire Clamp - ,Hybrid Coupling with Ball-Joint - ,X-Wire with lateral Olive Dia2mm x Length 310mm - ,X-Wire with lateral Olive dia2mm x Length 350mm - ,X-Wire with lateral Olive dia2mm x Length 400mm - ,X-Wires with Central Olive dia2mm x Length 400mm-450mm - ,X-Wire dia1.8mm with central Olive Length 400mm (not illustrated) - ,X-Wire dia1.8mm without Olive Length 400mm (not illustrated) - ,X-Wire without Olive dia2mm x Length 400mm-450mm - , Compression-Distracton Clicker Unit Standard Extends to 4cm. - ,Front Threaded Pins dia1.5mm-2.5mm X Length 75mm-100mm - ,Self-drilling Cortical Screws Shaft dia3mm - ,Thread dia2.5-2-0mm - ,For use with the M100 Range. Thread Length 15mm-20mm x Total Length 40mm-50mm - ,ILIZAROV SET - MEDIUM-160mm - ,For use with the M100 Range. Thread Length 15mm-20mm x Total Length 40mm-50mm - ,Cortical Screw Shaft dia 6mm Thread dia6.0-5.0mm (Drill bit dia4.8mm)dia 6mm x 30mm-90mm x 90mm-300mm (with HA Coating) - ,Carbon Fibre Connecting Plate 2 Holes-6 Holes - ,Illizarov Foot Ring Large 120mm-240mm Aluminium - ,dia11mm Carbon Connecting Rod 65mm-500mm - ,Cortical Screw Sterile Shaft dia 6mm Thread dia6.0-5.0mm (Drill bit dia4.8mm)dia 6mm x 30mm-90mm x 90mm-300mm (with HA Coating) - ,Bone Screw - ,Bone Screw Shaft dia 6mm Thread dia 6.0-5.6mmdia 6mm x

30mm -90mmx 120mm -300mm(with HA Coating) - ,Pin to Rod Coupling Large/Medium/Small - ,Cortical Screws Shaft dia6mm Thread dia4.5-3.5mm (Drill Bit dia3.2mm) Thread Length 20mm-40mm x Total Length 60mm-150mm - ,Cortical Screws Shaft dia6mm Thread dia3.5-3.2mm (Drill Bit dia2.9mm). Thread Length 20mm-40mm x Total Length 70mm-100mm - ,Wrist Cortical Screws Shaft dia4mm Thread dia3.3-3.0mm (Drill Bit dia2.7mm). Thread Length 20mm-40mm x Total Length 70mm-100mm - ,Wrist Cortical Screws Shaft dia4mm Thread dia3-0-2.5mm (Drill Bit dia2.0mm). Thread Length 20mm x Total Length 70mm - ,Self-drilling Screws Shaft dia6mm Thread dia6.0-5.6mm Thread Length 30mm-100mm x Total Length 150mm-300mm - ,Self-drilling Cortical Screws Shaft dia6mm Thread dia6.0-5.0mm Thread Length 40mm-80mm x Total Length 150mm-250mm - ,Self-drilling Cortical Screws Shaft dia6mm Thread dia4.5-3.5mm Thread Length 40mm-60mm x Total Length 120mm - ,Wrist Self-drilling Cortical Screws Shaft dia4mm Thread dia3.3-3.0mm (Drill Bit dia2.0mm). Thread Length 20mm-30mm x Total Length 60mm-100mm - ,Self-drilling Cortical Screws Shaft dia3mm Thread dia3-0-2.5mm For use with the M100 Range. Thread Length 18mm -30mmx Total Length 50mm-100mm - ,Self-drilling Cortical Screws Shaft dia3mm Thread dia2.5-2-0mm For use with the M100 Range. Thread Length 15mm-20mm x Total Length 40mm-50mm - ,Cortical Screw Sterile Shaft dia 6mm Thread dia6.0-5.0mm (Drill bit dia4.8mm)dia 6mm x 30mm-90mm x 90mm-300mm (with HA Coating) - ,Cortical Screw Sterile Shaft dia 4mm Thread dia3.3-3.0mm (Drill bit dia2.7mm) dia 4mm x 20mm x 70mm (with HA Coating) - ,Self-drilling Cortical Screw Sterile Shaft dia 6mm Thread dia 6.0-5.0mm dia 6mm x 30mm-90mm x 120mm-300mm (with HA Coating) - ,Bone Screw Sterile Shaft dia 6mm Thread dia 6.0-5.6mm dia 6mm x 30mm -90mmx 120mm -300mm(with HA Coating) - ,Pin to Rod Coupling Large/Medium/Small - ,Aluminium-Large - ,Aluminium -Medium - , Aluminium-Small - ,PEEK-Large - ,PEEK-Medium - ,PEEK-Small - ,Small Single Pin Clamp 4.0 x 2.5mm Modified - ,Small Connecting Clamp 4.0 x 4.0mm Modified - ,Front Threaded Pin dia3.5mm Shaft 4.0mm-5.0mm Thread Length- 14mm-30mm Total Length 125mm - ,Front Threaded Pins dia1.5mm-2.5mm X Length 75mm-100mm - ,Connecting Rod dia4.0mm x Length 100mm-300mm - ,Carbon Fibre Rod dia4.0mm x Length 100mm-300mm - ,ILIZAROV SET - MEDIUM-180mm - ,2/3 RadioLucent Ring Inner dia125mm-250mm - ,Graduated Telescopic Rod Length 100mm-150mm - NA ,1/3 Ring Inner dia190mm (Not illustrated) - , Hybrid Fixator Standard - ,D.A.F. Standard Central Body 1 Compression- - ,Distraction Unit Standard; 1 D.A.F. Straight Clamp; 1 Hybrid Coupling with Ball-Joint - ,X-Wire with lateral Olive dia2mm x Length 300mm-400mm - ,X-Wires with Central Olive dia2mm x Length 400mm-450mm - ,Hybrid Fixation System Sterilization Box Empty - ,2/3 Rings Inner dia220mm - ,1/3 Ring Inner dia220mm (Not illustrated) - ,2/3 Rings Inner dia175mm - ,1/3 Ring Inner dia175mm (Not illustrated) - ,Hybrid Fixator Short Assembly Kit Consisting of 1 D.A.F. Straight Clamp 1 D. A.F. Short Central Body 1 Compression- Distraction Unit Short 1 Hybrid Coupling with Ball-Joint - ,Medium Semi-Circular Curved Rod-Aluminium Length 180mm - ,Large Semi-Circular Curved Rod-Aluminium Length 200mm - ,dia5mm Self Drilling/Self Tapping Pin - ,Total Length 120mm-250mm - ,Front Threaded Pin dia3.5mm Shaft 4.0mm-5.0mm Thread Length- 14mm-30mm Total Length 125mm - ,Bone Screw Shaft dia 6mm Thread dia 6.0-5.6mm dia 6mm x 30mm -90mmx 120mm -300mm(with HA Coating) - ,Self-drilling Cortical Screw Shaft dia 6mm Thread dia 6.0-5.0mm dia 6mm x 30mm-90mm x 120mm-300mm (with HA Coating) - , Cortical Screw Shaft dia 4mm Thread dia3.3-3.0mm (Drill bit dia2.7mm) dia 4mm x 20mm x 70mm (with HA Coating) - ,Cortical Screw Shaft dia 6mm Thread dia6.0-5.0mm (Drill bit dia4.8mm)dia 6mm x 30mm-90mm x 90mm-300mm (with HA Coating) - ,Self-drilling Cortical Screws Shaft dia3mm Thread dia2.5-2-0mm For use with the M100 Range. Thread Length 15mm-20mm x Total Length 40mm-50mm - ,Self-drilling Cortical Screws Shaft dia3mm Thread dia3-0-2.5mm For use with the M100 Range. Thread Length 18mm -30mmx Total Length 50mm-100mm - ,Wrist Self-drilling Cortical Screws Shaft dia4mm Thread dia3.3-3.0

mm (Drill Bit dia2.0mm). Thread Length 20mm-30mm x Total Length 60mm-100mm - ,Self-drilling Cortical Screws Shaft dia6mm Thread dia4.5-3.5mm Thread Length 40mm-60mm x Total Length 120mm - ,Self-drilling Cortical Screws Shaft dia6mm Thread dia6.0-5.0mm Thread Length 40mm-80mm x Total Length 150mm-250mm - ,Self-drilling Screws Shaft dia6mm Thread dia6.0-5.6mm Thread Length 30mm-100mm x Total Length 150mm-300mm - ,Wrist Cortical Screws Shaft dia4mm Thread dia3.3-3.0mm (Drill Bit dia2.7mm). Thread Length 20mm-40mm x Total Length 70mm-100mm - ,ILIZAROV SET - MEDIUM-200mm - ,Wire Fixation Bolt Cannulated - ,Front Threaded Pin (Shanz Screw) dia4.5mm Thread Length 32mm Total Length 200mm Stainless steel - ,Aluminium box for Ilizarov Set-Large - ,ILIZAROV SET - LARGE-220mm - ,ILIZAROV SET - LARGE-240mm (Carbon Fiber Items) - ,Bone Pin Cancellous Front Threaded Pin dia6.5mm Thread Length 16mm-50mm Total Length 225mm - , dia11mm Carbon Connecting Rod 100mm-500mm - ,Carbon Fibre Rod dia4.0mm x Length 100mm-300mm - ,Connecting Rod dia4.0mm x Length 100mm-300mm - ,Cortical Screws Shaft dia6mm, Thread dia6.0-5.0mm (Drill Bit dia4.8mm), Thread Length 30mm-90mm x Total Length 90mm-250mm - ,Cortical Screws Shaft dia6mm, Thread dia4.5-3.5mm (Drill Bit dia3.2mm). Thread Length 20mm-40mm x Total Length 60mm-150mm - ,Cortical Screws Shaft dia6mm, Thread dia3.5-3.2mm (Drill Bit dia2.9mm). Thread Length 20mm-40mm x Total Length 70mm-100mm - ,Wrist Cortical Screws Shaft dia4mm, Thread dia3.3-3.0mm (Drill Bit dia2.7mm). Thread Length 20mm-40mm x Total Length 70mm-100mm - ,Self-drilling Screws Shaft dia6mm, Thread dia6.0-5.6mm Thread Length 30mm-100mm x Total Length 150mm-300mm - ,Wrist Cortical Screws Shaft dia4mm, Thread dia3-0-2.5mm (Drill Bit dia2.0mm). Thread Length 20mm x Total Length 70mm - ,Self-drilling Cortical Screws Shaft dia6mm, Thread dia6.0-5.0mm Thread Length 40mm-80mm x Total Length 150mm-250mm - ,Self-drilling Cortical Screws Shaft dia6mm, Thread dia4.5-3.5mm Thread Length 40mm-60mm x Total Length 120mm - ,Wrist Self-drilling Cortical Screws Shaft dia4mm, Thread dia3.3-3.0mm (Drill Bit dia2.0mm). Thread Length 20mm-30mm x Total Length 60mm-100mm - ,Self-drilling Cortical Screws Shaft dia3mm, Thread dia3-0-2.5mm, For use with the M100 Range. Thread Length 18mm -30mmx Total Length 50mm-100mm - ,Self-drilling Cortical Screws Shaft dia3mm, Thread dia2.5-2-0mm, For use with the M100 Range. Thread Length 15mm-20mm x Total Length 40mm-50mm - ,Cortical Screw Shaft dia 6mm, Thread dia6.0-5.0mm (Drill bit dia4.8mm),dia 6mm x 30mm-90mm x 90mm-300mm (with HA Coating) - ,Cortical Screw Shaft dia 4mm, Thread dia3.3-3.0mm (Drill bit dia2.7mm), dia 4mm x 20mm x 70mm (with HA Coating) - ,Self-drilling Cortical Screw, Sterile Shaft dia 6mm, Thread dia 6.0-5.0mm,dia 6mm x 30mm-90mm x 120mm-300mm (with HA Coating) - ,Bone Screw Shaft dia 6mm, Thread dia 6.0-5.6mm,dia 6mm x 30mm -90mmx 120mm -300mm(with HA Coating) - Minirail System

Intended Use:The External Fixators are intended to use Post Traumatic joint contracture which has resulted in loss of range of motion Fractures and disease which generally may result in joint contractures or loss of range of motion and fractures requiring distraction. Open and closed fracture fixation Pseudoarthrosis of long bones Limb lengthening by epiphyseal or metaphyseal distraction (Universal Hinge Fixator) Correction of bony or soft tissue deformities (not applicable for Universal Hinge) Correction of segmental bony or soft tissue defects Joint arthrodesis Infected fractures or nonunions

Class of medical device:Class B

Material of construction:Stainless steel as per ISO 7153-1/ASTM F899,Alumunium,Carbon Fiber,Peek

Dimension(if any):Various Dimension of surgical instruments are manufactured

Shelflife:Not applicable

Sterile or Non sterile:Non-Sterilized

Brand Name(if registered under the Trade Marks Act, 1999):NIL

10	<p>Generic Name:External Ring fixation system</p> <p>Model No.:Bone Screw Sterile Shaft dia 6mm Thread dia 6.0-5.6mmdia 6mm x 30mm -90mmx 120mm -300mm(with HA Coating) - ,RadioLucent Ankle Pin Guide Sterile - ,Supplementary Screw Holder (Bar and Clamp Sterile) - ,RadioLucent Wrist Fixator Kit Sterile Consisting of: 1 RadioLucent Wrist Fixator 1 Compression-Distractor Unit 1 Allen Wrench 4mm 2 Drill Guide 1 Drill Bit dia2.7mm 1 Screw Template - , Self-drilling Screws Shaft dia4mm x Thread dia3.3-3mm x Total Length 70mm x Thread Length 20mm 2 Self-drilling Screws Shaft dia4mm x Thread dia3.3-3mm x Total Length 80mm x Thread Length 25mm and 4 Bone Screw Covers - , T-Wrench - ,Self-drilling Screws Shaft dia6mm Thread dia6.0-5.6mm Thread Length 30mm-100mm x Total Length 150mm-300mm - ,Self-drilling Cortical Screws Shaft dia3mm Thread dia2.5-2-0mm For use with the M100 Range. Thread Length 15mm-20mm x Total Length 40mm-50mm - ,Cortical Screw Sterile Shaft dia 6mm Thread dia6.0-5.0mm (Drill bit dia4.8mm)dia 6mm x 30mm-90mm x 90mm-300mm (with HA Coating) - ,Cortical Screw Sterile Shaft dia 4mm Thread dia3.3-3.0mm (Drill bit dia2.7mm) dia 4mm x 20mm x 70mm (with HA Coating) - ,Self-drilling Cortical Screw Sterile Shaft dia 6mm Thread dia 6.0-5.0mmdia 6mm x 30mm-90mm x 120mm-300mm (with HA Coating) - ,Bone Screw Sterile Shaft dia 6mm Thread dia 6.0-5.6mmdia 6mm x 30mm -90mmx 120mm -300mm(with HA Coating) - ,clamp - NA</p> <p>Intended Use:The Rail Fixation System consists of series of external fixators intended to be used to stabilize bone segment in a broad range of indications,including fractures, joint fusion, bone transport, lengthening & angular corrections. The system contains rail, Sandwich Plate, Dyna Ring, Bolt For Sandwich Plate, compression-distractor Unit.</p> <p>Class of medical device:Class B</p> <p>Material of construction:Stainless steel ISO 7153/ASTM F899,Alumunium, PEEK</p> <p>Dimension(if any):Various Dimension of external fixator are manufactured</p> <p>Shelflife:5 yrs</p> <p>Sterile or Non sterile:Sterilized</p> <p>Brand Name(if registered under the Trade Marks Act, 1999):NIL</p>
----	--

<p>1 1</p>	<p>Generic Name:Rail Fixation System Model No.:Plate Locking Screw - ,STERILIZATION BOX - Elbow Fixator Sterilization Box empty ,Hybrid Instruments Steribox Empty - ,Tray for Hybrid Instruments Steril - ,Screw Guide Length 40mm-280mm - ,Drill Guide Dia4.8mm Length 60mm - ,Drill Bit dia4.8mm x Length 240mm - ,Torque Wrench 6mm - ,X-Wires without Olive dia2.0mm x Length 150mm - ,4mm - ,5mm - ,6mm - ,X-Wires without Olive dia2.0mm x Length 150mm - ,Elbow Fixator Sterilization Box empty - ,Pertrochanteric Fixator Rotation locking Screw - ,Pertrochanteric Fixator Dista Rotation locking Screw - ,Pertrochanteric Screw Guide Length 150mm - ,Tapered Trocar - , Wire Tensioner - ,Wire Cutter - ,Supplementary Screw Holder Bar Radiolucent Length 300mm - ,Wire Guide - ,Post Length 50mm-150mm - ,Two-Hole X-Wire Securing Pin - ,Three-Hole Wire Clamp Slider Unit - ,X-Wire with lateral Olive dia2mm x Length 350mm - ,X-Wire without Olive dia2mm x Length 400mm - ,Paediatric L.R.S. T-Clamp - ,X-Wires with Central Olive dia2mm x Length 400mm - ,Independent Wire Clamp - ,Single Screw Clamp - ,Supplementary Screw Holder Clamp - ,Drill Bit Stop Unit dia4.8mm - ,Paediatric L.R.S. Ball-Joint Coupling - ,Hybrid Coupling with Ball-joint - ,OF-Garches T-Clamp Axis Locking Nut - ,Empty - ,Screw Guide Length 30mm-300mm - ,Tray for Extra-Caliber Hybrid System Ring Steril - ,2/3 Radiolucent Ring dia150mm - ,1/3 Ring Inner dia150mm (Not illustrated) - ,2/3 Radiolucent Ring dia175mm - ,Paediatric L.R.S. Swivelling Clamp - ,Ball-Jointed Modules for Independent Screw Placement For iliac crest applications. Consisting of - 1 Bar with Ball-Joint and 2 Independent Screw Clamp. Enables Screws to be placed freehand in chosen positions on the iliac crest. ,1/3 Ring Inner dia175mm (Not illustrated) - ,Extra-Caliber Hybrid System Ring Steribox - ,Small Compression Distraction Device - ,2/3 Radiolucent Ring dia190mm - ,1/3 Ring Inner dia190mm (Not illustrated) - ,T-Wrench - ,Mini Fixator Lengthening Bar Standard Complete with Spacer Length 100mm - ,Extra-caliber Manipulation Forceps - ,Supplementary Screw Holder (Bar Clamp and Fixator Body Attachment) - ,Extra-Caliber Radiolucent Tibia/Ankle Instruments Sterilization Box Empty - ,Self-drilling Cortical Screw Shaft dia6mm Thread dia6-5mm Total Length 150mm Thread Length 50mm - ,Pelvic Screw Guide Length 100mm - ,T-Wrench - ,Drill Guide dia3.2mm x Length 80mm - ,Torque Wrench 5mm - ,Small D.A.F. Central Body Locking Nut - ,RadioLucent Ankle Clamp Articulation Locking Nut - ,Small D.A.F. Bush - ,Screw Guide Length 40mm-180mm - ,Drill Guide dia3.2mm-4.8mm Length 20mm-180mm - ,Elbow Extended Range Clamp - ,Radiolucent Ankle Clamp - ,Hybrid Coupling with Ball-Joint - , Supplementary Screw Holder Clamp - ,Metaphyseal Clamp - ,Torbay-Garches Clamp - , Compression-Distraction Unit for Small Fixator Extends to 5 cm - ,Trauma-Garches Clamp - , Small D.A.F. Clamp Cover - ,Clamp Screw - ,Double-Coupling clamp - ,Pelvic Fixator Sterilization Box empty - ,Tray for Pelvic Fixator Sterilization Box - ,Self-drilling Cortical Screw Shaft dia6mm Thread dia6-5mm Total Length 220mm Thread Length 50mm - ,Supplementary Screw Holder (Bar Clamp and Fixator Body Attachment) - ,Supplementary Screw Holder Clamp - ,Small D.A.F. Straight Clamp - ,Bush - ,Small D.A.F. T-Clamp - ,Cam - ,D.A.F. Straight Clamp - X-Wires without Olive dia1.5mm x Length 250mm ,Tray for Extra-Caliber Radiolucent Tibia/Ankle Instruments Sterilil - ,Drill Bit Stop Unit dia2.9mm-4.8mm - ,Hammer - Paediatric L.R.S. Straight Clamp ,Hammer Interchangeable Head - ,Hammer Locking Nut - ,Open End Wrench 10mm - ,Universal Allen Wrench - ,Torque Wrench 6mm - ,T-Wrench - ,Hammer - , Hammer Interchangeable Head - ,Hammer Locking Nut - ,T-Clamp - ,Drill Guide Dia3.2mm-4.8 mm Length 40mm-200mm - ,OF-Garches Standard T-Clamp - ,Tapered Trocar - ,L.R.S. OF-Garches T-Clamp - ,Screw Guide - ,Drill Guide dia4.8mm Length 140mm - ,Clamp Cover - ,Small D.A.F. Kit Complete with Compression-Distraction unit and Allen Wrench 5mm - ,Trocar dia4.8mm x Length 240mm - ,D.A.F. Central Body Locking Nut - ,Trocar 6mm x Length 240mm - Small Blue D.A.F. Bush ,Length 32mm-180mm - ,Ruland pilot Wire Guide Dia2.0mm x Length 75mm-120mm - ,Drill Guide dia3.2mm -4.8mm Length 20mm-160mm - ,Drill Bit Stop Unit Dia3.2mm-4.8mm - ,OF-Garches Standard T-Clamp - ,Pertrochanteric Fixator Complete with</p>
----------------	---

Allen Wrench 5mm - Pertrochanteric Fixator Angulation Locking Screw ,Drill Bit Stop Unit dia4.8mm - ,Drill Bit Kit dia2.7mm Length 127mm {Consisting of - 1 Drill Bit Stop Unit dia2.9mm and 1 Allen Wrench 3mm} ,Penning Wrist Cortical Screw Shaft dia4mm Thread dia3.3-3mm Total Length 80mm Thread Length 35mm - ,Penning Wrist Cortical Screw Shaft dia4mm Thread dia3.3-3mm Total Length 70mm Thread Length 20mm - ,Dynamic Wrist Fixator - Clamp Cover/ Anchoring Screw - NA ,Oblique Support with Thread - ,Threaded Bars with nuts and washers - ,Length 80mm-200mm - ,Counter Nut - ,Tray for Penning Dynamic Wrist Fixator Sterilization Box - ,Reduction Unit 3 Unit are required to connect 2 Ring. - ,Hybrid Fixator Standard Assembly Kit Consisting of - 1 D.A.F. Standard Central Body 1 Compression-Distractor Unit Standard; 1 D.A.F. Straight Clamp; 1 Hybrid Coupling with Ball-Joint , Compression-Distractor Unit Standard Extends to 4cm - ,Drill Bit Kit dia4.8mm x Length 240mm - ,L.R.S. Multiplanar Clamp - ,Drill Bit Plain Shank/Jacob Chuck End dia2.5mm x Length 200mm - ,Drill Bit Plain Shank/Jacob Chuck End dia2.5mm x Length 200mm - , Tapered Pin 4mm X Thread Length 18mm X Total Length 50mm - ,Half Pin IntRoducer 4mm - , Distal Radius Fixator - ,RadioLucent Ankle Pin Guide - ,Supplementary Screw Holder Clamp - , D.A.F. Central Bodies Short Complete With 2 Cams 2 Bushes 1 D.A.F. Micromovement Locking Nut and 1 D.A.F. Central Body Locking Nut - ,Compression-Distractor Unit Short Extends to 2.75cm - ,D.A.F. Straight Clamp - ,Hybrid Coupling with Ball-Joint - ,Standard Trauma Kit - , Hinge Clamp - ,Translation Rotation Hinge - ,Single Screw Clamp - ,Cortical Screw dia6-5mm Shaft dia6mm Thread 40mm Length 130mm - ,Ring Clamp - ,Single Screw Clamp - ,Hinge Clamp - ,Extension Plate - ,Reduction Unit 3 Unit are required to connect 2 Ring. - ,Universal Allen Wrench - ,Three-Hole Wire Clamp Slider Unit - ,X-Wire without Olive dia2mm Length 400mm - ,Supplementary Screw Holder Clamp - ,Drill Bit dia4.8mm x Length 280mm - ,Ring Locking Screw - ,L.R. S. Rail Standard Length 30cm. - ,Supplementary Screw Holder (Bar and Clamp) - ,Two-Hole X-Wire Securing Pin - ,Extension Plate - ,Cortical Screw dia6-5mm Shaft dia6mm Thread 40mm Length 150mm - ,Three-Hole Wire Clamp Slider Unit - ,Two-Hole X-Wire Securing Pin - ,Ring Clamp - ,Extension Plate - ,Ring Locking Screw - ,Screw Guide Length 40mm-280mm - ,Drill Guide dia4.8mm Length 80mm - ,Wire Cutter Re-use Kit Consisting of 2 blades and 2 rubbers. (not illustrated) - ,Two-Hole X-Wire Securing Pin - ,Three-Hole Wire Clamp Slider Unit - ,Independent Wire Clamp - ,Tray for Hybrid Fixation System Sterilization Box. - ,Reduction Unit 3 Unit are required to connect 2 Ring. - ,Bolts 60mm - ,Threaded Bars with nuts and washers Length 80mm-200mm - ,Reduction Unit 3 Unit are required to connect 2 Ring. - ,Elbow Extended Range Clamp - ,Adult Limb Reconstruction System (L.R.S.) Kit Extra-Short - ,Cortical Screw dia6-5mm Shaft dia6mm Thread 40mm Length 130mm - ,Cortical Screw dia6-5mm Shaft dia6mm Thread 40mm Length 150mm - ,Clamp Screw - ,Hybrid Coupling with Ball-Joint - ,Long Fixator with Straight Clamp Consisting of - 2 Primary Links 1 Pelvic Fixator Supplementary Link 2 Pelvic Fixator Connecting Unit 2 Cams 2 Bushes and 2 Straight Clamp. , Articulated MiniRail Fixators Vertical Axis Allows Articulation round an axis vertical to the bone Screws - ,L.R. S. Rail Long Length 40cm - ,L.R.S. OF-Garches T-Clamp - ,L.R.S. Hinged Rail Coupling - ,L.R.S. Sandwich Clamp with Compression-Distractor Unit Attachments - ,L.R. S. Rail Short Length 23cm. - ,Ring Clamp - ,L.R. S. Rail Extra-Short Rail Length 12cm. - ,L.R.S. Straight Outer Clamp - ,L.R.S. Straight Central Clamp - ,L.R.S. T-Clamp - ,L.R.S. Ball-Joint Coupling - ,Clamp Cover - ,Compression-Distractor Unit Standard Extends to 4cm. - , Compression-Distractor Unit Long Extends to 8cm. - ,Compression-Distractor Clicker Unit Standard Extends to 4cm. - ,Compression-Distractor Clicker Unit Long Extends to 8cm. - ,OF-Garches Compression-Distractor Unit Standard Extends to 5.5cm. - ,OF-Garches Compression-Distractor Unit Long Extends to 10 cm. - ,L.R.S. Instrument Sterilization Box Empty - ,Screw Guide Length 30mm-160mm - ,Drill Guide Dia2.9mm-5.0mm x Length 20mm-140mm - ,Drill Bit Stop Unit Dia2.9mm-5.0mm - ,Drill Bit Dia2.9mm-5.0mm x Length 140mm-300mm - ,Torque Wrench 6mm - ,L.R.S. Dyna-Ring with Compression-Distractor Unit

Attachment - ,Clamp Screw for Micrometric Swivelling Clamp and Multiplaner Clamp - , Paediatric L.R.S. Hinged Rail Coupling - ,Short Fixator with T-Clamp Consisting of - 2 Primary Links 1 Pelvic Fixator Connecting Unit 2 Cams 2 Bushes and 2 T-Clamp. ,Drill Bit dia3.2mm-4.8 mm x Length 200mm- 280mm - ,Drill Bit Stop Unit dia4.8mm - ,Drill Bit Stop Unit Dia3.2mm - , Cannulated Drill Bit dia4.8mm x Length 280mm - Drill Bit dia3.2mm x Length 200mm , Paediatric L.R.S. Hinged Rail Coupling - ,Torque Wrench 5mm - ,Ruland pilot Wire Guide Dia2.0mm x Length 75mm-120mm - ,Cannulated Drill Bit dia3.2mm x Length 200mm - ,Ruland Pilot Wire Guide dia2.0mm x Length 75mm - ,Tray for L.R.S. Instrument Sterilization Box - ,Drill Guide dia3.2mm-4.8mm Length 40mm-150mm - ,Cannulated Drill Bit dia4.8mm x Length 280mm - ,Ruland Pilot Wire Guide dia2.0mm x Length 75mm - ,Compression-Distractor Unit for Small Fixator Extends to 5 cm - ,Ruland Pilot Wire Guide dia2.0mm x Length 115mm - , Paediatric L.R.S. Dyna-Ring with Compression-Distractor Unit Attachment - ,Small D.A.F. Clamp Cover - ,Paediatric L.R.S. OF-Garches T-Clamp Kit - ,Paediatric L.R.S. Compression-Distractor Unit Extends to 6.2cm - ,Ruland Pilot Wire Guide dia2.0mm x Length 75mm-115mm - ,Drill Guide dia3.2mm x Length 20mm-80mm - ,Drill Guide dia4.8mm x Length 40mm-200mm - ,Drill Bit Stop Unit Dia2.9mm-5.0mm - ,Drill Bit Dia2.9mm-5.0mm x Length 140mm-300mm - ,L.R.S. Instrument Sterilization Box Empty - ,Tray- L.R.S. Instrument Sterilization Box - ,Cannulated Drill Bit dia3.2mm x Length 200mm - ,Paediatric L.R.S. Straight Clamp - ,Drill Bit dia2.0mm x Length 127mm - ,Pelvic Fixator Connecting Unit - ,Primary Link Length 130mm - , Pelvic Fixator Supplementary Link - ,Independent Screw Clamp - ,Pelvic Screw Guide Length 100mm - ,Drill Guide dia2.9mm x Length 20mm - ,Paediatric L.R.S. Locking Screw - ,Ruland Pilot Wire Guide dia2.0mm x Length 115mm - ,Drill Guide dia3.2mm-4.8mm x Length 40mm-140mm - ,Drill Bit dia3.2mm -4.8mmx Length 200mm-280mm - ,Drill Bit Stop Unit dia3.2- dia4.8mm - T-Clamp ,Short Fixator with T-Clamp Consisting of - 2 Primary Links 1 Pelvic Fixator Connecting Unit 2 Cams 2 Bushes and 2 T-Clamp. ,Long Fixator with Straight Clamp Consisting of - 2 Primary Links 1 Pelvic Fixator Supplementary Link 2 Pelvic Fixator Connecting Unit 2 Cams 2 Bushes and 2 Straight Clamp. ,Drill Bit dia3.2mm x Length 140mm - , Drill Bit Stop Unit dia3.2mm - ,Elbow Fixator Central Connecting Unit - ,Elbow Fixator Link Locking Screw - ,Allen Wrench 3mm - ,Primary Link Length 130mm - ,Short Primary Link Length 100mm - ,Elbow Fixator Small Distractor - ,dia4mm Connecting Rod 120mm - ,Screw Guide Length 40mm-280mm - ,Penning Dynamic Wrist Fixator Ulnar Outrigger Clamp - ,Drill Guide dia2.9mm -4.8mm Length 20mm-60mm - ,Torque Wrench 5mm - Drill Bit Stop Unit dia2.7mm ,Fixator Self-Locking Manipulation Forceps - ,Drill Bit Stop Unit dia4.8mm - ,Paediatric L. R.S. T-Clamp - ,Paediatric L.R.S. Ball-Joint Coupling - ,Drill Bit Kit dia2.7mm Length 127mm - , Wire Buckle - ,Paediatric L.R.S. Swivelling Clamp - ,Oblique Support without Thread - ,Conical Washer - Connection Bolt- 10mm-30mm ,Paediatric L.R.S. OF-Garches T-Clamp Kit - ,Tapered Trocar - ,Extra-caliber Manipulation Forceps - ,Mini Fixator Bodies Long (1 Long Bar and 1 Standard Bar Total Length 87mm) - ,RadioLucent Ankle Pin Guide - ,Ball-Jointed Modules for Independent Screw Placement For iliac crest applications. Consisting of - 1 Bar with Ball-Joint and 2 Independent Screw Clamp. Enables Screws to be placed freehand in chosen positions on the iliac crest. ,Screw Guide Length 30mm-160mm - ,Drill Bit Stop Unit dia3.2mm - ,Drill Bit dia3.2mm x Length 140mm - ,Torque Wrench 6mm - ,Pelvic Fixator Sterilization Box empty - , Tray for Pelvic Fixator Sterilization Box - ,Self-drilling Cortical Screw Shaft dia6mm Thread dia6-5mm Total Length 220mm Thread Length 50mm - ,Self-drilling Cortical Screw Shaft dia6mm Thread dia6-5mm Total Length 150mm Thread Length 50mm - ,Screw Guide Length 30mm-160mm - ,Drill Guide dia3.2mm x Length 40mm - ,Drill Guide dia3.2mm x Length 80mm - ,Drill Guide dia3.2mm Length 40mm - ,Drill Guide dia4.8mm Length 40mm - ,Tray for Elbow Fixator Sterilization Box empty - ,X-Wires without Olive dia2.0mm x Length 150mm - ,Drill Bit dia2.9mm-4.8mmx Length 140mm-300mm - Drill Bit Stop Unit dia2.9mm ,Extra-Articular RadioLucent Wrist Clamp (not illustrated) - ,Dynamic Wrist Fixator-Ulnar Outrigger Clamp - ,

Dynamic Wrist Fixator - Double Ball-Joint - ,Dynamic Wrist Fixator-Cam - ,Dynamic Wrist Fixator - Bush - ,Cortical Screw Shaft dia6mm Thread dia4.5-3.5mm Total Length 120mm Thread Length 20mm - ,Cortical Screw Shaft dia6mm Thread dia6-5mm Total Length 110mm Thread Length 30mm - ,Dynamic Wrist Fixator-Straight Clamp - ,Dynamic Wrist Fixator T-Clamp - ,Wire Fixation Bolt Slotted - ,Drill Bit Stop Unit dia2.0mm - ,Drill Guide dia2.0mm - , Template with Handle - ,Pilot Wire Guide dia1.6mm - ,K-Wire dia1.5mm Length 150mm - ,T-Wrench For Clamp Screws - ,T-Wrench For Bone Screws - ,Drill Guide dia2.7mm - ,Penning Dynamic Wrist Fixator Sterilization Box empty - ,Template with Handle - ,Dynamic Wrist Fixator - Double Ball-Joint - ,Linefix Set 30cm - ,Front Threaded Pins dia 5.0mm x 42mm x 180mm - Linefix Set 25 Cm ,Screw Guide Length 32mm-160mm - ,L.R.S. Micrometric Swivelling Clamp - ,Fixator Self-Locking Manipulation Forceps - ,Drill Guide Dia2.9mm-5.0mm Length 20mm-140mm - ,Ruland Pilot Wire Guide Dia2.0mm x Length 75mm - ,Mini Fixator Bodies Short (1 Standard Bar and 1 Short Bar Total Length 62mm) - ,T-Clamp - ,Mini Fixator L-Clamp (Left-Right) - ,Mini Fixator Clamp Locking Screw - ,Pennig Mini Fixator Lengthening Bar Long Complete with Spacer Length 120mm - ,Pennig Mini Fixator Lengthening Bar Standard Complete with Spacer Length 100mm - ,Ring Locking Screw - ,Pennig Mini Fixator Compression-DistractioN Nut - ,Threaded Wires dia2mm Total Length 100mm Thread Length 15mm - ,Threaded Wires dia1.6mm Total Length 70mm Thread Length 15mm - ,Mini Fixator Reduct on Forceps - ,Threaded Wire Extractor - ,Pennig Mini Fixator sterilization Box empty - , Tray for Pennig Mini Fixator sterilization Box - ,Pennig Mini Fixator Lengthening Bar Short Complete with Spacer Length 80mm - ,Mini Fixator Spacer - ,Mini Fixator Bodies Standard (2 Standard Bar Total Length 72mm) - ,Mini Fixator Bodies Long (1 Long Bar and 1 Standard Bar Total Length 87mm) - ,Mini Fixator Lengthening Bar Short Complete with Spacer Length 80mm - ,Drill Guide dia3.2mm-4.8mm Length 20mm-180mm - ,Mini Fixator Lengthening Bar Long Complete with Spacer Length 120mm - ,Mini Fixator Compression-DistractioN Nut - ,Mini Fixator Clamp Locking Screw - ,MiniRail Lengthener T-Clamp - ,MiniRail Lengthener/Fixator Clamp Cover - ,MiniRail Lengthener/Fixator Clamp Cover Screw - ,Allen Wrench 3mm - , MiniRail System Sterilization Box empty - ,MiniRail System Sterilization Box empty - ,Tray for MiniRail System Sterilization Box - ,Self-drilling Cortical Screws Shaft dia3mm Thread dia2.5-2mm Total Length 40mm Thread Length 15mm - ,Self-drilling Cortical Screws Shaft dia3mm Thread dia2.5-2mm Total Length 45mm Thread Length 20mm - ,Wrench 10mm - , Stabilization/Reduction Wrench dia5mm - ,Thumbwheel - ,Stabilization/Reduction Wrench dia8mm - ,5mm Wrench/dia3-4mm Pin driver - ,Elbow Joint device 5mm - ,5mm Spanner Wrench - ,BonoFix 5-8 External Fixator Kit - ,dia4mm Quick Coupling - ,Peri-Articular Pin Clamp dia3mm - ,Rod-to-Rod CouplingRods or Posts of dia5mm - ,Tube-to-Rod CouplingTubes of dia15mm; Rods or posts of dia5mm - ,dia4 -7mm T-Wrench - ,dia4mm-5mm T Quick Coupling - ,Tray for BonoFix 5-8 External Fixator Kit - ,Mini Fixator Bodies Standard (2 Standard Bar Total Length 72mm) - ,Dynamination Tube dia20mm - ,Screw Guide(Large) - , Pressurizer - ,Hand Drill - ,dia5mm T Quick Coupling - ,Container for BonoFix 5-8 External Fixator Kit - ,Screw Guide(Small) - ,Screw Guide(Large) - ,dia5-8mm Reduction Wrench - ,dia3.8mm Drill bit - ,dia3.0mm Drill bit - ,Thumbwheel - ,Container for BonoFix 5-8 External Fixator Kit - ,Mini Fixator Bodies Short (1 Standard Bar and 1 Short Bar Total Length 62mm) - ,PEEK Rod to pin clamp 8mm Rod & 5-6mm pin - ,PEEK Rod to Rod clamp 8mm - ,Ankle Joint device 8mm - ,Knee Joint device 8mm - ,4-Hole Pin Clamp dia3/4mm - ,dia4mm-5mm T Quick Coupling - ,7mm Spanner Wrench - ,Wrench 6- 14mm - ,Stainless Steel - ,Screw Guide 6 x 4mm - ,Dynamination Tube dia20mm - ,Allen Key Universal A/F 3mm - ,Jig for Distal Radius Fixator - ,Tray for BonoFix 5-8 External Fixator Kit - ,T-Wrench- 11mm - ,Triple Trocar Set with Handle - ,Drill Sleeve 4 x 2.5mm - ,Triple Trocar Set - Extra Long - ,Stainless Steel - ,Sleeve with Handle for 6.5mm Cancellous Shanz Pin - ,Pelvic Fixator Long Body - Pelvic Fixator Short Body ,Elbow Fixator Compression-DistractioN Unit Spacers - ,Articulated MiniRail Fixators

Horizontal Axis Allows Articulation round an axis parallel to the bone Screws - ,MiniRail Lengtheners Short Allows Lengthening up to 32.5mm - ,MiniRail Lengtheners Long Allows Lengthening up to 135.5mm - ,MiniRail Lengtheners Standard Allows Lengthening up to 57.5 mm - ,Articulated MiniRail Fixators Multiplanar Axis Allows Articulation round an axis at 90 degrees to the bone Screws - ,Articulated MiniRail Fixators Horizontal Axis Allows Articulation round an axis parallel to the bone Screws - NA ,Bolts with nuts and washers Length 60mm - , Tapered Pin - ,4mm X Thread Length 18mm-20mm X Total Length 50mm -100mm - ,Front Threaded Pins 2.5mm x 20mm x 80mm - ,Front Threaded Pins 3.0mm x 24mm x 100mm - , COLLES FIXATOR 145mm - ,COLLES FIXATOR 145mm Set - ,Front Threaded Pins 2.5mm x 20mm x 80mm - ,Front Threaded Pins 3.0mm x 24mm x 100mm - ,Colles Fixator 165mm - , COLLES FIXATOR 165mm Set - ,Blue Clamp Big with Connecting Nut Washer and Schanz Pin Fixtation - ,Connecting Rod Stainless Steel dia4.75mm x Length 200mm - ,Connecting Rod Aluminium dia7.90mm x Length 400mm - ,Translation Rotation Hinge - ,Blue Clamp Big with Connecting Nut Washer and Schanz Pin Fixtation - ,Connecting Rod Stainless Steel dia4.75mm x Length 200mm - ,Front Threaded Pins dia 5.0mm x 42mm x 180mm - ,Connecting Rod Aluminium dia7.90mm x Length 350mm - ,Linefix Set 35 Cm - ,Blue Clamp Big with Connecting Nut Washer and Schanz Pin Fixtation - ,Connecting Rod Stainless Steel dia4.75mm x Length 200mm - ,Connecting Rod Aluminium dia7.90mm x Length 300mm - ,Front Threaded Pins dia 5.0mm x 42mm x 180mm - ,Blue Clamp Big with Connecting Nut Washer and Schanz Pin Fixtation - ,Front Threaded Pins dia 5.0mm x 42mm x 180mm - ,Connecting Rod Stainless Steel dia4.75mm x Length 200mm - ,Mini Fixator Standard Clamp - ,Opend End Wrench 10mm - ,Blue Clamp Big with Connecting Nut Washer and Schanz Pin Fixtation - ,Connecting Rod Stainless Steel dia4.75mm x Length 200mm - Self-aligning Articulated Body Assembly kit , Connecting Rod Aluminium 7.90mm x 200mm - ,Front Threaded Pins 4.5mm x 42mm x 180mm - ,Linefix Set 20cm - ,Blue Clamp Small with Connecting Nut Washer and Schanz Pin Fixation Bolt - ,Connecting Rod Aluminium 6.30mm x 170mm - ,Linefix Set 17 Cm - ,Blue Clamp Small with Connecting Nut Washer and Schanz Pin Fixation Bolt - ,Connecting Rod Stainless Steel 3.10mm x 150mm - ,Connecting Rod Aluminium 6.30mm x 150mm - ,Front Threaded Pins 3.0mm x 25mm x 100mm - Dynamic Axial Fixator" for components. ,Linefix Set 15Cm - , Wrench 7mm - Trocar ,Blue Clamp Mini with Connecting Nut Washer and Schanz Pin Fixation Bolt - ,Connecting Rod Stainless Steel 3.10mm x 110mm - ,Connecting Rod Aluminium4.70mm x 130mm - ,Front Threaded Pins 2.4mm x 20mm x 80mm - ,Connecting Rod Aluminium 7.90 mm x 250mm - ,Bone Pin 3.0mm-6.0mm - ,Kirschner Wire dia1.5mm - ,dia11mm Stainless Steel Connecting Rod 65mm-500mm - ,dia11mm Aluminium Connecting Rod 65mm-500mm - , dia11mm Carbon Connecting Rod 65mm-500mm - ,dia8mm Stainless Steel Connecting Rod 65mm-500mm - ,Linefix Set 13 Cm - ,Aluminium Connecting Rod 65mm-500mm - ,dia8mm Connectin Rod - ,Carbon Connecting Rod 65mm-500mm - ,dia8mm Connectin Rod - ,dia3mm Connecting Rod 75mm - ,Tube To Tube Coupling (Large/Medium/Small) - ,Pin to Rod Coupling (Large/Medium/Small) Self Holding Clamp - , , dia4mm Self Drilling/ Self Tapping Pins - ,Total Length 90mm-180mm - ,Thread Length 10mm-50mm - ,dia3mm Self Drilling/ Self Tapping Pins - ,Total Length 60mm-120mm - ,Thread Length 10mm-30mm - ,Straight Post dia5mm - , Articulated MiniRail Fixators Vertical Axis Allows Articulation round an axis vertical to the bone Screws - ,Clamp Screw for Micrometric Swivelling Clamp and Multiplaner Clamp - ,Two-Hole X-Wire Securing Pin - ,Three-Hole Wire Clamp Slider Unit - ,Ring Clamp - ,Extension Plate - ,Hinge Clamp - ,Single Screw Clamp - ,Mini Fixator Kits Short - ,Mini Fixator Short Body - ,Mini Fixator Standard Clamp - ,Mini Fixator Compression-DistractioN Nuts. - ,Mini Fixator Kits Standard - ,Mini Fixator Standard Body - ,Mini Fixator Kits Long - ,Mini Fixator Standard Body 2 Mini Fixator Standard Clamp - ,Mini Fixator Compression-DistractioN Nuts - ,Mini Fixator Long Body - ,Drill Bit Stop Unit dia2.7/2.9mm - ,Hybrid Fixator Standard - Hybrid Coupling with Ball-Joint ,Dynamic Wrist Fixator-Compression-DistractioN Module - ,Dynamic Wrist Fixator-Long

Module - ,Dynamic Wrist Fixator Short Module with T-Clamp Cam and Bush - ,Dynamic Wrist Fixator Short Module with Straight Clamp Cam and Bush - ,Dynamic Wrist Fixator for Extra-Articular Fractures and Corrective Osteotomies - ,Short Module with T-Clamp Cam and Bush - , Compression-Distraction Module with Straight Clamp Cam - ,Bush and 1 Double Ball-Joint - , Dynamic Wrist Fixator with Compression-Distraction Module - ,Long Module with Straight Clamp Cam and Bush - ,Compression-Distraction Module with Straight Clamp Cam and Bush Double Ball-Joint. - ,Dynamic Wrist Fixator - ,Short Module with Straight Clamp Cam and Bush - ,Long Module with Straight Clamp Cam and Bush - ,Double Ball-Joint - ,RadioLucent Wrist Fixator - ,RadioLucent Wrist Fixator 1 Compression-Distraction Unit - ,Self-drilling Screws Shaft dia4mm x Thread dia3.3-3mm x Total Length 70mm x Thread Length 20mm 2 Self-drilling Screws Shaft dia4mm x Thread dia3.3-3mm x Total Length 80mm x Thread Length 25mm and 4 Bone Screw Covers - ,Knee Fixator with Straight Clamp - ,Primary Links - ,Long Compression-Distraction Unit - ,Screw Guide Length 60mm - ,Elbow Fixator Central Body - , Elbow Fixator Central Connecting Unit 1 Elbow Fixator Small Distraction - ,Elbow Fixator with Straight Clamp - ,Elbow Fixator Compression-Distraction Unit Spacers - ,Long Compression-Distraction Unit - ,Elbow Fixator Central Connecting Unit - ,Ball-Jointed Modules for Independent Screw Placement - ,Pelvic Fixator Short Body - ,Pelvic Fixator Connecting Unit - , Maximum linear extension 77mm - ,Pelvic Fixator Connecting - ,Pelvic Fixator Long Body - , Maximum linear extension 127mm - ,Long Fixator with Ball-Jointed Modules for Independent Screw Placement - ,Pelvic Fixator Supplementary Link - ,Pelvic Fixator Connecting Unit - ,Ball-Jointed Modules for Independent Screw Placement. - ,Paediatric L.R.S. Rails Extra-Short Length 10 cm. - ,Paediatric L.R.S. Rails Short Length 15cm. - ,Paediatric L.R.S. Rails Standard Length 20cm. - ,Paediatric L.R.S. Rails Long Length 25cm. - ,Extra-short - ,Peadiaatric Limb Reconstruction System (L.R.S.) Kit Short With 2 Paediatric L.R.S. Straight Clamp (20010205). - ,Peadiaatric Limb Reconstruction System (L.R.S.) Kit Standard With 2 Paediatric L.R.S. Straight Clamp (20010205). - ,Peadiaatric Limb Reconstruction System (L.R.S.) Kit Long With 2 Paediatric L.R.S. Straight Clamp (20010205). - ,Adult Limb Reconstruction System (L.R.S.) Kit Short With 2 L.R.S. Straight Outer Clamp (EF243) and 2 L.R.S. Straight Central Clamp (EF244) - ,Adult Limb Reconstruction System (L.R.S.) Kit Standard With 2 L.R.S. Straight Outer Clamp (EF243) and 1 L.R.S. Straight Central Clamp (EF244) - ,Adult Limb Reconstruction System (L.R.S.) Kit Long With 2 L.R.S. Straight Outer Clamp (EF243) and 1 L.R.S. Straight Central Clamp (EF244) - ,Cross Joint and Foot Fixation System - ,Compression-Distraction Clicker Units Long Extends to 8cm - ,Compression-Distraction Clicker Units Standard Extends to 4cm - ,Compression-Distraction Clicker Units Long Extends to 8cm - ,Compression-Distraction Clicker Units Standard Extends to 4cm - ,X-Wire without Olive dia2mm x Length 450mm - ,X-Wire without Olive dia2mm x Length 400mm - ,X-wires with central Olive dia2mm Length 450mm - ,X-wires with central Olive dia2mm Length 400mm - ,X-wires with central Olive dia2mm - ,Length 400mm-500mm - ,X-Wire with lateral Olive Dia2mm x Length 300mm-400mm - ,D.A.F. Central Bodies Standard - D.A.F. Micromovement Locking Nut ,D.A.F. Central Body Locking Nut - ,Hybrid Fixator Short {Assembly Kit Consisting of - 1 D.A.F. Straigth Clamp 1 D.A.F. Short Central Body 1 Compression- Distraction Unit Short 1 Hybrid Coupling with Ball-Joint} ,D.A.F. Standard Central Body 1 Compression - ,D.A.F. Micromovement Locking Nut - ,OF-Garches Compression- Distraction Unit Standard Extends to 5.5cm - ,OF-Garches Compression- Distraction Unit Long Extends to 10 cm - ,Fixator Assembly with LRS Rail and LRS OF-Garches T-Clamp - ,Of-Garches Standard Compression-Distraction Unit1 L.R.S. Rail short 1 L.R.S. Straight Central Clamp - ,Small D.A.F. Kit Complete with Compression-Distraction unit and Allen Wrench 5mm - ,SMALL DYNAMIC AXIAL FIXATOR - ,T-Clamp - ,Tray for D.A.F. System with Actuator Steribox - ,D.A.F. System with Actuator Steribox empty - ,Torque Wrench 6mm - ,STERILIZATION BOXES - ,D.A.F. Fixator Kit Short/standard/long - ,Tray for Instruments Steribox - ,Instruments Steribox empty - ,X-Wires

without olive dia2.0mm x Length 150mm - ,X-Wires without olive dia1.5mm x Length 250mm - , Cannulated Drill Bit Dia3.2mm-4.8mm x Length 150mm-300mm - ,Cannulated Drill Bit dia3.2mm x Length 150mm - NA ,Distal Radius Fixator - ,Half Pin IntRoducer 4mm - ,Tapered Pin 4mm X Thread Length 18mm X Total Length 50mm - ,Drill Bit Plain Shank/Jacob Chuck End dia2.5mm x Length 200mm - ,Drill Bit Plain Shank/Jacob Chuck End dia2.5mm x Length 200mm - ,Radiolucent Tibia Kit Long Extra-Caliber Fixator Kits Complete with Universal Allen Wrench and Clamp Cap - ,Radiolucent Tibia Kit Short Extra-Caliber Fixator Kits Complete with Universal Allen Wrench and Clamp Cap - ,Hybrid Kit Long Extra-Caliber Fixator Kits Complete with Universal Allen Wrench and Clamp Cap - ,Hybrid Kit Short Extra-Caliber Fixator Kits Complete with Universal Allen Wrench and Clamp Cap - ,Radiolucent Ankle Kit Long Extra-Caliber Fixator Kits Complete with Universal Allen Wrench and Clamp Cap - ,Radiolucent Ankle Kit Short Extra-Caliber Fixator Kits Complete with Universal Allen Wrench and Clamp Cap - , Dynamic Compression- Distraction Unit (a) - ,Supplementary Screw Holder (Bar and Clamp) Sterile - ,Supplementary Screw Holder (Bar Clamp and Fixator Body Attachment) - , Supplementary Screw Holder Bar Radiolucent Length 150mm - ,Supplementary Screw Holder Bar Radiolucent Length 300mm - ,Supplementary Screw Holder Clamp - ,RadioLucent Ankle Pin Guide - ,D.A.F. Central Bodies Short - ,Complete With 2 Cams 2 Bushes 1 D.A.F. Micromovement Locking Nut and 1 D.A.F. Central Body Locking Nut - ,D.A.F. Central Body Male Components Short - ,D.A.F. Central Body Male Components Standard. - ,D.A.F. Central Body Male Components Long - ,D.A.F. Central Body Male Components Short - ,D.A.F. Central Body Female Components Long - ,D.A.F. Central Body Female Components Standard. - ,D.A.F. Central Body Female Components Short - ,D.A.F. Micromovement Locking Nut - ,D.A.F. Central Body Locking Bolt - ,Compression-Distraction Unit Standard Extends to 4cm - ,Compression-Distraction Unit Long Extends to 8cm - ,Compression-Distraction Unit Short Extends to 2.75 cm - Actuators Short Extends to 2.75cm ,Actuators Standard Extends to 4cm - Actuators Long Extends to 8cm ,Drill Bit dia2.9mm x Length 140mm - ,Drill Bit Stop Unit dia4.8mm - D.A.F. Central Bodies Standard Complete With 2 Cams 2 Bushes 1 D.A.F. Micromovement Locking Nut and 1 D.A.F. Central Body Locking Nut

Intended Use:The Rail Fixation System consists of series of external fixators intended to be used to stabilize bone segment in a broad range of indications,including fractures, joint fusion, bone transport, lengthening & angular corrections. The system contains rail, Sandwich Plate, Dyna Ring, Bolt For Sandwich Plate, compression-distraction Unit. fiber cable.

Class of medical device:Class B

Material of construction:Stainless steel as per ISO 7153-1/ASTM F899,Alumunium, Peek, Titanium,Carbon FiberASTM A276

Dimension(if any):Various Dimension of external fixator are manufactured

Shelflife:NA

Sterile or Non sterile:Non-Sterilized

Brand Name(if registered under the Trade Marks Act, 1999):NIL

12	<p>Generic Name:Unilateral External Fixation System</p> <p>Model No.:Screw Guide Length 40mm-180mm - ,Ruland Pilot Wire Guide dia2.0mm Length 75mm - ,Ruland Pilot Wire Guide dia2.0mm Length 115mm - ,Pelvic Screw Guide Length 100mm - ,dia5mm Carbon Connecting Rod 65mm-300mm - ,dia5mm Aluminium Connecting Rod 65mm-300mm - ,dia11mm Carbon Connecting Rod 100mm-500mm - Bonofix-5 External Fixation System ,Screw Connector - ,D.A.F. Central Bodies Long Complete With 2 Cams 2 Bushes 1 D.A.F. Micromovement Locking Nut and 1 D.A.F. Central Body Locking Nut - ,D.A.F. Central Bodies Short - ,Screw Guide Length 40mm200mm - ,Ruland Pilot Wire Guide dia2.0mm Length 75mm - ,Ruland Pilot Wire Guide dia2.0mm Length 115mm - ,Pelvic Screw Guide, Length 100mm - ,dia5mm Carbon Connecting Rod 65mm-300mm - ,dia5mm Aluminium Connecting Rod 65mm-300mm - ,PEEK Rod to pin clamp, 5mm Rod & 3-4mm pin - ,PEEK Rod to Rod clamp, 5mm - ,Pin to Rod clamp, mini, 3mm Rod & 2mm pin - ,Rod to Rod clamp, mini, 3mm Rod - ,7mm Spanner Wrench - ,Pin-to-Rod Coupling,Rods or Posts of dia5mm ; Pin of dia3mm/dia4mm - ,Pin-to-Rod Coupling,Rods or Posts of dia8mm ; Pin of dia4mm/dia5mm - , Spanner - ,PEEK Rod to pin clamp, 8mm Rod & 5-6mm pin - ,Pin To Tube Clamp - ,PEEK Rod to Rod clamp, 8mm - ,Cross Tube Clamp - ,Rod To Rod Coupling - ,Pin To Rod Coupling - ,Spanner, Total Length 7mm-11mm - ,Spanner- 11mm - ,Box Spanner - 11 mm - ,Pin to Rod Coupling (Large) - ,Ring to Rod Clamp - ,Wire Ring Clamp - ,Box Spanner 10mm - ,Spanner 10mm - NA</p> <p>Intended Use:A collection of instruments used for the placement of external fixation system into or onto bone that may involve external fixation. The instruments include Rods for holding clamps, Spanners, Compressors, Spanners, Screw Guide.</p> <p>Class of medical device:Class B</p> <p>Material of construction:Stainless steel as per ISO 7153-1/ASTM F899,Alumunium,Carbon Fiber,Titanium</p> <p>Dimension(if any):Various Dimension of external fixator are manufactured</p> <p>Shelflife:NA</p> <p>Sterile or Non sterile:Non-Sterilized</p> <p>Brand Name(if registered under the Trade Marks Act, 1999):NIL</p>
----	--

Place:

Date:15-Feb-23

Manmohan
Taneja

Digitally signed by
Manmohan Taneja
Date: 2023.02.15
11:54:45 +05'30'

State Licensing Authority