


AUXILOCK® TITANIUM SCREW-IN SUTURE ANCHOR

Rotator Cuff Repair



Titanium screw-in Suture Anchor

Twix Titanium screw-in Suture Anchor

The self-tapping AUXILOCK® Titanium screw-in suture anchor is mostly used as a medial row anchor in rotator cuff repair surgery. It is recommended for use in small and large-joint repairs without the need for tapping or drilling. AUXILOCK® Titanium screw-in anchors are available in diameter of 5.0 and 6.5mm with double and triple loaded options. The anchor design incorporates a cancellous thread with a very small core diameter to maximize pull-out strength in cancellous or osteoporotic bone. The anchor is designed for ultimate mechanical properties (pull-out strength, tensile strength, etc.) and ease-of-use. The anchors are also available with needles which are ideal for mini-open rotator cuff repair procedures.

Ordering Information

Code	Product Description	Suture/Tape Colour	Needle
6-004-02	AUXILOCK® 5.0mm Titanium Screw-In Suture Anchor With Two #2 BioBraid: White/Blue & White/Black		
6-004-13	AUXILOCK® 5.0mm Titanium Screw-In Suture Anchor With Three #2 BioBraid: White, White/Blue & White/Black		
6-004-05	AUXILOCK® 5.0mm Titanium Screw-In Suture Anchor With Two #2 BioBraid: White & White/Blue, With Needles: MO-6		
6-004-04	AUXILOCK® 6.5mm Titanium Screw-In Suture Anchor With Two #2 BioBraid: White/Blue & White/Black		
6-004-06	AUXILOCK® 6.5mm Titanium Screw-In Suture Anchor With Two #2 BioBraid: White & White/Blue, With Needles: MO-6		
6-045-01	AUXILOCK® 5.0mm Twix Titanium Screw-In Suture Anchor With Two #2 BioBraid: White & White/Blue, With Needles: MO-6		
6-045-02	AUXILOCK® 6.5mm Twix Titanium Screw-In Suture Anchor With Two #2 BioBraid: White & White/Blue, With Needles: MO-6		

STERILE EO