


# TARSUS NAILING

## TARSUS NAILING SYSTEM





# about us

Auxein Medical is an integrated, research based, orthopaedic Implants & instruments manufacturing company, producing a wide range of quality, affordable generic implants, trusted by healthcare professionals and patients across geographies. It is the Company's constant endeavor to provide a wide basket of generic and our innovator products that exceed the highest expectations of customers in term of quality and safety. The company has world-class manufacturing unit established in india and serves customers in over 75 countries worldwide.

## Our Achievements




## Tarsus Nail

**STERILE**


Ø Dia	Length (mm)	Titanium (Left)	Titanium (Right)
10mm	150mm	<b>1-005-150LTI-S</b>	<b>1-005-150RTI-S</b>
10mm	180mm	<b>1-005-180LTI-S</b>	<b>1-005-180RTI-S</b>
10mm	240mm	<b>1-005-240LTI-S</b>	<b>1-005-240RTI-S</b>
11mm	150mm	<b>1-075-150LTI-S</b>	<b>1-075-150RTI-S</b>
11mm	180mm	<b>1-075-180LTI-S</b>	<b>1-075-180RTI-S</b>
11mm	240mm	<b>1-075-240LTI-S</b>	<b>1-075-240RTI-S</b>
12mm	150mm	<b>1-006-150LTI-S</b>	<b>1-006-150RTI-S</b>
12mm	180mm	<b>1-006-180LTI-S</b>	<b>1-006-180RTI-S</b>
12mm	240mm	<b>1-006-240LTI-S</b>	<b>1-006-240RTI-S</b>
13mm	150mm	<b>1-007-150LTI-S</b>	<b>1-007-150RTI-S</b>
13mm	180mm	<b>1-007-180LTI-S</b>	<b>1-007-180RTI-S</b>
13mm	240mm	<b>1-007-240LTI-S</b>	<b>1-007-240RTI-S</b>



Ø Dia	Length (mm)	Titanium (Left)	Titanium (Right)
10mm	150mm	<b>1-005-150LTI</b>	<b>1-005-150RTI</b>
10mm	180mm	<b>1-005-180LTI</b>	<b>1-005-180RTI</b>
10mm	240mm	<b>1-005-240LTI</b>	<b>1-005-240RTI</b>
11mm	150mm	<b>1-075-150LTI</b>	<b>1-075-150RTI</b>
11mm	180mm	<b>1-075-180LTI</b>	<b>1-075-180RTI</b>
11mm	240mm	<b>1-075-240LTI</b>	<b>1-075-240RTI</b>
12mm	150mm	<b>1-006-150LTI</b>	<b>1-006-150RTI</b>
12mm	180mm	<b>1-006-180LTI</b>	<b>1-006-180RTI</b>
12mm	240mm	<b>1-006-240LTI</b>	<b>1-006-240RTI</b>
13mm	150mm	<b>1-007-150LTI</b>	<b>1-007-150RTI</b>
13mm	180mm	<b>1-007-180LTI</b>	<b>1-007-180RTI</b>
13mm	240mm	<b>1-007-240LTI</b>	<b>1-007-240RTI</b>




### 5.0mm Locking Bolt, (Star Head), Titanium

Ø Dia	Length (mm)	STERILE	
		Sterile	Non-Sterile
5.0mm	26	1-008-026TI-S	1-008-026TI
5.0mm	28	1-008-028TI-S	1-008-028TI
5.0mm	30	1-008-030TI-S	1-008-030TI
5.0mm	32	1-008-032TI-S	1-008-032TI
5.0mm	34	1-008-034TI-S	1-008-034TI
5.0mm	36	1-008-036TI-S	1-008-036TI
5.0mm	38	1-008-038TI-S	1-008-038TI
5.0mm	40	1-008-040TI-S	1-008-040TI
5.0mm	42	1-008-042TI-S	1-008-042TI
5.0mm	44	1-008-044TI-S	1-008-044TI
5.0mm	46	1-008-046TI-S	1-008-046TI
5.0mm	48	1-008-048TI-S	1-008-048TI
5.0mm	50	1-008-050TI-S	1-008-050TI
5.0mm	52	1-008-052TI-S	1-008-052TI
5.0mm	54	1-008-054TI-S	1-008-054TI
5.0mm	56	1-008-056TI-S	1-008-056TI
5.0mm	58	1-008-058TI-S	1-008-058TI
5.0mm	60	1-008-060TI-S	1-008-060TI
5.0mm	62	1-008-062TI-S	1-008-062TI
5.0mm	64	1-008-064TI-S	1-008-064TI
5.0mm	66	1-008-066TI-S	1-008-066TI
5.0mm	68	1-008-068TI-S	1-008-068TI
5.0mm	70	1-008-070TI-S	1-008-070TI
5.0mm	72	1-008-072TI-S	1-008-072TI
5.0mm	74	1-008-074TI-S	1-008-074TI
5.0mm	76	1-008-076TI-S	1-008-076TI
5.0mm	78	1-008-078TI-S	1-008-078TI
5.0mm	80	1-008-080TI-S	1-008-080TI
5.0mm	85	1-008-085TI-S	1-008-085TI
5.0mm	90	1-008-090TI-S	1-008-090TI
5.0mm	95	1-008-095TI-S	1-008-095TI
5.0mm	100	1-008-100TI-S	1-008-100TI



**6.0mm Locking Bolt, (Star Head), Titanium**

Ø Dia	Length (mm)	<b>STERILE</b>	
		Sterile	Non-Sterile
6.0mm	26	<b>1-009-026TI-S</b>	<b>1-009-026TI</b>
6.0mm	28	<b>1-009-028TI-S</b>	<b>1-009-028TI</b>
6.0mm	30	<b>1-009-030TI-S</b>	<b>1-009-030TI</b>
6.0mm	32	<b>1-009-032TI-S</b>	<b>1-009-032TI</b>
6.0mm	34	<b>1-009-034TI-S</b>	<b>1-009-034TI</b>
6.0mm	36	<b>1-009-036TI-S</b>	<b>1-009-036TI</b>
6.0mm	38	<b>1-009-038TI-S</b>	<b>1-009-038TI</b>
6.0mm	40	<b>1-009-040TI-S</b>	<b>1-009-040TI</b>
6.0mm	42	<b>1-009-042TI-S</b>	<b>1-009-042TI</b>
6.0mm	44	<b>1-009-044TI-S</b>	<b>1-009-044TI</b>
6.0mm	46	<b>1-009-046TI-S</b>	<b>1-009-046TI</b>
6.0mm	48	<b>1-009-048TI-S</b>	<b>1-009-048TI</b>
6.0mm	50	<b>1-009-050TI-S</b>	<b>1-009-050TI</b>
6.0mm	52	<b>1-009-052TI-S</b>	<b>1-009-052TI</b>
6.0mm	54	<b>1-009-054TI-S</b>	<b>1-009-054TI</b>
6.0mm	56	<b>1-009-056TI-S</b>	<b>1-009-056TI</b>
6.0mm	58	<b>1-009-058TI-S</b>	<b>1-009-058TI</b>
6.0mm	60	<b>1-009-060TI-S</b>	<b>1-009-060TI</b>
6.0mm	64	<b>1-009-064TI-S</b>	<b>1-009-064TI</b>
6.0mm	68	<b>1-009-068TI-S</b>	<b>1-009-068TI</b>
6.0mm	72	<b>1-009-072TI-S</b>	<b>1-009-072TI</b>
6.0mm	76	<b>1-009-076TI-S</b>	<b>1-009-076TI</b>
6.0mm	80	<b>1-009-080TI-S</b>	<b>1-009-080TI</b>
6.0mm	85	<b>1-009-085TI-S</b>	<b>1-009-085TI</b>
6.0mm	90	<b>1-009-090TI-S</b>	<b>1-009-090TI</b>
6.0mm	95	<b>1-009-095TI-S</b>	<b>1-009-095TI</b>
6.0mm	100	<b>1-009-100TI-S</b>	<b>1-009-100TI</b>
6.0mm	105	<b>1-009-105TI-S</b>	<b>1-009-105TI</b>
6.0mm	110	<b>1-009-110TI-S</b>	<b>1-009-110TI</b>
6.0mm	115	<b>1-009-115TI-S</b>	<b>1-009-115TI</b>
6.0mm	120	<b>1-009-120TI-S</b>	<b>1-009-120TI</b>
6.0mm	125	<b>1-009-125TI-S</b>	<b>1-009-125TI</b>



### Spiral Blade, Titanium

**STERILE**



Length (mm)	Sterile	Non- Sterile
45	<b>1-010-045TI-S</b>	<b>1-010-045TI</b>
50	<b>1-010-050TI-S</b>	<b>1-010-050TI</b>
55	<b>1-010-055TI-S</b>	<b>1-010-055TI</b>
60	<b>1-010-060TI-S</b>	<b>1-010-060TI</b>
65	<b>1-010-065TI-S</b>	<b>1-010-065TI</b>
70	<b>1-010-070TI-S</b>	<b>1-010-070TI</b>
75	<b>1-010-075TI-S</b>	<b>1-010-075TI</b>
80	<b>1-010-080TI-S</b>	<b>1-010-080TI</b>
85	<b>1-010-085TI-S</b>	<b>1-010-085TI</b>
90	<b>1-010-090TI-S</b>	<b>1-010-090TI</b>
95	<b>1-010-095TI-S</b>	<b>1-010-095TI</b>
100	<b>1-010-100TI-S</b>	<b>1-010-100TI</b>



### Tarsus Nail End Cap, for Securing Spiral Blade, Titanium

**STERILE**



Sterile	Non-Sterile
<b>1-011-01TI-S</b>	<b>1-011-01TI</b>



### Tarsus Nail End Cap, for Securing the most distal Locking Bolt, Titanium

**STERILE**



Sterile	Non-Sterile
<b>1-011-02TI-S</b>	<b>1-011-02TI</b>




**1-022 : Implant Box for Tarsus Nail**





## 1-022-01 : Implant Tray 1 for Tarsus Nail, Length 150mm & Spiral Blades




Dia	Length	Qty
Ø10mm to Ø13mm	150mm	1pcs

### Spiral Blade


Length	Qty
45mm to 100mm	1pcs

## 1-022-02 : Implant Tray 2 for Tarsus Nail, Length 180mm



Dia	Length	Qty
Ø10mm to Ø13mm	180mm	1pcs

## 1-022-03 : Implant Tray 3 for Tarsus Nail, Length 240mm



Dia	Length	Qty
Ø10mm to Ø13mm	240mm	1pcs

## 1-022-04 : Screw Caddy for Tarsus Nailing System



### Ø5.0mm Locking Bolt, (Star Head)

Dia	Length	Qty
Ø5mm	26mm to 100mm	3pcs

### Ø6.0mm Locking Bolt, (Star Head)

Dia	Length	Qty
Ø6mm	26mm to 125mm	2pcs

### Tarsus Nail End Cap, for Securing Spiral Blade

Code	Qty
1-011-01TI	2pcs

### Tarsus Nail End Cap, for Securing the most distal Locking Bolt

Code	Qty
1-011-02TI	2pcs



1-022-05 Container for Tarsus Nail Implant Set

1-022-06 Lid for Tarsus Nail Implant Set

# Tarsus

## **Nail Instrument Set**

**7-066-01** Radiographic Ruler for Tarsus Nail



**7-066-02** 18/8.0mm Protection Sleeve for Tarsus Nail



**7-066-03** Threaded Alignment Pin for Tarsus Nail



**7-066-04** Driving Cap for Tarsus Nail



**7-066-05** Insertion Handle for Tarsus Nail



**7-066-06** Three Fluted Drill Bit with Quick Couling End, Ø5.0mm x Length 356mm for Tarsus Nail



**7-066-07**      Aiming Arm for Tarsus Nail



**7-066-08**      Aiming Arm Adapter with Bolt for Tarsus Nail



**7-066-09**      Spiral Blade Inserter for Tarsus Nail



**7-066-10**      Holding Device for Guide Wire for Tarsus Nail



**7-066-11**      Sliding Hammer for Tarsus Nail



**7-066-12**      Three Fluted Drill Bit with Quick Couling End, Ø4.2mm x Length 330 for Tarsus Nail



**7-066-13** 12/8.0mm Protection Sleeve for Tarsus Nail



**7-066-14** 8.0/3.2mm Drill Sleeve for Tarsus Nail



**7-066-15** 8.0/4.2mm Drill Sleeve for Tarsus Nail



**7-066-16** 8.0/5.0mm Drill Sleeve for Tarsus Nail



**7-066-17** 3.2mm Trocar for Tarsus Nail



**7-066-18** 4.2mm Trocar for Tarsus Nail



**7-066-19**

5.0mm Trocar for Tarsus Nail

**7-066-20**

Depth Gauge measuring upto 100mm for Tarsus Nail

**7-066-21**

15.0/13.0mm Protection Sleeve for Tarsus Nail

**7-066-22**

13.0/3.2mm Guide Wire Sleeve for Tarsus Nail

**7-066-23**

Measuring Device for Spiral Blade for Tarsus Nail

**7-066-24**

Universal Screwdriver, Hex 8mm for Tarsus Nail



**7-066-25**

Guide Wire Push Rod for Tarsus Nail


**7-066-26**

Self Retaining Screwdriver, Star Head T25 for Tarsus Nail


**7-066-27**

Self Retaining Screwdriver Shaft, Star Head T25 for Tarsus Nail


**7-066-28**

Screw Holding Sleeve with Locking Device for Tarsus Nail


**7-066-29**

Guide Wire with Threaded Tip, Ø3.2mm x Thread Length 13mm x Length 290mm for Tarsus Nail


**7-066-30**

Cannulated Nail Connecting Screw for Insertion Handle for Tarsus Nail





**7-066-31** 4.5mm Pin Wrench for Tarsus Nail



**7-066-32** Ratchet Wrench, Hex 11mm for Tarsus Nail



**7-066-33** 13.0mm Cannulated Entry Reamer for Tarsus Nail



**7-066-34** 13.0mm Protection Sleeve for Tarsus Nail



**7-066-35** 13.0/3.2mm Trocar for Tarsus Nail



**7-066-36** Hammer Guide for Tarsus Nail



**7-066-37** Connecting Screw for Spiral Blade Inserter for Tarsus Nail




**7-066-38** Extraction Screw for Tarsus Nail



**7-066-39** Cannulated Shaft, Hex 8mm for Tarsus Nail



**7-066-40** Guide Wire with Threaded Tip, Ø3.2mm x Thread Length 13mm x Length 400mm for Tarsus Nail



**520-011** T- Handle for Entry Reamer



**1312-22** Quick Coupling Handle



**7-066-55**

 Guide Wire With Ball Tip  $\varnothing 2.5/3.65\text{mm}$  x Length 1000mm - Nitinol, for Tarsus Nail

**7-066-43**


Flexible Reamer Shaft for Tarsus Nail


**Reamer Head**


Code	Dia
7-066-44	$\varnothing 9\text{mm}$
7-066-45	$\varnothing 9.5\text{mm}$
7-066-46	$\varnothing 10\text{mm}$
7-066-47	$\varnothing 10.5\text{mm}$
7-066-48	$\varnothing 11\text{mm}$
7-066-49	$\varnothing 11.5\text{mm}$
7-066-50	$\varnothing 12\text{mm}$
7-066-51	$\varnothing 12.5\text{mm}$
7-066-52	$\varnothing 13\text{mm}$
7-066-53	$\varnothing 13.5\text{mm}$
7-066-54	$\varnothing 14\text{mm}$




**7-066-41-A** Instrument Tray A for Tarsus Nailing Instrument Set




**7-066-41-B** Instrument Tray B for Tarsus Nailing Instrument Set



**7-066-41-C** Instrument Tray C for Tarsus Nailing Instrument Set



**7-066-42** Container with Lid Tarsus Nailing Instrument Set



**7-066 Tarsus Nailing Instrument Set**

Code	Set Consisting of	Qty.
7-066-01	Radiographic Ruler for Tarsus Nail	1
7-066-02	18/8.0mm Protection Sleeve for Tarsus Nail	1
7-066-03	Threaded Alignment Pin for Tarsus Nail	2
7-066-04	Driving Cap for Tarsus Nail	1
7-066-05	Insertion Handle for Tarsus Nail	1
7-066-06	Three Fluted Drill Bit with Quick Couling End, Ø5.0mm x Length 356mm for Tarsus Nail	2
7-066-07	Aiming Arm for Tarsus Nail	1
7-066-08	Aiming Arm Adapter with Bolt for Tarsus Nail	1
7-066-09	Spiral Blade Inserter for Tarsus Nail	1
7-066-10	Holding Device for Guide Wire for Tarsus Nail	1
7-066-11	Sliding Hammer for Tarsus Nail	1
7-066-12	Three Fluted Drill Bit with Quick Couling End, Ø4.2mm x Length 330 for Tarsus Nail	2
7-066-13	12/8.0mm Protection Sleeve for Tarsus Nail	1
7-066-14	8.0/3.2mm Drill Sleeve for Tarsus Nail	1
7-066-15	8.0/4.2mm Drill Sleeve for Tarsus Nail	1
7-066-16	8.0/5.0mm Drill Sleeve for Tarsus Nail	1
7-066-17	3.2mm Trocar for Tarsus Nail	1
7-066-18	4.2mm Trocar for Tarsus Nail	1
7-066-19	5.0mm Trocar for Tarsus Nail	1
7-066-20	Depth Gauge measuring upto 100mm for Tarsus Nail	1
7-066-21	15.0/13.0mm Protection Sleeve for Tarsus Nail	1
7-066-22	13.0/3.2mm Guide Wire Sleeve for Tarsus Nail	1
7-066-23	Measuring Device for Spiral Blade for Tarsus Nail	1
7-066-24	Universal Screwdriver, Hex 8mm for Tarsus Nail	1
7-066-25	Guide Wire Push Rod for Tarsus Nail	1
7-066-26	Self Retaining Screwdriver, Star Head T25 for Tarsus Nail	1
7-066-27	Self Retaining Screwdriver Shaft, Star Head T25 for Tarsus Nail	1
7-066-28	Screw Holding Sleeve with Locking Device for Tarsus Nail	1
7-066-29	Guide Wire with Threaded Tip, Ø3.2mm x Thread Length 13mm x Length 290mm for Tarsus Nail	5
7-066-30	Cannulated Nail Connecting Screw for Insertion Handle for Tarsus Nail	2
7-066-31	4.5mm Pin Wrench for Tarsus Nail	1
7-066-32	Ratchet Wrench, Hex 11mm for Tarsus Nail	1
7-066-33	13.0mm Cannulated Entry Reamer for Tarsus Nail	1
7-066-34	13.0mm Protection Sleeve for Tarsus Nail	1
7-066-35	13.0/3.2mm Trocar for Tarsus Nail	1
7-066-36	Hammer Guide for Tarsus Nail	1
7-066-37	Connecting Screw for Spiral Blade Inserter for Tarsus Nail	1
7-066-38	Extraction Screw for Tarsus Nail	1
7-066-39	Cannulated Shaft, Hex 8mm for Tarsus Nail	1
7-066-40	Guide Wire with Threaded Tip, Ø3.2mm x Thread Length 13mm x Length 400mm for Tarsus Nail	5
520-011	T- Handle for Entry Reamer	1
1312-22	Quick Coupling Handle	1
7-066-55	Guide Wire With Ball Tip Ø2.5/3.65mm x Length 1000mm - Nitinol, for Tarsus Nail	1

Code	Set Consisting of	Qty.
<b>7-066-43</b>	Flexible Reamer Shaft for Tarsus Nail	2
<b>7-066-44</b>	Reamer Head, Ø9.0mm for Tarsus Nail	1
<b>7-066-45</b>	Reamer Head, Ø9.5mm for Tarsus Nail	1
<b>7-066-46</b>	Reamer Head, Ø10mm for Tarsus Nail	1
<b>7-066-47</b>	Reamer Head, Ø10.5mm for Tarsus Nail	1
<b>7-066-48</b>	Reamer Head, Ø11mm for Tarsus Nail	1
<b>7-066-49</b>	Reamer Head, Ø11.5mm for Tarsus Nail	1
<b>7-066-50</b>	Reamer Head, Ø12mm for Tarsus Nail	1
<b>7-066-51</b>	Reamer Head, Ø12.5mm for Tarsus Nail	1
<b>7-066-52</b>	Reamer Head, Ø13mm for Tarsus Nail	1
<b>7-066-53</b>	Reamer Head, Ø13.5mm for Tarsus Nail	1
<b>7-066-54</b>	Reamer Head, Ø14mm for Tarsus Nail	1
<b>7-066-41-A</b>	Instrument Tray A for Tarsus Nailing Instrument Set	1
<b>7-066-41-B</b>	Instrument Tray B for Tarsus Nailing Instrument Set	1
<b>7-066-41-C</b>	Instrument Tray C for Tarsus Nailing Instrument Set	1
<b>7-066-42</b>	Container with Lid Tarsus Nailing Instrument Set	1





**USA**

Auxein Inc.  
1500 Nw 89th Court, Suite 107-108  
Doral, Florida 33172  
Tel: +1 305 395 6062  
E Fax: +1 305 395 6262  
Email: USoffice@auxein.com

**MEXICO**

Auxein México, S.A. de C.V.  
Tepic 139 int 801, Colonia Roma Sur,  
Alcaldía Cuauhtémoc, CDMX,  
México, C.P. 06760  
Tel: +521 55 7261 0318  
Email: info@auxein.mx

**INDIA**

Auxein Medical Pvt. Ltd.  
Plot No. 168-169-170, Phase-4,  
Kundli Industrial Area,  
HSIIDC, Sector-57, Sonapat - 131028, Haryana  
Tel: +91 99106 43638 | Fax: +91 86077 70197  
Email: info@auxein.com