

5.0mm

Wise-Lock Large Fragment


FEMUR



Indications

- Distal shaft fractures
- Supracondylar fractures
- Intra-articular fractures
- Periprosthetic fractures

4.5/5.0mm Wise-Lock Distal Femur Plate



Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
5	748.105L	TI-748.105L	748.105R	TI-748.105R
7	748.107L	TI-748.107L	748.107R	TI-748.107R
9	748.109L	TI-748.109L	748.109R	TI-748.109R
11	748.111L	TI-748.111L	748.111R	TI-748.111R
13	748.113L	TI-748.113L	748.113R	TI-748.113R
15	748.115L	TI-748.115L	748.115R	TI-748.115R



Indications

- Buttressing of multifragmentary distal femur fractures
- Supracondylar fractures
- Intra-articular and extra-articular condylar fractures
- Malunions and nonunions of the distal femur
- Periprosthetic fractures
- Osteopenic bone

4.5/5.0mm Wise-Lock Condylar Femur Plate



Round
Locking Hole



Compression and
Locking Hole



	Left Direction		Right Direction	
Holes	Stainless Steel	Titanium	Stainless Steel	Titanium
7	731.207L	TI-731.207L	731.207R	TI-731.207R
9	731.209L	TI-731.209L	731.209R	TI-731.209R
11	731.211L	TI-731.211L	731.211R	TI-731.211R
12	731.212L	TI-731.212L	731.212R	TI-731.212R
13	731.213L	TI-731.213L	731.213R	TI-731.213R
15	731.215L	TI-731.215L	731.215R	TI-731.215R





Indications

Wise-Lock Proximal Femur Plate 4.5/5.0 is intended for fractures of the femur including:


- Fractures of the trochanteric region, trochanteric simple, cervicotrochanteric, trochanterodiaphyseal, multifragmentary pertrochanteric, intertrochanteric, trochanteric reversed or transverse or with additional fracture of the medial cortex
- Fractures of the proximal end of the femur combined with ipsilateral shaft fractures
- Metastatic fracture of the proximal femur
- Osteotomies of the proximal femur
- Also for use in fixation of osteopenic

4.5/5.0mm Wise-Lock Proximal Femur Plate



Round
Locking Hole




Compression and
Locking Hole



Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
2	798.002L	TI-798.002L	798.002R	TI-7798.002R
3	798.003L	TI-798.003L	798.003R	TI-798.003R
4	798.004L	TI-798.004L	798.004R	TI-798.004R
6	798.006L	TI-798.006L	798.006R	TI-798.006R
8	798.008L	TI-798.008L	798.008R	TI-798.008R
10	798.010L	TI-798.010L	798.010R	TI-798.010R
12	798.012L	TI-798.012L	798.012R	TI-798.012R
14	798.014L	TI-798.014L	798.014R	TI-798.014R
16	798.016L	TI-798.016L	798.016R	TI-798.016R


4.5/5.0mm Wise-Lock Proximal Femur Lateral Plate (Type-II)


	Left Direction		Right Direction	
Holes	Stainless Steel	Titanium	Stainless Steel	Titanium
4	1128.04L	TI-1128.04L	1128.04R	TI-1128.04R
5	1128.05L	TI-1128.05L	1128.05R	TI-1128.05R
6	1128.06L	TI-1128.06L	1128.06R	TI-1128.06R
7	1128.07L	TI-1128.07L	1128.07R	TI-1128.07R
8	1128.08L	TI-1128.08L	1128.08R	TI-1128.08R
9	1128.09L	TI-1128.09L	1128.09R	TI-1128.09R
10	1128.10L	TI-1128.10L	1128.10R	TI-1128.10R
12	1128.12L	TI-1128.12L	1128.12R	TI-1128.12R
14	1128.14L	TI-1128.14L	1128.14R	TI-1128.14R
16	1128.16L	TI-1128.16L	1128.16R	TI-1128.16R


**Indications**

Wise-Lock Proximal Femur Hook Plate 4.5/5.0 is intended for fractures of the femur including:

- Fractures of the trochanteric region, trochanteric simple, cervicotrochanteric, trochanterodiaphyseal, multifragmentary pertrochanteric, intertrochanteric, intertrochanteric reversed or transverse or with additional fracture of the medial cortex
- Fractures of the proximal end of the femur combined with ipsilateral shaft fractures
- Metastatic fracture of the proximal femur
- Osteotomies of the proximal femur
- Also for use in fixation of osteopenic bone and fixation of nonunions or malunions

4.5/5.0mm Wise-Lock Proximal Femur Hook Plate


Compression and
Locking Hole



Holes	Stainless Steel	Titanium
2	579.002	TI-579.002
4	579.004	TI-579.004
6	579.006	TI-579.006
8	579.008	TI-579.008
10	579.010	TI-579.010
12	579.012	TI-579.012
14	579.014	TI-579.014
16	579.016	TI-579.016
18	579.018	TI-579.018

Instrument
7-041 Proximal Femur Plate System

PDB-5.0 Cannulated Drill Bit Ø5.0mm x Length 230mm




PGW-2.0 Guide Wire Ø2.0mm x Length 250mm



7-041-02 3.5mm cannulated hexagonal screwdriver for 7.3mm cannulated screws - Proximal Femur Plate



7-041-01 Direct Measuring Device for 7.3mm Screws - Proximal Femur Plate



7-041-03 Wire Guide 5.0mm, for Guide Wire Ø2.0mm - Proximal Femur Plate



7-041-04 Wire Guide 7.3mm, for Guide Wire Ø2.0mm - Proximal Femur Plate




7-041-05 Threaded Drill Guide 7.3mm for Ø5.0mm Drill Bit - Proximal Femur Plate



7-041-06 Threaded Drill Guide 5.0mm for Ø4.3mm Drill Bit - Proximal Femur Plate



7-041-07 Screw Caddy for Proximal Femur Plate System




7-041-10 Implant Tray for Proximal Femur Plate System



7-041-09 Instrument Tray for Proximal Femur Plate Instrument Set



7-041-08 Sterilization Container for Proximal Femur Plate Instrument Set



7-041 Proximal Femur Plate Instrument Set

Item Code	Item Name	Unit
PDB-5.0	Cannulated Drill Bit Ø5.0mm x Length 230mm	5
PGW-2.0	Guide Wire Ø2.0mm x Length 250mm	2
7-041-02	3.5mm cannulated hexagonal screwdriver for 7.3mm cannulated screws - Proximal Femur Plate	1
7-041-01	Direct Measuring Device for 7.3mm Screws - Proximal Femur Plate	1
7-041-03	Wire Guide 5.0mm, for Guide Wire Ø2.0mm - Proximal Femur Plate	1
7-041-04	Wire Guide 7.3mm, for Guide Wire Ø2.0mm - Proximal Femur Plate	1
7-041-05	Threaded Drill Guide 7.3mm for Ø5.0mm Drill Bit - Proximal Femur Plate	1
7-041-06	Threaded Drill Guide 5.0mm for Ø4.3mm Drill Bit - Proximal Femur Plate	1
7-041-07	Screw Caddy for Proximal Femur Plate System	1
7-041-10	Implant Tray for Proximal Femur Plate System	2
7-041-09	Instrument Tray for Proximal Femur Plate Instrument Set	1
7-041-08	Sterilization Container for Proximal Femur Plate Instrument Set	1

5.0mm

Wise-Lock Large Fragment

TIBIA

**Indications**

- Proximal shaft fractures
- Metaphyseal fractures
- Intra-articular fractures
- Periprosthetic fractures

4.5/5.0mm Wise-Lock Proximal Lateral Tibia Plate




Round
Locking Hole



Compression and
Locking Hole



Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
5	733.205L	TI-733.205L	733.205R	TI-733.205R
7	733.207L	TI-733.207L	733.207R	TI-733.207R
9	733.209L	TI-733.209L	733.209R	TI-733.209R
11	733.211L	TI-733.211L	733.211R	TI-733.211R
13	733.213L	TI-733.213L	733.213R	TI-733.213R



Indications

Wise-Lock Medial Proximal Tibia Plates 4.5/5.0 are intended to buttress metaphyseal fractures of the medial tibia plateau, split-type fractures of the medial tibia plateau, medial split fractures with associated depressions and split or depression fractures of the medial tibia plateau. The plates may also be used for fixation of the proximal quarter (lateral and medial) of the tibia, as well as segmental fractures of the proximal tibia. The Wise-Lock Medial Proximal Tibia Plates 4.5/5.0 may also be used for fixation of nonunions and malunions of the medial proximal tibia and tibia shaft, as well as opening and closing wedge tibia osteotomies.

4.5/5.0mm Wise-Lock Medial Proximal Tibia Plate



Round
Locking Hole



Compression and
Locking Hole



Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
4	747.204L	TI-747.204L	747.204R	TI-747.204R
6	747.206L	TI-747.206L	747.206R	TI-747.206R
8	747.208L	TI-747.208L	747.208R	TI-747.208R
10	747.210L	TI-747.210L	747.210R	TI-747.210R
12	747.212L	TI-747.212L	747.212R	TI-747.212R
14	747.214L	TI-747.214L	747.214R	TI-747.214R
16	747.216L	TI-747.216L	747.216R	TI-747.216R

**Indications**

Wise-Lock 4.5mm Proximal Tibia Plate is intended for treatment of osteopenic bone, tibia osteotomies, nonunions, malunions and fractures of the proximal tibia including:

- Simple, comminuted fractures
- Lateral wedge fractures
- Depression medial wedge fractures
- Bicondylar combination of lateral wedge and depression fractures
- Periprosthetic fractures
- Proximal fractures with associated shaft fractures

4.5/5.0mm Wise-Lock Proximal Tibia Plate


Round
Locking Hole



Compression and
Locking Hole



Holes	Left Direction		Right Direction	
	Stainless Steel	Titanium	Stainless Steel	Titanium
4	749.104L	TI-749.104L	749.104R	TI-749.104R
6	749.106L	TI-749.106L	749.106R	TI-749.106R
8	749.108L	TI-749.108L	749.108R	TI-749.108R
10	749.110L	TI-749.110L	749.110R	TI-749.110R
12	749.112L	TI-749.112L	749.112R	TI-749.112R
14	749.114L	TI-749.114L	749.114R	TI-749.114R

5.0mm

Wise-Lock Large Fragment

GENERAL

4.5/5.0mm Wise-Lock Reconstruction Plate


Compression and
Locking Hole



Holes	Stainless Steel	Titanium
3	728.203	TI-728.203
4	728.204	TI-728.204
5	728.205	TI-728.205
6	728.206	TI-728.206
7	728.207	TI-728.207
8	728.208	TI-728.208
9	728.209	TI-728.209
10	728.210	TI-728.210
11	728.211	TI-728.211
12	728.212	TI-728.212
13	728.213	TI-728.213
14	728.214	TI-728.214
15	728.215	TI-728.215
16	728.216	TI-728.216

4.5/5.0mm Wise-Lock Narrow Dynamic Compression Plate with LC under cuts


Compression and
Locking Hole




Holes	Stainless Steel	Titanium
2	723.202	TI-723.202
3	723.203	TI-723.203
4	723.204	TI-723.204
5	723.205	TI-723.205
6	723.206	TI-723.206
7	723.207	TI-723.207
8	723.208	TI-723.208
9	723.209	TI-723.209
10	723.210	TI-723.210
11	723.211	TI-723.211
12	723.212	TI-723.212
14	723.214	TI-723.214
16	723.216	TI-723.216
18	723.218	TI-723.218
20	723.220	TI-723.220
22	723.222	TI-723.222
24	723.224	TI-723.224

4.5/5.0mm Wise-Lock Broad Dynamic Compression Plate with LC under cuts


Compression and
Locking Hole



Holes	Stainless Steel	Titanium
5	725.205	TI-725.205
6	725.206	TI-725.206
7	725.207	TI-725.207
8	725.208	TI-725.208
9	725.209	TI-725.209
10	725.210	TI-725.210
11	725.211	TI-725.211
12	725.212	TI-725.212
13	725.213	TI-725.213
14	725.214	TI-725.214
15	725.215	TI-725.215
16	725.216	TI-725.216
18	725.218	TI-725.218
20	725.220	TI-725.220
22	725.222	TI-725.222
24	725.224	TI-725.224

4.5/5.0mm Wise-Lock Curved Broad Plate


Compression and
Locking Hole



Holes	Stainless Steel	Titanium
12	750.112	TI-750.112
13	750.113	TI-750.113
14	750.114	TI-750.114
15	750.115	TI-750.115
16	750.116	TI-750.116
17	750.117	TI-750.117
18	750.118	TI-750.118

4.5/5.0mm Wise-Lock "L" Buttress Plate


Round
Locking Hole



Compression and
Locking Hole



	Left Direction		Right Direction	
Holes	Stainless Steel	Titanium	Stainless Steel	Titanium
3	706.203L	TI-706.203L	706.203R	TI-706.203R
4	706.204L	TI-706.204L	706.204R	TI-706.204R
5	706.205L	TI-706.205L	706.205R	TI-706.205R
6	706.206L	TI-706.206L	706.206R	TI-706.206R
7	706.207L	TI-706.207L	706.207R	TI-706.207R
8	706.208L	TI-706.208L	706.208R	TI-706.208R
9	706.209L	TI-706.209L	706.209R	TI-706.209R
10	706.210L	TI-706.210L	706.210R	TI-706.210R
12	706.212L	TI-706.212L	706.212R	TI-706.212R

4.5/5.0mm Wise-Lock "T" Buttress Plate


Round
Locking Hole



Compression and
Locking Hole



Holes	Stainless Steel	Titanium
4	714.204	TI-714.204
5	714.205	TI-714.205
6	714.206	TI-714.206
7	714.207	TI-714.207
8	714.208	TI-714.208
9	714.209	TI-714.209
10	714.210	TI-714.210
12	714.212	TI-714.212

4.5/5.0mm Wise-Lock "T" Plate


Compression and
Locking Hole



Holes	Stainless Steel	Titanium
3	709.203	TI-709.203
4	709.204	TI-709.204
5	709.205	TI-709.205
6	709.206	TI-709.206
7	709.207	TI-709.207
8	709.208	TI-709.208
9	709.209	TI-709.209
10	709.210	TI-709.210
12	709.212	TI-709.212

4.5mm Cortical Screw, Self-Tapping, (Hex Head)

Length (mm)	Stainless Steel	Titanium
* 12	105.212	TI-105.212
14	105.214	TI-105.214
16	105.216	TI-105.216
18	105.218	TI-105.218
20	105.220	TI-105.220
22	105.222	TI-105.222
24	105.224	TI-105.224
26	105.226	TI-105.226
28	105.228	TI-105.228
30	105.230	TI-105.230
32	105.232	TI-105.232
34	105.234	TI-105.234
36	105.236	TI-105.236
38	105.238	TI-105.238
40	105.240	TI-105.240
42	105.242	TI-105.242
44	105.244	TI-105.244
46	105.246	TI-105.246
48	105.248	TI-105.248
50	105.250	TI-105.250
52	105.252	TI-105.252
54	105.254	TI-105.254
* 55	105.255	TI-105.255
56	105.256	TI-105.256
58	105.258	TI-105.258
60	105.260	TI-105.260
65	105.265	TI-105.265
70	105.270	TI-105.270
80	105.280	TI-105.280
* 85	105.285	TI-105.285
* 90	105.290	TI-105.290

✱ Sizes not available in Screw Caddy



5.0mm Wise-Lock Screw, Self-Tapping, (Hex Head)

Length (mm)	Stainless Steel	Titanium
12	119.012	TI-119.012
14	119.014	TI-119.014
16	119.016	TI-119.016
18	119.018	TI-119.018
20	119.020	TI-119.020
22	119.022	TI-119.022
24	119.024	TI-119.024
26	119.026	TI-119.026
28	119.028	TI-119.028
30	119.030	TI-119.030
32	119.032	TI-119.032
34	119.034	TI-119.034
36	119.036	TI-119.036
38	119.038	TI-119.038
40	119.040	TI-119.040
42	119.042	TI-119.042
44	119.044	TI-119.044
46	119.046	TI-119.046
48	119.048	TI-119.048
50	119.050	TI-119.050
52	119.052	TI-119.052
54	119.054	TI-119.054
56	119.056	TI-119.056
58	119.058	TI-119.058
60	119.060	TI-119.060
65	119.065	TI-119.065
70	119.070	TI-119.070
75	119.075	TI-119.075
80	119.080	TI-119.080
85	119.085	TI-119.085
90	119.090	TI-119.090



5.0mm Wise-Lock Screw, Self-Tapping & Self-Drilling, (Hex Head)

Length (mm)	Stainless Steel	Titanium
12	119.212	TI-119.212
14	119.214	TI-119.214
16	119.216	TI-119.216
18	119.218	TI-119.218
20	119.220	TI-119.220
22	119.222	TI-119.222
24	119.224	TI-119.224
26	119.226	TI-119.226
28	119.228	TI-119.228
30	119.230	TI-119.230
32	119.232	TI-119.232
34	119.234	TI-119.234
36	119.236	TI-119.236
38	119.238	TI-119.238
40	119.240	TI-119.240
42	119.242	TI-119.242
44	119.244	TI-119.244
46	119.246	TI-119.246
48	119.248	TI-119.248
50	119.250	TI-119.250
55	119.255	TI-119.255
60	119.260	TI-119.260
65	119.265	TI-119.265
70	119.270	TI-119.270
75	119.275	TI-119.275
80	119.280	TI-119.280
85	119.285	TI-119.285
90	119.290	TI-119.290



5.0mm Wise-Lock Cancellous Screw, Full Thread, Self-Tapping, (Hex Head)

Length (mm)	Stainless Steel	Titanium
20	1360-20	TI-1360-20
22	1360-22	TI-1360-22
24	1360-24	TI-1360-24
26	1360-26	TI-1360-26
28	1360-28	TI-1360-28
30	1360-30	TI-1360-30
32	1360-32	TI-1360-32
34	1360-34	TI-1360-34
36	1360-36	TI-1360-36
38	1360-38	TI-1360-38
40	1360-40	TI-1360-40
42	1360-42	TI-1360-42
44	1360-44	TI-1360-44
46	1360-46	TI-1360-46
48	1360-48	TI-1360-48
50	1360-50	TI-1360-50
55	1360-55	TI-1360-55
60	1360-60	TI-1360-60
65	1360-65	TI-1360-65
70	1360-70	TI-1360-70
75	1360-75	TI-1360-75
80	1360-80	TI-1360-80
85	1360-85	TI-1360-85
90	1360-90	TI-1360-90
95	1360-95	TI-1360-95
100	1360-100	TI-1360-100
105	1360-105	TI-1360-105
110	1360-110	TI-1360-110



5.0mm Wise-Lock Cancellous Screw, Short Thread, Self-Tapping, (Hex Head)

Length (mm)	Stainless Steel	Titanium
20	1256-20	TI-1256-20
22	1256-22	TI-1256-22
24	1256-24	TI-1256-24
26	1256-26	TI-1256-26
28	1256-28	TI-1256-28
30	1256-30	TI-1256-30
32	1256-32	TI-1256-32
34	1256-34	TI-1256-34
36	1256-36	TI-1256-36
38	1256-38	TI-1256-38
40	1256-40	TI-1256-40
42	1256-42	TI-1256-42
44	1256-44	TI-1256-44
46	1256-46	TI-1256-46
48	1256-48	TI-1256-48
50	1256-50	TI-1256-50
55	1256-55	TI-1256-55
60	1256-60	TI-1256-60
65	1256-65	TI-1256-65
70	1256-70	TI-1256-70
75	1256-75	TI-1256-75
80	1256-80	TI-1256-80
85	1256-85	TI-1256-85
90	1256-90	TI-1256-90
95	1256-95	TI-1256-95
100	1256-100	TI-1256-100
105	1256-105	TI-1256-105
110	1256-110	TI-1256-110



5.0mm Wise-Lock Cannulated Screw, Full Thread, Self-Tapping

Length (mm)	Stainless Steel	Titanium
20	156.020	TI-156.020
25	156.025	TI-156.025
30	156.030	TI-156.030
35	156.035	TI-156.035
40	156.040	TI-156.040
45	156.045	TI-156.045
50	156.050	TI-156.050
55	156.055	TI-156.055
60	156.060	TI-156.060
65	156.065	TI-156.065
70	156.070	TI-156.070
75	156.075	TI-156.075
80	156.080	TI-156.080
85	156.085	TI-156.085
90	156.090	TI-156.090
95	156.095	TI-156.095
100	156.100	TI-156.100
105	156.105	TI-156.105
110	156.110	TI-156.110
115	156.115	TI-156.115
120	156.120	TI-156.120



5.0mm Wise-Lock Cannulated Screw, Partial Thread, Self-Tapping

Length (mm)	Stainless Steel	Titanium
30	1269.30	TI-1269.30
35	1269.35	TI-1269.35
40	1269.40	TI-1269.40
45	1269.45	TI-1269.45
50	1269.50	TI-1269.50
55	1269.55	TI-1269.55
60	1269.60	TI-1269.60
65	1269.65	TI-1269.65
70	1269.70	TI-1269.70
75	1269.75	TI-1269.75
80	1269.80	TI-1269.80
85	1269.85	TI-1269.85
90	1269.90	TI-1269.90
95	1269.95	TI-1269.95
100	1269.100	TI-1269.100



6.5mm Cancellous Screw, 16mm Thread

Length (mm)	Stainless Steel	Titanium
25	111.025	TI-111.025
30	111.030	TI-111.030
35	111.035	TI-111.035
40	111.040	TI-111.040
45	111.045	TI-111.045
50	111.050	TI-111.050
55	111.055	TI-111.055
60	111.060	TI-111.060
65	111.065	TI-111.065
70	111.070	TI-111.070
75	111.075	TI-111.075
80	111.080	TI-111.080
85	111.085	TI-111.085
90	111.090	TI-111.090
95	111.095	TI-111.095
100	111.100	TI-111.100
* 105	111.105	TI-111.105
* 110	111.110	TI-111.110
* 115	111.115	TI-111.115
* 120	111.120	TI-111.120

* Sizes not available in Screw Caddy



6.5mm Cancellous Screw, 32mm Thread

Length (mm)	Stainless Steel	Titanium
35	112.035	TI-112.035
40	112.040	TI-112.040
45	112.045	TI-112.045
50	112.050	TI-112.050
55	112.055	TI-112.055
60	112.060	TI-112.060
65	112.065	TI-112.065
70	112.070	TI-112.070
75	112.075	TI-112.075
80	112.080	TI-112.080
85	112.085	TI-112.085
90	112.090	TI-112.090
95	112.095	TI-112.095
100	112.100	TI-112.100
* 105	112.105	TI-112.105
* 110	112.110	TI-112.110
* 115	112.115	TI-112.115
* 120	112.120	TI-112.120

* Sizes not available in Screw Caddy



6.5mm Cancellous Screw, Full Thread

Length (mm)	Stainless Steel	Titanium
35	113.035	TI-113.035
40	113.040	TI-113.040
45	113.045	TI-113.045
50	113.050	TI-113.050
55	113.055	TI-113.055
60	113.060	TI-113.060
65	113.065	TI-113.065
70	113.070	TI-113.070
75	113.075	TI-113.075
80	113.080	TI-113.080
85	113.085	TI-113.085
90	113.090	TI-113.090
95	113.095	TI-113.095
100	113.100	TI-113.100
* 105	113.105	TI-113.105
* 110	113.110	TI-113.110
* 115	113.115	TI-113.115
* 120	113.120	TI-113.120

* Sizes not available in Screw Caddy



TI-007NW Screw Caddy for 5.0mm Wise-Lock Large Fragment System


**4.5mm Cortical Screw,
Self-Tapping, (Hex Head)**

Length (mm)	Stainless Steel	Titanium	Unit
20	105.220	TI-105.220	3
22	105.222	TI-105.222	3
24	105.224	TI-105.224	3
26	105.226	TI-105.226	3
28	105.228	TI-105.228	3
30	105.230	TI-105.230	3
32	105.232	TI-105.232	3
34	105.234	TI-105.234	3
36	105.236	TI-105.236	3
38	105.238	TI-105.238	3
40	105.240	TI-105.240	3
42	105.242	TI-105.242	3
44	105.244	TI-105.244	3
46	105.246	TI-105.246	3
48	105.248	TI-105.248	3
50	105.250	TI-105.250	3
52	105.252	TI-105.252	3
54	105.254	TI-105.254	3
56	105.256	TI-105.256	3
58	105.258	TI-105.258	3
60	105.260	TI-105.260	3
65	105.265	TI-105.265	3
70	105.270	TI-105.270	3
80	105.280	TI-105.280	3

**5.0mm Wise-Lock Screw,
Self-Tapping, (Hex Head)**

Length (mm)	Stainless Steel	Titanium	Unit
12	119.012	TI-119.012	5
14	119.014	TI-119.014	5
16	119.016	TI-119.016	5
18	119.018	TI-119.018	5
20	119.020	TI-119.020	5
22	119.022	TI-119.022	5
24	119.024	TI-119.024	5
26	119.026	TI-119.026	5
28	119.028	TI-119.028	5
30	119.030	TI-119.030	5
32	119.032	TI-119.032	5
34	119.034	TI-119.034	5
36	119.036	TI-119.036	5
38	119.038	TI-119.038	5
40	119.040	TI-119.040	5
42	119.042	TI-119.042	5
44	119.044	TI-119.044	5
46	119.046	TI-119.046	5
48	119.048	TI-119.048	5
50	119.050	TI-119.050	5
52	119.052	TI-119.052	5
54	119.054	TI-119.054	5
56	119.056	TI-119.056	5
58	119.058	TI-119.058	5
60	119.060	TI-119.060	5
65	119.065	TI-119.065	5
70	119.070	TI-119.070	5
75	119.075	TI-119.075	5
80	119.080	TI-119.080	5
85	119.085	TI-119.085	5
90	119.090	TI-119.090	5

5.0mm Wise-Lock Cancellous Screw, Full Thread, Self-Tapping, (Hex Head)

Length (mm)	Stainless Steel	Titanium	Unit
20	1360-20	TI-1360-20	2
22	1360-22	TI-1360-22	2
24	1360-24	TI-1360-24	2
26	1360-26	TI-1360-26	2
28	1360-28	TI-1360-28	2
30	1360-30	TI-1360-30	2
32	1360-32	TI-1360-32	2
34	1360-34	TI-1360-34	2
36	1360-36	TI-1360-36	2
38	1360-38	TI-1360-38	2
40	1360-40	TI-1360-40	2
42	1360-42	TI-1360-42	2
44	1360-44	TI-1360-44	2
46	1360-46	TI-1360-46	2
48	1360-48	TI-1360-48	2
50	1360-50	TI-1360-50	2
55	1360-55	TI-1360-55	2
60	1360-60	TI-1360-60	2
65	1360-65	TI-1360-65	2
70	1360-70	TI-1360-70	2
75	1360-75	TI-1360-75	2
80	1360-80	TI-1360-80	2
85	1360-85	TI-1360-85	2
90	1360-90	TI-1360-90	2
95	1360-95	TI-1360-95	2
100	1360-100	TI-1360-100	2
105	1360-105	TI-1360-105	2
110	1360-110	TI-1360-110	2

5.0mm Wise-Lock Cancellous Screw, Short Thread, Self-Tapping, (Hex Head)

Length (mm)	Stainless Steel	Titanium	Unit
20	1256-20	TI-1256-20	2
22	1256-22	TI-1256-22	2
24	1256-24	TI-1256-24	2
26	1256-26	TI-1256-26	2
28	1256-28	TI-1256-28	2
30	1256-30	TI-1256-30	2
32	1256-32	TI-1256-32	2
34	1256-34	TI-1256-34	2
36	1256-36	TI-1256-36	2
38	1256-38	TI-1256-38	2
40	1256-40	TI-1256-40	2
42	1256-42	TI-1256-42	2
44	1256-44	TI-1256-44	2
46	1256-46	TI-1256-46	2
48	1256-48	TI-1256-48	2
50	1256-50	TI-1256-50	2
55	1256-55	TI-1256-55	2
60	1256-60	TI-1256-60	2
65	1256-65	TI-1256-65	2
70	1256-70	TI-1256-70	2
75	1256-75	TI-1256-75	2
80	1256-80	TI-1256-80	2
85	1256-85	TI-1256-85	2
90	1256-90	TI-1256-90	2
95	1256-95	TI-1256-95	2
100	1256-100	TI-1256-100	2
105	1256-105	TI-1256-105	2
110	1256-110	TI-1256-110	2

6.5mm Cancellous Screw, 16mm Thread

Length (mm)	Stainless Steel	Titanium	Unit
25	111.025	TI-111.025	1
30	111.030	TI-111.030	1
35	111.035	TI-111.035	1
40	111.040	TI-111.040	1
45	111.045	TI-111.045	1
50	111.050	TI-111.050	1
55	111.055	TI-111.055	1
60	111.060	TI-111.060	1
65	111.065	TI-111.065	1
70	111.070	TI-111.070	1
75	111.075	TI-111.075	1
80	111.080	TI-111.080	1
85	111.085	TI-111.085	1
90	111.090	TI-111.090	1
95	111.095	TI-111.095	1
100	111.100	TI-111.100	1

6.5mm Cancellous Screw, 32mm Thread

Length (mm)	Stainless Steel	Titanium	Unit
35	112.035	TI-112.035	1
40	112.040	TI-112.040	1
45	112.045	TI-112.045	1
50	112.050	TI-112.050	1
55	112.055	TI-112.055	1
60	112.060	TI-112.060	1
65	112.065	TI-112.065	1
70	112.070	TI-112.070	1
75	112.075	TI-112.075	1
80	112.080	TI-112.080	1
85	112.085	TI-112.085	1
90	112.090	TI-112.090	1
95	112.095	TI-112.095	1
100	112.100	TI-112.100	1

6.5mm Cancellous Screw, Full Thread

Length (mm)	Stainless Steel	Titanium	Unit
35	113.035	TI-113.035	1
40	113.040	TI-113.040	1
45	113.045	TI-113.045	1
50	113.050	TI-113.050	1
55	113.055	TI-113.055	1
60	113.060	TI-113.060	1
65	113.065	TI-113.065	1
70	113.070	TI-113.070	1
75	113.075	TI-113.075	1
80	113.080	TI-113.080	1
85	113.085	TI-113.085	1
90	113.090	TI-113.090	1
95	113.095	TI-113.095	1
100	113.100	TI-113.100	1

**5.0mm Wise-Lock Screw,
Self-Tapping & Self-Drilling,(Hex Head)**

Length (mm)	Stainless Steel	Titanium	Unit
12	119.212	TI-119.212	5
14	119.214	TI-119.214	5
16	119.216	TI-119.216	5
18	119.218	TI-119.218	5
20	119.220	TI-119.220	5
22	119.222	TI-119.222	5
24	119.224	TI-119.224	5
26	119.226	TI-119.226	5
28	119.228	TI-119.228	5
30	119.230	TI-119.230	5
32	119.232	TI-119.232	5
34	119.234	TI-119.234	5
36	119.236	TI-119.236	5
38	119.238	TI-119.238	5
40	119.240	TI-119.240	5
42	119.242	TI-119.242	5
44	119.244	TI-119.244	5
46	119.246	TI-119.246	5
48	119.248	TI-119.248	5
50	119.250	TI-119.250	5
60	119.260	TI-119.260	5
65	119.265	TI-119.265	5
70	119.270	TI-119.270	5
75	119.275	TI-119.275	5
80	119.280	TI-119.280	5
85	119.285	TI-119.285	5
90	119.290	TI-119.290	5

2100-3.2-145

Drill Bit with Quick Coupling End, Ø3.2mm x Length 145mm, for Large Fragment



2100-4.5-145

Drill Bit with Quick Coupling End, Ø4.5mm x Length 145mm, for Large Fragment



2103-07

Bone Tap Quick Coupling for Ø4.5mm Cortical Screws, for Large Fragment



2103-09

Bone Tap Quick Coupling for Ø6.5mm Cancellous Screws, for Large Fragment



2103-4.3-225

Drill Bit Quick Coupling with Stopper Ø4.3mm x Length 225mm, for Large Fragment



2106-2.0

Guide Sleeve for Ø2.0mm K. Wires - Large Fragment



3400-02

T-Handle Countersink for Ø4.5/6.5mm Screws, for Large Fragment



3420-02

Insert Drill Sleeve, Ø4.5/3.2mm, for Large Fragment



3443-38-5.0

Extraction Screw, Ø5.0mm



3408-04

Hexagonal Screwdriver Shaft - 3.5mm Tip, Quick Coupling, Short



2186-3.5

HSS Drill Bit, Ø3.5mm, for Large Fragment



3767-4.5

Double Drill Guide, Ø4.5/3.2mm



1472-058

Self-Centering Double Drill Guide, Ø4.5/3.2mm, for Large Fragment



3767-6.5

Double Drill Guide, Ø6.5/3.2mm



BT-LF-S

Bending Template, Small, for Wise-Lock Large Fragment



BT-LF-M

Bending Template, Medium, for Wise-Lock Large Fragment



BT-LF-L

Bending Template, Large, for Wise-Lock Large Fragment



1472-062

Threaded Drill Sleeve for Drill Bit Ø4.3mm - Large Fragment



GW-2.0-230

Guide Wire with Threaded Tip, Ø2.0mm x Thread Length 10mm x Length 230mm



3766-003

Allen Key, Hex 3.0mm for Large Fragment



1472-052

Pulling Drill Bit, Ø4.0mm, for Large Fragment



3443-400

Depth Gauge measuring upto 110mm



3406-04

Screwdriver, Hex 3.5mm



3406-04S

Holding Sleeve for Screwdriver, Hex 3.5mm, for Locking Screw



3445-3.5

T-Handle Screwdriver, Hex 3.5mm, Self-Retaining for Large Fragment




1472-056

Screwdriver Holding Sleeve for Cortical and Cancellous Screws



3408-04L

Hexagonal Screwdriver Shaft with Quick Coupling - 3.5mm Tip, Long



7-051-04

Trephine for Large Fragment



3402-000

T-Handle with Quick Coupling



1472-054

Quick Coupling Shaft



TQ-3.5

Torque Limiting Attachment, 4.0Nm, for Large Fragment



1472-064

Torque Screwdriver Handle



3409-01L

Bending Iron, Left



3409-01R

Bending Iron, Right



1472-032

Articulated Tension Device



1472-034

Articulated Tension Device Key



2150-1008

Periosteal Elevator, Round, 8mm


2150-1016

Periosteal Elevator, Flat, 16mm


2107-1240

Reduction Forcep, Pointed, Ratchet Lock, 240mm, for Large Fragment


2106-1240

Reduction Forcep, Serrated, Speed Lock, 240mm, for Large Fragment


2105-000

Self-Centering Bone Holding Forcep, Speed Lock


1472-070

Hohmann Retractor, 44mm, for Large Fragment



2146-016

Hohmann Retractor, 16mm, for Large Fragment



7-051-03

Screw Holding Forcep for Wise-Lock Large Fragment




TI-007NW

Screw Caddy for 5.0mm Wise-Lock Large Fragment System



7-051-02

Instrument Trays for 5.0mm Wise-Lock Large Fragment Instrument Set



SC-004

Container for 5.0mm Wise-Lock Large Fragment Instrument Set



2303-000 Large Fragment Wise-Lock Instrument Set



2303-000 Large Fragment Wise-Lock Instrument Set

Codes	Set Consisting of:	Units
2100-3.2-145	Drill Bit with Quick Coupling End, Ø3.2mm x Length 145mm, for Large Fragment	1
2100-4.5-145	Drill Bit with Quick Coupling End, Ø4.5mm x Length 145mm, for Large Fragment	1
2103-07	Bone Tap Quick Coupling for Ø4.5mm Cortical Screws, for Large Fragment	1
2103-09	Bone Tap Quick Coupling for Ø6.5mm Cancellous Screws, for Large Fragment	1
2103-4.3-225	Drill Bit Quick Coupling with Stopper Ø4.3mm x Length 225mm, for Large Fragment	2
2106-2.0	Guide Sleeve for Ø2.0mm K. Wires - Large Fragment	1
3400-02	T-Handle Countersink for Ø4.5/6.5mm Screws, for Large Fragment	1
3420-02	Insert Drill Sleeve, Ø4.5/3.2mm, for Large Fragment	1
3443-38-5.0	Extraction Screw, Ø5.0mm	1
3408-04	Hexagonal Screwdriver Shaft - 3.5mm Tip, Quick Coupling, Short	1
2186-3.5	HSS Drill Bit, Ø3.5mm, for Large Fragment	1
3767-4.5	Double Drill Guide, Ø4.5/3.2mm	1
1472-058	Self-Centering Double Drill Guide, Ø4.5/3.2mm, for Large Fragment	1
3767-6.5	Double Drill Guide, Ø6.5/3.2mm	1
BT-LF-S	Bending Template, Small, for Wise-Lock Large Fragment	1
BT-LF-M	Bending Template, Medium, for Wise-Lock Large Fragment	1
BT-LF-L	Bending Template, Large, for Wise-Lock Large Fragment	1
1472-062	Threaded Drill Sleeve for Drill Bit Ø4.3mm - Large Fragment	3
GW-2.0-230	Guide Wire with Threaded Tip, Ø2.0mm x Thread Length 10mm x Length 230mm	3
3766-003	Allen Key, Hex 3.0mm for Large Fragment	1
1472-052	Pulling Drill Bit, Ø4.0mm, for Large Fragment	1
3443-400	Depth Gauge measuring upto 110mm	1
3406-04	Screwdriver, Hex 3.5mm	1
3406-04S	Holding Sleeve for Screwdriver, Hex 3.5mm, for Locking Screw	1
3445-3.5	T-Handle Screwdriver, Hex 3.5mm, Self-Retaining for Large Fragment	1
1472-056	Screwdriver Holding Sleeve for Cortical and Cancellous Screws	1
3408-04L	Hexagonal Screwdriver Shaft with Quick Coupling - 3.5mm Tip, Long	1
7-051-04	Trephine for Large Fragment	1
3402-000	T-Handle with Quick Coupling	1
1472-054	Quick Coupling Shaft	1
TQ-3.5	Torque Limiting Attachment, 4.0Nm, for Large Fragment	1
1472-064	Torque Screwdriver Handle	1
3409-01L	Bending Iron, Left	1
3409-01R	Bending Iron, Right	1
1472-032	Articulated Tension Device	1
1472-034	Articulated Tension Device Key	1
2150-1008	Periosteal Elevator, Round, 8mm	1

Instrument

Codes	Set Consisting of:	Units
2150-1016	Periosteal Elevator, Flat, 16mm	1
2107-1240	Reduction Forcep, Pointed, Ratchet Lock, 240mm, for Large Fragment	1
2106-1240	Reduction Forcep, Serrated, Speed Lock, 240mm, for Large Fragment	1
2105-000	Self-Centering Bone Holding Forcep, Speed Lock	2
1472-070	Hohmann Retractor, 44mm, for Large Fragment	1
2146-016	Hohmann Retractor, 16mm, for Large Fragment	1
7-051-03	Screw Holding Forcep for Wise-Lock Large Fragment	1
TI-007NW	Screw Caddy for 5.0mm Wise-Lock Large Fragment System	1
7-051-02	Instrument Trays for 5.0mm Wise-Lock Large Fragment Instrument	3
SC-004	Set Container for 5.0mm Wise-Lock Large Fragment Instrument Set	1