

Government of India
Directorate General of Health Services
Central Drugs Standard Control Organisation
Ministry of Health and Family welfare
(Medical Device and Diagnostic Division)
Market Standing Certificate

Certificate Number : **MSC/MD/2025/000234**

Dated : 21/03/2025

This is to certify that M/s. **Auxein Medical Private Limited** situated at address **Plot No. 168-169-170, Phase-4, Kundli Industrial Area, HSIIDC, Sector-57 ,Sonipat Haryana ,131028,99106 43638, India Sonipat Haryana 131028 99106 43638 India** is holding Manufacturing/Import License no. **MFG/MD/2021/000232** issued on **02-AUG-2021** Under this license, the said firm is permitted to manufacture/import of medical devices as stated in manufacturing/import license.

Name of the products with their product name and dimensions if any mentioned below :

S.NO	Medical Device Details
------	------------------------



1. Generic Name :Bone Nail implants
2. Brand Name :NIL
3. Notified Category :Orthopaedic Implants
4. Class of Medical Device :Class C
5. Shelf life :5 Years
6. Sterile/Non-Sterile:Sterilized
7. Intended Use :Bone Nail implants are commonly used to fix the long bone fractures.
8. Material of Construction: Stainless Steel (ISO-5832-1)
9. Dimension: Various Dimension Bone nail implants are manufactured
10. Model/Catalogue No./Name :End Cap For Retrograde Femur Nail - ,Intramedullary Supracondylar (IMSC) Femur Nail - dia 8-13mm/ Length 150-500mm ,Locking Screws for Intramedullary Supracondylar (IMSC) Femur Nail- Length 20-150mm ,End Cap for Intramedullary Supracondylar (IMSC) Femur Nail, Length 0-50mm - ,Intramedullary Supracondylar (IMSC) Cannulated Femur Nail, dia 8-13mm, Length 150-500mm - ,Locking Screws for Intramedullary Supracondylar (IMSC) Cannulated Femur Nail - (Length 20-150mm),End Cap for Intramedullary Supracondylar (IMSC) Cannulated Femur Nail - (Length 0-50mm),Reconstruction Cannulated Intramedullary Humerus Nail, dia 5-11mm, Length 150-500mm - ,End Cap for Intramedullary Cannulated Humeral Nail- Length 0-50mm - ,Reconstruction Intramedullary Cannulated Humeral Nail - (dia 7-12mm, Length 150-500mm),End Cap for Lateral Femoral Nail Self-Tapping - (Length 0-50mm),End Cap for Pelvic Nail, Length 0-50mm - ,Screws for Pelvic Nail, Length 10-150mm - ,Telescopic Nail, dia 3-11mm, Length 100-500mm - ,End Cap for Telescopic Nail, Length 0-50mm - , Locking Screw for Telescopic Nail, Length 10-150mm - ,Reconstruction Nail, Cannulated, dia 5-11mm, Length 100-300mm - ,End Cap For Reconstruction Cannulated Intramedullary Nail - ,Ø3.5mm Locking Bolt For Humerus Nail - Length 10-150mm,Ø4.5mm Locking Bolt For Humerus Nail, - Length 10-150mm,Interlocking Cannulated Tibia Nail, - (dia 7-13mm, Length 250-500mm),End Cap For Interlocking Cannulated Tibia Nail - -Length 0-50mm, Compression Screw For Interlocking Cannulated Tibia Nail- (Length 0-50mm),4.5mm Locking Bolt For Interlocking Cannulated Tibia Nail - Length 20-150mm,Retrograde Femur Nail - dia 8-13mm Length 150-500mm,5.0mm Locking Screw For Retrograde Femur Nail - Length 30-150mm,Expert Femur Nail Left & Right - (dia 8-14Length 300-500mm) ,End Cap For Expert Femur Nail - (Length 0-50mm) ,Ø4.8mm Locking Bolt Self-Tapping For Expert Femur Nail - (Length 20-150mm) ,Ø6.4mm Cannulated Anti-Rotation Screw Self-Tapping For Expert Femur Nail - (Length 50-180mm) ,Lateral Femoral Nail Left & Right - (dia 8-16mmLength 300-500mm) ,130° Ga-mma Nail Long Left & Right - (dia 7-14mmLength 250-500mm) ,135° Ga-mma Nail Short - (dia 7-14mm, Length 150-240mm),135° Ga-mma Nail Long Left & Right - (dia 7-14mm , Length 250-500mm),135° Ga-mma Nail Type-II Short - (dia 7-14mm, Length 150-240mm),135° Ga-mma Nail Type-II Long Left & Right - (dia 7-14mm , Length 250-500mm),Distal Locking Screws Self-Tapping - (dia 3.5-5.0mm Length 4-70mm),End Cap for Ga-mma Nail - (Length 0-50mm) ,Inner Screw for Ga-mma Nail - ,125° /130°/135° TFNA Nail Short & Long - (dia 7-15mm, Length 100-500mm),Blade for TFNA Nail- Length 50-180mm - ,End Cap for TFNA Nail- Length 0-50mm - ,Locking Screws for TFNA Nail- Length 20-150mm - ,125°/130°/135° Cephalomedullary Short Nail - (dia 7-15mm, Length 150-500mm),Lag Screws for Cephalomedullary Nail- Length 30-150mm - , Locking Screw for Cephalomedullary Nail- Length 10-150mm - ,End Cap for Cephalomedullary Nail- Length 0-50mm - ,125° Anti-Rotation Ga-mma Nail Short - (dia 8-14mm, Length 150-240mm),125° Anti-Rotation Ga-mma Nail Long - (dia 8-14mm, Length 250-500mm),130° Anti-Rotation Ga-mma Nail Short - (dia 8-14mm, Length 150-240mm), 130° Anti-Rotation Ga-mma Nail Long - (dia 8-14mm, Length 250-500mm),End Cap For Anti-Rotation Ga-mma Nail - (Length 0-50mm) ,Inner Screw For Anti-Rotation Ga-mma Nail- Long (For Cephalic Screw) - ,Inner Screw For Anti-Rotation Ga-mma Nail-Short (For Anti-Rotation Screw) - ,Ø6.4mm Cannulated Anti-Rotation Screw for Ga-mma Nail - (Length 20-150mm) ,Ø10.5mm Cephalic Screw For Ga-mma Nail - (Length 30-180mm) ,End Cap For Ø10.5mm Cephalic Screw For Ga-mma Nail - ,Ø4.8mm Locking Bolt - ,Length 300-500mm) - ,Locking Bolts for Universal Cannulated Femur Nail- Length 20-150mm - ,End Cap for Universal Femur Cannulated Nail- Length 0-50mm - ,Universal Femur Solid Nail - (dia 7-20mm, Length 300-500mm),Locking Bolts for Universal Solid Femur Nail- Length 20-150mm - ,End Cap for Universal Femur Cannulated Nail- Length 0-50mm - ,Femur Reconstruction Nail - dia 8-15mm ,Length 250-500mm - ,Locking Screws for Femur Reconstruction Nail - (Length 20-150mm) ,End Cap for Femur Reconstruction Nail - (Length 0-50mm) ,JIN Type - Humerus Nail - (dia 5-12mm ,Length 150-500mm),End Cap For JIN Type - Humerus Nail - , Ø3.5mm Locking Bolt Self-Tapping For JIN Type - Humerus Nail- Length 10-150mm - ,Solid Humeral Nail - dia 6-12mm Length 150-500mm,End Cap for Solid Humeral Nail- Length 0-15mm - ,Locking Bolt for Solid Humeral Nail- 10-150mm - ,Blade for Solid Humeral Nail- Length 30-180mm - ,Proximal Humeral Nail - dia 6-12mm, Length 150-500mm,End Cap for Proximal Humeral Nail- Length 0-15mm - ,Locking Bolt for Proximal Humeral Nail- Length 10-150mm - ,Intramedullary Cannulated Humerus Nail, dia 5-11mm, Length 150-500mm - ,End Cap For Intramedullary Humerus Nail - ,Compression Screw For Intramedullary

Humerus Nail - ,Ø4.5mm Locking Bolt For Humerus Nail, Length 10-150mm - ,Ø4.5mm Proximal Screw, Length 20-150mm - ,Locking Humerus Nail, dia 5-15mm, Length 100-500mm - ,End Cap for Locking humerus Nail, Length 0-50mm - ,Locking Screws for Humerus Nail, Length 10-150mm - ,Cortical Screws for Humerus Nail, Length 10-150mm - , Washer for Cortical Screws - ,Pelvic Nail, dia 5-10mm, Length 50-150mm - ,For Ga-mma Nail - (Length 20-150mm) ,135° Anti-Rotation Ga-mma Nail Short - (dia 7-14mm , Length 150-240mm),135° Anti-Rotation Ga-mma Nail Long - (dia 8-14mm, Length 250-500mm),JIN Type - Femur Nail - (dia 7-14mm Length 300-500mm),End Cap for JIN Type - Femur Nail - , Ø4.5mm Locking BoltSelf-TappingFor JIN Type - Femur Nail- Length 10-150mm - ,Universal Femur Nail - (dia 7-20mm, Length 300-500mm),Locking Bolts for Universal Femur Nail- Length 20-150mm - ,End Cap for Universal Femur Nail- Length 0-50mm - ,Universal Femur Cannulated Nail, - (dia 7-20mm, Length 300-500mm),Blade for Proximal Humeral Nail- Length 30-180mm - ,Intramedullary Humeral Nail - (dia 7-12mm, Length 150-500mm), Locking Screw for Intramedullay Humeral Nail- Length 10-150mm - ,End Cap for Intramedullary Humeral Nail-Length 0-50mm - ,Intramedullary Cannulated Humeral Nail - (dia 7-12mm, Length 150-500mm),Locking Screw for Intramedullay Cannulated Humeral Nail-Length 10-150mm - ,Locking Screw for Lateral Femoral Nail - (Length 20-150mm) ,Hip Screw for Lateral Femoral Nail - (Length 50-180mm) ,Antegrade Femur Nail Left & Right - (dia 8-15mm, Length 300-500mm),Hip Screw for Antegrade Femur Nail - (Length 50-150mm) ,End Cap for Antegrade Femur Nail - (Length 0-50mm) ,Locking Screw for Intramedullary Femoral Nail - (Length 20-150mm) ,Hip Screw for Intramedullary Femoral Nail - (Length 50-180mm) ,End Cap for Intramedullary Femoral Nail - (Length 0-50mm) , Expert Tibia Nail - (dia 7-14mm, Length 220-500mm),End Cap For Expert Tibia Nail - (Length 0-50mm) ,dia 4.8mm Locking BoltSelf-TappingFor Expert Tibia Nail - (Length 20-150mm) ,dia 4.4mm Locking BoltSelf-TappingFor Expert Tibia Nail - (Length 20-150mm) , Expert Tibia Nails Solid - (dia 7-11mmLength 220-500mm) ,Locking Screws for Expert Tibia Nail - (Length 10-150mm) ,End Cap for Solid Expert Tibia Nail - (Length 0-50mm) , Intramedullary Tibia Nail - (Dia 7-15mm, Length 220-500mm),Intramedullary Cannulated Tibia Nail - (Dia 7-15mm, Length 220-500mm),Intramedullary Solid Tibia Nail - (Dia 7-15mm, Length 220-500mm),Locking Screw for Instramedullay Tibia Nail - (Length 10-150mm) ,Locking Screw for Instramedullay Cannulated Tibia Nail - (Length 10-150mm) , Locking Screw for Instramedullay Solid Tibia Nail - (Length 10-150mm) ,End Cap for Intramedullary Tibia Nail - (Length 0-50mm) ,End Cap for Intramedullary Cannulated Tibia Nail - (Length 0-50mm) ,End Cap for Intramedullary Solid Tibia Nail - (Length 0-50mm) , Expert Tibia Nail Cannulated - (dia 7-14mm, Length 220-500mm),Locking Screws for Cannulated Expert Tibia Nail Length 10-150mm - ,End Cap for Cannulated Expert Tibia Nail Length 0-50mm - ,Suprapatellar Tibia Nail - (dia 7-15mm /Length 150-500mm) ,Locking Screw for Suprapatellar Tibia Nail - (Length 10-150mm) ,End Cap for Suprapatellar Tibia Nail - (Length 0-50mm) ,Reconstruction Intramedullary Cannulated Humeral Nail - (dia 7-12mm,Length 150-500mm) ,Locking Screw for Reconstruction Intramedullay Cannulated Humeral Nail- Length 10-150mm - ,End Cap for Reconstruction Intramedullary Cannulated Humeral Nail- Length 0-50mm - ,Reconstruction Humeral Nail - dia 7-15mm,Length 120-500mm,Locking Screw for Reconstruction Humeral Nail- Length 10-150mm - ,End Cap for Reconstruction Humeral Nail-Length 0-50mm - ,Reconstruction Cannulated Humeral Nail - dia 7-15mm,Length 120-500mm,Locking Screw for Reconstruction Cannulated Humeral Nail- Length 10-150mm - ,End Cap for Reconstruction Cannulated Humeral Nail- Length 0-50mm - ,JIN Type - Tibia Nail - (dia7-13mm,Length 220-500mm),End Cap For JIN Type - Tibia Nail - ,Ø4.5mm Locking Bolt Self-Tapping For JIN Type - Tibia Nail - (Length 10-150mm),Universal Tibia Nail - (dia 9-14mm,Length 200-500mm),End Cap for Universal Tibia Nail- Length 0-50mm - ,Locking Bolt for Universal Tibia Nail- Length 20-150mm - , Universal Cannulated Tibia Nail - (dia 7-15mm,Length 250-500mm),End Cap for Universal Cannulated Tibia Nail- Length 0-50mm - ,Locking Bolt for Universal Cannulated Tibia Nail- Length 20-150mm - ,Solid Tibia Nail - (dia 7-14mm,Length 250-500mm),End Cap for Solid Tibia Nail- Length 0-50mm - ,Locking Bolts for Solid Tibia Nail- Length 20-150mm - , Cannulated Tibia Nail - (dia 7-14mm,Length 250-500mm),End Cap for Cannulated Tibia Nai-Length 0-50mm - ,Locking Bolts for Cannulated Tibia Nail - (Length 20-150mm) , Intramedullary Tibia Nail - (dia 9-14mm,length 200-500mm),End Cap for Intramedullary Tibia Nail- Length 0-50mm - ,Locking Bolt for Intramedullary Tibia Nail-Length 20-150mm - ,Universal Intramedullary Cannulated Femur Nail Left & Right - (dia 8-15mm,Length 180-500mm), - ,End Cap For Universal Intramedullary Cannulated Femur Nail M10x1- Length 0-50mm - ,Compression Screw For Universal Intramedullary Cannulated Femur Nail - ,4.5 mm Locking Bolt For Universal Intramedullary Cannulated Femur Nail- Length 20-150mm - ,6.5mm Cannulated Reconstruction Screw For Universal Intramedullary Cannulated Femur Nail-Length 30-150mm - ,6.5mm Locking Bolt for Universal Intramedullary Cannulated Femur Nail - ,Full Thread- Length 30-150mm - ,6.5mm Blocking set for Universal Intramedullary Cannulated Femur Nail- Length 30-120mm - ,Adolescent Lateral Femur Nail- dia 7-12mm,Length 200-500mm - ,End Cap for Adolescent Lateral Femur Nail- Length 0-50mm - ,Hip Screw for Adolescent Lateral Femur Nail- Length 20-150mm - ,Locking

Screw for Adolescent Lateral Femur Nail-Length 15-120mm - ,Kuntscher Cloverleaf Nail for Femur - (dia 6-15mm,Length 100-500mm),125°/130°/135° TFN Nail (Trochanteric Fixation Nail)Short & LongLeft & Right - Length 170-500mm,Blade for TFN Nail (Trochanteric Fixation Nail)-Length 30-180mm - ,Femur Neck Screws for TFN Nail (Trochanteric Fixation Nail) - (Length 50-150mm),End Cap for TFN Nail (Trochanteric Fixation Nail) - (Length 0-50mm),Locking Bolts for TFN Nail (Trochanteric Fixation Nail) - (Length 20-120mm), Unreamed Femur Nail - dia7-14mm Length 250mm-500mm,Locking Bolt for Unreamed Femur Nail - (Length 20-150mm),End Cap for Unreamed Femur Nail - (Length 0-50mm), Cannulated Femur Nail - dia7-14mm Length 250mm-500mm,Locking Bolt for Cannulated Femur Nail - (Length 20-150mm),End Cap for Cannulated Femur Nail - (Length 0-50mm), Cannulated Arthodesis Nail - (dia 8-14mm,Length 120-300mm),Locking Screw for Cannulated Arthodesis Nail - (Length 20-150mm),Blade for Cannulated Arthodesis Nail - (Length 30-150mm),End Cap for Arthodesis Nail - (Length 0-50mm),C Nail (Calcaneal Nail) - dia 5-10mm,Length 50-150mm,End Cap for C Nail (Calcaneal Nail) - (Length 0-50mm), Screws for C Nail (Calcaneal Nail) - (Length 10-150mm),Ankle Arthodesis Nail - dia 8-14mm,Length 120-350mm,Locking Screws for Ankle Arthodesis Nail - ,Length 20-150mm - , End Cap for Ankle Arthodesis Nail - ,Length 0-50mm - ,Fibula Nail - ,dia 2-6mm - ,Length 80-220mm - ,Cortical Screws for Fibula Nail - ,Length 8-100mm - ,Radius Intramedullary Elastic Nail - ,dia 2-6mm - ,Length 150-300mm - ,Locking Screw for Radius Intramedullary Elastic Nail - ,Length 10-100mm - ,Ulna Intramedullary Nail - ,dia 3-8mm - ,Length 180-350mm - ,Compression Locking Screw for Ulna Intramedullary Nail - ,20-100mm - ,Washer for Ulna Intramedullary Nail - ,Cortical Screw for Ulna Intramedullary Nail - ,Length 8-100mm - ,Konzept Fibula & Forearm Nail - ,Ø2-10 x Length 150-500mm - ,125° Ga-mma Nail Type-II Short - (dia 8-14mmLength 150-240mm) ,125° Ga-mma Nail Type-II Long Left & Right - (dia 8-14mmLength 250-500mm) ,130° Ga-mma Nail Type-II Short - (dia 8-14mmLength 150-240mm) ,130° Ga-mma Nail Type-II Long Left & Right - (dia 8-14mmLength 250-500mm) ,End Cap For Ga-mma Nail Type-II - (Length 0-50mm) ,Inner Screw For Ga-mma Nail Type-II - ,Ø10.5mm Cephalic Screw For Ga-mma Nail - (Length 30-180mm) ,End Cap For Ø10.5mm Cephalic Screw For Ga-mma Nail - ,Ø4.8mm Locking BoltSelf-TappingFor Ga-mma Nail- Length 20-150mm - ,125° Ga-mma Nail Short - (dia 7-14mmLength 150-240mm) ,125° Ga-mma Nail Long Left & Right - (dia 7-14mmLength 250-500mm) ,130° Ga-mma NailShort - (dia 7-14mm,Length 150-240mm) -



1. Generic Name : Bone Nail implants
2. Brand Name : NIL
3. Notified Category : Orthopaedic Implants
4. Class of Medical Device : Class C
5. Shelf life : NA
6. Sterile/Non-Sterile: Non-Sterilized
7. Intended Use : Bone Nail implants are commonly used to fix the long bone fractures.
8. Material of Construction: Stainless Steel (ISO-5832-1)
9. Dimension: Various Dimension Bone nail implants are manufactured
10. Model/Catalogue No./Name : Locking Screw for Lateral Femoral Nail - (Length 20-150mm) ,Hip Screw for Lateral Femoral Nail - (Length 50-180mm) ,Blade for TFN Nail (Trochanteric Fixation Nail) - (Length 30-180mm) ,Femur Neck Screws for TFN Nail (Trochanteric Fixation Nail) - (Length 50-150mm) ,End Cap for TFN Nail (Trochanteric Fixation Nail) - (Length 0-50mm) ,Locking Bolts for TFN Nail (Trochanteric Fixation Nail) - (Length 20-120mm) ,Unreamed Femur Nail - (dia7-14mm Length 250mm-500mm),Locking Bolt for Unreamed Femur Nail - (Length 20-150mm) ,End Cap for Unreamed Femur Nail - (Length 0-50mm) ,Cannulated Femur Nail - (dia7-14mm , Length 250mm-500mm),Locking Bolt for Cannulated Femur Nail - (Length 20-150mm) ,End Cap for Lateral Femoral Nail - (Length 0-50mm) ,125° Ga-mma Nail Type-II Long Left & Right - (dia 8-14mm ,130° Ga-mma Nail Type-II Long Left & Right - (Dia 8-14mm, Length 250-500mm),130° Ga-mma Nail Type-II Long Left & Right - (dia 8-14mm, Length 250-500mm),End Cap for Cannulated Femur Nail - (Length 0-50mm) ,Cannulated Arthodesis Nail - (dia 8-14mm , Length 120-300mm), Locking Screw for Cannulated Arthodesis Nail - (Length 20-150mm) ,Blade for Cannulated Arthodesis Nail - (Length 30-150mm) ,End Cap for Arthodesis Nail - (Length 0-50mm) ,C Nail (Calcaneal Nail) - (dia 5-10mm, Length 50-150mm),End Cap for C Nail (Calcaneal Nail) - (Length 0-50mm) ,Screws for C Nail (Calcaneal Nail) - (Length 10-150mm) ,Lateral Femora Nail Left & Right - (dia 8-16mm,Length 300-500mm),130° Ga-mma Nail Long Left & Right - (dia 7-14mm, Length 250-500mm),Intramedullary Cannulated Tibia Nail - (Dia 7-15mm, Length 220-500mm),Adolescent Lateral Femur Nail - (dia 7-12mm Length 200-500mm),End Cap for Adolescent Lateral Femur Nail - (Length 0-50mm) ,Hip Screw for Adolescent Lateral Femur Nail - (Length 20-150mm) ,Locking Screw for Adolescent Lateral Femur Nail - (Length 15-120mm) ,Kuntscher Cloverleaf Nail for Femur - (dia 6-15mm Length 100-500mm),125°/130°/135° TFN Nail (Trochanteric Fixation Nail) Short & Long Left & Right - (Length 170-500mm) ,End Cap for Proximal Humeral Nail - (Length 0-15mm) ,Locking Screw for Intramedullary Humeral Nail - (Length 10-150mm) ,End Cap for Intramedullary Humeral Nail - (Length 0-50mm) ,Intramedullary Cannulated Humeral Nail - (dia 7-12mm, Length 150-500mm),Locking Screw for Intramedullary Cannulated Humeral Nail - (Length 10-150mm) ,End Cap for Intramedullary Cannulated Humeral Nail - (Length 0-50mm) , Reconstruction Intramedullary Cannulated Humeral Nail - (dia 7-12mm, Length 150-500mm),Locking Screw for Reconstruction Intramedullary Cannulated Humeral Nail - (Length 10-150mm) ,End Cap for Reconstruction Intramedullary Cannulated Humeral Nail - (Length 0-50mm) ,Reconstruction Humeral Nail - (dia 7-15mm ,Length 120-500mm), Locking Screw for Reconstruction Humeral Nail - (Length 10-150mm) ,End Cap for Reconstruction Humeral Nail - (Length 0-50mm) ,Reconstruction Cannulated Humeral Nail - (dia 7-15mm ,Length 120-500mm),Locking Screw for Reconstruction Cannulated Humeral Nail - (Length 10-150mm) ,Ø4.5mm Locking Bolt Retrograde Femur Nail - (dia 8-13mm, Length 150-500mm),End Cap for Locking humerus Nail - (Length 0-50mm) ,5.0mm Locking Screw For Retrograde Femur Nail - (Length 30-150mm) ,135° Ga-mma Nail Short - (dia 7-14mm , Length 150-240mm),End Cap For JIN Type - Tibia Nail - ,Locking Bolt for Solid Humeral Nail - (10-150mm) ,Blade for Solid Humeral Nail - (Length 30-180mm) ,Proximal Humeral Nail - (dia 6-12mm , Length 150-500mm),Ø4.5mm Proximal Screw - (Length 20-150mm) ,Locking Humerus Nail - (dia 5-15mm, Length 100-500mm),Hip Screw for Antegrade Femur Nail - (Length 50-150mm) ,End Cap for Antegrade Femur Nail - (Length 0-50mm) ,Intramedullary Femoral Nail Left & Right - (dia 8-16mm, Length 300-500mm), Locking Screw for Intramedullary Femoral Nail - (Length 20-150mm) ,Hip Screw for Intramedullary Femoral Nail - (Length 50-180mm) ,Ankle Arthodesis Nail - (dia 8-14mm , Length 120-350mm),Locking Screws for Ankle Arthodesis Nail - (Length 20-150mm) ,End Cap for Ankle Arthodesis Nail - (Length 0-50mm) ,Fibula Nail - (dia 2-6mm , Length 80-220mm),Cortical Screws for Fibula Nail - (Length 8-100mm) ,Radius Intramedullary Elastic Nail - (dia 2-6mm ,Length 150-300mm),Locking Screw for Radius Intramedullary Elastic Nail - (Length 10-100mm) ,Ulna Intramedullary Nail - (dia 3-8mm , Length 180-350mm), Compression Locking Screw for Ulna Intramedullary Nail - (20-100mm) ,Washer for Ulna Intramedullary Nail - ,Cortical Screw for Ulna Intramedullary Nail - (Length 8-100mm) , Konzept Fibula & Forearm Nail - (Ø2-10 x Length 150-500mm) ,Distal Locking Screws - ,End Cap for Universal Femur Cannulated Nail - (Length 0-50mm) ,125° Anti-Rotation Ga-mma Nail Short - (dia 8-14mm, Length 150-240mm),125° Anti-Rotation Ga-mma Nail Long - (dia 8-14mm, Length 250-500mm),130° Anti-Rotation Ga-mma Nail Short - (dia 8-14mm ,130° Anti-Rotation Ga-mma Nail Long - (dia 8-14mm ,Locking Bolts for Universal Cannulated

Femur Nail - (Length 20-150mm) ,Ø4.5mm Locking Bolt Self-Tapping For JIN Type - Femur Nail - (Length 10-150mm) ,Universal Femur Nail - (dia 7-20mm, Length 300-500mm), Locking Bolts for Universal Femur Nail - (Length 20-150mm) ,End Cap for Universal Femur Nail - (Length 0-50mm) ,Universal Femur Cannulated Nail - (dia 7-20mm, Length 300-500mm),Expert Tibia Nails Solid - (dia 7-11mm, Length 220-500mm),Locking Screws for Femur Reconstruction Nail - (Length 20-150mm) ,End Cap for Femur Reconstruction Nail - (Length 0-50mm) ,End Cap For Ø10.5mm Cephalic Screw For Ga-mma Nail - ,Ø4.8mm Locking Bolt Self-TappingFor Ga-mma Nail - (Length 20-150mm) ,135° Anti-Rotation Ga-mma Nail Short - (dia 7-14mm , Length 150-240mm),135° Anti-Rotation Ga-mma Nail Long - (dia 8-14mm, Length 250-500mm),Ø3.5mm Locking Bolt Self-Tapping For JIN Type - Humerus Nail - (Length 10-150mm) ,Universal Tibia Nail - (dia 9-14mm , Length 150-240mm),End Cap for Reconstruction Cannulated Humeral Nail - (Length 0-50mm) , Universal Femur Solid Nail - (dia 7-20mm ,JIN Type - Tibia Nail - dia7-13mm Length 220-500mm,Ø10.5mm Cephalic Screw For Ga-mma Nail - (Length 30-180mm) ,End Cap For Ø10.5mm Cephalic Screw For Ga-mma Nail - ,Ø4.8mm Locking Bolt Self-TappingFor Ga-mma Nail - (Length 20-150mm) ,End Cap for Ga-mma Nail - (Length 0-50mm) ,125° Ga-mma Nail Short - (dia 7-14mm , Length 150-240mm),125° Ga-mma Nail Long Left & Right - (dia 7-14mm , Length 250-500mm),130° Ga-mma Nail Type-II Short - (dia 8-14mm, Length 150-240mm),Pelvic Nail - (dia 5-10mm, Length 50-150mm),Locking Screws for Intramedullary Supracondylar (IMSC) Femur Nail - (Length 20-150mm) ,Intramedullary Supracondylar (IMSC) Cannulated Femur Nail - (dia 8-13mm, Length 150-500mm) ,Locking Screws for Intramedullary Supracondylar (IMSC) Cannulated Femur Nail - (Length 20-150mm) ,End Cap for Intramedullary Supracondylar (IMSC) Cannulated Femur Nail - (Length 0-50mm) ,Length 200-500mm - ,End Cap for Universal Tibia Nail - (Length 0-50mm) ,Locking Bolts for Universal Solid Femur Nail - (Length 20-150mm) ,End Cap for Universal Femur Cannulated Nail - (Length 0-50mm) ,Femur Reconstruction Nail - (dia 8-15mm , Length 250-500mm),Interlocking Cannulated Tibia Nail - (dia 7-13mm ,Length 250mm-500mm),End Cap For Expert Femur Nail - (Length 0-50mm) ,Ø4.8mm Locking Bolt Self-Tapping For Expert Femur Nail - (Length 20-150mm) ,Ø6.4mm Cannulated Anti-Rotation Screw Self-Tapping For Expert Femur Nail - (Length 50-180mm) ,Ø4.5mm Locking Bolt For Humerus Nail - (Length 10-150mm) ,Intramedullary Solid Tibia Nail - (Dia 7-15mm, Length 220-500mm),Locking Screw for Instramedullay Tibia Nail - (Length 10-150mm) ,Locking Screw for Instramedullay Cannulated Tibia Nail - (Length 10-150mm) ,Locking Screw for Instramedullay Solid Tibia Nail - (Length 10-150mm) ,End Cap for Intramedullary Tibia Nail - (Length 0-50mm) ,End Cap for Intramedullary Cannulated Tibia Nail - (Length 0-50mm) , End Cap for Intramedullary Solid Tibia Nail - (Length 0-50mm) ,Expert Tibia Nail Cannulated - (dia 7-14mm, Length 220-500mm),End Cap For Interlocking Cannulated Tibia Nail - (Length 0-50mm) ,Locking Screws for Cannulated Expert Tibia Nail - (Length 10-150mm) ,Locking Screws for Humerus Nail - (Length 10-150mm) ,End Cap for Cannulated Expert Tibia Nail - (Length 0-50mm) ,Suprapatellar Tibia Nail - (dia 7-15mm ,Locking Screw for Suprapatellar Tibia Nail - (Length 10-150mm) ,End Cap for Suprapatellar Tibia Nail - (Length 0-50mm) ,125° Ga-mma Nail Type-II Short - (dia 8-14mm ,Locking Screw for Cephalomedullary Nail - (Length 10-150mm) ,End Cap for Cephalomedullary Nail - (Length 0-50mm) ,End Cap for Intramedullary Femoral Nail - (Length 0-50mm) ,Expert Tibia Nail - (dia 7-14mm ,Locking Bolts for Solid Tibia Nail - (Length 20-150mm) ,Cannulated Tibia Nail - (dia 7-14mm, Length 250-500mm),End Cap for Cannulated Tibia Nail - (Length 0-50mm) ,Locking Bolts for Cannulated Tibia Nail - (Length 20-150mm) ,Intramedullary Tibia Nail - (dia 9-14mm , length 200-500mm),End Cap for Intramedullary Tibia Nail - (Length 0-50mm) ,Locking Bolt for Intramedullary Tibia Nail - (Length 20-150mm) , Universal Intramedullary Cannulated Femur Nail Left & Right - (dia 8-15mm, Length 180-500mm),End Cap For Universal Intramedullary Cannulated Femur Nail M10x1 - (Length 0-50mm) ,Compression Screw For Universal Intramedullary Cannulated Femur Nail - ,4.5mm Locking Bolt For Universal Intramedullary Cannulated Femur Nail - (Length 20-150mm) , 6.5mm Cannulated Reconstruction Screw For Universal Intramedullary Cannulated Femur Nail - (Length 30-150mm) ,6.5mm Locking Bolt for Universal Intramedullary Cannulated Femur Nail Full Thread - (Length 30-150mm) ,6.5mm Blocking set for Universal Intramedullary Cannulated Femur Nail - (Length 30-120mm) ,135° Ga-mma Nail Type-II Short - (dia 7-14mm , Length 150-240mm),135° Ga-mma Nail Long Left & Right - (dia 7-14mm, Length 250-500mm),JIN Type - Humerus Nail - (dia 5-12mm ,Length 150-500mm), End Cap For JIN Type - Humerus Nail - ,Ø3.5mm Locking Bolt Self-TappingFor JIN Type - Humerus Nail - (Length 10-150mm) ,Solid Humeral Nail - (dia 6-12mm Length 150-500mm),End Cap for Solid Humeral Nail - (Length 0-15mm) ,Locking Bolt for Universal Tibia Nail - (Length 20-150mm) ,Locking Bolt for Proximal Humeral Nail - (Length 10-150mm) ,Blade for Proximal Humeral Nail - (Length 30-180mm) ,Intramedullary Humeral Nail - (dia 7-12mm ,Universal Cannulated Tibia Nail - (dia 7-15mm ,Length 250-500mm) - , Length 250-500mm) - ,Intramedullary Cannulated Humerus Nail - (dia 5-11mm ,Length 150-500mm) - ,End Cap For Intramedullary Humerus Nail - ,Compression Screw For Interlocking Cannulated Tibia Nail - (Length 0-50mm) ,4.5mm Locking Bolt For Interlocking

Cannulated Tibia Nail - (Length 20-150mm) ,Kuntscher Cloverleaf Nail for Tibia - (dia 6-15mm ,Length 220-500mm),End Cap For Expert Tibia Nail - (Length 0-50mm) ,dia 4.8mm Locking Bolt Self-Tapping For Expert Tibia Nail - (Length 20-150mm) ,130° Ga-mma Nail Long Left & Right - (dia 7-14mm ,dia 4.4mm Locking Bolt Self-Tapping For Expert Tibia Nail - (Length 20-150mm) ,End Cap for Universal Cannulated Tibia Nail - (Length 0-50mm) , Compression Screw For Intramedullary Humerus Nail - ,Locking Bolt for Universal Cannulated Tibia Nail - (Length 20-150mm) ,Solid Tibia Nail - (dia 7-14mm, Length 250-500mm),End Cap for Solid Tibia Nail - (Length 0-50mm) ,Screws for Pelvic Nail - (Length 10-150mm) ,Telescopic Nail - (dia 3-11mm ,Length 100-500mm),Washer for Cortical Screws - ,End Cap for Pelvic Nail - (Length 0-50mm) ,Expert Femur Nail Left & Right - (dia 8-14, Length 300-500mm),End Cap For Anti-Rotation Ga-mma Nail - (Length 0-50mm) ,Inner Screw For Anti-Rotation Ga-mma Nail-Long (For Cephalic Screw) - ,Inner Screw For Anti-Rotation Ga-mma Nail-Short (For Anti-Rotation Screw) - ,Ø6.4mm Cannulated Anti-Rotation Screw for Ga-mma Nail - (Length 20-150mm) ,Ø10.5mm Cephalic Screw For Ga-mma Nail - (Length 30-180mm) ,End Cap for TFNA Nail - (Length 0-50mm) ,Locking Screws for TFNA Nail - (Length 20-150mm) ,125°/130°/135° Cephalomedullary Short Nail - (dia 7-15mm, Length 150-500mm),Lag Screws for Cephalomedullary Nail - (Length 30-150mm) ,Locking Screws for Expert Tibia Nail - (Length 10-150mm) ,End Cap for Solid Expert Tibia Nail - (Length 0-50mm) ,Intramedullary Tibia Nail - (Dia 7-15mm, Length 220-500mm),Inner Screw for Ga-mma Nail - ,125°/130°/135° TFNA Nail Short & Long - (dia 7-15mm , Length 100-500mm),Blade for TFNA Nail - (Length 50-180mm) ,JIN Type - Femur Nail - (dia 7-14mm Length 300-500mm) ,End Cap for JIN Type - Femur Nail - ,End Cap for Telescopic Nail - (Length 0-50mm) ,Locking Screw for Telescopic Nail - (Length 10-150mm) , Antegrade Femur Nail Left & Right - (dia 8-15mm, Length 300-500m),End Cap For Ga-mma Nail Type-II - (Length 0-50mm) ,Inner Screw For Ga-mma Nail Type-II - ,Cortical Screws for Humerus Nail - (Length 10-150mm),End Cap For Retrograde Femur Nail - ,Intramedullary Supracondylar (IMSC) Femur Nail - (dia 8-13mm, Length 150-500mm)



1. Generic Name : Bone Nail implants
2. Brand Name : NIL
3. Notified Category : Orthopaedic Implants
4. Class of Medical Device : Class C
5. Shelf life : 5 Years
6. Sterile/Non-Sterile: Sterilized
7. Intended Use : Bone Nail implants are commonly used to fix the long bone fractures.
8. Material of Construction: Titanium (ISO-5832-3)
9. Dimension: Various Dimension Bone nail implants are manufactured
10. Model/Catalogue No./Name : 130 degree AJAX Advance Nail Short - (dia 8mm-13mm, Length 170-240mm), 130 degree AJAX Advance Nail Long Left & Right - (dia 8-14mm Length 250-500mm), 4.9mm Locking Bolt for AJAX Nail Self-Tapping - (Length 20-150mm), AJAX Blade - Length 50-180mm - , End Cap For Retrograde Femur Nail - , Intramedullary Supracondylar (IMSC) Femur Nail - (dia 8-13mm, Length 150-500mm), Locking Screws for Intramedullary Supracondylar (IMSC) Femur Nail - (Length 20-150mm), AJAX Nail End Cap (For Ajax Blade)- Length 0-50mm - , Expert Tibia Nail Solid - (dia 7-11mm Length 220-500mm), AJAX Nail End Cap (For Cephalic Screw)- Length 0-50mm - , PFNA II Nail (Proximal Femur Nail) Short & Long Left & Right - (dia 7-14mm, Length 100-500mm), PFNA Blade- Length 50-180mm - , AJAX Cephalic Screw- Length 30-180mm - , End Cap for Ajax Cephalic Screw - , PFNA Nail (Proximal Femur Nail) Short & Long Left & Right - (dia 7-14mm, Length 100-500mm) - , PFNA II Blade- Length 50-180mm - , End Cap for PFNA Nail- Length 0-50mm - , End Cap for PFNA II Nail- Length 0-50mm - , 125 degree AJAX Advance Nail Short - (dia 8-13mm, Length 170-240mm), 125 degree AJAX Advance Nail Long Left & Right - (dia 8-14mm, Length 250-500mm), 135 degree AJAX Advance Nail Short - (dia 8-13mm, Length 170-240mm), 135 degree AJAX Advance Nail Long Left & Right - (dia 8-14mm, Length 250-500mm), Distal Femur Nail Short & Long Left & Right - (dia 7-14mm, Length 160-500mm), 4.9 mm Locking Bolt- Length 20-150mm - , Distal Femur Nail Blade- Length 40-180mm - , End Cap for Distal Femur Nail- Length 0-50mm - , Locking Screws for Distal Femur Nail- Length 40-120mm - , Expert Femur Nail Left & Right - (dia 8-14, Length 300-500mm), End Cap For Expert Femur Nail- Length 0-50mm - , dia 4.8mm Locking Bolt Self-Tapping For Expert Femur Nail- Length 20-150mm - , dia 6.4mm Cannulated Anti-Rotation Screw Self-Tapping For Expert Femur Nail- Length 50-180mm - , Lateral Femoral Nail- Left & Right - (dia 8-16mm, Length 300-500mm), Locking Screw for Lateral Femoral Nail- Length 20-150mm - , Hip Screw for Lateral Femoral Nail- Length 50-180mm - , End Cap for Lateral Femoral Nail- Length 0-50mm - , Antegrade Femur Nail Left & Right - (dia 8-15mm, Length 300-500mm), Hip Screw for Antegrade Femur Nail- Length 50-150mm - , End Cap for Antegrade Femur Nail- Length 0-50mm - , Intramedullary Femoral Nail Left & Right - (dia 8-16mm, Length 300-500mm), Locking Screw for Intramedullary Femoral Nail- Length 20-150mm - , Hip Screw for Intramedullary Femoral Nail- Length 50-180mm - , dia 4.8mm Locking Bolt Self-Tapping For Expert Tibia Nail - (Length 20-150mm), dia 4.4mm Locking Bolt Self-Tapping For Expert Tibia Nail - (Length 20-150mm), Locking Screws for Expert Tibia Nail- Length 10-150mm - , End Cap For Expert Tibia Nail - Length 0-50mm - , End Cap for Solid Expert Tibia Nail- Length 0-50mm - , Intramedullary Tibia Nail - (Dia 7-15mm, Length 220-500mm), Intramedullary Cannulated Tibia Nail - (Dia 7-15mm, Length 220-500mm), Intramedullary Solid Tibia Nail - (Dia 7-15mm, Length 220-500mm), Locking Screw for Instramedullay Tibia Nail- Length 10-150mm - , Suprapatellar Tibia Nail - (dia 7-15mm Length 150-500mm), End Cap for Intramedullary Femoral Nail- Length 0-50mm - , Expert Tibia Nail - (dia 7-14mm, Length 220-500mm), Locking Screw for Instramedullay Cannulated Tibia Nail- Length 10-150mm - , Locking Screw for Instramedullay Solid Tibia Nail Length 10-150mm - , End Cap for Intramedullary Tibia Nail- Length 0-50mm - , End Cap for Intramedullary Cannulated Tibia Nail- Length 0-50mm - , End Cap for Intramedullary Solid Tibia Nail- Length 0-50mm - , Expert Tibia Nail Cannulated - (dia 7-14mm, Length 220-500mm), End Cap for Suprapatellar Tibia Nail - (Length 0-50mm), 125° Ga-mma Nail Type-II Short - (dia 8-14mm, Length 150-240mm), 125° Ga-mma Nail Type-II Long Left & Right - (dia 8-14mm, Length 250-500mm), 130° Ga-mma Nail Type-II Short - (dia 8-14mm, Length 150-240mm), 130° Ga-mma Nail Type-II Long Left & Right - (dia 8-14mm, Length 250-500mm), End Cap For Ga-mma Nail Type-II- Length 0-50mm - , Inner Screw For Ga-mma Nail Type-II - , Ø10.5mm Cephalic Screw For Ga-mma Nail- Length 30-180mm - , End Cap For Ø10.5mm Cephalic Screw For Ga-mma Nail - , Ø4.8mm Locking Bolt Self-Tapping For Ga-mma Nail- Length 20-150mm - , 125° Ga-mma Nail Short - (dia 7-14mm Length 150-240mm), 125° Ga-mma Nail Long Left & Right - (dia 7-14mm Length 250-500mm), 130° Ga-mma Nail Short - (dia 7-14mm, Length 150-240mm), 130° Ga-mma Nail Long Left & Right - (dia 7-14mm, Length 250-500mm), 135° Ga-mma Nail Short - (dia 7-14mm, Length 150-240mm), 135° Ga-mma Nail Long Left & Right - (dia 7-14mm, Length 250-500mm) - , 135° Ga-mma Nail Type-II Short - (dia 7-14mm, Length 150-240mm), 135° Ga-mma Nail Type-II Long Left & Right - (dia 7-14mm, Length 250-500mm), Distal Locking Screws Self-Tapping - (dia 3.5-5.0mm, Length 4-70mm), End Cap for Ga-mma Nail- Length 0-50mm - , Inner Screw for Ga-mma Nail - , 125°/130°/135° TFNA Nail Short & Long - (dia 7-15mm, length 100-500mm), Blade for

TFNA Nail- Length 50-180mm - ,End Cap for TFNA Nail- Length 0-50mm - ,Locking Screws for TFNA Nail- Length 20-150mm - ,125°/130°/135° Cephalomedullary Short Nail - (dia 7-15mm,Length 150-500mm),Lag Screws for Cephalomedullary Nail- Length 30-150mm - , Locking Screw for Cephalomedullary Nail- Length 10-150mm - ,End Cap for Cephalomedullary Nail- Length 0-50mm - ,125° Anti-Rotation Ga-mma Nail Short - (dia 8-14mm,Length 150-240mm),125° Anti-Rotation Ga-mma Nail Long - (dia 8-14mm,Length 250-500mm),130° Anti-Rotation Ga-mma Nail Short - (dia 8-14mm,Length 150-240mm), 130° Anti-Rotation Ga-mma Nail Long - (dia 8-14mm,Length 250-500mm),End Cap For Anti-Rotation Ga-mma Nail- Length 0-50mm - ,Inner Screw For Anti-Rotation Ga-mma Nail-Long (For Cephalic Screw) - ,Inner Screw For Anti-Rotation Ga-mma Nail-Short (For Anti-Rotation Screw) - ,Ø6.4mm Cannulated Anti-Rotation Screw for Ga-mma Nail- Length 20-150mm - , Ø10.5mm Cephalic Screw For Ga-mma Nail - (Length 30-180mm) ,End Cap For Ø10.5mm Cephalic Screw For Ga-mma Nail - ,Ø4.8mm Locking Bolt - ,Self-Tapping For Ga-mma Nail- Length 20-150mm - ,135° Anti-Rotation Ga-mma Nail Short - (dia 7-14mm,Length 150-240mm) ,135° Anti-Rotation Ga-mma Nail Long - (dia 8-14mm,Length 250-500mm),JIN Type - Femur Nail - (dia 7-14mm,Length 300-500mm),End Cap for JIN Type - Femur Nail - , Ø4.5mm Locking BoltSelf-TappingFor JIN Type - Femur Nail-Length 10-150mm - ,Universal Femur Nail - (dia 7-20mm,Length 300-500mm),Locking Bolts for Universal Femur Nail- Length 20-150mm - ,End Cap for Universal Femur Nail- Length 0-50mm - ,Universal Femur Cannulated Nail - (dia 7-20mm,Length 300-500mm),Locking Bolts for Universal Cannulated Femur Nail- Length 20-150mm - ,End Cap for Universal Femur Cannulated Nail- Length 0-50mm - ,Locking Bolts for Universal Solid Femur Nail- Length 20-150mm - ,End Cap for Universal Femur Cannulated Nail-Length 0-50mm - ,Femur Reconstruction Nail - (dia 8-15mm,Length 250-500mm),Locking Screws for Femur Reconstruction Nail - (Length 20-150mm) ,End Cap for Femur Reconstruction Nail- Length 0-50mm - ,JIN Type - Humerus Nail - (dia 5-12mm ,Length 150-500mm),End Cap For JIN Type - Humerus Nail - ,Ø3.5mm Locking BoltSelf-TappingFor JIN Type - Humerus Nail - (Length 10-150mm) ,Universal Femur Solid Nail - (dia 7-20mm,Length 300-500mm),Inner Screw for Ajax Cephalic Screw - , Tarsus Nail Left & Right - (dia 8-15,Length 120-300mm),5.0mm Locking Bolt- (Star Head)- Length 10-150mm - ,6.0mm Locking Bolt (Star Head) - (Length 10-150mm) ,Spiral Blade- Length 30-150mm - ,Tarsus Nail End Cap for Securing Spiral Blade - ,Tarsus Nail End Cap for Securing the most distal Locking Bolt - ,Titanium Elastic Nail - (dia 1-5mm,Length 300-440mm),End Cap for Elastic Nail - ,TEN Nail dia 1-5mm-Length 300-440mm - ,End Cap for Ten Nail - ,Pediatric Flexible Nail - dia 1-5mm,Length 300-440mm,End Cap for Pediatric Flexible Nail - ,Retrograde Femur Nail - (dia 8-13mm,Length 150-500mm),5.0mm Locking Screw For Retrograde Femur Nail- Length 30-150mm - ,Locking Screw for Suprapatellar Tibia Nail- Lenth 10-150mm - ,Solid Humeral Nail - (dia 6-12mm Length 150-500mm) ,End Cap for Solid Humeral Nail- Length 0-15mm - ,Locking Bolt for Solid Humeral Nail-10-150mm - ,Proximal Humeral Nail - (dia 6-12mm Length 150-500mm) ,Blade for Solid Humeral Nail- Length 30-180mm - ,End Cap for Proximal Humeral Nail-Length 0-15mm - , Locking Bolt for Proximal Humeral Nail - (Length 10-150mm) ,Blade for Proximal Humeral Nail- Length 30-180mm - ,Reconstruction Intramedullary Cannulated Humeral Nail - (dia 7-12mmLength 150-500mm),Locking Screw for Intramedullay Humeral Nail- Length 10-150mm - ,End Cap for Intramedullary Humeral Nail- Length 0-50mm - ,Intramedullary Cannulated Humeral Nail - (dia 7-12mm, Length 150-500mm),Locking Screw for Intramedullay Cannulated Humeral Nail - Length 10-150mm,End Cap for Intramedullary Cannulated Humeral Nail-Length 0-50mm - ,Reconstruction Intramedullary Cannulated Humeral Nail - (dia 7-12mm, Length 150-500mm),Locking Screw for Reconstruction Intramedullay Cannulated Humeral Nail Length 10-150mm - ,End Cap for Reconstruction Intramedullary Cannulated Humeral Nail Length 0-50mm - ,Reconstruction Humeral Nail - (dia 7-15mm ,Length 120-500mm),Locking Screw for Reconstruction Humeral Nail- Length 10-150mm - ,End Cap for Reconstruction Humeral Nail- Length 0-50mm - ,Reconstruction Cannulated Humeral Nail - (dia 7-15mm ,Length 120-500mm),Locking Screw for Reconstruction Cannulated Humeral Nail-Length 10-150mm - ,End Cap for Reconstruction Cannulated Humeral Nail-Length 0-50mm - ,End Cap for Intramedullary Supracondylar (IMSC) Femur Nail- Length 0-50mm - ,Intramedullary Supracondylar (IMSC) Cannulated Femur Nail - (dia 8-13mm, Length 150-500mm),Locking Screws for Intramedullary Supracondylar (IMSC) Cannulated Femur Nail- Length 20-150mm - ,End Cap for Intramedullary Supracondylar (IMSC) Cannulated Femur Nail- Length 0-50mm - ,JIN Type - Tibia Nail - (dia7-13mm,Length 220-500mm),End Cap For JIN Type - Tibia Nail - ,Ø4.5mm Locking Bolt - ,Self-Tapping For JIN Type - Tibia Nail- Length 10-150mm - ,Universal Tibia Nail - (dia 9-14mm,Length 200-500mm) ,End Cap for Universal Tibia Nail- Length 0-50mm - ,Locking Bolt for Universal Tibia Nail Length 20-150mm - ,Universal Cannulated Tibia Nail - (dia 7-15mm,Length 250-500mm) ,End Cap for Universal Cannulated Tibia Nail- Length 0-50mm - ,Locking Bolt for Universal Cannulated Tibia Nail- Length 20-150mm - ,Solid Tibia Nail - (dia 7-14mm,Length 250-500mm),End Cap for Solid Tibia Nail- Length 0-50mm - , Locking Bolts for Solid Tibia Nail- Length 20-150mm - ,Cannulated Tibia Nail - (dia 7-14mm, Length 250-500mm),End Cap for Cannulated Tibia Nail- Length 0-50mm - ,Locking

Bolts for Cannulated Tibia Nail- Length 20-150mm - ,Intramedullary Tibia Nail - dia 9-14mm Length 200-500mm,End Cap for Intramedullary Tibia Nail- Length 0-50mm - , Locking Bolt for Intramedullary Tibia Nail - (Length 20-150mm) ,Universal Intramedullary Cannulated Femur Nail Left & Right - (dia 8-15mm, Length 180-500mm),End Cap For Universal Intramedullary Cannulated Femur Nail M10x1 - Length 0-50mm ,Locking Screws for Cannulated Expert Tibia Nail-Length 10-150mm - ,End Cap for Cannulated Expert Tibia Nail-Length 0-50mm - ,Locking Bolt for Intramedullary Tibia Nail - ,4.5mm Locking Bolt For Universal Intramedullary Cannulated Femur Nail, Length 20-150mm - ,6.5mm Cannulated Reconstruction Screw For Universal Intramedullary Cannulated Femur Nail, Length 30-150mm - ,6.5mm Locking Bolt for Universal Intramedullary Cannulated Femur Nail, Full Thread, Length 30-150mm - ,6.5mm Blocking set for Universal Intramedullary Cannulated Femur Nail, Length 30-120mm - ,Adolescent Lateral Femur Nail, dia 7-12mm, Length 200-500mm - ,End Cap for Adolescent Lateral Femur Nail, Length 0-50mm - ,Hip Screw for Adolescent Lateral Femur Nail, Length 20-150mm - ,Locking Screw for Adolescent Lateral Femur Nail, Length 15-120mm - ,Kuntscher Cloverleaf Nail for Femur, dia 6-15mm, Length 100-500mm - ,125°/130°/135° TFN Nail (Trochanteric Fixation Nail), Short & Long, Length 170-500mm, Left & Right - ,Blade for TFN Nail (Trochanteric Fixation Nail), Length 30-180mm - ,Femur Neck Screws for TFN Nail (Trochanteric Fixation Nail), Length 50-150mm - ,End Cap for TFN Nail (Trochanteric Fixation Nail), Length 0-50mm - ,Locking Bolts for TFN Nail (Trochanteric Fixation Nail), Length 20-120mm - ,Unreamed Femur Nail, dia7-14mm, Length 250mm-500mm - ,Locking Bolt for Unreamed Femur Nail, Length 20-150mm - ,End Cap for Unreamed Femur Nail, Length 0-50mm - ,Cannulated Femur Nail, dia7-14mm, Length 250mm-500mm - ,Locking Bolt for Cannulated Femur Nail, Length 20-150mm - ,End Cap for Cannulated Femur Nail, Length 0-50mm - ,Cannulated Arthodesis Nail, dia 8-14mm, Length 120-300mm - ,Locking Screw for Cannulated Arthodesis Nail, Length 20-150mm - ,Blade for Cannulated Arthodesis Nail, Length 30-150mm - ,End Cap for Arthodesis Nail, Length 0-50mm - ,C Nail (Calcaneal Nail), dia 5-10mm, Length 50-150mm - ,End Cap for C Nail (Calcaneal Nail), Length 0-50mm - ,Screws for C Nail (Calcaneal Nail), Length 10-150mm - ,Ankle Arthodesis Nail, dia 8-14mm, Length 120-350mm - ,Locking Screws for Ankle Arthodesis Nail, Length 20-150mm - ,End Cap for Ankle Arthodesis Nail, Length 0-50mm - ,Fibula Nail, dia 2-6mm, Length 80-220mm - ,Cortical Screws for Fibula Nail, Length 8-100mm - ,Radius Intramedullary Elastic Nail, dia 2-6mm, Length 150-300mm - ,Locking Screw for Radius Intramedullary Elastic Nail, Length 10-100mm - ,Ulna Intramedullary Nail, dia 3-8mm, Length 180-350mm - ,Compression Locking Screw for Ulna Intramedullary Nail, 20-100mm - ,Washer for Ulna Intramedullary Nail - ,Cortical Screw for Ulna Intramedullary Nail, Length 8-100mm - ,Konzept Fibula & Forearm Nail, Ø2-10 x Length 150-500mm - ,Intramedullary Cannulated Humerus Nail, dia 5-11mm, Length 150-500mm - ,End Cap For Intramedullary Humerus Nail - ,Compression Screw For Intramedullary Humerus Nail - ,Ø4.5mm Locking Bolt For Humerus Nail, Length 10-150mm - ,Ø4.5mm Proximal Screw, Length 20-150mm - ,Locking Humerus Nail, dia 5-15mm, Length 100-500mm - ,End Cap for Locking humerus Nail, Length 0-50mm - ,Locking Screws for Humerus Nail, Length 10-150mm - ,Cortical Screws for Humerus Nail, Length 10-150mm - ,Washer for Cortical Screws - ,Pelvic Nail, dia 5-10mm, Length 50-150mm - ,End Cap for Pelvic Nail, Length 0-50mm - ,Screws for Pelvic Nail, Length 10-150mm - , Telescopic Nail - (dia 3-11mm,Length 100-500mm),End Cap for Telescopic Nail Length 0-50mm - ,Locking Screw for Telescopic Nail Length 10-150mm - ,Reconstruction Nail Cannulated - (dia5-11mm, Length 100-300mm),Reconstruction Cannulated Intramedullary Humerus Nail - (dia 5-11mm, Length 150-500mm),End Cap For Reconstruction Cannulated Instramedullary Nail - ,Ø3.5mm Locking Bolt For Humerus Nail Length 10-150mm - ,Ø4.5mm Locking Bolt For Humerus Nail Length 10-150mm - ,Interlocking Cannulated Tibia Nail - (dia 7-13mm, Length 250-500mm),End Cap For Interlocking Cannulated Tibia Nail Length 0-50mm - ,4.5mm Locking Bolt For Interlocking Cannulated Tibia Nail Length 20-150mm - ,Compression Screw For Interlocking Cannulated Tibia Nail 0-50mm - ,Kuntscher Cloverleaf Nail for Tibia - (dia 6-15mm, Length 100-500mm),Locking Screw for Intramedullay Humeral Nail - Length 10-150mm

1. Generic Name :Bone Nail implants
2. Brand Name :NIL
3. Notified Category :Orthopaedic Implants
4. Class of Medical Device :Class C
5. Shelf life :NA
6. Sterile/Non-Sterile:Non-Sterilized
7. Intended Use :Bone Nail implants are commonly used to fix the long bone fractures.
8. Material of Construction: Titanium (ISO-5832-3)
9. Dimension: Various Dimension Bone nail implants are manufactured
10. Model/Catalogue No./Name :Tarsus Nail Left & Right - (dia 8-15, Length 120-300mm), Ø4.8mm Locking Bolt - ,Locking Bolt for Universal Cannulated Tibia Nail Length 20-150mm - ,Solid Tibia Nail - (dia 7-14mmLength 250-500mm) ,End Cap for Solid Humeral Nail(Length 0-15mm) - ,Locking Bolt for Solid Humeral Nail (10-150mm) - ,Blade for Solid Humeral Nail(Length 30-180mm) - ,Proximal Humeral Nail - (dia 6-12mm,Length 150-500mm),End Cap for Cannulated Femur Nail Length 0-50mm - ,End Cap for Proximal Humeral Nail - (Length 0-15mm) ,Locking Bolt for Proximal Humeral Nail - (Length 10-150mm) ,Blade for Proximal Humeral Nail - (Length 30-180mm) ,6.0mm Locking Bolt(Star Head) - (Length 10-150mm) ,Spiral Blade- Length 30-150mm - ,Tarsus Nail End Cap- for Securing Spiral Blade - ,Self-Tapping For Ga-mma Nail - (Length 20-150mm) ,125° Ga-mma Nail Short - (dia 7-14mm,Length 150-240m),125° Ga-mma Nail LongLeft & Right - (dia 7-14mm,Length 250-500mm),130° Ga-mma Nail Short - (dia 7-14mm,Length 150-240mm) , 130° Ga-mma NailLongLeft & Right - (dia 7-14mm,Length 250-500mm),135° Ga-mma Nail Short - (dia 7-14mm,Length 150-240mm) ,135° Ga-mma Nail Long Left & Right - dia 7-14mm,Length 250-500mm,5.0mm Locking Bolt (Star Head) - (Length 10-150mm) ,Tarsus Nail End Cap for Securing the most distal Locking Bolt - ,Titanium Elastic Nail - dia 1-5mmLength 300-440mm ,TEN Nail - (dia 1-5mmLength 300-440mm) ,End Cap for Ten Nail - ,Pediatric Flexible Nail - (dia 1-5mmLength 300-440mm) ,End Cap for Pediatric Flexible Nail - ,Retrograde Femur Nail - (dia 8-13mm,Length 150-500mm),5.0mm Locking Screw For Retrograde Femur Nail - (Length 30-150mm) ,End Cap For Retrograde Femur Nail - , Compression Screw For Interlocking Cannulated Tibia Nail 0-50mm - ,4.5mm Locking Bolt For Interlocking Cannulated Tibia Nail - Length 20-150mm ,Kuntscher Cloverleaf Nail for Tibia - dia 6-15mm,Length 100-500mm,Intramedullary Cannulated Humerus Nail - (dia 5-11mmLength 150-500mm) ,End Cap For Intramedullary Humerus Nail - ,Compression Screw For Intramedullary Humerus Nail - ,Ø4.5mm Locking Bolt For Humerus Nail Length 10-150mm - ,Ø4.5mm Proximal Screw Length 20-150mm - ,Locking Humerus Nail - (dia 5-15mmLength 100-500mm) ,End Cap for Locking humerus Nail Length 0-50mm - ,Locking Screws for Humerus Nail Length 10-150mm - ,Cortical Screws for Humerus Nail Length 10-150mm - ,Washer for Cortical Screws - ,End Cap For JIN Type - Humerus Nail - ,Ø3.5mm Locking BoltSelf-TappingFor JIN Type - Humerus Nail(Length 10-150mm) - ,135 Degree Anti-Rotation Ga-mma Nail Long - (dia 8-14mm, Length 250-500mm),End Cap for Elastic Nail - ,6.5mm Cannulated Reconstruction Screw For Universal Intramedullary Cannulated Femur Nail Length 30-150mm - ,6.5mm Locking Bolt for Universal Intramedullary Cannulated Femur Nail Full Thread Length 30-150mm - ,6.5mm Blocking set for Universal Intramedullary Cannulated Femur Nail Length 30-120mm - ,Adolescent Lateral Femur Nail - (dia 7-12mmLength 200-500mm) ,End Cap for Adolescent Lateral Femur Nail - Length 0-50mm ,Hip Screw for Adolescent Lateral Femur Nail Length 20-150mm - ,Locking Screw for Adolescent Lateral Femur Nail Length 15-120mm - ,Distal Femur Nail Short & Long Left & Right - dia 7-14mm,Length 160-500mm,4.9mm Locking Bolt Length 20-150mm - ,Distal Femur Nail Blade Length 40-180mm - ,End Cap for Distal Femur Nail - (Length 0-50mm) , Locking Screws for Distal Femur Nail - Length 40-120mm ,Blade for TFN Nail (Trochanteric Fixation Nail) - (Length 30-180mm) ,Femur Neck Screws for TFN Nail (Trochanteric Fixation Nail)Length 50-150mm - ,End Cap for TFN Nail (Trochanteric Fixation Nail) Length 0-50mm - ,Locking Bolts for TFN Nail (Trochanteric Fixation Nail) Length 20-120mm - ,Unreamed Femur Nail - dia7-14mm, Length 250mm-500mm,Locking Bolt for Unreamed Femur Nail Length 20-150mm - ,End Cap for Unreamed Femur Nail Length 0-50mm - ,Cannulated Femur Nail - dia7-14mm,Length 250mm-500mm,Locking Bolt for Cannulated Femur Nail Length 20-150mm - ,Intramedullary Supracondylar (IMSC) Femur Nail - (dia 8-13mm, Length 150-500mm),Locking Screws for Intramedullary Supracondylar (IMSC) Femur Nail Length 20-150mm - ,End Cap for Intramedullary Supracondylar (IMSC) Femur NailLength 0-50mm - ,Intramedullary Supracondylar (IMSC) Cannulated Femur Nail - (dia 8-13mm, Length 150-500mm),Locking Screws for Intramedullary Supracondylar (IMSC) Cannulated Femur Nail - (Length 20-150mm) ,End Cap for Intramedullary Supracondylar (IMSC) Cannulated Femur Nail - (Length 0-50mm) ,Interlocking Cannulated Tibia Nail - (dia 7-13mm,Length 250-500mm),End Cap For Interlocking Cannulated Tibia Nail Length 0-50mm - ,C Nail (Calcaneal Nail) - (dia 5-10mm,Length 50-150mm),End Cap for C Nail (Calcaneal Nail) Length 0-50mm - ,Screws for C Nail (Calcaneal Nail) Length 10-150mm - ,Ankle Arthodesis Nail - (dia 8-14mm,Length 120-350mm) ,Locking Screws for Ankle Arthodesis Nail Length 20-150mm - ,End Cap fpr Ankle Arthodesis Nail Length 0-50mm - ,Fibula Nail -

(dia 2-6mm,Length 80-220mm),Cortical Screws for Fibula Nail Length 8-100mm - ,Radius Intramedullary Elastic Nail - (dia 2-6mm,Length 150-300mm),Locking Screw for Radius Intramedullary Elastic Nail - (Length 10-100mm) ,Ulna Intramedullary Nail - dia 3-8mm, Length 180-350mm,Compression Locking Screw for Ulna Intramedullary Nail 20-100mm - , Washer for Ulna Intramedullary Nail - ,Cortical Screw for Ulna Intramedullary Nail Length 8-100mm - ,Konzept Fibula & Forearm Nail - (Ø2-10 x Length 150-500mm) ,JIN Type - Tibia Nail - (dia7-13mm,Length 220-500mm),End Cap For JIN Type - Tibia Nail - ,Ø4.5mm Locking Bolt - ,Self-Tapping For JIN Type - Tibia Nail - Length 10-150mm ,Universal Tibia Nail - dia 9-14mm,Length 200-500mm,End Cap for Universal Tibia Nail Length 0-50mm - , Length 150-500mm) - ,End Cap for Reconstruction Cannulated Humeral Nail - (Length 0-50mm) ,Length 30-180mm - ,End Cap for Solid Tibia Nail Length 0-50mm - ,Locking Bolts for Solid Tibia Nail Length 20-150mm - ,Cannulated Tibia Nail - (dia 7-14mmLength 250-500mm),End Cap for Cannulated Tibia Nail (Length 0-50mm) - ,Locking Bolts for Cannulated Tibia Nail (Length 20-150mm) - ,Intramedullary Tibia Nail - (dia 9-14mmLength 200-500mm) ,End Cap for Intramedullary Tibia Nail (Length 0-50mm) - ,Locking Bolt for Intramedullary Tibia Nail(Length 20-150mm) - ,JIN Type - Humerus Nail - dia 5-12mm, Length 150-500mm,Locking Bolt for Universal Tibia Nail Length 20-150mm - ,Universal Cannulated Tibia Nail - (dia 7-15mm,Length 250-500mm) ,End Cap for Universal Cannulated Tibia Nail Length 0-50mm - ,Kuntscher Cloverleaf Nail for Femur - (dia 6-15mmLength 100-500mm) ,125°/130°/135° TFN Nail (Trochanteric Fixation Nail) Short & Long Left & Right - (Length 170-500mm) ,Intramedullary Humeral Nail - (dia 7-12mm, Length 150-500mm) - ,Locking Screw for Intramedullary Humeral Nail - (Length 10-150mm) ,Cannulated Arthodesis Nail - dia 8-14mm,Length 120-300mm,Locking Screw for Cannulated Arthodesis Nail Length 20-150mm - ,Blade for Cannulated Arthodesis Nail Length 30-150mm - ,End Cap for Arthodesis Nail Length 0-50mm - ,Locking Screw for Intramedullary Cannulated Humeral Nail - (Length 10-150mm) ,End Cap for Intramedullary Cannulated Humeral Nail - (Length 0-50mm) ,Reconstruction Intramedullary Cannulated Humeral Nail - (dia 7-12mm,Length 150-500mm) - ,Locking Screw for Reconstruction Intramedullary Cannulated Humeral Nail - (Length 10-150mm) ,End Cap for Reconstruction Intramedullary Cannulated Humeral Nail(Length 0-50mm) - ,End Cap for Intramedullary Humeral Nail - (Length 0-50mm) ,Reconstruction Humeral Nail - dia 7-15mm,Length 120-500mm,Locking Screw for Reconstruction Humeral Nail - (Length 10-150mm) ,End Cap for Reconstruction Humeral Nail - (Length 0-50mm) ,Reconstruction Cannulated Humeral Nailmm - (dia 7-15mm,Length 120-500mm),Locking Screw for Reconstruction Cannulated Humeral Nail - (Length 10-150mm) ,JIN Type - Femur Nail - (dia 7-14mm,Length 300-500mm),End Cap for JIN Type - Femur Nail - ,Ø4.5mm Locking BoltSelf-TappingFor JIN Type - Femur Nail(Length 10-150mm) - (dia 7-20mm,Length 300-500mm),Universal Femur Nail - (dia 7-20mm,Length 300-500mm),Locking Bolts for Universal Femur Nail(Length 20-150mm) - ,End Cap for Universal Femur Nail(Length 0-50mm) - ,Universal Femur Cannulated Nail - (dia 7-20mm,Length 300-500mm),Locking Bolts for Universal Cannulated Femur Nail(Length 20-150mm) - ,End Cap for Universal Femur Cannulated Nail (Length 0-50mm) - ,Universal Femur Solid Nail - (dia 7-20mmLength 300-500mm) ,Locking Bolts for Universal Solid Femur Nail(Length 20-150mm) - ,End Cap for Universal Femur Cannulated Nail(Length 0-50mm) - ,Femur Reconstruction Nail - dia 8-15mm,Length 250-500mm,Locking Screws for Femur Reconstruction Nail - (Length 20-150mm) ,End Cap for Femur Reconstruction Nail - (Length 0-50mm) ,125° Ga-mma Nail Type-II Short - (dia 8-14mm,Length 150-240mm),125° Ga-mma Nail Type-II Long Left & Right - (dia 8-14mm, Length 250-500mm),Intramedullary Cannulated Humeral Nail - (dia 7-12mm,130° Ga-mma Nail Type-II Short - dia 8-14mm,Length 150-240mm,130° Ga-mma Nail Type-II Long Left & Right - (dia 8-14mm,Length 250-500mm),End Cap For Ga-mma Nail Type-II (Length 0-50mm) - ,Inner Screw For Ga-mma Nail Type-II - ,Ø10.5mm Cephalic Screw For Ga-mma Nail - ,End Cap For Ø10.5mm Cephalic Screw For Ga-mma Nail - ,Solid Humeral Nail - (dia 6-12mm,Length 150-500mm) - ,Locking Screw for Telescopic Nail - Length 10-150mm , Universal Intramedullary Cannulated Femur Nail Left & Right - (dia 8-15mmLength 180-500mm) ,End Cap For Universal Intramedullary Cannulated Femur Nail M10x1 Length 0-50mm - ,Compression Screw For Universal Intramedullary Cannulated Femur Nail - ,4.5 mm Locking Bolt For Universal Intramedullary Cannulated Femur Nail - (Length 20-150mm) ,Reconstruction NailCannulated - dia5-11mm,Length 100-300mm,Reconstruction Cannulated Intramedullary Humerus Nail - dia 5-11mm,Length 150-500mm,End Cap For Reconstruction Cannulated Instramedullary Nail - ,Ø3.5mm Locking Bolt For Humerus Nail - Length 10-150mm,Ø4.5mm Locking Bolt For Humerus Nail - Length 10-150mm,135° Ga-mma Nail Type-II Short - dia 7-14mm,Length 150-240mm,135° Ga-mma Nail Type-II Long, Left & Right - dia 7-14mm,Length 250-500mm,Distal Locking ScrewsSelf-Tapping - dia 3.5-5.0mm,Length 4-70mm,End Cap for Ga-mma Nail - Length 0-50mm,Inner Screw for Ga-mma Nail - ,125°/130°/135° TFNA Nail Short & Long - dia 7-15mm,Length 100-500mm, Blade for TFNA Nail - Length 50-180mm,Blade for TFNA Nail - ,Length 50-180mm - ,Locking Screws for TFNA Nail - Length 20-150mm,125°/130°/135° Cephalomedullary Short Nail - dia 7-15mm,Length 150-500mm,Lag Screws for Cephalomedullary Nail - Length 30-

	150mm, Locking Screw for Cephalomedullary Nail - Length 10-150mm, End Cap for Cephalomedullary Nail - Length 0-50mm, Expert Tibia Nail - (dia 7-14mm, Length 220-500mm), End Cap For Expert Tibia Nail - (Length 0-50mm), dia 4.8mm Locking Bolt Self-Tapping For Expert Tibia Nail - Length 20-150mm, dia 4.4mm Locking Bolt Self-Tapping For Expert Tibia Nail - Length 20-150mm, Expert Tibia Nails Solid - (dia 7-11mm, Length 220-500mm), Locking Screws for Expert Tibia Nail - (Length 10-150mm), End Cap for Solid Expert Tibia Nail - (Length 0-50mm), Intramedullary Tibia Nail - (Dia 7-15mm, Length 220-500mm), Intramedullary Cannulated Tibia Nail - (Dia 7-15mm, Length 220-500mm), Intramedullary Solid Tibia Nail - (Dia 7-15mm, Length 220-500mm), Locking Screw for Intramedullary Tibia Nail - Length 10-150mm, Locking Screw for Intramedullary Cannulated Tibia Nail - (Length 10-150mm), Locking Screw for Intramedullary Solid Tibia Nail - (Length 10-150mm), End Cap for Intramedullary Tibia Nail - (Length 0-50mm), End Cap for Intramedullary Cannulated Tibia Nail - (Length 0-50mm), End Cap for Intramedullary Solid Tibia Nail - (Length 0-50mm), Expert Tibia Nail Cannulated - (dia 7-14mm, Length 220-500mm), Locking Screws for Cannulated Expert Tibia Nail - (Length 10-150mm), End Cap for Cannulated Expert Tibia Nail - (Length 0-50mm), Suprapatellar Tibia Nail - (dia 7-15mm, Length 150-500mm), Locking Screw for Suprapatellar Tibia Nail (Length 10-150mm) - , End Cap for Suprapatellar Tibia Nail - (Length 0-50mm), Expert Femur Nail Left & Right - Dia 8-14, Length 300-500mm, End Cap For Expert Femur Nail - Length 0-50mm, Ø4.8mm Locking Bolt Self-Tapping For Expert Femur Nail - Length 20-150mm, Ø6.4mm Cannulated Anti-Rotation Screw Self-Tapping For Expert Femur Nail - Length 50-180mm, Lateral Femoral Nail Left & Right - dia 8-16mm, Length 300-500mm, Locking Screw for Lateral Femoral Nail - Length 20-150mm, Hip Screw for Lateral Femoral Nail - Length 50-180mm, End Cap for Lateral Femoral Nail - Length 0-50mm, Antegrade Femur Nail Left & Right - (dia 8-15mm, Length 300-500mm), Hip Screw for Antegrade Femur Nail - (Length 50-150mm), End Cap for Antegrade Femur Nail - (Length 0-50mm), Intramedullary Femoral Nail Left & Right - (dia 8-16mm, Length 300-500mm), Locking Screw for Intramedullary Femoral Nail - Length 20-150mm, Hip Screw for Intramedullary Femoral Nail - Length 50-180mm, End Cap for Intramedullary Femoral Nail - Length 0-50mm, 130° AJAX Advance Nail Short - (dia 8mm-13mm, Length 170-240mm), 130° AJAX Advance Nail Long Left & Right - (dia 8-14mm, Length 250-500mm), 4.9mm Locking Bolt for AJAX Nail Self-Tapping - (Length 20-150mm), AJAX Blade - Length 50-180mm - , AJAX Nail End Cap (For Ajax Blade) - Length 0-50mm, AJAX Nail End Cap (For Cephalic Screw) - (Length 0-50mm), Inner Screw for Ajax Cephalic Screw - , AJAX Cephalic Screw - (Length 30-180mm), End Cap for Ajax Cephalic Screw - , PFNA Nail (Proximal Femur Nail) Short & Long Left & Right - dia 7-14mm, Length 100-500mm, PFNA II Nail (Proximal Femur Nail) Short & Long Left & Right - (dia 7-14mm, Length 100-500mm), PFNA Blade - Length 50-180mm, PFNA II Blade Length 50-180mm - , End Cap for PFNA Nail - Length 0-50mm, End Cap for PFNA II Nail - Length 0-50mm, 125degree AJAX Advance Nail Short - dia 8-13mm, Length 170-240mm, 125degree AJAX Advance Nail Long Left & Right - dia 8-14mm, Length 250-500mm, 135degree AJAX Advance Nail Long Left & Right - dia 8-14mm, Length 250-500mm, Pelvic Nail - (dia 5-10mm Length 50-150mm) , End Cap for Pelvic Nail - Length 0-50mm , Screws for Pelvic Nail - (Length 10-150mm) , Telescopic Nail - (dia 3-11mm Length 100-500mm) , End Cap for Telescopic Nail - Length 0-50mm , 125° Anti-Rotation Ga-mma Nail Short - dia 8-14mm, Length 150-240mm, 125° Anti-Rotation Ga-mma Nail Long - dia 8-14mm, Length 250-500mm, 130° Anti-Rotation Ga-mma Nail Short - dia 8-14mm, Length 150-240mm, 130° Anti-Rotation Ga-mma Nail Long - (dia 8-14mm, Length 250-500mm), End Cap For Anti-Rotation Ga-mma Nail, Length 0-50mm - , Inner Screw For Anti-Rotation Ga-mma Nail-Long (For Cephalic Screw) - , Ø6.4mm Cannulated Anti-Rotation Screw for Ga-mma Nail- Length 20-150mm - , Ø10.5mm Cephalic Screw For Ga-mma Nail- Length 30-180mm - , End Cap For Ø10.5mm Cephalic Screw For Ga-mma Nail - , Ø4.8mm Locking Bolt, Self-Tapping, For Ga-mma Nail -Length 20-150mm - , 135° Anti-Rotation Ga-mma Nail Short - (dia 7-14mm, Length 150-240mm)
--	--

5	1. Generic Name :Endoprosthesis 2. Brand Name :NIL 3. Notified Category :Orthopaedic Implants 4. Class of Medical Device :Class C 5. Shelf life :5 Years 6. Sterile/Non-Sterile:Sterilized 7. Intended Use :Endoprosthesis are specially used in femur neck fracture. when femur bone head is damaged or fractured. 8. Material of Construction: Stainless Steel (ISO-5832-1) 9. Dimension: Various shape, size and dimension endoprosthesis available 10. Model/Catalogue No./Name :Thompson Hip Prosthesis - Standard Stem Regular Sterile Finished - (dia 37-60mm) ,Thompson Hip Prosthesis - Standard Stem Satin Finish Sterile - (dia 37-60mm) ,Thompson Hip Prosthesis - Full Collar Regular Finish Sterile - (dia 37-60mm) ,Thompson Hip Prosthesis - Full Collar Satin Finish Sterile - (dia 37-60mm) , Thompson Hip Prosthesis - Plain Stem Regular Finish Sterile - (dia 37-60mm) ,Thompson Hip Prosthesis - Plain Stem Satin Finish Sterile - (dia 37-60mm) ,Thompson Hip Prosthesis - Narrow Stem Regular Finish Sterile - (dia 37-60mm) ,Thompson Hip Prosthesis - Narrow Stem Regular Finish Non-Sterile - (dia 37-60mm) ,Thompson Hip Prosthesis - Narrow Stem Satin Finish Sterile - (dia 37-60mm) ,Thompson Hip Prosthesis - Narrow Stem Satin Finish Non-Sterile - (dia 37-60mm) ,Austin Moore Hip Prosthesis - Standard Stem Regular Finish Sterile - (dia 37-60mm) ,Austin Moore Hip Prosthesis - Standard Stem Satin Finish Sterile - (dia 37-60mm) ,Austin Moore Hip Prosthesis - Narrow Stem Regular Finish Sterile - (dia 37-60mm) ,Austin Moore Hip Prosthesis - Narrow Stem Regular Finished Non-Sterile - (dia 37-60mm) ,Austin Moore Hip Prosthesis - Narrow Stem Satin Finish Sterile - (dia 37-60mm) , Austin Moore Hip Prosthesis - Broad Stem Regular Finish Sterile - (dia 37-60mm) ,Austin Moore Hip Prosthesis - Broad Stem Satin Finish Sterile - (dia 37-60mm) ,Austin Moore Hip Prosthesis - Long Stem Regular Finish Sterile - (dia 37-60mm) ,Austin Moore Hip Prosthesis - Long Stem Satin Finish Sterile - (dia 37-60mm) ,Austin Moore Hip Prosthesis - Step Ball Regular Finish Sterile - (dia 37-60mm) ,Austin Moore Hip Prosthesis - Step Ball Satin Finish Sterile - (dia 37-60mm) ,Bipolar Hip Prosthesis - Non Perforated Sterile - (dia 37-60mm) , Bipolar Hip Prosthesis - Perforated Sterile - (dia 37-60mm) ,Cemented Hip Stem - (dia 6-18mm) ,Acetabular Cup and Liner - (dia 30-60mm) ,Mullar Cup - (dia 30-60mm) ,Porous Acetabular Cup and Liner - (dia 30-60mm) ,Uncemented Hip Stem - (dia 6-18mm) ,Porous Hip Stem - (dia 6-18mm)
6	1. Generic Name :Endoprosthesis 2. Brand Name :NIL 3. Notified Category :Orthopaedic Implants 4. Class of Medical Device :Class C 5. Shelf life :NA 6. Sterile/Non-Sterile:Non-Sterilized 7. Intended Use :Endoprosthesis are specially used in femur neck fracture. when femur bone head is damaged or fractured. 8. Material of Construction: Stainless Steel (ISO-5832-1) 9. Dimension: Various shape, size and dimension endoprosthesis manufactured 10. Model/Catalogue No./Name :Thompson Hip Prosthesis - Standard Stem Regular Finish Non-Sterile - (dia 37-60mm) ,Thompson Hip Prosthesis - Standard Stem Satin Finish Non-Sterile - (dia 37-60mm) ,Thompson Hip Prosthesis - Full Collar Regular Finish Non-Sterile - (dia 37-60mm) ,Thompson Hip Prosthesis - Full Collar Satin Finish Non-Sterile - (dia 37-60mm) ,Thompson Hip Prosthesis - Plain Stem Regular Finish Non-Sterile - (dia 37-60mm) ,Thompson Hip Prosthesis - Plain Stem Satin Finish Non-Sterile - (dia 37-60mm) , Thompson Hip Prosthesis - Narrow Stem Regular Finish Non-Sterile - (dia 37-60mm) , Thompson Hip Prosthesis - Narrow Stem Satin Finish Non-Sterile - (dia 37-60mm) ,Austin Moore Hip Prosthesis - Standard Stem Regular Finish Non-Sterile - (dia 37-60mm) ,Austin Moore Hip Prosthesis - Standard Stem Satin Finish Non-Sterile - (dia 37-60mm) ,Austin Moore Hip Prosthesis - Narrow Stem Regular Finish Non-Sterile - (dia 37-60mm) ,Austin Moore Hip Prosthesis - Narrow Stem Satin Finish Non-Sterile - (dia 37-60mm) ,Austin Moore Hip Prosthesis - Broad Stem Regular Finish Non-Sterile - (dia 37-60mm) ,Austin Moore Hip Prosthesis - Broad Stem Satin Finish Non-Sterile - (dia 37-60mm) ,Austin Moore Hip Prosthesis - Long Stem Regular Finish Non-Sterile - (dia 37-60mm) ,Austin Moore Hip Prosthesis - Long Stem Satin Finish Non-Sterile - (dia 37-60mm) ,Austin Moore Hip Prosthesis - Step Ball Regular Finish Non-Sterile - (dia 37-60mm) ,Austin Moore Hip Prosthesis - Step Ball Satin Finish Non-Sterile - (dia 37-60mm) ,Bipolar Hip Prosthesis - Non Perforated Non-Sterile - (dia 37-60mm) ,Bipolar Hip Prosthesis - Perforated Non-Sterile - (dia 37-60mm) ,Cemented Hip Stem - (dia 6-18mm) ,Acetabular Cup and Liner - (dia 30-60mm) ,Mullar Cup - (dia 30-60mm) ,Porous Acetabular Cup and Liner - (dia 30-60mm) , Uncemented Hip Stem - (dia 6-18mm) ,Porous Hip Stem - (dia 6-18mm)

1. Generic Name :Bone Plates

2. Brand Name :NIL

3. Notified Category :Orthopaedic Implants

4. Class of Medical Device :Class C

5. Shelf life :5 Years

6. Sterile/Non-Sterile:Sterilized

7. Intended Use :The bone plates are intended for treating fractures of various bones including the clavicle, pelvis, scapula, long bone (humerus, ulna, radius, femur, tibia and fibula), and small bone (metacarpals, metatarsals, phalanges).

8. Material of Construction: Stainless Steel (ISO-5832-1)

9. Dimension: Various Dimension Bone plates implants are manufactured

10. Model/Catalogue No./Name :4.5/5.0mm Wise-Lock Distal Femur Plate Straight Hole Left & Right - (3-25 Holes) ,4.5/5.0mm Wise-Lock Condylar Femur Plate Left & Right - (3-25 Holes) ,3.5mm Wise-Lock Proximal Humerus Plate - (2-10 Holes) ,3.5mm Wise-Lock Medial Distal Tibia Plate Left & Right - (2-20 Holes) ,3.5mm Wise-Lock Clavicle Plate Left & Right - (2-20 Holes) ,3.5mm Wise-Lock Proximal Tibia Plate Left & Right - (2-20 Holes) ,2.4/2.7mm Varixis First MTP Fusion Plate Small Left & right - (Length 42mm,0°-15°),2.4/2.7mm Varixis First MTP Fusion Plate Medium Left & right - (Length 32mm ,2.4/2.7mm Varixis First MTP Fusion Plate - ,0°-15°) - ,Varixis Distal Medial Humeral Plate Short Left & Right - (3-15 Holes) ,Varixis Proximal Ulna Locking Plate Left & Right - (3-15 Holes) ,2.7/3.5mm Varixis Anteromedial Distal Tibia Plate Left & Right - (2-20 Holes) ,2.7/3.5mm Varixis Medial Distal Tibia Plate Left & Right - (2-20 Holes) ,Varixis Distal Medial Humeral Plate Short Left & Right - (3-15 Holes) ,Varixis Distal Lateral Humeral Plate Left & Right - (3-15 Holes) ,2.7mm Varixis Distal Tibia L-Plate Left & Right - (2-20 Holes) ,2.4/2.7mm Varixis Mesh Plate - (5 x 12 holes) ,135 degree Wise-Lock DHS Plate - (1-30 Holes) ,PHEELOS - 3.5mm Wise-Lock Proximal Humerus Plate Long - (5-20 Holes) ,3.5mm Wise-Lock Periarticular Proximal Humerus Plate Left & Right - (2-20 Holes) ,2.7/3.5mm Varixis Ankle Plate Left & Right - (2-20 Holes) ,2.4/2.7mm Varixis L-Fusion Plate short standard long left & right - (Length 37mm ,Length 62mm) - ,2.7mm Wise-Lock X-Plate - ,40mm) - ,2.4/2.7mm Varixis X-Fusion Plate Extra Small Small Medium Large - (Length 24mm, Length 27mm, Length 32mm, Length 36mm),2.4/2.7mm Varixis First TMT Fusion Plate - (Standard 39mm ,2.4/2.7mm Varixis Opening Wedge Osteotomy Plate - (Space 0 mm-8mm) ,Length 44mm - ,3.5mm Wise-Lock Calcaneal Plate Type-III Left & Right - (2-10 Holes) ,3.5mm Wise-Lock Cloverleaf Plate - (2-10 Holes) ,Short Barrel - (1-30 Holes) ,2.7/3.5mm Wise-Lock Dorsolateral Medial Distal Humerus Plate Left & Right - (2-20 Holes) ,3.5mm Wise-Lock Reconstruction Plate Curved - (2-20 Holes) ,3.5mm Wise-Lock Z-type Distal Medial Tibial Plate Left & Right - (2-20 Holes) ,2.4/2.7mm Varixis T-Fusion Plate Short - (Length 35mm) ,2.4/2.7mm Varixis T-Fusion Plate Standard - (Length 42mm) ,2.4/2.7mm Varixis T-Fusion Plate Long - (Length 61mm) ,2.4/2.7mm Varixis T-Fusion Plate Long - (Length 92mm) ,2.7/3.5mm Varixis Medial Distal Humerus Plate Left & Right - (1-20 Holes) ,2.7/3.5mm Varixis Extended Medial Distal Humerus Plate Left & Right - (1-20 Holes) ,2.7/3.5mm Varixis Lateral Distal Humerus Plate Left & Right - (1-20 Holes) ,2.7/3.5mm Varixis Dorsolateral Distal Humerus Plate Left & Right - (2-20 Holes) ,2.7/3.5mm Varixis Dorsolateral Distal Humerus Plate with Lateral Support Left & Right - (2-20 Holes) ,2.7/3.5mm Varixis Proximal Olecranon Plate Left & Right - (2-6 Holes) ,2.7/3.5mm Varixis Olecranon Plate Left & Right - (2-20 Holes) ,3.5mm Wise-Lock Olecranon Plate Left & Right - (2-20 Holes) ,135 degree Wise-Lock DHS Plate - , 2.4/2.7mm Varixis TMT Fusion Plate - (43 mm) ,PHEELOS - 3.5mm Wise-Lock Proximal Humerus Plate Short - (2-10 Holes) ,2.7/3.5mm Varixis Anterolateral Distal Tibia Plate Left & Right - (2-20 Holes) ,140 degree Wise-Lock DHS Plate - (1-30 Holes) ,3.5mm Y-Reconstruction Plate - ,Long 48mm) - ,2.4/2.7mm Varixis Navicular Plate - ,2.4/2.7mm Varixis Cuboid Plate left & right - ,2.4/2.7mm Varixis Cloverleaf Fusion Plate Short - (Length 38mm) ,2.4/2.7mm Varixis Cloverleaf Fusion Plate Standard - (Length 45mm) , Small - ,2.4/2.7mm Varixis Cloverleaf Fusion Plate Long - (Length 64mm) ,3.5mm Wise-Lock Metaphyseal Plate For Distal Medial Humerus - (3-25 Holes) ,3.5mm Wise-Lock Metaphyseal Plate - (2-20 Holes) ,3.5/4.5mm Wise-Lock Metaphyseal Plate - (2/5-20/5 Holes) ,3.5mm Wise-Lock Metaphyseal Plate For Medial Distal Tibia Left & Right - (4+2 - 4+30 Holes) ,3.5mm Wise-Lock Pilon Plate - (2-20 Holes) ,3.5mm Wise-Lock Pilon Plate Cruciform - (2-20 Holes) ,3.5mm Wise-Lock Calcaneal Plate Left & Right - (Length 69/76mm) ,3.5mm Wise-Lock Calcaneal Plate Type-I Left & Right - (2-10 Holes) ,3.5mm Wise-Lock Calcaneal Plate Type-II Small/Medium Left& Right - (2-10 Holes) ,3.5mm Wise-Lock Calcaneal Plate Type-IV - ,Small/Medium/Large Left & Right - (2-10 Holes) ,3.5mm Wise-Lock Calcaneal Plate Type-V Small/Large Left & Right - (10-20 Holes) ,3.5mm Wise-Lock Extra-Articular Distal Humerus Plate Left & Right - (2-20 Holes) ,3.5mm Wise-Lock Small Dynamic Compression Plate with LC under cuts - (2-20 Holes) ,3.5mm Wise-Lock One Third Tubular Plate - (2-20 Holes) ,3.5mm Wise-Lock Small "T" Plate - ,Right Angled - , Medium - ,Right Angled (3 Head Holes) - (2-10 Holes) ,3.5mm Wise-Lock Small "T" Plate Right Angled (4 Head Holes) - (2-10 Holes) ,3.5mm Wise-Lock Reconstruction Plate - (2-30 Holes) ,3.5mm Wise-Lock Small "T" Plate Oblique Angled Left & Right - (2-10 Holes) ,3.5mm

Wise-Lock Distal Humerus Plate Left & Right - (2-20 Holes) ,3.5mm Wise-Lock Distal Fibula Plate Left & Right - (2-20 Holes) ,3.5mm Wise-Lock Calcaneal Plate Left & Right - (2-20 Holes) ,3.5mm Wise-Lock "T" Plate Left & Right - (2-20 Holes) ,3.5mm Wise-Lock Proximal Tibia Plate Left & Right - (2-20 Holes) ,3.5mm Wise-Lok Proximal Radius Plate Left & Right - (2-20 Holes) ,3.5mm Wise-Lock Ulna Plate Left & Right - (2-20 Holes) ,Varixis Distal Medial Humeral Plate - ,3.5mm Wise-Lock Proximal Ulna Plate Left & Right - (2-20 Holes) ,3.5mm Wise-Lock Distal Ulna Plate Left & Right - (2-20 Holes) ,Varixis Distal Posterolateral Humeral Plate Left & Right - (3-15 Holes) ,Varixis Distal Medial Humeral Plate Left & Right - (3-15 Holes) ,2.7/3.5mm Wise-Lock Dorsolateral Distal Humerus Plate Left & Right - (2-20 Holes) , 2.7/3.5mm Wise-Lock Dorsolateral Distal Humerus Plate with Lateral Support Left & Right - (2-20 Holes) ,Varixis Distal Medial Humeral Plate Left & Right - (3-15 Holes) ,Short Left & Right - (3-15 Holes) ,Varixis Distal Lateral Humeral Plate Left & Right - (3-15 Holes) ,Varixis Distal Medial Humeral Plate Short Left & Right - (3-15 Holes) ,Varixis Proximal Ulna Locking Plate Left & Right - (3-15 Holes) ,3.5mm Wise-Lock Hook Plate - (2-20 Holes) ,3.5mm Wise-Lock Clavicle Hook Plate - (2,4 Holes, Length 27mm, 40mm), - ,5°) - ,4.5/5.0mm Wise-Lock Proximal Femur Plate Left & Right - (2-20 Holes) ,4.5/5.0mm Wise-Lock Proximal Femur Hook Plate - (2-20 Holes) ,4.5/5.0mm Wise-Lock Proximal Lateral Tibia Plate Left & Right - (3-25 Holes) ,4.5/5.0mm Wise-Lock Medial Proximal Tibia Plate Left & Right - (2-20 Holes) , 4.5/5.0mm Wise-Lock Proximal Tibia Plate Left & Right - (2-20 Holes) ,4.5/5.0mm Wise-Lock Proximal Femur Lateral Plate (Type-II) Left & Right - (2-20 Holes) ,4.5/5.0mm Wise-Lock Reconstruction Plate - (2-20 Holes) ,4.5/5.0mm Wise-Lock Narrow Dynamic Compression Plate with LC under cuts - (2-30 Holes) ,4.5/5.0mm Wise-Lock Broad Dynamic Compression Plate with LC under cuts - (2-30 Holes) ,4.5/5.0mm Wise-Lock Curved Broad Plate - (10-30 Holes) ,4.5/5.0mm Wise-Lock "L" Buttress Plate Left & Right - (2-20 Holes) , 4.5/5.0mm Wise-Lock "T" Buttress Plate - (2-20 Holes) ,4.5/5.0mm Wise-Lock "T" Plate - (2-20 Holes) ,4.5/5.0mm Wise-Lock Distal Femur Plate Left & Right - (3-25 Holes) ,4.5/5.0mm Wise-Lock Femur Plate Left & Right - (3-25 Holes) ,4.5/5.0mm Wise-Lock Compression Plate - (2-20 Holes) ,3.5mm Wise-Lock Posteromedial Proximal Tibia Plate - (1-20 Holes) ,4.5mm Wise-Lock Metaphyseal Plate - (3/5-20/5 Holes) ,135 degree Dynamic Hip Compression Plate - ,4.5/5.0mm Wise-Lock Osteotomy Medial High Tibia Plate - (2-10 Holes) ,4.5/5.0mm Wise-Lock Osteotomy Lateral High Tibia Plate Left & Right - (2-10 Holes) ,4.5/5.0mm Wise-Lock Osteotomy Lateral Distal Femur Plate Left & Right - (2-10 Holes) ,4.5/5.0mm Wise-Lock Osteotomy Medial Distal Femur Plate Left & Right - (2-10 Holes) ,4.5/5.0mm Wise-Lock Osteotomy Tibia Plate Left & Right - (2-10 Holes) ,4.5/5.0mm Wise-Lock Osteotomy Femur Plate Left & Right - (2-10 Holes) ,Wise-Lock Puddu Plate - (2-20 Holes) ,Wise-Lock Ankle Arthrodesis Plate - (4-20 Holes) ,4 Holes - ,3.5mm Wise-Lock Proximal Humerus Plate Left & Right - (2-20 Holes) ,3.5mm Wise-Lock Distal Tibia Plate left & Right - (2-20 Holes) , 145 degree Wise-Lock DHS Plate - (1-30 Holes) ,150 degree Wise-Lock DHS Plate - (1-22 Holes) ,135 degree Dynamic Hip Compression Plate - (1-30 Holes) ,140 degree Dynamic Hip Compression Plate - (1-30 Holes) ,145 degree Dynamic Hip Compression Plate - (1-30 Holes) ,150 degree Dynamic Hip Compression Plate Short Barrel - (1-30 Holes) (holes 2-12) ,95 degree DCS Plate - (2-30 Holes) ,130-150 degree Wise-Lock Variable Angle DHS Plate - (2-30 Holes) ,3.5mm Wise-Lock Pediatric Hip Plate - (90°-150° x Length 60-75mm x Width 18.5mm 3-10 Holes),3-10 Holes) - ,4.5/5.0mm Wise-Lock Pediatric Hip Plate - (90°-150° x Length 60-90mm x Width 22.5mm ,115° Bifurcated Plates - (Blade 30-35mm, Displacement 5mm),90° Infant Osteotomy Plates - (Blade 25-32mm,Displacement 7-12mm) ,90°/100° Toddler Osteotomy Plates - (Balde 26-44mm , Displacement 4-8mm),80°/90°/100° Child Osteotomy Plate - (Blade 35-45mm, Displacement 8mm),90° Adolescent Osteotomy Plate - (Blade 40-60mm, Displacement 10-15mm),Large - ,2.7mm Wise-Lock Pediatric Hip Plate - (90°-130° x 2 Holes) ,Varixis Distal Posterolateral Humeral Plate Left & Right - (3-15 Holes) , 3.5mm Pediatric Condylar Plate - (90° x 3-7 Holes) ,5.0mm Pediatric Condylar Plate - (90° x 3-7 Holes) ,Large Left & right - (Length 57mm ,2.4/2.7mm Varixis First MTP Fusion Plate Revision Left & right - (Length 53mm,0°),2.7mm Varixis Distal Tibia T-Plate - (2-10 Holes) , 2.7mm Varixis Lateral Distal Fibula Plate Left & Right - (2-20 Holes) ,2.4/2.7mm Varixis Straight Fusion Plate - (2-20 Holes) ,130 degree Wise-Lock DHS Plate - (1-30 Holes) ,2.0mm Mini "L" Plate Left & Right - (2-12 Holes) ,2.0mm Mini Straight Plate - (2-12 Holes) ,2.0mm DCP Plate - (2-12 Holes),2.0mm Mini "T" Plate - (2-12 Holes) ,2.7mm "L" Plate Left & Right - (2-10 Holes) ,2.7mm "T" Plate - ,2.7mm Quarter Tubular Plate - (2-12 Holes) ,2.7mm Dynamic Compression Plate - (2-16Holes) ,2.7mm Reconstruction Plate Straight - (2-30 Holes) ,1.5mm Mini "L" Plate Left & Right - (2-12 Holes) ,1.5mm Mini Straight Plate - (2-12 Holes) ,1.5mm DCP Plate - (2-12 Holes) ,1.5mm Mini "T" Plate - ,3.5mm One-Third Tubular Plate - (2-20 Holes) ,3.5mm One-Third Tubular Plate with Collar - (2-20 Holes) ,3.5mm Small Dynamic Compression Plate - (2-20 Holes) ,3.5mm Small Limited Contact Dynamic Compression Plate - (2-20 Holes) ,3.5mm Small "T" Plate(3 Head Holes) - (2-12 Holes) ,3.5 mm Small "T" PlateRight Angled(4 Head Holes) - (2-12 Holes),3.5mm Small "T" PlateOblique Angled Left & Right - (2-12 Holes) ,3.5mm Hook Plate - (2-12 Holes) ,3.5mm Pelvic Reconstruction PlateStraight - (2-30 Holes) ,3.5mm Pelvic Reconstruction Plate Curved - (2-30 Holes) ,3.5mm Semi Tubular Plate - (2-30 Holes) ,3.5mm Calcaneal Plate - (Size 60-

	70mm) ,Cervical Spine H-Plate - (Holes Spacing - 16 - 16+18+18)mm5-10 Holes),3.5mm Cloverleaf Plate - (2-16 Holes) ,3.5mm Clavicle Hook Plate Left & Right - (Hook Depth 12mm2-10 Holes) ,Small/Medium/Large - (4-16 Holes) ,Lecestre Plate - Modified - Left & Right - (2 Head Holes, 3-15 Shaft Holes),Proximal Ulna Plate Left & Right - (2-10 Holes) , Proximal Humeral Plate - (2-12 Holes) ,95 degree Wise-Lock DCS Plate - (2-30 Holes) ,2.7/3.5mm Varixis Extra Articular Proximal Ulna Plate Left & Right - (2-20 Holes) ,4.5/5.0mm Wise-Lock Trochanter Stabilizing Plate For DHS - Adjustable - (Length 50-200mm) ,130 degree Dynamic Hip Compression Plate - (1-30 Holes) ,3.5mm Wise-Lock Low Profile Reconstruction Plate with Coaxial Combi-Holes Curved - (2-20 Holes) ,3.5mm Wise-Lock "J" Reconstruction Plate with Coaxial Combi-Holes Left & Right - (8-20 Holes) ,Hook Depth 12/15/18mm Left & Right - (2-10 Holes) ,3.5mm Wise-Lock Superior Anterior Clavicle Plate Left & Right - (2-20 Holes) ,2.7/3.5mm Wise-Lock Superior Anterior Clavicle Plate with Lateral Extension Left & Right - (2-20 Holes) ,3.5mm Wise-Lock S Clavicle Plate - ,Distal Radius Plate - (2-10 Holes) ,Y-Fork Plate Left & Right - (2-10 Holes) ,Distal Fibular Plate Left & Right - (2-12 Holes) ,Distal Lateral Humeral Plate Left & Right - (2-10 Holes) ,3.5mm DCP Plates - (2-30 Holes) ,3.5mm LC DCP Plates - (2-30 Holes) ,3.5mm Y Reconstruction Plate - (2-20 Holes) ,3.5mm Spring Plate - (2-10 Holes) ,4.5mm Narrow Dynamic Compression Plate - (2-20 Holes) ,4.5mm Narrow Limited Contact Dynamic Compression Plate - (2-20 Holes) ,4.5mm Broad Dynamic Compression Plate - (2-22 Holes) ,4.5mm Broad Limited Contact Dynamic Compression Plate - (2-22 Holes) ,4.5mm Narrow Lengthening Plate - (8 Holes Lengthening 30-100mmLength 135-185mm),4.5mm Broad Lengthening Plate - (8 Holes Lengthening 30-80mmLength 135-185mm),4.5mm Broad Lengthening Plate - (Length 175-250mm ,10 HolesLengthening 50mm),4.5mm Semi Tubular Plate - (2-15 Holes) ,4.5 mm Lateral Tibia Head Buttress Plate - (2-15 Holes) ,4.5mm Lateral Tibia Head Buttress Plate Left & Right - (5 Holes) ,4.5mm Condylar Buttress Plate Left & Right - (7-15 Holes) ,4.5 mm "T" Plate - (2-16 Holes) ,4.5mm "T" Buttress Plate - (2-16 Holes) ,4.5mm "L" Buttress Plate Left & Right - (2-16 Holes) ,4.5mm Spoon Plate - (2-10 Holes) ,4.5mm Hook Plate - (2-10 Holes) ,4.5mm Reconstruction PlateStraight - , - (2-30 Holes) ,4.5mm Roy Camille Plate - (2-16 Holes) ,4.5mm Cobra Head Plate - (2-16 Holes) ,Sherman Plate - (2-15 Holes) , - (2-15 Holes) ,4.5mm Proximal Tibia Medial Plate Left & Right - (3 Holes) ,4.5mm Proximal Tibia Plate with Round Holes Left & Right - (2-12 Holes) ,4.5mm Proximal Lateral Tibia Plate - (2-15 Holes) ,4.5mm Proximal Femur Plate Left & Right - (2-15 Holes) ,4.5mm Distal Tibia Plate Left & Right - (2-15 Holes) ,4.5mm Distal Lateral Tibia Plate with Round Holes - (2-15 Holes) ,4.5mm Distal Tibia Lateral Plate - (2-15 Holes) ,4.5mm Fibular Distal Tibia Plate - (2-15 Holes) ,4.5mm Distal Femur Plate - (2-15 Holes) ,Bone Plates - (dia 3.5-4.5mm, 2-20 Holes),Small/Medium/LargeLeft & Right - (2-10 Holes) ,3.5mm Wise-Lock Wrist Fusion Plate - ,Short/Standard/Straight Bend - (2-10 Holes) ,3.5mm Wise-Lock Medial Proximal Tibia Plate Left & Right - (2-30 Holes) ,3.5mm Wise-Lock Posterior Medial Proximal Tibia Plate - (1-20 Holes) ,3.5mm Wise-Lock Anterolateral Distal Tibia Plate Left & Right - (2-30 Holes) , 3.5mm Wise-Lock Medial Distal Tibia Plate Without Tab Left & Right - (2-20 Holes) ,95 degree Condylar Blade Plate - (Blade 50-80mm x 2-22 Holes) ,130° Angle Blade Plate - (Blade 50-100mm x 2-22 Holes) ,90 degree Angle Blade Plate for Adults - (Displacement 10-20mm x Blade 40-70mm4 Holes),100 degree Angle Blade Plate for Adults - (Displacement 10mm x Blade 50-70mm4 Holes),110 degree Angle Blade Plate for Intertrochanteric - Femoral Osteotomies in Adults - (Blade 50-90mm) ,120 degree Angle Blade Plate for Intertrochanteric - Femoral Osteotomies in Adults - (Blade 50-90mm) ,120 degree Angle Blade Plate for Intertrochanteric - Femoral Osteotomies in Adults - (Blade 50-90mm) , 90/100/110/120/130 degree Hip Plate - (Displacement 10/15/20mm,Blade 40-110mm), 130/135/140/145 degree Jewett Nail Plate - (Length 50-100mm,4-15 Holes),3.5mm Wise-Lock Low Profile Medial Distal Tibia Plate Without Tab Left & Right - (2-20 Holes) ,3.5mm Wise-Lock Lateral Distal Fibula Plate Left & Right - (2-20 Holes) ,2.7mm Wise-Lock Straight Plate with Single Start Thread - (2 holes) ,3.5mm Wise-Lock Symphyseal Plate with Coaxial Combi-Holes - (2-10 Holes) ,3.5mm Wise-Lock Low Profile Reconstruction Plate with Coaxial Combi-Holes - (2-30 Holes)
--	--

1. Generic Name :Bone Plates

2. Brand Name :NIL

3. Notified Category :Orthopaedic Implants

4. Class of Medical Device :Class C

5. Shelf life :NA

6. Sterile/Non-Sterile:Non-Sterilized

7. Intended Use :The bone plates are intended for treating fractures of various bones including the clavicle, pelvis, scapula, long bone (humerus, ulna, radius, femur, tibia and fibula), and small bone (metacarpals, metatarsals, phalanges).

8. Material of Construction: Stainless Steel (ISO 5832-1)

9. Dimension: Various Dimension Bone plates implants are manufactured

10. Model/Catalogue No./Name :2.7/3.5mm Varixis Anterolateral Distal Tibia Plate Left & Right - (2-20 Holes) ,2.7/3.5mm Varixis Ankle Plate Left & Right - (2-20 Holes) ,2.4/2.7mm Varixis T-Fusion Plate Long - (Length 61mm) ,2.7mm Varixis Lateral Distal Fibula Plate Left & Right - (2-20 Holes) ,2.7/3.5mm Varixis Extended Medial Distal Humerus Plate Left & Right - (1-20 Holes) ,2.7/3.5mm Varixis Lateral Distal Humerus Plate Left & Right - (1-20 Holes) ,2.7/3.5mm Varixis Dorsolateral Distal Humerus Plate Left & Right - (2-20 Holes) ,2.4/2.7mm Varixis X-Fusion Plate - (Extra SmallLength 24mm/SmallLength 27mm/Medium Length 32mm/Large Length 36mm),2.4/2.7mm Varixis Mesh Plate - (5 x 12 holes) ,Wise-Lock Ankle Arthrodesis Plate - (4-20 Holes) ,Small/Medium/Large Left & Right - (2-10 Holes) ,145 degree Wise-Lock DHS Plate - (1-30 Holes) ,2.4/2.7mm Varixis TMT Fusion Plate 43 mm - ,150 degree Wise-Lock DHS Plate - (1-22 Holes) ,140 degree Wise-Lock DHS Plate - (1-30 Holes) ,2.4/2.7mm Varixis Cuboid Plate Left & right - ,135 degree Wise-Lock DHS Plate Short Barrel - (1-30 Holes) ,2.4/2.7mm Varixis Cloverleaf Fusion Plate Long - (Length 64mm) ,2.7/3.5mm Varixis Medial Distal Humerus Plate Left & Right - (1-20 Holes) ,150 degree Dynamic Hip Compression Plate - (1-30 Holes) ,130 degree Wise-Lock DHS Plate - (1-30 Holes) ,95 degree Wise-Lock DCS Plate - (2-30 Holes) ,4.5/5.0mm Wise-Lock Trochanter Stabilizing Plate For DHS - Adjustable - (Length 50-200mm) ,3.5mm Wise-Lock One Third Tubular Plate - (2-20 Holes) ,135 degree Dynamic Hip Compression Plate - (1-30 Holes) ,140 degree Dynamic Hip Compression Plate - (1-30 Holes) ,145 degree Dynamic Hip Compression Plate - (1-30 Holes) ,3.5mm Wise-Lock Ulna Plate Left & Right - (2-20 Holes) ,4.5/5.0mm Wise-Lock Distal Femur Plate Straight Hole Left & Right - (3-25 Holes) ,4.5/5.0mm Wise-Lock Distal Femur Plate Straight Hole Left & Right - (3-25 Holes) ,2.4/2.7mm Varixis First MTP Fusion Plate Small Left & right - (Length 42mm ,4.5/5.0mm Wise-Lock Proximal Femur Hook Plate - (2-20 Holes) ,4.5/5.0mm Wise-Lock Proximal Lateral Tibia Plate Left & Right - (3-25 Holes) ,2.7/3.5mm Varixis Dorsolateral Distal Humerus Plate with Lateral Support Left & Right - (2-20 Holes) ,2.7/3.5mm Varixis Proximal Olecranon Plate Left & Right - (2-6 Holes) ,5.0mm Pediatric Condylar Plate - (90° x 3-7 Holes) ,2.4/2.7mm Varixis Cloverleaf Fusion Plate Standard - (Length 45mm) ,2.7/3.5mm Varixis Anteromedial Distal Tibia Plate Left & Right - (2-20 Holes) ,2.7/3.5mm Varixis Medial Distal Tibia Plate Left & Right - (2-20 Holes) ,2.7mm Varixis Distal Tibia L-Plate Left & Right - (2-10 Holes) ,2.7mm Varixis Distal Tibia T-Plate - (2-10 Holes) ,3.5mm Wise-Lock Small "T" Plate - ,3.5mm Wise-Lock Proximal Ulna Plate Left & Right - (2-20 Holes) ,3.5mm LC DCP Plate - (2-30 Holes) ,4.5/5.0mm Wise-Lock Osteotomy Lateral High Tibia Plate Left & Right - (2-10 Holes) ,4.5/5.0mm Wise-Lock Osteotomy Lateral Distal Femur Plate Left & Right - (2-10 Holes) ,4.5/5.0mm Wise-Lock Osteotomy Medial Distal Femur Plate Left & Right - (2-10 Holes) ,4.5/5.0mm Wise-Lock Osteotomy Tibia Plate Left & Right - (2-10 Holes) ,4.5/5.0mm Wise-Lock Osteotomy Femur Plate Left & Right - (2-10 Holes) ,Wise-Lock Puddu Plate - (2-20 Holes) ,2.7/3.5mm Varixis Extra Articular Proximal Ulna Plate Left & Right - (2-6 Holes) ,3.5mm Wise-Lock Low Profile Medial Distal Tibia Plate - ,135 degree Wise-Lock DHS Plate - (1-30 Holes) ,3.5mm Wise-Lock Lateral Distal Fibula Plate Left & Right - (2-20 Holes) ,2.7mm Wise-Lock X-Plate Small /medium/Large - ,2.7mm Wise-Lock Straight Plate with Single Start Thread - ,3.5mm Wise-Lock Symphyseal Plate with Coaxial Combi-Holes - (2-10 Holes) ,3.5 mm Wise-Lock Low Profile Reconstruction Plate with Coaxial Combi-Holes - (2-30 Holes) ,3.5mm Wise-Lock Low Profile Reconstruction Plate with Coaxial Combi-Holes Curved - (2-20 Holes) ,3.5mm Wise-Lock "J" Reconstruction Plate with Coaxial Combi-Holes Left & Right - (8-20 Holes) ,3.5mm Wise-Lock Clavicle Hook Plate Left & Right - (Hook Depth 12/15/18mm) ,3.5mm Wise-Lock Superior Anterior Clavicle Plate Left & Right - (2-20 Holes) ,2.7/3.5mm Wise-Lock Superior Anterior Clavicle Plate with Lateral Extension Left & Right - (2-20 Holes) ,3.5mm Wise-Lock S Clavicle PlateSmall/Medium/Large Left & Right - (2-10 Holes) ,3.5mm Wise-Lock Wrist Fusion Plate - ,Short/Standard/Straight Bend - (2-10 Holes) ,3.5/4.5mm Wise-Lock Metaphyseal Plate - (2/5-20/5 Holes) ,Varixis Distal Posterolateral Humeral Plate Left & Right - (3-15 Holes) ,Varixis Distal Medial Humeral Plate Left & Right - (3-15 Holes) ,3.5mm Y Reconstruction Plate - (2-20 Holes) ,Varixis Distal Medial Humeral Plate Short Left & Right - (3-15 Holes) ,Varixis Distal Lateral Humeral Plate Left & Right - (3-15 Holes) ,Varixis Distal Medial Humeral Plate Short Left & Right - (3-15 Holes) ,Varixis Proximal Ulna Locking Plate Left & Right - (3-15 Holes) ,3.5mm Wise-Lock Metaphyseal Plate For Medial Distal Tibia Left & Right - (4+2 - 4+30 Holes) ,3.5mm Wise-Lock Pilon Plate

- (2-20 Holes) ,3.5mm Wise-Lock Pilon PlateCruciform - (2-20 Holes) ,3.5mm Wise-Lock Calcaneal Plate Left & Right - (Length 69/76mm) ,2.4/2.7mm Varixis T-Fusion Plate Long - (Length 92mm) ,2.4/2.7mm Varixis L-Fusion Plate Left & right - (ShortLength 37mm/ StandardLength 44mm/LongLength 62mm),2.4/2.7mm Varixis Straight Fusion Plate - (2,4 Holes, Length 27mm, 40mm),2.4/2.7mm Varixis T-Fusion Plate Short - (Length 35mm) ,4.5 /5.0mm Wise-Lock Proximal Femur Plate Left & Right - (2-20 Holes) ,3.5mm Wise-Lock Proximal Humerus Plate Left & Right - (2-20 Holes) ,3.5mm Wise-Lock Distal Tibia Plate left & Right - (2-20 Holes) ,3.5mm Wise-Lock Distal Fibula Plate Left & Right - (2-20 Holes) ,3.5 mm Wise-Lock Clavicle Plate Left & Right - (2-20 Holes) ,3.5mm Wise-Lock Calcaneal Plate Left & Right - (2-20 Holes) ,3.5mm Wise-Lock "T" Plate Left & Right - (2-20 Holes) ,3.5mm Wise-Lock Proximal Tibia Plate Left & Right - (2-20 Holes) ,3.5mm Wise-Lok Proximal Radius Plate Left & Right - (2-20 Holes) ,4.5/5.0mm Wise-Lock "T" Buttress Plate - (2-20 Holes) ,4.5 /5.0mm Wise-Lock "T" Plate - (2-20 Holes) ,4.5/5.0mm Wise-Lock Distal Femur Plate Left & Right - (3-25 Holes) ,4.5/5.0mm Wise-Lock Femur Plate Left & Right - (3-25 Holes) ,4.5/5.0mm Wise-Lock Compression Plate - (2-20 Holes) ,3.5mm Wise-Lock Posteromedial Proximal Tibia Plate - (1-20 Holes) ,4.5mm Wise-Lock Metaphyseal Plate - (3/5-20/5 Holes) , 4.5/5.0mm Wise-Lock Osteotomy Medial High Tibia Plate - (2-10 Holes) ,2.4/2.7mm Varixis T-Fusion Plate Standard - (Length 42mm) ,135 degree Dynamic Hip Compression Plate Short Barrel - (holes 2-12) ,95 degree DCS Plate - (2-30 Holes) ,130-150 degree Wise-Lock Variable Angle DHS Plate - (2-30 Holes) ,3.5mm Wise-Lock Pediatric Hip Plate - (90°-150° x Length 60-75mm x Width 18.5mm , 3-10 Holes),4.5/5.0mm Wise-Lock Pediatric Hip Plate - (90°-150° x Length 60-90mm x Width 22.5mm ,3-10 Holes),115° Bifurcated Plates - (Blade 30-35mm ,Displacement 5mm) ,90° Infant Osteotomy Plates - (Blade 25-32mm , Displacement 7-12mm),90°/100° Toddler Osteotomy Plates - (Balde 26-44mm , Displacement 4-8mm),80°/90°/100° Child Osteotomy Plate - (Blade 35-45mm , Displacement 8mm),90° Adolescent Osteotomy Plate - (Blade 40-60mm ,Displacement 10-15mm) ,2.7mm Wise-Lock Pediatric Hip Plate - (90°-130° x 2 Holes) ,3.5mm Pediatric Condylar Plate - (90° x 3-7 Holes) ,4.5/5.0mm Wise-Lock Medial Proximal Tibia Plate Left & Right - (2-20 Holes) ,4.5/5.0mm Wise-Lock Proximal Tibia Plate Left & Right - (2-20 Holes) ,4.5/5.0mm Wise-Lock Proximal Femur Lateral Plate (Type-II) Left & Right - (2-20 Holes) ,4.5 /5.0mm Wise-Lock Reconstruction Plate - (2-20 Holes) ,4.5/5.0mm Wise-Lock Narrow Dynamic Compression Plate with LC under cuts - (2-30 Holes) ,4.5/5.0mm Wise-Lock Broad Dynamic Compression Plate with LC under cuts - (2-30 Holes) ,4.5/5.0mm Wise-Lock Curved Broad Plate - (10-30 Holes) ,2.4/2.7mm Varixis Navicular Plate - ,2.4/2.7mm Varixis Cloverleaf Fusion Plate Short - (Length 38mm) ,4.5/5.0mm Wise-Lock "L" Buttress Plate Left & Right - (2-20 Holes) ,2.4/2.7mm Varixis Opening Wedge Osteotomy Plate - (Space 0 mm-8mm) ,2.4/2.7mm Varixis First TMT Fusion Plate - (Standard 39mm ,2.7/3.5mm Wise-Lock Dorsolateral Distal Humerus Plate Left & Right - (2-20 Holes) ,2.7/3.5mm Wise-Lock Dorsolateral Distal Humerus Plate with Lateral Support Left & Right - (2-20 Holes) ,2.7/3.5mm Wise-Lock Dorsolateral Medial Distal Humerus Plate Left & Right - (2-20 Holes) ,3.5 mm Wise-Lock Hook Plate - (2-10 Holes) ,3.5mm Wise-Lock Extra-Articular Distal Humerus Plate Left & Right - (2-10 Holes) ,3.5mm Wise-Lock Olecranon Plate Left & Right - (2-10 Holes) ,PHEELOS - 3.5mm Wise-Lock Proximal Humerus Plate Short - (2-10 Holes) , PHEELOS - 3.5mm Wise-Lock Proximal Humerus Plate Long - (5-20 Holes) ,3.5mm Wise-Lock Periarticular Proximal Humerus Plate Left & Right - (2-20 Holes) ,2.0mm Mini "T" Plate - ,2.7mm "L" Plate Left & Right - 2-10 Holes,2.7mm "T" Plate Straight - (2-30 Holes),1.5mm Mini "L" PlateLeft & Right - 2-12 Holes,1.5mm Mini Straight Plate - 2-12 Holes,3.5mm Wise-Lock Proximal Humerus Plate - (2-10 Holes) ,3.5mm Wise-Lock Medial Distal Tibia Plate Left & Right - (2-20 Holes) ,3.5mm Wise-Lock Proximal Tibia Plate Left & Right - (2-20 Holes) , 3.5mm Wise-Lock Medial Proximal Tibia Plate Left & Right - (2-30 Holes) ,3.5mm Wise-Lock Posterior Medial Proximal Tibia Plate - (1-20 Holes) ,1.5mm DCP Plate - 2-12 Holes,1.5mm Mini "T" Plate - ,3.5mm One-Third Tubular Plate - 2-20 Holes,3.5mm One-Third Tubular Plate with Collar - 2-20 Holes,3.5mm Small Dynamic Compression Plate - (2-20 Holes),3.5 mm Small Limited Contact Dynamic Compression Plate - (2-20 Holes),3.5mm Wise-Lock Small "T" PlateRight Angled (3 Head Holes) - 2-12 Holes,(4 Head Holes) - ,3.5mm Small "T" Plate Oblique Angled Left & Right - 2-12 Holes,3.5mm Hook Plate - 2-12 Holes,3.5mm Clavicle Hook Plate Left & Right - (Hook Depth 12mm 2-10 Holes),3.5mm Y-Reconstruction Plate Small/Medium/Large - (4-16 Holes) ,Lecestre Plate - Modified Left & Right - (2 Head Holes ,3-15 Shaft Holes) ,Proximal Ulna Plate Left & Right - (2-10 Holes) ,3.5mm Spring Plate - (2-10 Holes) ,3.5mm Wise-Lock Distal Humerus Plate Left & Right - ,2.4/2.7mm Varixis First MTP Fusion Plate Medium Left & right - (Length 52mm,0°-15°),2.4/2.7mm Varixis First MTP Fusion Plate Large Left & right - (Length 57mm, 5°),2.4/2.7mm Varixis First MTP Fusion Plate Revision Left & right - (Length53mm ,0°),3.5mm Wise-Lock Metaphyseal Plate For Distal Medial Humerus - (3-25 Holes) ,3.5mm Wise-Lock Metaphyseal Plate - (2-20 Holes) ,3.5mm Wise-Lock Anterolateral Distal Tibia Plate Left & Right - (2-30 Holes) ,3.5mm Wise-Lock Medial Distal Tibia Plate Without Tab Left & Right - (2-20 Holes) ,Oblique Angled Left & Right - (2-10 Holes) ,3.5mm Wise-Lock Small "T" Plate - Right Angled (3 Head Holes) - (2-10 Holes) ,3.5mm Wise-Lock Small "T" Plate Right Angled(4

	Head Holes) - (2-10 Holes) ,3.5mm Wise-Lock Calcaneal Plate Type-I Left & Right - (2-10 Holes) ,3.5mm Wise-Lock Calcaneal Plate Type-II - ,Small/Medium Left & Right - (2-10 Holes) ,3.5mm Wise-Lock Calcaneal Plate Type-III Left & Right - (2-10 Holes) ,3.5mm Wise-Lock Calcaneal Plate Type-IV - ,3.5mm Wise-Lock Calcaneal Plate Type-V Small/Large Left & Right - (10-20 Holes) ,3.5mm Wise-Lock Small Dynamic Compression Plate with LC under cuts - (2-20 Holes) ,130 degree Dynamic Hip Compression Plate - (1-30 Holes) ,2.7/3.5mm Varixis Olecranon Plate Left & Right - (2-20 Holes) ,4.5mm Narrow Dynamic Compression Plate - (2-20 Holes) ,4.5mm Narrow Limited Contact Dynamic Compression Plate - (2-20 Holes) ,4.5mm Broad Dynamic Compression Plate - (2-22 Holes) ,4.5mm Broad Limited Contact Dynamic Compression Plate - (2-22 Holes) ,4.5mm Narrow Lengthening Plate - (8 Holes,Lengthening 30-100mm,Length 135-185mm),4.5mm Broad Lengthening Plate - (8 HolesLengthening 30-80mmLength 135-185mm),4.5mm Broad Lengthening Plate - (Length 175-250mm10 HolesLengthening 50mm),4.5mm Semi Tubular Plate - (2-15 Holes) ,4.5mm Lateral Tibia Head Buttress Plate - (2-15 Holes) ,4.5mm Lateral Tibia Head Buttress Plate Left & Right - (5 Holes) ,4.5mm Condylar Buttress Plate Left & Right - (7-15 Holes) ,4.5mm "T" Plate - (2-16 Holes) ,4.5mm "T" Buttress Plate - (2-16 Holes) ,4.5mm "L" Buttress Plate Left & Right - (2-16 Holes) ,4.5mm Spoon Plate - (2-10 Holes) ,4.5mm Hook Plate - (2-10 Holes) ,4.5mm Reconstruction Plate Straight - (2-30 Holes) ,4.5mm Roy Camille Plate - (2-16 Holes) ,4.5mm Cobra Head Plate - (2-16 Holes) ,Sherman Plate - (2-15 Holes) ,4.5mm Proximal Tibia Medial Plate Left & Right - (3 Holes) ,4.5mm Proximal Tibia Plate with Round Holes Left & Right - (2-12 Holes) ,4.5mm Proximal Lateral Tibia Plate - (2-15 Holes) ,4.5mm Proximal Femur Plate Left & Right - (2-15 Holes) ,4.5mm Distal Tibia Plate Left & Right - (2-15 Holes) ,4.5mm Distal Lateral Tibia Plate with Round Holes - (2-15 Holes) ,4.5mm Distal Tibia Lateral Plate - (2-15 Holes) ,4.5mm Fibular Distal Tibia Plate - (2-15 Holes) ,4.5mm Distal Femur Plate - (2-15 Holes) ,Bone Plates - (dia 3.5-4.5mm 2-20 Holes),95 degree Condylar Blade Plate - (Blade 50-80mm x 2-22 Holes) ,130° Angle Blade Plate - (Blade 50-100mm x 2-22 Holes) ,90 degree Angle Blade Plate for Adults - (Displacement 10-20mm x Blade 40-70mm,4 Holes),100 degree Angle Blade Plate for Adults - (Displacement 10mm x Blade 50-70mm,4 Holes),110 degree Angle Blade Plate for Intertrochanteric - Femoral Osteotomies in Adults - (Blade 50-90mm) ,120 degree Angle Blade Plate for Intertrochanteric - Femoral Osteotomies in Adults - (Blade 50-90mm) ,130 degree Angle Blade Plate for Intertrochanteric - Femoral Osteotomies in Adults - (Blade 50-120mm) , 90/100/110/120/130 degree Hip Plate - (Displacement 10/15/20mm,Blade Length 40-110mm),130/135/140/145 degree Jewett Nail Plate - (Length 50-100mm,4-15 Holes),3.5 mm Wise-Lock Distal Ulna Plate Left & Right - (2-20 Holes) ,Without Tab Left & Right - (2-20 Holes) ,3.5mm Wise-Lock Reconstruction Plate - (2-30 Holes) ,3.5mm Wise-Lock Reconstruction Plate Curved - (2-20 Holes) ,3.5mm Wise-Lock Cloverleaf Plate - (2-10 Holes) ,3.5mm Wise-Lock Z-type Distal Medial Tibial Plate Left & Right - (2-20 Holes) ,2.0mm Mini "L" PlateLeft & Right - 2-12 Holes,2.0mm Mini Straight Plate - (2-12 Holes),2.0mm DCP Plate - (2-12 Holes),2.7mm Quarter Tubular Plate - (2-12 Holes),2.7mm Dynamic Compression Plate - (2-16 Holes),2.7mm Reconstruction Plate - (2-12 Holes),3.5mm Small "T" Plate - (2-12 Holes),3.5mm Pelvic Reconstruction PlateStraight - (2-30 Holes),3.5mm Pelvic Reconstruction PlateCurved - (2-30 Holes),3.5mm Semi Tubular Plate - (2-30 Holes),3.5mm Calcaneal Plate Size 60-70mm - ,Cervical Spine H-Plate Holes Spacing - (16 - 16+18+18)mm - 5-10 Holes,3.5mm Cloverleaf Plate - (2-16 Holes) ,Proximal Humeral Plate - (holes 2-12) , Distal Radius Plate - (2-10 Holes) ,Y-Fork Plate Left & Right - (2-10 Holes) ,Distal Fibular Plate Left & Right - (holes 2-12) ,Distal Lateral Humeral Plate Left & Right - (2-10 Holes) ,3.5 mm DCP Plates - (2-30 Holes)
--	--

1. Generic Name :Bone Plates

2. Brand Name :NIL

3. Notified Category :Orthopaedic Implants

4. Class of Medical Device :Class C

5. Shelf life :5 Years

6. Sterile/Non-Sterile:Sterilized

7. Intended Use :The bone plates are intended for treating fractures of various bones including the clavicle, pelvis, scapula, long bone (humerus, ulna, radius, femur, tibia and fibula), and small bone (metacarpals, metatarsals, phalanges).

8. Material of Construction: Titanium (ISO-5832-3)

9. Dimension: Various Dimension Bone plates implants are manufactured

10. Model/Catalogue No./Name :Varixis Distal Lateral Humeral Plate Left & Right - 3-15 Holes ,Varixis Distal Lateral Humeral Plate Left & Right - (3-15 Holes) ,Varixis Proximal Ulna Locking Plate Left & Right - (3-15 Holes) ,2.7mm Varixis Distal Tibia L-Plate Left & Right - (2-10 Holes) ,2.7mm Varixis Lateral Distal Fibula Plate Left & Right - (2-20 Holes) ,2.7/3.5mm Varixis Anterolateral Distal Tibia Plate Left & Right - (2-20 Holes) ,2.0mm Adaption Plate Straight - (6-20 Holes) ,2.4/2.7mm Varixis First MTP Fusion Plate Small Left & Right - (Length 42mm,0°-15°),2.4/2.7mm Varixis First MTP Fusion Plate Medium Left & Right - (Length 52mm,0°-15°),1.5mm Varixis Phalangeal Head Plate Left & Right - ,1.5mm Varixis Strut Plate Oblique Left & Right - (2-10 Holes) ,2.4mm Wise-Lock Distal Radius Volar Plate Left & Right - (2-14 Holes) ,1.3mm Wise-Lock Straight Plate - (2-12 Holes) ,1.3mm Wise-Lock T-Plat 3 Head Holes - (2-10 Shaft Holes) ,1.5mm Varixis T-Plate 3 Head Holes - (2-10 Shaft Holes) ,1.5mm Varixis Y-Plate 3 Head Holes - (2-10 Shaft Holes) ,1.5mm Varixis Phalangeal Base Plate 2 Head Holes - (2-10 Shaft Holes) ,1.5mm Varixis Metacarpal Neck Plate - ,2.0 mm Varixis First Metacarpal Plate Dorsal/Lateral Left & Right - ,2.4/2.7mm Varixis TMT Fusion Plates Short/Long/Standard - ,2.4/2.7mm Varixis X-Plate Extra Small/Small/Large/Medium - ,2.4/2.7mm Varixis Straight Fusion Plate 2-6 Holes - ,2.4/2.7mm Opening Wedge Plate - (2-10 Holes) ,Intermediate Column - (3-4 Shaft Holes) ,1.5mm H-Plate - (6+1, 8+1,10+1,10+2Holes),1.5mm H-Plate Big 8 Holes - 16 holes,2.4mm Varixis Dorsal Distal Radius T-Plate - (3 Head Holes,3-5 Shaft Holes),2.4mm Varixis Dorsal Distal Radius L-Plate - (2-3 Head Holes,3-5 Shaft Holes),2.4mm Varixis Dorsal Distal Radius L-Plate Oblique - (4-5 Head Holes3-5 Shaft Holes) ,2.7/3.5mm Varixis Medial Distal Humerus Plate Left & Right - (1-20 Holes) ,1.5mm H-Plate Curved - - holes(10+1 to 2) ,1.5mm I-Plate 4 Holes - (4 Holes,Space 8.0mm-12.0mm),2.7/3.5mm Varixis Extended Medial Distal Humerus Plate Left & Right - (1-20 Holes) ,1.5mm T-Plate - (3+3 Holes,3+4 Holes,5+7 Holes,7+9 Holes),2.7/3.5mm Varixis Lateral Distal Humerus Plate Left & Right - (1-20 Holes) ,2.7/3.5mm Varixis Dorsolateral Distal Humerus Plate Left & Right - (2-20 Holes) ,2.7/3.5mm Varixis Dorsolateral Distal Humerus Plate with Lateral Support Left & Right - (2-20 Holes) ,2.7/3.5mm Varixis Proximal Olecranon Plate Left & Right - (2-6 Holes) ,2.7/3.5mm Varixis Olecranon Plate Left & Right - (2-20 Holes) ,2.7/3.5mm Varixis Extra Articular Proximal Ulna Plate Left & Right - (2-20 Holes) ,Varixis Distal Medial Humeral Plate Short Left & Right - (3-15 Holes) ,2.4/2.7mm Varixis First MTP Fusion Plate Large Left & Right - (Length 57mm,5°),2.4/2.7mm Varixis First MTP Fusion Plate Revision Left & Right - (Length 53mm,0°),2.4mm Variable Angle Two-Column Volar Distal Radius Plate Narrow 6 Head Holes Width 19.5mm Left & Right - (2-20 Shaft Holes) ,2.4mm Variable Angle Two-Column Volar Distal Radius Plate Standard 6 Head Holes Width 22mm Left & Right - (2-20 Shaft Holes) ,2.4mm Variable Angle Two-Column Volar Distal Radius Plate Wide 7 Head Holes Width 25.5mm Left & Right - (2-20 Shaft Holes) ,2.4mm Varixis Distal Radius Volar Plate Extra-articular(5 Head Holes) Left & Right - (2-8 Holes) ,2.4mm Varixis Distal Radius Volar Plate Extra-articular (4 Head Holes) Left & Right - (2-8 Holes) ,2.4/2.7mm Varixis Two-Column Volar Distal Radius Plate Extra-Long Narrow/Standard/Wide Left & Right - (6-7 Head Holes7-13 Shaft Holes) ,2.4mm Varixis Extra Articular Distal Radius Plate Left & Right - (4-5 Head Holes3-5 Shaft Holes) ,2.4mm Varixis Dorsal Distal Radius Plate Radial Column - (5-6 Shaft Holes) ,2.4mm Varixis Dorsal Distal Radius Plate - ,2.4/2.7mm Varixis Navicular Plate - ,2.4/2.7mm Varixis Cuboid Plate Left & Right - ,2.4/2.7mm Varixis Cloverleaf Fusion Plate - (Short Length 38mm/Standard Length 45mm/Long Length 64mm) ,2.4/2.7mm Varixis T-Fusion Plate - (Short Length 35mm/Standard Length 42mm/Long Length 61mm ,92mm), 2.4/2.7mm Varixis L-Fusion Plate Left & Right - (Short Length 37mm/ Standard Length 44mm/Long Length 62mm) ,2.4/2.7mm Varixis Straight Fusion Plate - (2,4 Holes, Length 27mm, 40mm),2.4/2.7mm Varixis Mesh Plate - (5 x 12 holes) ,5.0mm Wise-Lock Cable Prosthesis and Revision Femur Plate Left & Right - (1-20 Holes) ,5.0mm Wise-Lock Cable Straight Plate - (2-2- Holes) ,Flat Connector dia 1-4mm - ,Periprosthetic Proximal Femur PI Left & Right - (3-25 Holes) ,Periprosthetic Distal Femur Plates Left & Right - (3-25 Holes) , Periprosthetic Trochanter Plates Narrow/Wide - ,Curved Femur Shaft Plates - (6-20 Holes) , 1.5mm Wise-Lock Plate Straight - (2-10 Holes) ,1.5mm Wise-Lock Adaption Plate Straight - (2-20 Holes) ,2.0mm Wise-Lock Plate Straight - (2-15 Holes) ,2.0mm Wise-Lock Adaption Plate Straight - (6-20 Holes) ,2.7/3.5mm Varixis Ankle Plate Left & Right - (2-20 Holes) ,1.5 mm Wise-Lock Strut Plate Left & Right - 2-12 Holes ,1.5mm Wise-Lock Adaption Y-Plate (2-6

Head Holes) - (2-12 Holes) ,1.5mm Wise-Lock Condylar Plate (2-6 Head Holes) - (2-12 Holes) ,2.0mm Wise-Lock T-Adaption Plate (2-6 Head Holes) - (2-12 Holes) ,2.0mm Wise-Lock Condylar Plate(2-6 Head Holes) - (2-12 Holes) ,2.0mm Wise-Lock Rotation Correction Plate (2-6 Head Holes) - (2-12 Holes) ,2.0mm Wise-Lock T-Plate (2-6 Head Holes) - (2-12 Holes) , 1.5mm Wise-Lock Adaption T-Plate (2-6 Head Holes) - (6-20 Holes) ,2.4mm Wise-Lock Y-Adaption Plate - (2-6 Head Holes) (2-12 Holes) ,2.4mm Wise-Lock "L" Distal Radius Dorsal Plate(2 Head Holes) Left & Right - (2-10 Holes) ,2.4mm Wise-Lock "L" Distal Radius Dorsal Plate(3 Head Holes)Left & Right - (2-10 Holes) ,2.4mm Wise-Lock "L" Distal Radius Dorsal PlateObliqueLeft & Right - (2-10 Holes) ,2.4mm Wise-Lock Volar Column Distal Radius Plate - ,2.7/3.5mm Wise-Lock Dorsolateral Distal Humerus Plate Left & Right - (2-20 Holes) ,2.7 /3.5mm Wise-Lock Dorsolateral Distal Humerus Plate with Lateral Support Left & Right - (2-20 Holes) ,2.7/3.5mm Wise-Lock Dorsolateral Medial Distal Humerus Plate Left & Right - (2-20 Holes) ,3.5mm Wise-Lock Hook Plate - (2-10 Holes) ,3.5mm Wise-Lock Extra-Articular Distal Humerus Plate Left & Right - (2-20 Holes) ,2.7mm Wise-Lock Plate Straight - (2-20 Holes) ,2.7mm Wise-Lock Condylar Plate (2-6 Head Holes) - (2-12 Holes) ,2.7mm Wise-Lock T-Plate (2-6 Head Holes) - (2-12 Holes) ,2.7mm Wise-Lock L-Plate (2-6 Head Holes) Left & Right - (2-12 Holes) ,1.5mm Varixis Box Plate - (2-10 Holes) ,2.7mm Wise-Lock L-Plate Oblique (2-6 Head Holes) Left & Right - (2-12 Holes) ,2.7mm Wise-Lock Mini Condylar Plate Left & Right - (2-12 Holes) ,2.7mm Wise-Lock Straight Plate - (2-12 Holes) ,2.4/2.7mm Wise-Lock X-Plate - (2-8 Holes) ,2.4mm Wise-Lock Distal Radius Volar Plate Extra-Long (4 Head Holes) - (2-14 Holes) ,1.3mm Wise-Lock Phalangeal Base Plate - (2 Head Holes,2-10 Shaft Holes) - ,1.3mm Wise-Lock Phalangeal Head Plate Left & Right - ,1.3mm Locking Strut PlateOblique Left & Right - (2-10 Holes) ,1.3mm Wise-Lock Web Plate - (2-14 Holes) ,1.5mm Varixis Straight Plate - (2-12 Holes) ,2.4mm Wise-Lock Volar Column Distal Radius PlateLeft & Right - (8 Head Holes)(2-10 Holes) ,1.5mm Y-Plate - holes (2+3,2+4 Holes,4+7 Holes),Extra articular (9 Head Holes) Left & Right - (2-10 Holes) ,1.5mm Varixis Condylar Plate - (2 Head Holes 2-10 Shaft Holes) ,2.4mm Wise-Lock Proximal Radius Plate for Radial Head RimLeft & Right - (2-10 Holes) ,2.4mm Wise-Lock Proximal Radius Plate for Radial Head Neck - (2-10 Holes) ,Wise-Lock Metatarsal Plates - (2-12 Holes) ,2.4/2.7mm Varixis Cloverleaf Fusion Plate Short/Long/Standard - ,Dorsal Midfoot Fusion Plates - (2-12 Holes) ,Single Joint Fusion Plate Small Medium & Large - ,Lateral Column Lengthening Plate/ Small/ Medium & Large - ,2.0mm Wise-Lock Y-Adaption Plate (2-6 Head Holes) - (2-12 Holes) ,2.0mm Wise-Lock Mini Condylar Plate Left & Right - (2-12 Holes) ,2.0mm Wise-Lock Mini H-Plate - (2-12 Holes) ,2.4 mm Wise-Lock Plate Straight - (2-20 Holes) ,2.4mm Adaption Plate Straight - (6-20 Holes) , 2.4mm Wise-Lock Adaption PlateStraight - (6-20 Holes) ,Midfoot Fusion Plate/ Small & Large - ,2.0mm Straight Plate - (4 ,5,6,14,16holes),Locking Calcaneus Plate Small Medium & Large Left & Right - ,2.5mm Wise-Lock "T" Wrist Volar PlateLeft & Right - (2-14 Holes) ,80° /90°/100° Child Osteotomy Plate - (Blade 35-45mm)/Displacement 8mm ,2.4/2.7mm Varixis T-Fusion PlateShort/Standard/Long/Extra Long - ,2.4/2.7mm Varixis L-Fusion Plate - ,90°/100° Toddler Osteotomy Plates - (Balde 26-44mm)Displacement 4-8mm ,2.4mm Wise-Lock Distal Radius Dorsal PlateLeft & Right - (2-14 Holes) ,1.3mm Wise-Lock Plates - (2-12 Holes) ,Wise-Lock Puddu Plate - (2-20 Holes) ,5.0mm Wise-Lock Distal Femur Plate (LISS) Left & Right - (2-20 Holes) ,0.8/1.5/2.0mm Wise-Lock Plate - (1-20 Holes) ,4.5mm Broad Dynamic Compression Plate - (2-22 Holes) ,0.8/1.5/2.0mm Varixis Wise-Lock Plate - (1-20 Holes) ,130 degree Wise-Lock DHS Plate - (1-30 Holes) ,135 degree Wise-Lock DHS Plate - (1-30 Holes) ,Medial Column Fusion Plate Small Medium & Large Left & Right - ,140 degree Wise-Lock DHS Plate - (1-30 Holes) ,145 degree Wise-Lock DHS Plate - (1-30 Holes) , 5.0mm Wise-Lock Proximal Lateral Tibia Plate(LISS) - (2-20 Holes) ,4.5mm Varixis Distal Femur Plate 2-20 Holes Left & Right - ,5.0mm Wise-Lock Femur Plate(LISS) 2-20 Holes Left & Right - ,5.0mm Wise-Lock Tibia Plate(LISS)- 2-20 Holes - ,5.0mm Wise-Lock Femoral Neck Plate- 1-5 Holes - ,150 degree Wise-Lock DHS Plate - (1-22 Holes) ,0.8mm Wise-Lock Low Profile Avulsion Fracture Plate 1-10 Holes - ,0.8mm Wise-Lock Low Profile Straight Plate - (1-15 Holes) ,2.4/2.7mm Varixis Opening Wedge Osteotomy Plate space 0mm-8mm - ,2.4 mm Wise-Lock Distal Radius Volar Plate Extra-Articular (5 Head Holes) Left & Right - (2-10 Holes) ,2.4mm Wise-Lock Distal Radius Volar Plate Extra-Articular (4 Head Holes)Left & Right - (2-10 Holes) ,2.4mm Wise-Lock Volar Buttress Plate (5 Head Holes) Left & Right - (2-10 Holes) ,2.4/2.7mm Varixis First TMT Fusion Plate- Standard 39mm/Long 48mm - ,2.4/2.7mm Varixis TMT Fusion Plate 43 mm - ,2.4mm Wise-Lock Distal Radius Dorsal Plate Straight - (2-10 Holes) ,3.5mm Wise-Lock Olecranon Plate Left & Right - (2-20 Holes) , PHEELOS - 3.5mm Wise-Lock Proximal Humerus PlateShort - (2-10 Holes) ,2.7mm Wise-Lock Straight Plate with Single Start Thread - ,PHEELOS - 3.5mm Wise-Lock Proximal Humerus PlateLong - (5-20 Holes) ,3.5mm Wise-Lock Periarticular Proximal Humerus Plate Left & Right - (2-20 Holes) ,3.5mm Wise-Lock Proximal Humerus Plate - (2-10 Holes) ,3.5 mm Wise-Lock Medial Distal Tibia Plate Left & Right - (2-20 Holes) ,3.5mm Wise-Lock Proximal Tibia Plate Left & Right - (2-20 Holes) ,3.5mm Wise-Lock Medial Proximal Tibia Plate Left & Right - (2-30 Holes) ,3.5mm Wise-Lock Posterior Medial Proximal Tibia Plate - (1-20 Holes) ,3.5mm Wise-Lock Anterolateral Distal Tibia Plate Left & Right - (2-30 Holes) , 3.5mm Wise-Lock Medial Distal Tibia Plate Without Tab Left & Right - (2-20 Holes) ,3.5mm

Wise-Lock Low Profile Medial Distal Tibia Plate Without TabLeft & Right - 2-20 Holes ,3.5 mm Wise-Lock Lateral Distal Fibula Plate Left & Right - (2-20 Holes) ,2.7mm Wise-Lock X-Plate Small /medium/Large - ,3.5mm Wise-Lock Symphyseal Plate with Coaxial Combi-Holes - (2-10 Holes) ,140 degree Dynamic Hip Compression Plate - (1-30 Holes) ,145 degree Dynamic Hip Compression Plate - (1-30 Holes) ,150 degree Dynamic Hip Compression Plate - (1-30 Holes) ,135 degree Dynamic Hip Compression PlateShort Barrel - (2-12 Holes) ,95 degree DCS Plate - (2-30 Holes) ,130-150 degree Wise-Lock Variable Angle DHS Plate - (2-30 Holes) ,Epiphyseal Plate Terrace Shape - (Length 10-20mm) ,Epiphyseal Plate Arc-Bridge Shape - (Length 10-20mm) ,3.5mm Wise-Lock Pediatric Hip Plate/ 90°-150° x Length 60-75mm x Width 18.5mm - 3-10 Holes ,4.5/5.0mm Wise-Lock Pediatric Hip Plate/90°-150° x Length 60-90mm x Width 22.5mm - (3-10 Holes) ,115° Bifurcated Plates/ Blade 30-35mmDisplacement 5mm - ,2.0mm Varixis Y-Plate - (3 Head Holes , 2-10 Shaft Holes),2.0 mm Varixis Phalangeal Base Plate - (2 Head Holes 2-10 Shaft Holes) ,2.0mm Varixis Condylar Plate - (2 Head Holes 2-10 Shaft Holes) ,2.0mm Varixis Strut Plate - (10-16 Holes) ,2.0mm Varixis Rotation Correction Plate - (2-10 Holes) ,3.5mm Wise-Lock Low Profile Reconstruction Plate with Coaxial Combi-Holes - (2-30 Holes) ,3.5mm Wise-Lock Low Profile Reconstruction Plate with Coaxial Combi-HolesCurved - (2-20 Holes) ,3.5mm Wise-Lock "J" Reconstruction Plate with Coaxial Combi-HolesLeft & Right - 8-20 Holes ,3.5mm Wise-Lock Clavicle Hook PlateHook Depth 12/15/18mm Left & Right - 2-10 Holes ,3.5mm Wise-Lock Superior Anterior Clavicle PlateLeft & Right - (2-20 Holes) ,2.7/3.5mm Wise-Lock Superior Anterior Clavicle Plate w ith Lateral Extension Left & Right - (2-20 Holes) ,3.5mm Wise-Lock S Clavicle PlateSmall/Medium/Large Left & Right - (2-10 Holes) ,Patella Plate - Small/Medium/Large - ,3.5mm Wise-Lock Wrist Fusion PlateShort/Standard/Straight Bend - (2-10 Holes) ,3.5mm Wise-Lock Metaphyseal Plate For Distal Medial Humerus - (3-25 Holes) ,3.5mm Wise-Lock Metaphyseal Plate - (2-20 Holes) ,3.5mm Wise-Lock One Third Tubular Plate - (2-20 Holes) ,3.5mm Wise-Lock Small "T" Plate Oblique Angled Left & Right - (2-10 Holes) ,3.5mm Wise-Lock Small "T" PlateRight Angled (3 Head Holes) - (2-10 Holes) ,3.5/4.5mm Wise-Lock Metaphyseal Plate - 2/5-20/5 Holes ,3.5mm Wise-Lock Metaphyseal Plate For Medial Distal Tibia Left & Right - (4+2 - 4+30 Holes) ,3.5mm Wise-Lock Pilon Plate Cruciform - (2-20 Holes) ,3.5mm Wise-Lock Pilon Plate - 2-20 Holes ,3.5mm Wise-Lock Calcaneal PlateLength 69/76mmLeft & Right - ,2.4mm Wise-Lock Condylar Plate (2-6 Head Holes) - (2-12 Holes) ,2.4mm Wise-Lock T-Adaption Plate (2-6 Head Holes) - (2-12 Holes) , 2.4mm Wise-Lock T-Plate (2-6 Head Holes) - 2-12 Holes ,3.5mm Wise-Lock Calcaneal Plate Type-I Left & Right - 2-10 Holes ,3.5mm Wise-Lock Calcaneal Plate Type-II Small/Medium Left& Right - (2-10 Holes) ,3.5mm Wise-Lock Calcaneal Plate Type-III Left & Right - (2-10 Holes) ,3.5mm Wise-Lock Calcaneal Plate Type-IV Small/Medium/Large Left & Right - (2-10 Holes) ,3.5mm Wise-Lock Calcaneal Plate Type-V Small/Large Left & Right - (10-20 Holes) ,3.5mm Wise-Lock Small Dynamic Compression Plate with LC under cuts - (2-20 Holes) ,3.5 mm Wise-Lock Small "T" PlateRight Angled(4 Head Holes) - (2-10 Holes) ,3.5mm Wise-Lock Reconstruction Plate - (2-30 Holes) ,3.5mm Wise-Lock Reconstruction Plate Curved - (2-20 Holes) ,3.5mm Wise-Lock Cloverleaf Plate - (2-10 Holes) ,3.5mm Wise-Lock Z-type Distal Medial Tibial Plate Left & Right - (2-20 Holes) ,3.5mm Wise-Lock Distal Fibula PlateLeft & Right - (2-20 Holes) ,3.5mm Wise-Lock Clavicle PlateLeft & Right - (2-20 Holes) ,3.5mm Wise-Lock Calcaneal Plate Left & Right - (2-20 Holes) ,3.5mm Wise-Lock "T" PlateLeft & Right - (2-20 Holes) ,3.5mm Wise-Lock Proximal Tibia PlateLeft & Right - (2-20 Holes) ,3.5 mm Wise-Lok Proximal Radius PlateLeft & Right - (2-20 Holes) ,3.5mm Wise-Lock Ulna PlateLeft & Right - 2-20 Holes ,3.5mm Wise-Lock Proximal Ulna PlateLeft & Right - 2-20 Holes ,3.5mm Wise-Lock Distal Ulna PlateLeft & Right - (2-20 Holes) ,4.5/5.0mm Wise-Lock Distal Femur PlateStraight Hole Left & Right - (3-25 Holes) ,4.5/5.0mm Wise-Lock "L" Buttress PlateLeft & Right - (2-20 Holes) ,4.5/5.0mm Wise-Lock "T" Buttress Plate - (2-20 Holes) ,4.5/5.0mm Wise-Lock "T" Plate - (2-20 Holes) ,4.5/5.0mm Wise-Lock Distal Femur PlateLeft & Right - (3-25 Holes) ,4.5/5.0mm Wise-Lock Femur Plate Left & Right - (3-25 Holes) ,4.5/5.0mm Wise-Lock Compression Plate - (2-20 Holes) ,3.5mm Wise-Lock Posteromedial Proximal Tibia Plate - (1-20 Holes) ,Wise-Lock Ankle Arthrodesis Plate - 4-20 Holes ,4.5mm Wise-Lock Metaphyseal Plate- 3/5-20/5 Holes - ,2.4mm Locking Two-Way Compression Mandible Reconstruction Plate Double Angled - (5+25+5 Holes,2.0mm Thickness),4.5/5.0mm Wise-Lock Condylar Femur PlateLeft & Right - (3-25 Holes) ,4.5/5.0mm Wise-Lock Proximal Femur Plate Left & Right - (2-20 Holes) ,4.5/5.0mm Wise-Lock Proximal Femur Hook Plate - (2-20 Holes) ,4.5/5.0mm Wise-Lock Osteotomy Medial High Tibia Plate - (2-10 Holes) ,4.5/5.0mm Wise-Lock Proximal Lateral Tibia Plate Left & Right - (3-25 Holes) ,4.5/5.0mm Wise-Lock Medial Proximal Tibia Plate Left & Right - (2-20 Holes) , 4.5/5.0mm Wise-Lock Proximal Tibia PlateLeft & Right - (2-20 Holes) ,4.5/5.0mm Wise-Lock Proximal Femur Lateral Plate (Type-II) - 2-20 HolesLeft & Right ,4.5/5.0mm Wise-Lock Reconstruction Plate - (2-20 Holes) ,4.5/5.0mm Wise-Lock Narrow Dynamic Compression Plate with LC under cuts - (2-30 Holes) ,4.5/5.0mm Wise-Lock Broad Dynamic Compression Plate with LC under cuts - (2-30 Holes) ,4.5/5.0mm Wise-Lock Curved Broad Plate - (10-30 Holes) ,4.5/5.0mm Wise-Lock Osteotomy Lateral High Tibia Plate Left & Right - (2-10 Holes) ,4.5/5.0mm Wise-Lock Osteotomy Lateral Distal Femur Plate Left & Right - (2-10 Holes) ,4.5

/5.0mm Wise-Lock Osteotomy Medial Distal Femur Plate - Left & Right ,4.5/5.0mm Wise-Lock Osteotomy Tibia Plate Left & Right - (2-10 Holes) ,4.5/5.0mm Wise-Lock Osteotomy Femur Plate Left & Right - (2-10 Holes) ,3.5mm Acetabular Spring Plate - (1-10 Holes) ,130° Angle Blade Plate/ Blade 50-100mm x 2-22 Holes - ,90 degree Angle Blade Plate for Adults Displacement 10-20mm x Blade 40-70mm - 4 Holes ,100 degree Angle Blade Plate for Adults Displacement 10mm x Blade 50-70mm - - 4 holes ,110 degree Angle Blade Plate for Intertrochanteric - Femoral Osteotomies in Adults - Blade 50-90mm ,120 degree Angle Blade Plate for Intertrochanteric - Femoral Osteotomies in Adults - Blade 50-90mm ,130 degree Angle Blade Plate for Intertrochanteric - Femoral Osteotomies in Adults - (Blade 50-120mm) ,Blade Length 40-110mm) - ,dia 3.5-4.5mm Quadrilateral Surface Plate Left & Right /Suprapectineal Plate - (NA) ,0.8mm Wise-Lock Low Profile T-Plate - (2-20 Holes) ,0.8mm Wise-Lock Low Profile L-Plate Left & Right - (2-10 Holes) ,0.8mm Wise-Lock Low Profile Offset Plate - (2-12 Holes) ,1.3mm Wise-Lock Low Profile Metacarpal Neck Plate Left & Right - (2-8 Holes) ,1.3mm Wise-Lock Low Profile Straight Plate - (2-12 Holes) ,1.3mm Wise-Lock Low Profile T-Plate - 2-15 Holes ,1.3mm Wise-Lock Low Profile Rolando Fracture Hook Plate - (5-10 Holes) ,1.3mm Wise-Lock Low Profile Rotational Correction Plate - 4-10 Holes ,3.5mm Reconstruction Pelvis Plate - (2-10 Holes) ,3.5mm Interlocking Reconstruction Plate - (8-15 Holes) ,3.5mm Quadrilateral Surface Plate Left & Right - (1-5 Holes) ,3.5mm Intrapelvic Plate Left & Right - (5-10 Holes) ,3.5mm Anterior Brim Plate Left & Right - 10-20 Holes ,3.5mm Pelvic Plate Straight/Curved - (2-20 Holes) ,3.5mm Flex Plate - (2-20 Holes) ,3.5mm Symphysis Plate - (2-20 Holes) ,Infrapectineal Plate Large/Small - ,135 degree Wise-Lock DHS Plate Short Barrel - (1-30 Holes) ,95 degree Wise-Lock DCS Plate - (2-30 Holes) ,4.5/5.0mm Wise-Lock Trochanter Stabilizing Plate For DHS - Adjustable - (Length 50-200mm) ,130 degree Dynamic Hip Compression Plate - (1-30 Holes) ,135 degree Dynamic Hip Compression Plate - (1-30 Holes) ,90° Adolescent Osteotomy Plate - (Blade 40-60mm) Displacement 10-15mm ,2.7mm Wise-Lock Pediatric Hip Plate 90°-130° x 2 Holes - ,3.5mm Pediatric Condylar Plate-90° x 3-7 Holes - ,5.0mm Pediatric Condylar Plate 90° x 3-7 Holes - ,2.0mm Mini "L" Plate Left & Right - 2-12 Holes ,3.5mm LC DCP Plates - (2-30 Holes) ,1.5mm Orbital Floor Plate Type-VI /VII/VIII Left & Right - ,1.5mm Chin Plate - (Space 2.0mm To 10.0mm) ,1.5mm Maxilla Plate Left & Right - (Space 9.0mm-13.0mm) ,1.5mm Orbital Plate - (4 ,6 Holes,Space 6.0mm to 14.0mm) ,1.5mm Continuous Orbital Plate - (6 Holes 8 Holes 10 Holes) ,1.5mm L-Plate 90° left and right - (2+2 to 5,3+5 Holes) - ,1.5mm L-Plate with Bridge 90° left and right - (2+2,2+3 Holes,Space 5.5mm-15.0mm) ,1.5mm L-Plate 130° left and right - (2+2 Holes,2+4 Holes) ,1.5mm L-Plate with Bridge 100° left and right - (2+2,2+3 Holes,Space 5.5mm-9.0mm) ,2.0mm Mini Straight Plate - (2-12 Holes) ,2.0mm Mini Straight Plate - (2-12 Holes) ,2.0mm Mini "T" Plate - ,2.0mm DCP Plate - (2-12 Holes) ,2.7mm "L" Plate Left & Right - (2-10 Holes) ,2.7mm "T" Plate - ,2.7mm Quarter Tubular Plate - (2-12 Holes) ,2.7mm Dynamic Compression Plate - (2-16 Holes) ,2.7mm Reconstruction Plate Straight - 2-30 Holes ,1.5mm Mini "L" Plate Left & Right - (2-12 Holes) ,1.5mm Mini Straight Plate - (2-12 Holes) ,1.5mm DCP Plate - (2-12 Holes) ,1.5mm Mini "T" Plate - ,3.5mm One-Third Tubular Plate - (2-20 Holes) ,3.5mm One-Third Tubular Plate with Collar - (2-20 Holes) ,3.5mm Small Dynamic Compression Plate - (2-20 Holes) ,3.5mm Small Limited Contact Dynamic Compression Plate - (2-20 Holes) ,3.5mm Small "T" Plate Right Angled (3 Head Holes) - (2-12 Holes) ,3.5mm Wise-Lock Small "T" Plate Right Angled (4 Head Holes) - (2-12 Holes) ,3.5mm Small "T" Plate Oblique Angled Left & Right - (2-12 Holes) ,3.5mm Hook Plate - (2-12 Holes) ,3.5mm Pelvic Reconstruction Plate Straight - 2-30 Holes ,3.5mm Pelvic Reconstruction Plate Curved - (2-30 Holes) ,3.5mm Semi Tubular Plate - (2-30 Holes) ,3.5mm Calcaneal Plate - Size 60-70mm ,Cervical Spine H-Plate Holes Spacing - (16 - 16+18+18)mm - (5-10 Holes) ,3.5mm Cloverleaf Plate - holes (2-16) ,3.5mm Clavicle Hook Plate Hook Depth 12mm Left & Right - (2-10 Holes) ,4.5mm Fibular Distal Tibia Plate - (2-15 Holes) ,2.4mm Wise-Lock "T" Distal Radius Dorsal Plate - (3 Head Holes) (2-10 Holes) ,3.5mm Spring Plate - (2-10 Holes) ,4.5mm Narrow Dynamic Compression Plate - (2-20 Holes) ,3.5mm Y Reconstruction Plate - (2-20 Holes) ,4.5mm Broad Limited Contact Dynamic Compression Plate - (2-22 Holes) ,4.5mm Narrow Lengthening Plate Lengthening 30-100mm - (8 Holes, Length 135-185mm) - ,4.5mm Broad Lengthening Plate 8 Holes - (Lengthening 30-80mm Length 135-185mm) ,3.5mm Y-Reconstruction Plate Small/Medium/Large - 4-16 Holes ,Lecestre Plate - Modified 2 Head Holes - ,3-15 Shaft Holes - Left & Right - ,Proximal Ulna Plate Left & Right - (2-10 Holes) ,Proximal Humeral Plate - (2-12 Holes) ,Distal Radius Plate - (2-10 Holes) ,Y-Fork Plate Left & Right - (2-10 Holes) ,Distal Fibular Plate Left & Right - (2-12 Holes) ,Distal Lateral Humeral Plate Left & Right - 2-10 Holes ,3.5mm DCP Plates - (2-30 Holes) ,4.5mm Broad Lengthening Plate Lengthening 50mm Length 175-250mm - 10 Holes ,4.5mm Semi Tubular Plate - (2-15 Holes) ,4.5mm Lateral Tibia Head Buttress Plate - 2-15 Holes ,4.5mm Lateral Tibia Head Buttress Plate Left & Right - 5 Holes ,14 holes) - ,1.5mm Plate - 4 Holes - (Space 4.5mm to 12.0mm) ,1.5mm Plate 6 Holes - Space 6.0mm to 12.0mm) ,1.5mm Continuous Plate - (6 Holes 8 Holes 16 Holes) ,1.5mm Orbital Plate - (7,8 Holes - ,Space 7.5mm & 8.0mm) - ,4.5mm Narrow Limited Contact Dynamic Compression Plate - (2-20 Holes) ,Sherman Plate - (2-15 Holes) ,4.5mm Proximal Tibia Medial Plate Left & Right - 3 Holes ,4.5mm Proximal Tibia Plate with Round Holes Left & Right - (2-12 Holes) ,4.5mm

Proximal Lateral Tibia Plate - (2-15 Holes) ,4.5mm Proximal Femur Plate Left & Right - (2-15 Holes) ,4.5mm Distal Tibia Plate Left & Right - (2-15 Holes) ,4.5mm Distal Lateral Tibia Plate with Round Holes - (2-15 Holes) ,4.5mm Distal Tibia Lateral Plate - (2-15 Holes) ,4.5mm Distal Femur Plate - (2-15 Holes) ,Bone Plates dia 3.5-4.5mm - (2-20 Holes) ,4.5mm Condylar Buttress Plate Left & Right - - holes (7-15) ,95 degree Condylar Blade Plate Blade 50-80mm x 2-22 Holes - ,4.5mm "T" Plate - (2-16 Holes) ,4.5mm "T" Buttress Plate - (2-16 Holes) ,4.5mm "L" Buttress Plate Left & Right - (2-16 Holes) ,4.5mm Spoon Plate - (2-10 Holes) ,4.5mm Hook Plate - (2-10 Holes) ,4.5mm Reconstruction Plate Straight - (2-30 Holes) ,4.5mm Roy Camille Plate - (2-16 Holes) ,4.5mm Cobra Head Plate - (2-16 Holes) , 90/100/110/120/130 degree Hip Plate - (Displacement 10/15/20mm ,130/135/140/145 degree Jewett Nail Plate Length 50-100mm - 4-15 Holes ,3.5mm Pubic Symphysis Plate - (2-8 Holes) ,3.5mm Posterior Wall Acetabular Fragment Plate Left & Right - (5-10 Holes) ,3.5mm Curved Posterior Wall Acetabular Fragment Plate Left & Right - (8-15 Holes) ,3.5mm Superior Sacro-iliac Plate - (2-8 Holes) ,3.5mm Posterior Wall Acetabular Plate - (5-10 Holes) ,0.8mm Wise-Lock Low Profile Curved Medial/Lateral Plate - (5-12Holes) ,0.8mm Wise-Lock Low Profile Curved Medial/Lateral Plate Short Left & Right - (2-10 Holes) ,0.8mm Wise-Lock Low Profile Compression Plate - (2-10 Holes) ,90° Infant Osteotomy Plates-Blade 25-32mm Displacement 7-12mm - ,1.0mm L-Plate 90degree Left & right - ,1.0mm Straight Plate- 4 & 6 Holes - ,1.0mm Double Y Plate-6 Holes - ,1.0mm Y-Plate with Bridge- 4 Holes - , 1.0mm Y-Plate-5 Holes - ,1.0mm T-Plate- 6 Holes - ,1.0mm Square Plate - (2 x 2 to 3 Holes) , 1.0mm Rectangular Grill Plate Type-I - (2 x 4 Holes,4 x 6 Holes) - ,1.0mm Rectangular Grill Plate Type-III - (2 x 2 to 4 & 4-x 5 Holes) ,1.0mm Orbital Floor Plate Type-I/II/III/IV/V - ,1.0 mm Orbital Floor Plate Type-VI /VII/VIII- Left &Right - ,1.5mm Plate - (2 Holes ,Space 6.0 mm To 12.0mm) - ,1.5mm straight plate - (4 holes,6holes - ,8 holes - ,1.5mm Rectangular Grill Plate Type-IV - (2 x 3 Holes,2x5),12 holes - ,1.5mm Rectangular Grill Plate Type-V - (11 x 17 Holes ,2x11 to 21),1.5mm T-Gap Plate Angled Left & Right - (Space 13.5mm to 17.5 mm) ,1.5mm T-Gap Plate Straight - (Space 13.5mm to 17.5mm) ,1.5mm Orbital Floor Plate Type-III/IV - ,2.4mm Mandible Reconstruction Plate Straight - (12,15,17,20 Holes,2.5mm Thickness),2.4mm Locking Two-Way Mandible Reconstruction Plate Straight - (12,15,17,20 Holes,2.5mm Thickness),2.4mm Locking Round Holes Mandible Reconstruction Plate Angled - (5+10, 5+15, 5+20 Holes,2.5mm Thickness),2.4mm Locking Round Holes Mandible Reconstruction Plate Straight - (12,15,17,20 Holes,2.5mm Thickness),2.4mm Mandible Reconstruction Plate Angled Left and Right - (5+10, 5+15, 5+20 Holes,2.5mm Thickness), 2.4mm Locking Two-Way Compression Mandible Reconstruction Plate Angled Left and Right - (5+10, 5+15, 5+20 Holes,2.5mm Thickness),2.4mm Mandible Reconstruction Plate Double Angled - (5+25+5 Holes,2.5mm Thickness),2.4mm Locking Round Holes Mandible Reconstruction Plate Double Angled - (5+25+5 Holes,2.5mm Thickness),2.4mm Locking Two-Way Compression Mandible Reconstruction Plate Double Angled - (5+25+5 Holes,2.5 mm Thickness),2.4mm wise-lock distal radius volar plate(5 head holes)both Left & right - (2-10 Holes) ,1.5mm Varixis Strut Plate - (10-16 Holes) ,1.5mm Varixis First Metacarpal Plate Dorsal/Lateral Left & Right - ,1.5mm Varixis Rotation Correction Plate - (2-10 Holes) , 1.5mm Varixis Fracture Plate - (2-10 Holes) ,2.0mm Varixis Fracture Plate - (2-10 Holes) ,2.4 /2.7mm Varixis First MTP Fusion Plates Small Medium & Large - , Short/Standard/Long/Extra Long Left & Right - ,2.0mm Varixis Straight Plate - (2-12 Holes) , 2.0mm Varixis T-Plate - (3 Head Holes ,0.8mm Wise-Lock Low Profile Straight Plate - (1-15 Holes) ,1.5mm Double X-Plate Small - (4+2 Holes,Space 4.0mm-9.0mm) - ,1.5mm Double X-Plate Medium/Large - - holes(4+3&8+3) ,1.5mm X-Plate - (2+2 Holes ,1.5mm Double X-Plate with Support - (8+2 Holes,Space 10.0mm to 15.0mm),1.5mm Cross Bend Plate(2+3 Holes) - ,1.5mm Y-Plate with Bridge Type-I - (2+2 Holes,Space 8.0mm to 15.0mm),1.5mm Y-Plate with Bridge Type-II - (2+3 Holes,Space 5.5mm-9.0mm),1.5mm T-Plate Long - holes (2+4) ,1.5mm T-Plate Long Oblique Left & Right - 2+4 Holes ,1.5mm T-Plate Oblique Left & Right - 3+3 Holes ,1.5mm Z-Plate Left & Right - (Space 9.0mm-13.0mm) ,1.5mm Square Plate - (2 x 2 to 3 Holes) ,1.5mm Rectangular Grill Plate Type-I Titanium - holes (4X2&4X6) , 1.5mm Rectangular Grill Plate Type-II - (2 x 2 to 4 ,4x6 Holes),1.5mm Triangular Plate 3 Holes - ,1.5mm Rectangular Grill Plate Type-III - (2 x 2 to 4 Holes to 4x6) ,1.5mm T-Plate with Bridge - (2+2,2+3 Holes,Space 9.0mm-12.0mm),3.5mm Wise-Lock Distal Humerus Plate Left & Right - (2-20 Holes) ,3.5mm Wise-Lock Periarticular Proximal Humerus Plate Left & Right - (2-20 Holes) ,3.5mm Wise-Lock Distal Tibia Plate Left & Right - (2-20 Holes) 2-10 Shaft Holes,Varixis Distal Posterolateral Humeral Plate Left & Right - (3-15 Holes) ,Varixis Distal Medial Humeral Plate Left & Right - (3-15 Holes) ,2.7/3.5mm Varixis Anteromedial Distal Tibia Plate Left & Right - (2-20 Holes) ,2.7/3.5mm Varixis Medial Distal Tibia Plate Left & Right - (2-20 Holes) ,2.7mm Varixis Distal Tibia T-Plate - (2-10 Holes) ,2.0mm Straight Plate - (4,5 ,6,8,10,12,14, 16 Holes,0.8mm Thickness-1.0mm) ,2.0mm Straight Plate with Bridge Type-III - (4 ,6Holes ,Space 6.0mm,0.8mm-1.0mm Thickness),2.0mm Straight Plate Type-II - (5,6 Holes,0.8mm-1.0mm Thickness),2.0mm Straight Plate 2 Holes Type-II - (Space 8.0 mm to 12.0mm,0.8mm-1.0mm Thickness) - ,2.0mm Orbital Plate with Bridge Type-I - (4,6 Holes,Space 8.0mm to 15.0mm,0.8mm-1.0 Thickness),2.0mm Orbital Plate with Bridge Type-II - (5,7 Holes Space 7.5mm,0.8mm-1.0mm Thickness),2.0mm Orbital Plate - (Space

	6.0mm to 12.0mm 0.8mm -1.0mm Thickness), 2.0mm L-Plate Type-II 90° left and right - (2+2 to 4 Holes ,0.8mm -1.0mm Thickness), 2.0mm L-Plate with Bridge Type-III 90° left and right - (2+2 to 3, 3+3 Holes Space 8.0mm to 15.0mm, 0.8mm -1.0mm Thickness), 2.0mm L-Plate with Bridge 100° - (2+2, 3+3, 3+4, 4+6 Holes, Space 6.0mm to 12.0mm, 0.8mm -1.0mm Thickness), 2.0mm L-Plate 130° Left and Right - (2+2 to 4 Holes, 0.8mm-1.0mm Thickness), 2.0mm L-Plate with Bridge Type-IV 90° left and right - (2+2 Holes, Space 6.0mm to 10.0mm, 0.8mm-1.0mm Thickness), 2.0mm Double X-Plate Small - (4+2 to 4 Holes, Space 6.0mm to 12.0mm, 0.8mm -1.0mm Thickness), 2.0mm H-Plate - (6+1 8+1, 0+1 Holes 0.8mm -1.0mm Thickness), 2.0mm I-Plate - (Space 6.0mm to 9.0mm, 0.8mm-1.0mm Thickness), 2.0mm T-Plate with Bridge - (2+2 to 3, 2+4, 2+6, Space 6.0mm to 15.0mm, 0.8mm -1.0mm Thickness), 2.0mm Long T-Plate Oblique Angled - Left and Right - (0.8mm -1.0mm Thickness), 2.0mm T-Plate - (3+3 Holes, 3+4 Holes, 3+6, 0.8mm-1.0mm Thickness), 2.0mm T-Plate with Bridge - (3+2 Holes Space 8.0mm & 12.0mm, 0.8mm-1.0mm Thickness), 2.0mm Z-Plate Left and Right - (Space 8.0mm & 12.0mm ,0.8mm-1.0mm Thickness), 2.0mm Pseudo-Possessed Plate Type-III - (7 Holes, 0.8mm -1.0mm Thickness), 2.0mm Rectangular Grill Plate Type-I - (2 x 2 to 3 Holes, 0.8mm -1.0mm Thickness), 2.0mm Rectangular Grill Plate Type-II - (4 x 2, 4x4, 4x6 Holes, 0.8mm-1.0mm Thickness), 2.0mm Rectangular Grill Plate Type -IV Left & Right - (2 x 4 Holes, 0.8mm -1.0mm Thickness), 2.0mm Locking Straight Plate with Bridge Type-I - (4, 6, 8, 12, 14 holes), 2.0mm Locking T-Gap Plate Straight - (4, 6 Holes, Space 10.0mm -12.0mm), 2.0mm Locking U-Plate - (3+3 Holes, 4+4, 9 Holes), 2.0mm Locking Square Frame Plate Type-I - (2 x 4, 2x6, 2x8 Holes), 2.0mm Locking Rectangular Grill Plate Type-I - (4 x 2 Holes, 4x6 Holes), 2.0mm Locking Rectangular Grill Plate Type-II - (2 x 3, 2x4, 2x5, 2x6 Holes), 2.0mm Locking Straight Plate with Bridge Type-II- 4 Holes - , 2.0mm Locking Rectangular Grill Plate Type-III - (2 x 3, 2x4, 2x5, 2x6 Holes), 2.0mm Locking Straight Plate with Bridge Type-III - (4, 6 Holes, Space 10.0mm to 12.0mm), 2.0mm Locking Straight Plate with Bridge Type-IV - (4, 6 Holes, Space 8.0 to 12.0mm), 2.0mm Locking Straight Plate Type-II - (4 holes, 6holes, 8 holes, 10holes, 12 holes, 14, 16 holes), 2.0mm Locking Straight Plate with Bridge Type-V - (4, 6 Holes, Space 8.0mm to 12.0mm), 2.0mm Locking Straight Plate Type-III - (6 , 8, 26 Holes), 2.0mm Locking Orbital Plate - (4 Holes, Space 10.0mm & 15.0mm), 2.0mm Locking Curved Plate Type-I Left and Right - (4, 6, 8, Space 6.0mm to 10.5 mm), 2.0mm One -Way Pressure Plate with Bridge - (4 , 6 Holes, Space 8.0mm to 12.0mm), 2.0mm One -Way Pressure Plate - (6 , 8, 26 holes), 2.0mm One -Way Pressure Orbital Plate - (4 Holes, Space 10.0mm & 15.0mm), 2.0mm One -Way Pressure Curved Plate Left and Right - (4 , 6, 8 holes, Space 6.0mm to 10.5mm), 2.4mm Mandible Reconstruction Plate Straight - (12, 15, 17, 20 Holes, 2.0mm Thickness), 2.4mm Mandible Reconstruction Plate Angled left and right - (5+10, 5+15, 5+20 Holes, 2.0mm Thickness), 2.4mm Locking Two-way Compression Mandible Reconstruction Plate Straight - (12, 15, 17, 20 Holes, 2.0mm Thickness), 2.4mm Locking Round Holes Mandible Reconstruction Plate Angled - (5+10, 5+15, 5+20 Holes, 2.0mm Thickness), 2.4mm Locking Round Holes Mandible Reconstruction Plate Straight - (12, 15, 17, 20 Holes, 2.0mm Thickness), 2.4mm Locking Two-Way Compression Mandible Reconstruction Plate Angled - (5+10, 5+15, 5+20 Holes, 2.0mm Thickness), 2.4mm Mandible Reconstruction Plate Double Angled - (5+25+5 Holes, 2.0mm Thickness), 2.4mm Locking Round Holes Mandible Reconstruction Plate Double Angled - (5+25+5 Holes, 2.0mm Thickness), 2.0mm Straight Plate with Bridge Type-I - (4 , 6 Holes, Space 9.0mm-12.0mm), 2.0mm Straight Plate 2 Holes Type-I - (Space 8.0mm to 12.0mm) , 2.0mm Straight Plate with Bridge Type-II 4 & 8 Holes - (Space 6.0mm to 12.0mm) , 2.0mm Straight Plate Type-I - (5, 6 Holes), 2.0mm L-Plate with Bridge Type-I 90° Left and right - (2+2 to 3 Holes, Space 8.0mm to 15.0), 2.0mm L-Plate Type-I 90° Left and Right - (2+2 to 4 Holes) , 2.0mm L-Plate with Bridge Type-II 90° Left and right - (2+2 , 3+3 Holes, Space 6.0mm -10.0mm), 2.0mm L-Oblique Plate with Bridge 90° Left and right - (2+2 , 3+3 Holes, Space 6.0mm -10.0mm), 2.0mm H-Plate 11 Holes -
--	--

1. Generic Name : Spinal Implant
2. Brand Name : NIL
3. Notified Category : Orthopaedic Implants
4. Class of Medical Device : Class C
5. Shelf life : 5 Years
6. Sterile/Non-Sterile: Sterilized
7. Intended Use : Spinal Implants used to facilitate fusion, correct deformities, and stabilize and strengthen the spine.
8. Material of Construction: Titanium (ISO-5832-3)
9. Dimension: NA
10. Model/Catalogue No./Name : VERTAUX - Occipital Pre Bent Rod - (dia 3.2mm) , VERTAUX - Occipital Laminar Hook Small & Large , VERTAUX - Occipital Straight Rod - (dia 3.2 x Length 50-500mm) , Medial Biased Angle Screw - (dia 3.5/4.0mm , End Rings - , Mesh Cage - (dia 8-30 Length 20-120mm) , - , VERTAUX - Polyaxial Pedicle Screw with Cap - (dia 5.0 mm x Length 20-70mm) , VERTAUX - Polyaxial Pedicle Screw with Cap - (dia 5.5mm x Length 20-70mm) , VERTAUX - Polyaxial Pedicle Screw with Cap - (dia 6.0mm x Length 20-70mm) , Length 230mm) - , Length 230mm) - , Length 10-60mm) - , Locking screw for Occipital Plates (All Variants) - , Smooth Shank Biased Angle Screws - (dia 3.5mm Length 10-60mm) , Cancellous Biased Angle Screws - , Non-Biased Angle Polyaxial Screws - (dia 3.5/4.0/4.5mm , Length 4-20mm) , Biased Angle Screws - (dia 3.5/4.0mm , Length 10-60mm) , VERTAUX - Monoaxial Reduction Pedicle Screw with Cap - (dia 4.5mm x Length 20-70mm) , VERTAUX - Monoaxial Reduction Pedicle Screw with Cap - (dia 5.0mm x Length 20-70mm) , VERTAUX - Polyaxial Pedicle Screw with Cap - (dia 6.5mm x Length 20-70mm) , VERTAUX - Polyaxial Pedicle Screw with Cap - (dia 7.0mm x Length 20-70mm) , VERTAUX - Polyaxial Reduction Pedicle Screw with Cap - (dia 4.5mm x Length 20-70mm) , VERTAUX - Polyaxial Reduction Pedicle Screw with Cap - (dia 5.0mm x Length 20-70mm) , VERTAUX - Polyaxial Reduction Pedicle Screw with Cap - (dia 5.5mm x Length 20-70mm) , VERTAUX - Occipital Plate - (Length 30-50mm) , VERTAUX - Occipital Inner Screw Cap (M6) - , VERTAUX - Occipital Pre Bent Rod for Plate - (dia 3.2 x Length 100-200mm) , Length 20-60mm) - , VERTAUX - Occipital Crosslink - Length 20-100mm , Occipital Clamps for dia 3.5/4.0mm Rods - (1-5 Holes) , Vertaux Basico Polyaxial Screw - (Ø6.5 x 25mm to 55mm) , Vertaux Basico Polyaxial Screw - (Ø7.0 x 25mm to 55mm) , VERTAUX - Occipital Screw - (dia 4.0mm x Length 6-50mm) , VERTAUX - Occipital Screw - (dia 4.5mm x Length 6-50mm) , Midline Occiput Plate - , Smooth Shank Polyaxial Pedicle Screws - (dia 3.5/4.0mm , Smooth Shank Polyaxial Screws-Rod 4.0 mm - (dia 3.5/4.0mm , Length 20-60mm) - , Curved Rods - , Pre-Cut - , - (dia 3.5mm , T- Mesh Cage - (Ø14mm x Length 6-100mm) , Length 20-100mm) - , Occipital Pre-Bent Rods 3.5/4.0mm - (Length 100-250mm) , Straight Rods Pre-Cut - (dia 3.5mm , Length 50-150mm) - , Laminar Hook - (Wide 3.0-12mm) , Cross Connectors for Polyaxial Pedicle Screws - , 3.0mm Titanium Cervical Spine Locking Screw - (Length 8-20mm) , Xpendriv Cage - (dia 16-30mm x 15-40mm) , Xtension - (dia 16-30mm) , X cap - (dia 16-30mm , 0°-20°) - , Expandable Corpectomy Cage (All Variants) - , Locking Clip for Expandable Corpectomy Cage (All Variants) - , Anterior Cervical Corpectomy Cage (All Variants) - , Posterior Cervical Corpectomy Cage (All Variants) - , Thoraco-Lumbar Vertebral Corpectomy Prosthesis (All Variants) - , REGEX-Anterior Cervical Plate Level-I - (Length 10-30mm) , REGEX-Anterior Cervical Plate Level-II - (Length 26-50mm) , REGEX-Anterior Cervical Plate Level-III - (Length 40-75mm) , REGEX-Anterior Cervical Plate - , Level-IV - (Length 60-90mm) , 4.0mm REGEX-Bone Screw Self-Drilling Variable Angled - (Length 6-50mm) , 4.0mm REGEX-Bone Screw Self-Drilling Fixed Angled - (Length 6-50mm) , 4.5mm REGEX-Bone Screw Self-Drilling Variable Angled - (Length 6-50mm) , 4.5mm REGEX-Bone Screw Self-Drilling Fixed Angled - (Length 6-50mm) , 4.0mm REGEX-Bone Screw Self-Tapping Variable Angled - , VERTAUX - Occipital Lateral Offset Connector - (dia 3.2mm x Length 10-50mm) , - (Length 6-50mm) , 4.0mm REGEX-Bone Screw Self-Tapping Fixed Angled - (Length 6-50mm) , Occiput Rod - (dia 3.5/4.0mm , 4.5mm REGEX-Bone Screw Self-Tapping Variable Angled - (Length 6-50mm) , 4.5mm REGEX-Bone Screw Self-Tapping Fixed Angled - (Length 6-50mm) , Vertaux Basico Polyaxial Screw with Cap - (Ø4.5 x 25mm to 55mm) , Vertaux Basico Polyaxial Screw with Cap - (Ø5.0 x 25mm to 55mm) , Vertaux Basico Polyaxial Screw with Cap - (Ø5.5 x 25mm to 55mm) , Vertaux Basico Polyaxial Screw with Cap - (Ø6.0 x 25mm to 55mm) , Vertaux Basico Polyaxial Screw with Cap - (Ø6.5 x 25mm to 55mm) , Vertaux Basico Polyaxial Screw Rod - (Length 400mm) , Vertaux Basico Polyaxial Screw - (Ø4.5 x 25mm to 55mm) , Aura Cage (TLIF) - (5-20mm x 8-20mm x 20-40mm) , TLIF Cage (All Variants) - , Lumbar Cage (PLIF) - (4-25mm x 8-20mm x 10-30mm) , Lumbar Cage (PLIF) - (4-25mm x 8-20mm x 10-30mm) , Lumbar Cage (PLIF) - (4-25mm x 8-20mm x 10-30mm) , PLIF Cage (All Variants) - , Fusion Cage width 8/9/10/11 - (Length 9/10/11/12/13/14/15mm) , Lumbar Interbody Fusion Cage (All Variants) - , T- Mesh Cage - (dia 9mm x Length 10-60mm) , T- Mesh Cage - (dia 10mm x Length 6-100mm) , T- Mesh Cage - (dia 12mm x Length 6-100mm) , T- Mesh Cage - (Ø16mm x Length 6-100mm) , Offset Connector Nut - (NA) , OSTEOBONE Multiaxial Pedicle Fenestrated Dual Thread Screw - (dia 4.5mm X Length 10-

100mm) ,OSTEOBONE Multiaxial Pedicle Fenestrated Dual Thread Screw - (dia 5.5mm X Length 10-100mm) ,OSTEOBONE Multiaxial Pedicle Fenestrated Dual Thread Screw - (dia 6.5mm X Length 10-100mm) ,OSTEOBONE Multiaxial Pedicle Fenestrated Dual Thread Screw - (dia 7.0mm X Length 10-100mm) ,Cortical Pedicle Fenestrated Screw dia 5.5mm - (Fenestration (5/6/7/8/9/10mm) ,Length 10-100mm) - ,VERTAUX - Occipital Polyaxial Pedicle Screw - (Dia 3.5mm x Length 6-100mm) ,VERTAUX - Occipital Polyaxial Pedicle Screw - (dia 4.0mm x Length 6-100mm) ,VERTAUX - Occipital Polyaxial Pedicle Screw Partial Thread - (dia 3.5mm x Length 6-100mm) ,VERTAUX - Occipital Polyaxial Pedicle Screw Partial Thread - (dia 4.0mm x Length 10-100mm) ,3.5mm to 3.5/4.5/5.5/6.0mm Axial Connector - ,3.5mm to 4.5/5.5/6.0mm Transition Rod - ,Saddle Connector (All Variants) - ,Vertaux Basico Polyaxial Screw Poly Head - (NA) ,Length 6-100mm) - ,Blocker (All Variants) - ,Aura Cage (TLIF) - (5-20mm x 8-20mm x 20-40mm) ,Set Screw (All Variants) - ,Occipital Plates for dia 3.5/4.0mm Rod Medial/Lateral - (Width 50-60mm) ,Occipital Connector dia 3.5/4.0mm - , Straight Top-Loading - ,Connector dia 3.5/4.0mm Angled 110° Top-Loading - ,VERTAUX - Polyaxial Reduction Pedicle Screw with Cap - (dia 6.0mm x Length 20-70mm) ,VERTAUX - Polyaxial Reduction Pedicle Screw with Cap - (dia 6.5mm x Length 20-70mm) ,VERTAUX - Polyaxial Reduction Pedicle Screw with Cap - (dia 7.0mm x Length 20-70mm) ,VERTAUX - Pedicle Screw Cap M9 - ,VERTAUX - Cross Link- I - (Length 30-80mm) ,VERTAUX - Cross Link- II - (Length 30-150mm) ,Vertaux Crosslink Connector Type-III 30-100mm - ,VERTAUX - Rod - (dia 5.5mm x Length 30-1000mm) ,Pedicle Hook Standard & Downsized - ,Laminar Hook Narrow - (3.0-12.0mm) ,Laminar Hook Angled Right & Left - ,VERTAUX - Multiaxial Iliac Screw with Cap - (dia 5.5mm x Length 65-150mm) ,VERTAUX - Multiaxial Iliac Screw with Cap - (dia 6.5mm x Length 65-150mm) ,VERTAUX - Multiaxial Iliac Screw with Cap - (Ø7.0mm x Length 65-150mm) ,VERTAUX - Multiaxial Iliac Screw Offset Connector - , VERTAUX - Multiaxial Iliac Screw - ,130° Pre-contoured Occiput Plate Left & Right - ,100° Occiput Plate (All Variants) - ,100° Pre-contoured Occiput Plate Left & Right - , Small/Medium/Large/Large Long/Mini - ,Bone Screws for Occiput Plates - (dia 3.5/4.0/4.5mm ,Length 6-20mm) - ,Transverse Connector for Occiput Plates - (Length 40-150mm) , Cross Connector Plate - (Length 20-60mm) ,3.5mm to 3.5/4.5/5.5/6.0mm Parallel Rod-to-Rod Connector - ,Convex/Lordotic/Parallel - ,Length 4-20mm (All Variants) - (NA) ,Low Profile Anterior Cervical Fusion Device (All Variants) - (NA) ,Occipital Plate Size 40-50mm - , Offset Connectors - (Length 10-50mm) ,Rod-to-Rod Connectors - ,Small/Large - (Length 3.5 mm to 5.5mm) ,Occipital Screws - (dia 4.5/5.0/5.3mm ,Hook - ,Cervical Cage (ACDF) - (2-20mm x 8-20mm x 10-20mm) ,Cervical Cage (All Variants) - ,Cervical Interbody Fusion Cage (All Variants) - ,Standard/Standard Short/Standard Tall/Offset Right/Offset Left - (dia 3.5/5.0/6.5/8.0mm) ,Rods - ,dia 3.5mm - (Length 20-500) ,130° Occiput Plate (All Variants) - (NA) , VERTAUX - Monoaxial Pedicle Screw with Cap - (dia 4.5mm x Length 20-70mm) ,VERTAUX - Monoaxial Pedicle Screw with Cap - (dia 5.0mm x Length 20-70mm) ,APEX-Anterior Cervical Plate - (Length 20-100mm) ,APEX-3.5mm Cancellous Screw Self-Tapping (Cross Head) - (Length 6-60mm) ,APEX-4.0mm Cancellous Screw Self-Tapping (Cross Head) - (Length 6-60mm) ,APEX-3.5mm Cancellous Screw Self-Drilling (Cross Head) - (Length 6-60mm) ,APEX-4.0mm Cancellous Screw Self-Drilling (Cross Head) - (Length 6-60mm) ,APEX-3.5mm Cancellous Screw Self-Tapping (Hex Head) - (Length 6-60mm) ,APEX-4.0mm Cancellous Screw Self-Tapping (Hex Head) - (Length 6-60mm) ,APEX-3.5mm Cancellous Screw Self-Drilling (Hex Head) - (Length 6-60mm) ,APEX-4.0mm Cancellous Screw Self-Drilling (Hex Head) - (Length 6-60mm) ,Anterior Cervical Plate - (Length 20-100mm) , Anterior Cervical Locking Plate - (Length 20-120mm) ,Anter Cervical Plate - (Level 1/2/3/4) ,dia 3.5/4.0/4.5mm Cancellous Screw Self-Tapping (Cross Head)/(Hex Head) - (Length 6-60mm) ,Cervical Spine Locking Plate - (Level 1/2/3/4 ,Length 20-120mm) - ,Cervical Spine Locking Plate Narrow - (Level 1/2/3/4 ,Length 20-120mm) - ,Cervical Spine Expansion Head Screw - (dia 4.0/4.35 ,Self-Tapping - ,10-20mm) - ,Locking Screw - (dia 1.8mm (All Variants)) ,Cervical Arthrodesis Plate - (Level 1/2/3/4 ,Length 20-120mm) - ,Cervical Arthrodesis Plate Anterior - (Level 1/2/3/4 ,VERTAUX - Monoaxial Pedicle Screw with Cap - (dia 5.5mm x Length 20-70mm) ,VERTAUX - Monoaxial Pedicle Screw with Cap - (dia 6.0mm x Length 20-70mm) ,VERTAUX - Monoaxial Pedicle Screw with Cap - (dia 6.5mm x Length 20-70mm) , VERTAUX - Monoaxial Pedicle Screw with Cap - (dia 7.0mm x Length 20-70mm) ,round with Locking Screw - (dia 10-15mm ,Angle - 0°-2.5°) - ,Anterolateral End Rings - (17×22 mm/26×33 mm/22×28 mm ,Angle - 0°-5°) - ,Lateral or Anterior End Rings - (17×22 mm/26×33 mm/22×28 mm ,Angle - 0°-5°) - ,Anterolateral End Rings with Locking Screw - (17×22 mm/26×33 mm/22×28 mm ,Angle - 0°-5°) - ,Lateral or Anterior End Rings with Locking Screw - (17×22 mm/26×33 mm/22×28 mm ,Angle - 0°-5°) - ,Standard Rings - (17×22 mm/22×28 mm/26×33 mm) ,Locking Screw M2/M3 for dia 10-15 end rings - (NA) ,Harms Cage (All Variants) - (NA) ,70°/80°/90°/100°/110°/120°/130° Rods - (dia 3.5/4.0mm , - (dia 3.5/4.0mm ,Length 10-50mm) - ,Length 10-60mm) - ,VERTAUX - Monoaxial Reduction Pedicle Screw with Cap - (dia 5.5mm x Length 20-70mm) ,VERTAUX - Monoaxial Reduction Pedicle Screw with Cap - (dia 6.0mm x Length 20-70mm) ,VERTAUX - Monoaxial Reduction Pedicle Screw with Cap - (dia 6.5mm x Length 20-70mm) ,VERTAUX - Monoaxial Reduction Pedicle Screw with Cap - (dia 7.0mm x Length 20-70mm) ,VERTAUX - Polyaxial Pedicle

	Screw with Cap - (dia 4.5mm x Length 20-70mm) ,T- Mesh Cage - (Ø18mm x Length 6-100mm) ,T- Mesh Cage - (Ø20mm x Length 6-100mm) ,T- Mesh Cage - (Ø22mm x Length 6-100mm) ,T- Mesh Cage - (Ø24mm x Length 6-100mm) ,T- Mesh Cage - (Ø25mm x Length 6-100mm) ,T- Mesh Cage - (Ø28mm x Length 6-100mm) ,AUX Mesh Cage - (Ø10mm x Length 6-100mm) ,AUX Mesh Cage - (Ø12mm x Length 6-100mm) ,AUX Mesh Cage - (Ø14mm x Length 6-100mm) ,AUX Mesh Cage - (Ø16mm x Length 6-100mm) ,AUX Mesh Cage - (Ø18mm x Length 6-100mm) ,AUX Mesh Cage - (Ø20mm x Length 6-100mm) ,AUX Mesh Cage - (Ø22mm x Length 6-100mm) ,AUX Mesh Cage - (Ø25mm x Length 6-100mm) ,AUX Mesh Cage - (Ø28mm x Length 6-100mm) ,Corpectomy Device - (dia 10-15mm ,Length 4-100mm) - ,End Rings Round - (dia 10-15mm ,Angle - 0°-2.5°) - ,End Rings round with Locking Screw - (dia 10-15mm ,Angle - 0°-2.5°) - ,PALLAS-Low Profile Anterior Cervical Fusion Device - (Convex,Standard - ,2-20mm) - ,PALLAS-Low Profile Anterior Cervical Fusion Device Convex - (Large,2-20mm) - ,PALLAS-Low Profile Anterior Cervical Fusion Device Lordotic Standard - (2-20mm) ,PALLAS-Low Profile Anterior Cervical Fusion Device Lordotic - (Large,2-20mm) - ,PALLAS-Low Profile Anterior Cervical Fusion Device Parallel Standard - (2-20mm) ,PALLAS-Low Profile Anterior Cervical Fusion Device Parallel Large - (2-20mm) , Integrated Intervertebral Device (All Variants) - (NA) ,Cervical Interbody Fusion Cage (All Variants) - (NA) ,Zero-Profile Cervical Cage - ,Vertaux Basco Polyaxial Screw - (Ø5.0 x 25mm to 55mm) ,Vertaux Basico Polyaxial Screw - (Ø5.5 x25mm to 55mm) ,Vertaux Basco Polyaxial Screw - (Ø6.0 x 25mm to 55mm)
--	--



1. Generic Name : Spinal Implant
2. Brand Name : NIL
3. Notified Category : Orthopaedic Implants
4. Class of Medical Device : Class C
5. Shelf life : 5 Years
6. Sterile/Non-Sterile: Sterilized
7. Intended Use : Spinal Implants used to facilitate fusion, correct deformities, and stabilize and strengthen the spine.
8. Material of Construction: PEEK ASTM F 2026-17
9. Dimension: Various Dimension Spine Implants are manufactured
10. Model/Catalogue No./Name : PALLAS-Low Profile Anterior Cervical Fusion Device Convex Standard - (2-20mm) ,Aura Cage (TLIF) - (5-20mm x 8-20mm x 20-40mm) ,Aura Cage (TLIF) - (5-20mm x 8-20mm x 20-40mm) ,TLIF Cage (All Variants) - ,Lumbar Cage (PLIF) - (4-25mm x 8-20mm x 10-30mm) ,Lumbar Cage (PLIF) - (4-25mm x 8-10mm x 10-30mm) ,Lumbar Cage (PLIF) - (4-25mm x 8-10mm x 10-30mm) ,Lumbar Cage (PLIF) - (4-25mm x 8-10mm x 10-30mm) ,PLIF Cage (All Variants) - (NA) ,Fusion Cage - (width 8/9/10/11 , Thoraco-Lumbar Vertebral Corpectomy Prosthesis (All Variants) - (NA) ,Lumbar Interbody Fusion Cage (All Variants) - (NA) ,Cervical Cage (ACDF) - (2-20mm x 8-20mm x 10-20mm) ,Cervical Cage (All Variants) - (NA) ,Cervical Interbody Fusion Cage (All Variants) - (NA) , KNIFE-Cervical Bladed Cage - (4-20mm x 12-18mm x 12-18mm) ,PEEK (All Variants)) - , Cervical Bladed Cage (All Variants) - (NA) ,Integrated Intervertebral Device (All Variants) - , Cervical Bladed Polar Peek Cage (All Variants) - (NA) ,Cervical Bladed Intervertebral Fusion Cage (All Variants) - (NA) ,Expandable Bladed Cervical Cage - (4-20mm x 16mm x 13mm , Length 9/10/11/12/13/14/15mm) - ,PALLAS-Low Profile Anterior Cervical Fusion Device Convex Large - (2-20mm) ,ACIF Expandable Bladed Cage (All Variants) - (NA) ,PALLAS-Low Profile Anterior Cervical Fusion Device Lordotic Large - (2-20mm) ,PALLAS-Low Profile Anterior Cervical Fusion Device Parallel Standard - (2-20mm) ,PALLAS-Low Profile Anterior Cervical Fusion Device Lordotic Standard - (2-20mm) ,PALLAS-Low Profile Anterior Cervical Fusion Device Parallel Large - (2-20mm) ,Cervical Interbody Fusion Cage (All Variants) - , Zero-Profile Cervical Cage - ,Convex/Lordotic/Parallel (All Variants) - (Length 4-20mm) ,Low Profile Anterior Cervical Fusion Device (All Variants) - ,Expandable Corpectomy Cage(All Variants) - (NA) ,Locking Clip for Expandable Corpectomy Cage (All Variants) - (NA) , Posterior Cervical Corpectomy Cage (All Variants) - (NA) ,Thoraco-Lumbar Vertebral Corpectomy Prosthesis (All Variants) - (NA) ,Xpendriv Cage - (dia 16-30mm x 15-40mm) , Xtension - (dia 16-30mm) ,X cap - (dia 16-30mm ,0°-20°) - ,Expandable Corpectomy Cage (All Variants) - (NA) ,Locking Clip for Expandable Corpectomy Cage (All Variants) - (NA) , Anterior Cervical Corpectomy Cage (All Variants) - (NA) ,Posterior Cervical Corpectomy Cage (All Variants) - (NA) ,Anterior Cervical Corpectomy Cage (All Variants) - (NA) ,T- Mesh Cage - dia 9mm x Length 10-60mm,T- Mesh Cage - (dia 10mm x Length 6-100mm),T- Mesh Cage - d(ia 12mm x Length 6-100mm),T- Mesh Cage - Ø14mm x Length 6-100mm,T- Mesh Cage - Ø16mm x Length 6-100mm,T- Mesh Cage - Ø18mm x Length 6-100mm,T- Mesh Cage - Ø20mm x Length 6-100mm,T- Mesh Cage - Ø22mm x Length 6-100mm,T- Mesh Cage - Ø24mm x Length 6-100mm,T- Mesh Cage - Ø25mm x Length 6-100mm,T- Mesh Cage - Ø28mm x Length 6-100mm),AUX Mesh Cage - Ø10mm x Length 6-100mm,AUX Mesh Cage - (Ø12mm x Length 6-100mm),AUX Mesh Cage - (Ø14mm x Length 6-100mm), AUX Mesh Cage - (Ø16mm x Length 6-100mm),AUX Mesh Cage - (Ø18mm x Length 6-100mm),AUX Mesh Cage - Ø20mm x Length 6-100mm,AUX Mesh Cage - Ø22mm x Length 6-100mm,AUX Mesh Cage - (Ø25mm x Length 6-100mm),AUX Mesh Cage - (Ø28mm x Length 6-100mm),Mesh Cage - (dia 8-30, Length 6-100mm) ,Corpectomy Device - dia 10-15mm, Length 4-100mm ,End Rings Round - dia 10-15mm, Angle - 0°-2.5° ,End Rings round with Locking Screw - dia 10-15mm, Angle - 0°-2.5° ,Corpectomy Device - 17 × 22 mm/22 × 28 mm/26 × 33 mm, Length 4-100mm ,Anterolateral End Rings - 17×22 mm/26×33 mm/22×28 mm, Angle - 0°-5° ,Lateral or Anterior End Rings - 17×22 mm/26×33 mm/22×28 mm, Angle - 0°-5° ,Anterolateral End Rings with Locking Screw - 17×22 mm/26×33 mm/22×28 mm, Angle - 0°-5° ,Lateral or Anterior End Rings with Locking Screw - 17×22 mm/26×33 mm/22×28 mm, Angle - 0°-5° ,Standard Rings - 17×22 mm/22×28 mm/26×33 mm ,Locking Screw M2/M3 for - (dia 10-15 end rings) ,Harms Cage (All Variants) - (NA)

1. Generic Name : Spinal Implant
2. Brand Name : NIL
3. Notified Category : Orthopaedic Implants
4. Class of Medical Device : Class C
5. Shelf life : NA
6. Sterile/Non-Sterile: Non-Sterilized
7. Intended Use : Spinal Implants used to facilitate fusion, correct deformities, and stabilize and strengthen the spine.
8. Material of Construction: Titanium (ISO-5832-3)
9. Dimension: Various Dimension Spine Implants are manufactured
10. Model/Catalogue No./Name : Anterior Cervical Plate - (Length 20-100mm) ,Anterior Cervical Locking Plate Length 20-120mm - (Length 6-60mm) ,OSTEOBONE Multiaxial Pedicle Fenestrated Dual Thread Screw - (dia 7.0mm X Length 10-100mm) ,VERTAUX - Monoaxial Pedicle Screw with Cap - (dia 5.0mm x Length 20-70mm) ,VERTAUX - Monoaxial Pedicle Screw with Cap - (dia 5.5mm x Length 20-70mm) ,VERTAUX - Monoaxial Pedicle Screw with Cap - (dia 6.0mm x Length 20-70mm) ,VERTAUX - Monoaxial Pedicle Screw with Cap - (dia 6.5mm x Length 20-70mm) ,4.0mm REGEX-Bone Screw Self-Tapping Fixed Angled - (Length 6-50mm) ,4.5mm REGEX-Bone Screw Self-Tapping Variable Angled - (Length 6-50mm) ,4.5mm REGEX-Bone Screw Self-Tapping - (Fixed Angled ,Length 6-50mm) - ,VERTAUX - Monoaxial Reduction Pedicle Screw with Cap - (dia 7.0mm x Length 20-70mm) ,VERTAUX - Polyaxial Pedicle Screw with Cap - (dia 4.5mm x Length 20-70mm) , VERTAUX - Polyaxial Pedicle Screw with Cap - (dia 5.0mm x Length 20-70mm) ,VERTAUX - Polyaxial Pedicle Screw with Cap - (dia 5.5mm x Length 20-70mm) ,VERTAUX - Polyaxial Pedicle Screw with Cap - (dia 6.0mm x Length 20-70mm) ,VERTAUX - Polyaxial Pedicle Screw with Cap - (dia 6.5mm x Length 20-70mm) ,4.0mm REGEX-Bone Screw Self-Tapping Variable Angled Length 6-50mm - ,VERTAUX - Polyaxial Reduction Pedicle Screw with Cap - (dia 4.5mm x Length 20-70mm) ,VERTAUX - Polyaxial Reduction Pedicle Screw with Cap - (dia 5.0mm x Length 20-70mm) ,VERTAUX - Polyaxial Reduction Pedicle Screw with Cap - (dia 5.5mm x Length 20-70mm) ,VERTAUX - Polyaxial Reduction Pedicle Screw with Cap - (dia 6.0mm x Length 20-70mm) ,130° Pre-contoured Occiput Plate Left & Right - ,100° Occiput Plate (All Variants) - ,100° Pre-contoured Occiput Plate - ,Left & Right - ,Occipital Pre-Bent Rods - (3.5/4.0mm ,Length 100-250mm) - ,Straight Rods Pre-Cut - (dia 3.5mm , Bone Screws for Occiput Plates - (dia 3.5/4.0/4.5mm ,Length 6-20mm) - ,Transverse Connector for Occiput Plates - (Length 40-150mm) ,AUX Mesh Cage - (Ø25mm x Length 6-100mm) ,Medial/Lateral - ,Occipital Connector Straight Top-LoadingAngled - (dia 3.5/4.0mm) ,Set Screw (All Variants) - ,Connector Top-Loading - (dia 3.5/4.0mm , 110°),Occipital Plates for - (dia 3.5/4.0mm Rods ,Occiput Rod - (dia 3.5/4.0mm ,Length 230mm) - ,70°/80° /90°/100°/110°/120°/130° Rods - (dia 3.5/4.0mm ,Length 230mm) - ,VERTAUX - Pedicle Screw Cap M9 - (NA) ,APEX-Anterior Cervical Plate - (Length 20-100mm) ,Length 10-20mm) - ,Length 4-100mm - ,VERTAUX - Monoaxial Reduction Pedicle Screw with Cap - (dia 6.5mm x Length 20-70mm) ,VERTAUX - Occipital Inner Screw Cap(M6) - ,VERTAUX - Occipital Pre Bent Rod - (dia 3.2mm) ,VERTAUX - Occipital Laminar Hook Small & Large - ,VERTAUX - Occipital Straight Rod - (dia 3.2 × Length 50-500mm) ,Locking screw for Occipital Plates (All Variants) - (NA) ,OSTEOBONE Multiaxial Pedicle Fenestrated Dual Thread Screw - (dia 4.5 mm X Length 10-100mm) ,OSTEOBONE Multiaxial Pedicle Fenestrated Dual Thread Screw - (dia 5.5mm X Length 10-100mm) ,OSTEOBONE Multiaxial Pedicle Fenestrated Dual Thread Screw - (dia 6.5mm X Length 10-100mm) ,APEX-4.0mm Cancellous Screw Self-Drilling (Hex Head) - (Length 6-60mm) ,Length 10-30mm) - ,Cervical Cage (ACDF) - ,Length 10-60mm) - ,Smooth Shank Biased Angle Screws - (dia 3.5mm ,Length 10-60mm) - ,PALLAS-Low Profile Anterior Cervical Fusion Device Convex - ,Standard - (2-20mm) ,PALLAS-Low Profile Anterior Cervical Fusion Device Convex - ,Large - (2-20mm) ,PALLAS-Low Profile Anterior Cervical Fusion Device Lordotic Standard - (2-20mm) ,PALLAS-Low Profile Anterior Cervical Fusion Device Lordotic Large - (2-20mm) ,Standard Rings - (17×22 mm/22×28 mm/26×33 mm) , - (dia 3.5/4.0/4.5mm ,Length 10-60mm) - ,Standard/Standard Short/Standard Tall/Offset Right/Offset Left - (dia 3.5/5.0/6.5/8.0mm) ,Rods - (dia 3.5mmLength 20-500) , Occipital Clamps for - (dia 3.5/4/0mm Rods 1-5 Holes) ,130° Occiput Plate (All Variants) - , Hook - ,AUX Mesh Cage - (Ø28mm x Length 6-100mm) ,Mesh Cage - (dia 8-30 ,Length 6-100mm) - ,Length 20-60mm) - ,Corpectomy Device - ,dia 10-15mm - ,End Rings - ,Non-Biased Angle Polyaxial Screws - ,dia 10-15mm - ,Angle - 0°-2.5° - ,End Rings - ,round - ,with Locking Screw - dia 10-15mm ,Angle - 0°-2.5° - ,Corpectomy Device - (17 × 22 mm/22 × 28 mm/26 × 33 mm ,Length 4-100mm) - ,Anterolateral End Rings - (17×22 mm/26×33 mm/22×28 mm ,Angle - 0°-5°) - ,Lateral or Anterior End Rings - (17×22 mm/26×33 mm/22×28 mm , Angle - 0°-5°),Anterolateral End Rings with Locking Screw - (17×22 mm/26×33 mm/22×28 mm , Angle - 0°-5°) ,VERTAUX - Monoaxial Pedicle Screw with Cap - (dia 7.0mm x Length 20-70mm) ,VERTAUX - Monoaxial Reduction Pedicle Screw with Cap - (dia 4.5mm x Length 20-70mm) ,VERTAUX - Occipital Screw - (dia 4.5mm x Length 6-50mm) ,Smooth Shank Polyaxial Pedicle Screws - (dia 3.5/4.0mm ,Smooth Shank

Polyaxial Screws-Rod 4.0mm - (dia 3.5/4.0mm ,Length 20-60mm),Curved Rods Pre-Cut - (dia 3.5mm,Length 20-100mm),Small/Large - , - (Length 3.5mm to 5.5mm) ,Occipital Screws - (dia 4.5/5.0/5.3mm ,Length 4-20mm) - ,Medial Biased Angle Screws - (dia 3.5/4.0mm , Length 10-60mm) - ,Anter Cervical Plate Level 1/2/3/4 - (Length 6-60mm) ,dia 3.5/4.0/4.5mm Cancellous Screw Self-Tapping (Cross Head)/(Hex Head) - (Length 6-60mm) ,Cervical Spine Locking Plate Level 1/2/3/4 - (Length 20-120mm) ,Cervical Spine Locking Plate Narrow Level 1/2/3/4 - (Length 20-120mm) ,Cervical Spine Expansion Head Screw Self-Tapping - (dia 4.0/4.35 ,Locking Screw dia 1.8mm (All Variants) - (NA) ,VERTAUX - Monoaxial Reduction Pedicle Screw with Cap - (dia 5.5mm x Length 20-70mm) ,VERTAUX - Monoaxial Reduction Pedicle Screw with Cap - (dia 6.0mm x Length 20-70mm) ,VERTAUX - Monoaxial Reduction Pedicle Screw with Cap - (dia 6.5mm x Length 20-70mm) ,VERTAUX - Polyaxial Pedicle Screw with Cap - (dia 4.5mm x Length 20-70mm) ,VERTAUX - Polyaxial Pedicle Screw with Cap - (dia 5.0mm x Length 20-70mm) ,VERTAUX - Polyaxial Pedicle Screw with Cap - (dia 5.5mm x Length 20-70mm) ,VERTAUX - Polyaxial Pedicle Screw with Cap - (dia 6.0mm x Length 20-70mm) ,VERTAUX - Polyaxial Pedicle Screw with Cap - (dia 6.5mm x Length 20-70mm) ,VERTAUX - Polyaxial Pedicle Screw with Cap - (dia 7.0mm x Length 20-70mm) ,VERTAUX - Polyaxial Reduction Pedicle Screw with Cap - (dia 4.5mm x Length 20-70mm) , VERTAUX - Polyaxial Reduction Pedicle Screw with Cap - (dia 5.0mm x Length 20-70mm) , Laminar Hook - (Wide 3.0-12mm , Width 50-60mm),VERTAUX - Polyaxial Reduction Pedicle Screw with Cap - (dia 5.5mm x Length 20-70mm) ,VERTAUX - Polyaxial Reduction Pedicle Screw with Cap - (dia 6.0mm x Length 20-70mm) ,VERTAUX - Polyaxial Reduction Pedicle Screw with Cap - (dia 6.5mm x Length 20-70mm) ,VERTAUX - Polyaxial Reduction Pedicle Screw with Cap - (dia 7.0mm x Length 20-70mm) ,VERTAUX - Cross Link- I - (Length 30-80mm) ,VERTAUX - Cross Link- II - (Length 30-150mm) ,Vertaux Crosslink Connector Type- III - (30-100mm) ,VERTAUX - Rod - (dia 5.5mm x Length 30-1000mm) ,Pedicle Hook Standard & Downsized - (NA) ,Laminar Hook - (Narrow 3.0-12.0mm) ,Laminar Hook Angled Right & Left - (NA) ,VERTAUX - Multiaxial Iliac Screw with Cap - (dia 5.5mm x Length 65-150mm) ,VERTAUX - Multiaxial Iliac Screw with Cap - (dia 6.5mm x Length 65-150mm) , VERTAUX - Multiaxial Iliac Screw with Cap - (Ø7.0mm x Length 65-150mm) ,VERTAUX - Multiaxial Iliac Screw Offset Connector - (NA) ,VERTAUX - Multiaxial Iliac Screw Offset Connector Nut - (NA) ,VERTAUX - Monoaxial Pedicle Screw with Cap - (dia 4.5mm x Length 20-70mm) ,Aura Cage (TLIF) - (5-20mm x 8-20mm x 20-40mm) ,Aura Cage (TLIF) - (5-20mm x 8-20mm x 20-40mm) ,TLIF Cage (All Variants) - ,Lumbar Cage (PLIF) - (4-25mm x 8-20mm x 10-30mm) ,Lumbar Cage (PLIF) - (4-25mm x 8-20mm x 10-30mm) ,Lumbar Cage (PLIF) - (4-25mm x 8-20mm x 10-30mm) ,Lumbar Cage (PLIF) - (4-25mm x 8-20mm x 10-30mm) , PLIF Cage (All Variants) - ,Fusion Cage width 8/9/10/11 - (Length 9/10/11/12/13/14/15mm) ,Lumbar Interbody Fusion Cage (All Variants) - ,T- Mesh Cage - (dia 9mm x Length 10-60mm) ,T- Mesh Cage - (dia 10mm x Length 6-100mm) ,T- Mesh Cage - (dia 12mm x Length 6-100mm) ,T- Mesh Cage - (Ø14mm x Length 6-100mm) ,T- Mesh Cage - (Ø16mm x Length 6-100mm) ,T- Mesh Cage - (Ø18mm x Length 6-100mm) ,T- Mesh Cage - (Ø20mm x Length 6-100mm) ,T- Mesh Cage - (Ø22mm x Length 6-100mm) ,T- Mesh Cage - (Ø24mm x Length 6-100mm) ,T- Mesh Cage - (Ø25mm x Length 6-100mm) ,T- Mesh Cage - (Ø28mm x Length 6-100mm) ,AUX Mesh Cage - (Ø10mm x Length 6-100mm) ,AUX Mesh Cage - (Ø12mm x Length 6-100mm) ,AUX Mesh Cage - (Ø14mm x Length 6-100mm) ,Rod-to-Rod Connectors - ,AUX Mesh Cage - (Ø16mm x Length 6-100mm) ,AUX Mesh Cage - (Ø18mm x Length 6-100mm) ,AUX Mesh Cage - (Ø20mm x Length 6-100mm) ,AUX Mesh Cage - (Ø22mm x Length 6-100mm) ,VERTAUX - Polyaxial Pedicle Screw with Cap - (dia 7.0mm x Length 20-70mm) ,VERTAUX - Monoaxial Reduction Pedicle Screw with Cap - (dia 5.0mm x Length 20-70mm) ,VERTAUX - Monoaxial Reduction Pedicle Screw with Cap - (dia 5.5mm x Length 20-70mm) ,VERTAUX - Monoaxial Reduction Pedicle Screw with Cap - (dia 6.0mm x Length 20-70mm) ,Xtension - (dia 16-30mm) ,X cap - (dia 16-30mm ,0°-20°) - ,Expandable Corpectomy Cage (All Variants) - (NA) ,Locking Clip for Expandable Corpectomy Cage (All Variants) - (NA) ,Anterior Cervical Corpectomy Cage (All Variants) - (NA) ,Posterior Cervical Corpectomy Cage (All Variants) - (NA) ,Thoraco-Lumbar Vertebral Corpectomy Prosthesis (All Variants) - (NA) ,VERTAUX - Occipital Crosslink - (Length 20-100mm) ,VERTAUX - Occipital Lateral Offset Connector - (dia 3.2mm x Length 10-50mm) ,VERTAUX - Occipital Plate - (Length 30-50mm) ,VERTAUX - Occipital Pre Bent Rod for Plate - (dia 3.2 x Length 100-200mm) ,VERTAUX - Occipital Screw - (dia 4.0mm x Length 6-50mm) ,VERTAUX - Monoaxial Pedicle Screw with Cap - (dia 6.5mm x Length 20-70mm) ,VERTAUX - Monoaxial Pedicle Screw with Cap - (dia 7.0mm x Length 20-70mm) ,VERTAUX - Monoaxial Reduction Pedicle Screw with Cap - (dia 4.5mm x Length 20-70mm) ,Biased Angle Screws - (dia 3.5/4.0mm ,VERTAUX - Monoaxial Reduction Pedicle Screw with Cap - (dia 5.0mm x Length 20-70mm) ,VERTAUX - Monoaxial Reduction Pedicle Screw with Cap - (dia 7.0mm x Length 20-70mm) ,Length 10-50mm) - ,Locking Screw M2/M3 for dia 10-15 end rings - ,Harms Cage (All Variants) - ,APEX-3.5mm Cancellous Screw Self-Tapping - (Length 6-60mm) ,APEX-4.0mm Cancellous Screw Self-Tapping(Cross Head) - (Length 6-60mm) ,APEX-3.5mm Cancellous Screw Self-Drilling (Cross Head) - (Length 6-60mm) ,APEX-4.0mm Cancellous Screw Self-Drilling (Cross Head) - ,Length 6-60mm - (Length 6-60mm) ,APEX-3.5mm

	Cancellous Screw Self-Tapping (Hex Head) - (Length 6-60mm) ,APEX-4.0mm Cancellous Screw Self-Tapping(Hex Head) - (Length 6-60mm) ,APEX-3.5mm Cancellous Screw Self-Drilling (Hex Head) - (Length 6-60mm) ,Cortical Pedicle Fenestrated Screw - (dia 5.5mm , Length 10-100mm) - ,Fenestration (5/6/7/8/9/10mm) - ,VERTAUX - Occipital Polyaxial Pedicle Screw - (dia 3.5mm x Length 6-100mm) ,VERTAUX - Occipital Polyaxial Pedicle Screw - (dia 4.0mm x Length 6-100mm) ,VERTAUX - Occipital Polyaxial Pedicle Screw Partial Thread - (dia 3.5mm x Length 6-100mm) ,VERTAUX - Occipital Polyaxial Pedicle Screw Partial Thread - (dia 4.0mm x Length 10-100mm) ,Cervical Arthrodesis Plate Level 1/2/3/4 - (Length 20-120mm) ,Cervical Arthrodesis Plate Anterior Level 1/2/3/4 - (Length 20-120mm) ,Cancellous Biased Angle Screws - (dia 3.5/4.0mm ,2-20mm x 8-20mm x 10-20mm - , Titanium - ,Cervical Cage (All Variants) - ,Cervical Interbody Fusion Cage(All Variants) - , Cervical Bladed Intervertebral Fusion Cage (All Variants) - ,Cervical Bladed Polar Peek Cage (All Variants) - ,3.0mm Titanium Cervical Spine Locking Screw - (Length 8-20mm) , Integrated Intervertebral Device (All Variants) - ,Cervical Interbody Fusion Cage (All Variants) - ,Zero-Profile Cervical Cage Convex/Lordotic/Parallel (All Variants) - (Length 4-20mm) ,Low Profile Anterior Cervical Fusion Device (All Variants) - ,Xpendriv Cage - (dia 16-30mm x 15-40mm) ,Vertaux Basco Polyaxial Screw - (Ø6.5 x 25mm to 55mm) ,Vertaux Basco Polyaxial Screw - (Ø7.0x 25mm to 55mm) ,Vertaux Basico Polyaxial Screw Poly Head - (NA) ,3.5mm to 4.5/5.5/6.0mm Transition Rod - ,Round - ,Saddle Connector (All Variants) - ,Blocker (All Variants) - ,REGEX-Anterior Cervical Plate - (Level-I ,REGEX-Anterior Cervical Plate - (Level-II Length 26-50mm),REGEX-Anterior Cervical Plate - (Level-III Length 40-75mm),REGEX-Anterior Cervical Plate - (Level-IV Length 60-90mm),4.0mm REGEX-Bone Screw Self-Drilling Variable Angled - (Length 6-50mm) ,4.0mm REGEX-Bone Screw Self-Drilling Fixed Angled - (Length 6-50mm) ,4.5mm REGEX-Bone Screw Self-Drilling Variable Angled - (Length 6-50mm) ,4.5mm REGEX-Bone Screw Self-Drilling Fixed Angled - (Length 6-50mm) ,Integrated Intervertebral Device (All Variants) - (NA) ,Cervical Interbody Fusion Cage (All Variants) - (NA) ,Zero-Profile Cervical Cage - ,Convex/Lordotic/Parallel Length 4-20mm (All Variants) - (NA) ,Low Profile Anterior Cervical Fusion Device (All Variants) - (NA) , Cross Connector Plate - (Length 20-60mm) ,3.5mm to 3.5/4.5/5.5/6.0mm Parallel Rod-to-Rod Connector - ,3.5mm to 3.5/4.5/5.5/6.0mm Axial Connector - ,Vertaux Basico Polyaxial Screw with Cap - (Ø4.5 x 25 to 55mm) ,Vertaux Basico Polyaxial Screw with Cap - (Ø5.0 x 25 to 55mm) ,Vertaux Basico Polyaxial Screw with Cap - (Ø5.5 x 25 to 55mm) ,Vertaux Basico Polyaxial Screw with Cap - (Ø6.0 x 25 to 55mm) ,Vertaux Basico Polyaxial Screw with Cap - (Ø6.5 x 25 to 55mm) ,Vertaux Basico Polyaxial Screw with Cap - (Ø7.0 x 25 to 55mm) , Vertaux Basico Polyaxial Screw Rod - (Length 400mm) ,Vertaux Basico Polyaxial Screw - (Ø4.5 x 25 to 55mm) ,Vertaux Basico Polyaxial Screw - (Ø5.0 x 25 to 55mm) ,Vertaux Basco Polyaxial Screw - (Ø5.5 x 25mm to 55mm) ,Vertaux Basco Polyaxial Screw - (Ø6.0 x 25mm to 55mm) ,PALLAS-Low Profile Anterior Cervical Fusion Device Parallel Standard 2-20mm - (2-20mm) ,PALLAS-Low Profile Anterior Cervical Fusion Device Parallel Large 2-20mm - (2-20mm) ,Length 50-150mm) - ,Cross Connectors for Polyaxial Pedicle Screws - ,Occipital Plate - (Size 40-50mm) ,Offset Connectors - (Length 10-50mm) ,Low Profile Anterior Cervical Fusion Device (All Variants) - (NA) ,Zero-Profile Cervical Cage - , Convex/Lordotic/Parallel(All Variants) - (Length 4-20mm) ,Cervical Interbody Fusion Cage (All Variants) - (NA) ,Integrated Intervertebral Device (All Variants) - (NA) ,PALLAS-Low Profile Anterior Cervical Fusion Device Parallel Large - (2-20mm) ,PALLAS-Low Profile Anterior Cervical Fusion Device Parallel Standard - (2-20mm) ,PALLAS-Low Profile Anterior Cervical Fusion Device Lordotic Large - (2-20mm) ,PALLAS-Low Profile Anterior Cervical Fusion Device Lordotic Standard - (NA) ,PALLAS-Low Profile Anterior Cervical Fusion Device Convex Large - (NA) ,PALLAS-Low Profile Anterior Cervical Fusion Device Convex Standard - (NA) ,Midline Occiput Plate - ,Small/Medium/Large/Large Long/Mini -
--	--

1. Generic Name :Spinal Implant
2. Brand Name :NIL
3. Notified Category :Orthopaedic Implants
4. Class of Medical Device :Class C
5. Shelf life :5 Years
6. Sterile/Non-Sterile:Non-Sterilized
7. Intended Use :Spinal Implants used to facilitate fusion, correct deformities, and stabilize and strengthen the spine.
8. Material of Construction: Peek as per ASTM F2026-17
9. Dimension: Various Dimension Spine Implants are manufactured
10. Model/Catalogue No./Name :Xtension - (dia 16-30mm) ,Aura Cage (TLIF) - (5-20mm x 8-20mm x 20-40mm) ,Aura Cage (TLIF) - (5-20mm x 8-20mm x 20-40mm) ,TLIF Cage (All Variants) - (NA) ,PLIF Cage (All Variants) - (NA) ,Lumbar Cage (PLIF) - (4-25mm x 8-10mm x 10-30mm) ,Lumbar Cage (PLIF) - (4-25mm x 8-10mm x 10-30mm) ,Lumbar Cage (PLIF) - (4-25mm x 8-10mm x 10-30mm) ,Lumbar Cage (PLIF) - (4-25mm x 8-20mm x 10-30mm) , Fusion Cage width 8/9/10/11 - (Length 9/10/11/12/13/14/15mm) ,Cervical Cage (ACDF) - (2-20mm x 8-20mm x 10-20mm) ,Cervical Cage (All Variants) - ,Cervical Interbody Fusion Cage (All Variants) - ,KNIFE-Cervical Bladed Cage - (4-20mm x 12-18mm x 12-18mm) , Expandable Bladed Cervical Cage (All Variants) - (4-20mm x 16mm x 13mm) ,Cervical Bladed Cage (All Variants) - ,Cervical Bladed Polar Peek Cage (All Variants) - ,Cervical Bladed Intervertebral Fusion Cage (All Variants) - ,ACIF Expandable Bladed Cage (All Variants) - ,PALLAS-Low Profile Anterior Cervical Fusion Device Convex Standard - (2-20mm) ,PALLAS-Low Profile Anterior Cervical Fusion Device Convex Large - (2-20mm) , PALLAS-Low Profile Anterior Cervical Fusion Device Lordotic Standard - (2-20mm) ,PALLAS-Low Profile Anterior Cervical Fusion Device Lordotic Large - (2-20mm) ,PALLAS-Low Profile Anterior Cervical Fusion Device Parallel Standard - (2-20mm) ,PALLAS-Low Profile Anterior Cervical Fusion Device Parallel Large - (2-20mm) ,Integrated Intervertebral Device (All Variants) - ,Cervical Interbody Fusion Cage (All Variants) - ,Zero-Profile Cervical Cage Convex/Lordotic/Parallel (All Variants) - (Length 4-20mm) ,Low Profile Anterior Cervical Fusion Device (All Variants) - ,Xpendriv Cage - (dia 16-30mm x 15-40mm) ,T- Mesh Cage - dia 9mm x Length 10-60mm,X cap - (dia 16-30mm, 0°-20°),Expandable Corpectomy Cage (All Variants) - (NA) ,Locking Clip for Expandable Corpectomy Cage (All Variants) - (NA) , Anterior Cervical Corpectomy Cage (All Variants) - (NA) ,Posterior Cervical Corpectomy Cage (All Variants) - (NA) ,Thoraco-Lumbar Vertebral Corpectomy Prosthesis (All Variants) - (NA) ,Lumbar Interbody Fusion Cage (All Variants) - (NA) ,T- Mesh Cage - dia 10mm x Length 6-100mm,T- Mesh Cage - dia 12mm x Length 6-100mm,T- Mesh Cage - Ø14mm x Length 6-100mm,T- Mesh Cage - Ø16mm x Length 6-100mm,T- Mesh Cage - Ø18mm x Length 6-100mm,T- Mesh Cage - Ø20mm x Length 6-100mm,T- Mesh Cage - Ø22mm x Length 6-100mm,T- Mesh Cage - (Ø24mm x Length 6-100mm),T- Mesh Cage - (Ø25mm x Length 6-100mm),T- Mesh Cage - Ø28mm x Length 6-100mm,AUX Mesh Cage - (Ø10mm x Length 6-100mm),AUX Mesh Cage - Ø12mm x Length 6-100mm,AUX Mesh Cage - Ø14mm x Length 6-100mm,AUX Mesh Cage - Ø16mm x Length 6-100mm,AUX Mesh Cage - Ø18mm x Length 6-100mm,AUX Mesh Cage - (Ø20mm x Length 6-100mm),AUX Mesh Cage(Ø22mm x Length 6-100mm) - ,AUX Mesh Cage - (Ø25mm x Length 6-100mm),AUX Mesh Cage - (Ø28mm x Length 6-100mm),Mesh Cage - dia 8-30, Length 6-100mm ,Corpectomy Device, - dia 10-15mm, Length 4-100mm ,End Rings, Round, dia 10-15mm, Angle - 0°-2.5° - ,End Rings, round, with Locking Screw, - dia 10-15mm, Angle - 0°-2.5° ,Corpectomy Device, - 17 × 22 mm/22 × 28 mm/26 × 33 mm, Length 4-100mm ,Anterolateral End Rings - 17×22 mm/26×33 mm/22×28 mm, Angle - 0°-5° ,Lateral or Anterior End Rings - 17×22 mm/26×33 mm/22×28 mm, Angle - 0°-5° ,Anterolateral End Rings with Locking Screw, - 17×22 mm/26×33 mm/22×28 mm, Angle - 0°-5° ,Lateral or Anterior End Rings with Locking Screw, - 17×22 mm/26×33 mm/22×28 mm, Angle - 0°-5° ,Standard Ring - 17×22 mm/22×28 mm/26×33 mm ,Locking Screw M2/M3 for dia 10-15 end rings - ,Harms Cage (All Variants) - (NA)

1. Generic Name :Bone Plates

2. Brand Name :NIL

3. Notified Category :Orthopaedic Implants

4. Class of Medical Device :Class C

5. Shelf life :NA

6. Sterile/Non-Sterile:Non-Sterilized

7. Intended Use :The bone plates are intended for treating fractures of various bones including the clavicle, pelvis, scapula, long bone (humerus, ulna, radius, femur, tibia and fibula), and small bone (metacarpals, metatarsals, phalanges).

8. Material of Construction: Titanium (ISO-5832-3)

9. Dimension: Various Dimension Bone plates implants are available.

10. Model/Catalogue No./Name :2.4mm Variable Angle Two-Column Volar Distal Radius Plate Standard 6 Head Holes Width 22mm Left & Right - (2-20 Shaft Holes) ,2.4mm Variable Angle Two-Column Volar Distal Radius Plate Narrow 6 Head Holes Width 19.5mm Left & Right - (2-20 Shaft Holes) ,2.0mm Varixis T-Plate 3 Head Holes - (2-10 Shaft Holes) , 2.0mm Varixis Y-Plate 3 Head Holes - (2-10 Shaft Holes) ,4.5/5.0mm Wise-Lock Proximal Lateral Tibia Plate Left & Right - (3-25 Holes) ,2.4/2.7mm Varixis Straight Fusion Plate - (2-6 Holes) ,2.4/2.7mm Opening Wedge Plate - (2-10 Holes) ,2.4/2.7mm Varixis Navicular Plate - (NA) ,2.4mm Variable Angle Two-Column Volar Distal Radius PlateWide 7 Head Holes Width 25.5mm Left & Right - (2-20 Shaft Holes) ,2.4mm Varixis Distal Radius Volar Plate Extra-articular(5 Head Holes) Left & Right - (2-8 Shaft Holes) ,2.4/2.7mm Varixis T-Fusion Plate - (ShortLength 35mm/StandardLength 42mm/LongLength 61mm ,2.4mm Varixis Distal Radius Volar Plate Extra-articular (4 Head Holes) Left & Right - (2-8 Shaft Holes) ,3.5mm Spring Plate - (2-10 Holes) ,2.4mm Varixis Extra Articular Distal Radius Plate 4-5 Head Holes /3-5 Shaft Holes Left & Right - ,2.4mm Varixis Dorsal Distal Radius Plate Radial Column 5-6 Shaft Holes - ,2.4mm Varixis Dorsal Distal Radius Plate Intermediate Column 3-4 Shaft Holes - ,2.7/3.5mm Varixis Dorsolateral Distal Humerus Plate with Lateral Support Left & Right - (2-20 Holes) ,2.7/3.5mm Varixis Proximal Olecranon Plate Left & Right - (2-6 Holes) ,2.7/3.5mm Varixis Olecranon Plate Left & Right - (2-20 Holes) ,2.7/3.5mm Varixis Extra Articular Proximal Ulna Plate Left & Right - (2-20 Holes) ,Varixis Distal Posterolateral Humeral Plate Left & Right - (3-15 Holes) ,Varixis Distal Medial Humeral Plate Left & Right - (3-15 Holes) ,0.8mm Wise-Lock Low Profile T-Plate - (2-20 Holes) ,Varixis Distal Medial Humeral Plate Short Left & Right - (3-15 Holes) ,Varixis Distal Lateral Humeral Plate Left & Right - (3-15 Holes) ,Varixis Distal Medial Humeral Plate Short Left & Right - (3-15 Holes) , Varixis Proximal Ulna Locking Plate Left & Right - (3-15 Holes) ,2.7/3.5mm Varixis Anteromedial Distal Tibia Plate Left & Right - (2-20 Holes) ,2.4mm Varixis Dorsal Distal Radius T-Plate 3 Head Holes 3-5 Shaft Holes - ,2.4mm Varixis Dorsal Distal Radius L-Plate 2-3 Head Holes 3-5 Shaft Holes - ,2.4mm Varixis Dorsal Distal Radius L-Plate Oblique 3 Head Holes 3-5 Shaft Holes - ,2.7/3.5mm Varixis Medial Distal Humerus Plate Left & Right - (1-20 Holes) ,2.7/3.5mm Varixis Extended Medial Distal Humerus Plate Left & Right - (1-20 Holes) ,2.7/3.5mm Varixis Lateral Distal Humerus PlateLeft & Right - (1-20 Holes) ,2.7/3.5mm Varixis Dorsolateral Distal Humerus Plate Left & Right - (2-20 Holes) ,2.7mm Varixis Distal Tibia L-Plate Left & Right - (2-10 Holes) ,2.7mm Varixis Distal Tibia T-Plate - (2-10 Holes) ,2.7mm Varixis Lateral Distal Fibula Plate Left & Right - (2-20 Holes) ,2.7/3.5mm Varixis Anterolateral Distal Tibia Plate Left & Right - (2-20 Holes) ,2.7/3.5mm Varixis Ankle Plate Left & Right - (2-20 Holes) ,2.4/2.7mm Varixis First MTP Fusion Plate Small Left & Right - (Length 42mm ,2.4/2.7mm Varixis TMT Fusion Plate 43 mm - ,2.4/2.7mm Varixis Cuboid Plate Left & Right - ,2.4/2.7mm Varixis Cloverleaf Fusion Plate - (Short Length 38mm/StandardLength 45mm/LongLength 64mm,92mm) - ,2.4/2.7mm Varixis L-Fusion Plate Left & Right - (ShortLength 37mm/ StandardLength 44mm/LongLength 62mm) ,Extra Small/Small/Large/Medium - ,3.5mm Wise-Lock Calcaneal Plate Type-I Left & Right - (2-10 Holes) ,3.5mm Wise-Lock Calcaneal Plate Type-II Small/Medium Left & Right - (2-10 Holes) , 3.5mm Wise-Lock Calcaneal Plate Type-III Left & Right - (2-10 Holes) ,3.5mm Wise-Lock Calcaneal Plate Type-IV Small/Medium/Large Left & Right - (2-10 Holes) ,3.5mm Wise-Lock Calcaneal Plate Type-V Small/Large Left & Right - (10-20 Holes) ,3.5mm Wise-Lock Small Dynamic Compression Plate with LC under cuts - 2-20 Holes ,3.5mm Wise-Lock One Third Tubular Plate - (2-20 Holes) ,5.0mm Wise-Lock Cable Prosthesis and Revision Femur PlateLeft & Right - (1-20 Holes) ,Curved Femur Shaft Plates - (6-20 Holes) ,1.5mm Wise-Lock Plate Straight - (2-10 Holes) ,4.5mm Distal Tibia Lateral Plate - (2-15 Holes) ,5.0mm Wise-Lock Cable Straight Plate - (2-2- Holes) ,Periprosthetic Proximal Femur Plates Left & Right - (3-25 Holes) ,Wise-Lock Puddu Plate - (2-20 Holes) ,3.5mm Wise-Lock Reconstruction Plate - (2-30 Holes) ,1.5mm Wise-Lock Adaption Plate Straight - (2-20 Holes) ,1.5mm Wise-Lock Adaption T-Plate (2-6 Head Holes) - (6-20 Holes) ,Medial Column Fusion Plate Small/Medium & Large Left & Right - ,2.0mm Straight Plate Type-II - (2 HolesSpace 8.0mm-12.0mm0.8mm-1.0 Thickness) ,1.5mm Wise-Lock Adaption Y-Plate (2-6 Head Holes) - (2-12 Holes) ,2.0mm Wise-Lock PlateStraight - (2-15 Holes) ,2.0mm Adaption Plate Straight - (6-20 Holes) ,2.0mm Wise-Lock Adaption Plate Straight - (6-20 Holes) ,1.5 mm Varixis Phalangeal Base Plate 2 Head Holes - (2-10 Shaft Holes) ,2.7/3.5mm Varixis

Medial Distal Tibia Plate Left & Right - (2-20 Holes) ,2.0mm Wise-Lock Y-Adaption Plate(2-6 Head Holes) - (2-12 Holes) ,2.0mm Wise-Lock T-Adaption Plate (2-6 Head Holes) - (2-12 Holes) ,2.0mm Wise-Lock Mini Condylar Plate Left & Right - (2-12 Holes) ,2.0mm Wise-Lock Mini H-Plate - (2-12 Holes) ,2.4/2.7mm Varixis First MTP Fusion Plate LargeLeft & Right - (Length 57mm ,2.0mm Wise-Lock Condylar Plate(2-6 Head Holes) - (2-12 Holes) ,2.4mm Wise-Lock Condylar Plate (2-6 Head Holes) - (2-12 Holes) ,2.4mm Wise-Lock T-Adaption Plate(2-6 Head Holes) - (2-12 Holes) ,2.4mm Wise-Lock T-Plate (2-6 Head Holes) - (2-12 Holes) ,2.4mm Wise-Lock Y-Adaption Plate(2-6 Head Holes) - (2-12 Holes) ,2.4/2.7mm Varixis First MTP Fusion Plate Revision Left & Right - (Length 53mm,0°),2.7mm Wise-Lock Condylar Plate(2-6 Head Holes) - (2-12 Holes) ,2.7mm Wise-Lock T-Plate(2-6 Head Holes) - (2-12 Holes) ,2.0mm Wise-Lock Rotation Correction Plate (2-6 Head Holes) - (2-12 Holes) ,2.0mm Wise-Lock T-Plate(2-6 Head Holes) - (2-12 Holes) ,2.4mm Wise-Lock Adaption Plate Straight - (6-20 Holes) ,1.3mm Wise-Lock T-Plate3 Head Holes/2-10 Shaft Holes - ,2.7mm Wise-Lock L-Plate Oblique (2-6 Head Holes) Left & Right - (2-12 Holes) ,1.5mm Varixis Y-Plate 3 Head Holes - (2-10 Shaft Holes) ,2.7mm Wise-Lock Straight Plate - (2-12 Holes) ,2.4/2.7mm Wise-Lock X-Plate - (2-8 Holes) ,Wise-Lock Metatarsal Plates - (2-12 Holes) ,Dorsal Midfoot Fusion Plates - (2-12 Holes) ,Midfoot Fusion Plate Small & Large - ,140 degree Wise-Lock DHS Plate - (1-30 Holes) ,Locking Calcaneus Plate Small/ Medium & Large Left & Right - ,1.5mm Wise-Lock Strut Plate Left & Right - (2-12 Holes) ,2.0mm Straight Plate with Bridge Type IV - (4,6 Holes Space 9.0mm-12.0,0.8mm-1.0 Thickness),2.0mm Orbital Plate with Bridge Type-I - (46 Holes Space 8.0mm-15.0,0.8mm-1.0 Thickness),2.0mm Orbital Plate with Bridge Type-II - (5 HolesSpace 7.5mm,0.8mm-1.0 Thickness),2.0mm Orbital Plate - (Space 6.0mm to 12.0mm,0.8mm-1.0 Thickness),2.0mm Locking Rectangular Grill Plate Type-II - (2 x 3 to 6 Holes) ,2.4mm Locking Round Holes Mandible Reconstruction Plate Angled Left & Right - (5+10, 5+15,5 +20 Holes,2.0mm Thickness),2.4mm Locking Round Holes Mandible Reconstruction Plate Straight - (12 ,15,17,20 Holes,2.0mm Thickness),2.4mm Locking Two-Way Compression Mandible Reconstruction Plate Angled Left & Right - (5+10, 5+15,5 +20 Holes,2.0mm Thickness),2.4mm Mandible Reconstruction Plate Double Angled - (5+25+5 Holes,2.0mm Thickness),2.4mm Locking Round Holes Mandible Reconstruction Plate Double Angled - (5+25+5 Holes,2.0mm Thickness),2.4mm Locking Two-Way Compression Mandible Reconstruction Plate Double Angled - (5+25+5 Holes,2.0mm Thickness),1.0mm Double Y Plate -6 Holes - (NA) ,1.5mm Continous Orbital Plate - (6 ,8,10 holes),1.5mm T-Plate Long Oblique left &Right - 2+4 Holes ,1.5mm T-Plate Oblique left &Right - 3+3 Holes , 1.5mm Z-Plate left &Right - (Space 9.0mm-13.0mm) ,1.5mm Square Plate - (2 x 2 to 3 Holes) ,4.5/5.0mm Wise-Lock "T" Plate - (2-20 Holes) ,3.5mm Pubic Symphysis Plate - (2-10 Holes) ,150 degree Wise-Lock DHS Plate - (1-22 Holes) ,Wise-Lock Ankle Arthodesis Plate - holes(4-20) ,3.5mm Wise-Lock Hook Plate - (2-10 Holes) ,1.5mm Varixis Rotation Correction Plate - (2-10 Holes) ,1.5mm Varixis Fracture Plate - (2-10 Holes) ,1.5mm Varixis Metacarpal Neck Plate - (2-12 Holes) ,2.0mm Varixis Straight Plate - (2-12 Holes) ,4.5/5.0mm Wise-Lock Proximal Femur Plate Left & Right - (2-20 Holes) ,4.5/5.0mm Wise-Lock Proximal Femur Hook Plate - (2-20 Holes) ,2.4/2.7mm Varixis X-Fusion Plate - (Extra SmallLength 24mm/SmallLength 27mm/Medium Length 32mm/Large Length 36mm) ,2.4/2.7mm Varixis Straight Fusion Plate - (2+2 Holes,2+4 Holes),2.4/2.7mm Varixis Mesh Plate - (5 x 12 holes) ,2.0mm Varixis Condylar Plate 2 Head Holes - (2-10 Shaft Holes) ,2.4mm Wise-Lock Distal Radius Dorsal Plate Straight - (2-10 Holes) ,2.4mm Wise-Lock "T" Distal Radius Dorsal Plate (3 Head Holes) - (2-10 Holes) ,2.4mm Wise-Lock "L" Distal Radius Dorsal Plate (2 Head Holes) Left & Right - (2-10 Holes) ,2.4mm Wise-Lock "L" Distal Radius Dorsal Plate(3 Head Holes) Left & Right - (2-10 Holes) ,2.4mm Wise-Lock "L" Distal Radius Dorsal PlateObliqueLeft & Right - (2-10 Holes) ,2.4mm Wise-Lock Distal Radius Volar Plate (5 Head Holes) Left & Right - (2-10 Holes) ,2.4mm Wise-Lock Distal Radius Volar Plate - ,2.4/2.7mm Varixis L-Fusion PlateShort/Standard/Long/Extra Long Left & Right - ,Extra-Articular (5 Head Holes) 2-10 Holes Left & Right - ,Extra-Articular (4 Head Holes) 2-10 Holes Left & Right - ,2.4mm Wise-Lock Volar Buttress Plate (5 Head Holes) 2-10 Holes Left & Right - ,2.4mm Wise-Lock Distal Radius Volar Plate Extra-Long (4 Head Holes) - (2-14 Holes) ,2.4mm Wise-Lock Volar Column Distal Radius Plate(8 Head Holes) 2-10 Holes Left & Right - ,2.4mm Wise-Lock Volar Column Distal Radius Plate Extra articular (9 Head Holes) 2-10 Holes Left & Right - , 2.4mm Wise-Lock Proximal Radius Plate for Radial Head RimLeft & Right - (2-10 Holes) ,2.4mm Wise-Lock Proximal Radius Plate for Radial Head Neck - (2-10 Holes) ,2.5mm Wise-Lock "T" Wrist Volar Plate Left & Right - (2-14 Holes) ,2.4mm Wise-Lock Distal Radius Dorsal Plate Left & Right - (2-14 Holes) ,2.4mm Wise-Lock Distal Radius Volar Plates Left & Right - (2-14 Holes) ,2.7/3.5mm Wise-Lock Dorsolateral Distal Humerus Plate Left & Right - (2-20 Holes) ,2.7/3.5mm Wise-Lock Dorsolateral Distal Humerus Plate with Lateral Support Left & Right - (2-20 Holes) ,2.7/3.5mm Wise-Lock Dorsolateral Medial Distal Humerus Plate Left & Right - (2-20 Holes) ,3.5mm Wise-Lock Extra-Articular Distal Humerus Plate Left & Right - (2-20 Holes) ,3.5mm Wise-Lock Olecranon Plate Left & Right - (2-20 Holes) ,2.4/2.7mm Varixis Cloverleaf Fusion Plate Short/Long/Standard - ,PHEELOS - 3.5mm Wise-Lock Proximal Humerus Plate Short - 2-10 Holes ,PHEELOS - 3.5mm Wise-Lock Proximal Humerus Plate Long - (5-20 Holes) ,3.5mm Wise-Lock Periarticular Proximal Humerus

PlateLeft & Right - (2-20 Holes) ,3.5mm Wise-Lock Proximal Humerus Plate - (2-10 Holes) ,
 3.5mm Wise-Lock Medial Proximal Tibia Plate Left & Right - (2-30 Holes) ,3.5mm Wise-Lock
 Posterior Medial Proximal Tibia Plate - (1-20 Holes) ,3.5mm Wise-Lock Anterolateral Distal
 Tibia Plate Left & Right - (2-30 Holes) ,3.5mm Wise-Lock Medial Distal Tibia Plate Without
 Tab Left & Right - (2-20 Holes) ,3.5mm Wise-Lock Low Profile Medial Distal Tibia Plate
 Without Tab Left & Right - (2-20 Holes) ,3.5mm Wise-Lock Low Profile Medial Distal Tibia
 PlateWithout Tab - (2-20 Holes) ,2.0mm Locking Straight Plate with Bridge Type-II- 4 Holes
 - ,2.0mm Locking Rectangular Grill Plate Type-III - (2 x 3 to 6 Holes) ,3.5mm Wise-Lock
 Lateral Distal Fibula Plate Left & Right - (2-20 Holes) ,2.7mm Wise-Lock X-Plate
 Small/Medium & Large - ,2.7mm Wise-Lock Straight Plate with Single Start Thread - ,3.5mm
 Wise-Lock Symphyseal Plate with Coaxial Combi-Holes - (2-10 Holes) ,3.5mm Wise-Lock
 Low Profile Reconstruction Plate with Coaxial Combi-Holes - (2-30 Holes) ,3.5mm Wise-
 Lock Low Profile Reconstruction Plate with Coaxial Combi-Holes Curved - (2-20 Holes) ,3.5
 mm Wise-Lock "J" Reconstruction Plate with Coaxial Combi-Holes Left & Right - (8-20
 Holes) ,3.5mm Wise-Lock Clavicle Hook Plate Hook Depth 12/15/18mm Left & Right - (2-10
 Holes) ,3.5mm Wise-Lock Superior Anterior Clavicle Plate Left & Right - (2-20 Holes) ,2.7/3.
 5mm Wise-Lock Superior Anterior Clavicle Plate with Lateral Extension Left & Right - (2-20
 Holes) ,3.5mm Wise-Lock S Clavicle Plate Small/Medium/Large Left & Right - (2-10 Holes) ,
 3.5mm Wise-Lock Wrist Fusion Plate Short/Standard/Straight Bend - (2-10 Holes) ,3.5mm
 Wise-Lock Metaphyseal Plate - (2-20 Holes) ,3.5mm Wise-Lock Metaphyseal Plate For
 Distal Medial Humerus - (3-25 Holes) ,3.5/4.5mm Wise-Lock Metaphyseal Plate - (2/5-20/5
 Holes) ,3.5mm Wise-Lock Metaphyseal Plate For Medial Distal Tibia Left & Right - (4+2 -
 4+30 Holes) ,3.5mm Wise-Lock Pilon Plate - (2-20 Holes) ,3.5mm Wise-Lock Pilon Plate
 Cruciform - (2-20 Holes) ,3.5mm Wise-Lock Calcaneal Plate Length 69/76mm Left & Right -
 ,2.4/2.7mm Varixis Opening Wedge Osteotomy Plate/ Space 0 mm-8mm - ,2.4mm
 Adaption Plate Straight - (6-20 Holes) ,2.7mm Wise-Lock Plate Straight - (2-20 Holes) ,2.4/2.
 7mm Varixis First MTP Fusion Plate Medium Left & Right - (Length 52mm,0°-15°),2.4mm
 Wise-Lock Distal Radius Volar Plate - ,2.4/2.7mm Varixis First TMT Fusion Plate / Standard
 39mm/Long 48mm - ,3.5mm Wise-Lock Small "T" Plate Oblique Angled Left & Right - (2-10
 Holes) ,3.5mm Wise-Lock Proximal Tibia Plate Left & Right - (2-20 Holes) ,3.5mm Wise-Lock
 Small "T" Plate Right Angled (3 Head Holes) - (2-10 Holes) ,3.5mm Wise-Lock Small "T" Plate
 Right Angled (4 Head Holes) - (2-10 Holes) ,3.5mm Wise-Lock Reconstruction Plate Curved -
 2-20 Holes ,3.5mm Wise-Lock Cloverleaf Plate - (2-10 Holes) ,3.5mm Wise-Lock Z-type
 Distal Medial Tibial Plate Left & Right - (2-20 Holes) ,3.5mm Wise-Lock Distal Humerus
 Plate Left & Right - (2-20 Holes) ,3.5mm Wise-Lock Proximal Humerus Plate Left & Right - (2-
 20 Holes) ,3.5mm Wise-Lock Distal Tibia Plate left & Right - (2-20 Holes) ,2.0mm L-Plate
 with Bridge100°Left & Right - (2+2 ,3+3,3+4,4+6 Holes,Space 6.0mm -12.0mm0.8mm-1.0
 Thickness),3.5mm Wise-Lock Distal Fibula Plate Left & Right - (2-20 Holes) ,3.5mm Wise-
 Lock Clavicle PlateLeft & Right - (2-20 Holes) ,3.5mm Wise-Lock Calcaneal PlateLeft & Right
 - 2-20 Holes ,3.5mm Wise-Lock "T" Plate Left & Right - (2-20 Holes) ,3.5mm Wise-Lock
 Proximal Tibia Plate Left & Right - (2-20 Holes) ,3.5mm Wise-Lok Proximal Radius Plate Left
 & Right - (2-20 Holes) ,3.5mm Wise-Lock Ulna Plate Left & Right - (2-20 Holes) ,3.5mm
 Wise-Lock Proximal Ulna Plate Left & Right - (2-20 Holes) ,3.5mm Wise-Lock Distal Ulna
 Plate Left & Right - (2-20 Holes) ,4.5/5.0mm Wise-Lock Distal Femur Plate Straight Hole
 Left & Right - (3-25 Holes) ,4.5/5.0mm Wise-Lock Condylar Femur Plate Left & Right - (3-25
 Holes) ,4.5mm Narrow Dynamic Compression Plate - (2-20 Holes) ,4.5/5.0mm Wise-Lock
 Medial Proximal Tibia Plate Left & Right - (2-20 Holes) ,4.5/5.0mm Wise-Lock Proximal
 Tibia Plate Left & Right - (2-20 Holes) ,4.5/5.0mm Wise-Lock Proximal Femur Lateral Plate
 (Type-II) Left & Right - (2-20 Holes) ,4.5/5.0mm Wise-Lock Reconstruction Plate - (2-20
 Holes) ,4.5/5.0mm Wise-Lock Narrow Dynamic Compression Plate with LC under cuts - (2-
 30 Holes) ,4.5/5.0mm Wise-Lock Broad Dynamic Compression Plate with LC under cuts - (2-
 30 Holes) ,4.5/5.0mm Wise-Lock Curved Broad Plate - (10-30 Holes) ,4.5/5.0mm Wise-
 Lock "L" Buttress Plate Left & Right - (2-20 Holes) ,4.5/5.0mm Wise-Lock "T" Buttress Plate -
 (2-20 Holes) ,4.5/5.0mm Wise-Lock Distal Femur Plate Left & Right - (3-25 Holes) ,4.5/5.
 0mm Wise-Lock Femur Plate Left & Right - (3-25 Holes) ,4.5/5.0mm Wise-Lock Compression
 Plate - (2-20 Holes) ,2.4mm Wise-Lock Plate Straight - (2-20 Holes) ,3.5mm Wise-Lock
 Posteromedial Proximal Tibia Plate - (1-20 Holes) ,4.5mm Wise-Lock Metaphyseal Plate -
 (3/5-20/5 Holes) ,4.5/5.0mm Wise-Lock Osteotomy Medial High Tibia Plate - (2-10 Holes) ,
 4.5/5.0mm Wise-Lock Osteotomy Lateral High Tibia Plate Left & Right - (2-10 Holes) ,4.5/5.
 0mm Wise-Lock Osteotomy Lateral Distal Femur Plate Left & Right - (2-10 Holes) ,2.4/2.
 7mm Varixis First MTP Fusion Plates Small Medium & Large - ,4.5/5.0mm Wise-Lock
 Osteotomy Medial Distal Femur PlateLeft & Right - (2-10 Holes) ,4.5/5.0mm Wise-Lock
 Osteotomy Tibia PlateLeft & Right - (2-10 Holes) ,4.5/5.0mm Wise-Lock Osteotomy Femur
 Plate Left & Right - (2-10 Holes) ,5.0mm Wise-Lock Distal Femur Plate(LISS) Left & Right - (2-
 20 Holes) ,5.0mm Wise-Lock Proximal Lateral Tibia Plate(LISS) - (2-20 Holes) ,4.5mm
 Varixis Distal Femur Plate Left & Right - (2-20 Holes) ,5.0mm Wise-Lock Femur Plate(LISS)
 Left & Right - (2-20 Holes) ,5.0mm Wise-Lock Tibia Plate(LISS) - (2-20 Holes) ,5.0mm Wise-
 Lock Femoral Neck Plate - (1-5 Holes) ,0.8mm Wise-Lock Low Profile Avulsion Fracture

Plate - (1-10 Holes) ,3+3 HolesSpace 8.0mm -15.0mm / 0.8mm-1.0 Thickness) - ,0.8mm
 Wise-Lock Low Profile Straight Plate - (1-15 Holes) ,0.8mm Wise-Lock Low Profile Curved
 Medial/Lateral Plate - (5-12Holes) ,0.8mm Wise-Lock Low Profile Curved Medial/Lateral
 PlateShort Left & Right - (2-10 Holes) ,0.8mm Wise-Lock Low Profile Compression Plate - (2-
 10 Holes) ,0.8mm Wise-Lock Low Profile L-Plate Left & Right - (2-10 Holes) ,0.8mm Wise-
 Lock Low Profile Offset Plate - (2-12 Holes) ,1.3mm Wise-Lock Low Profile Metacarpal Neck
 Plate Left & Right - (2-8 Holes) ,1.3mm Wise-Lock Low Profile Compression Plate - (2-10
 Holes) ,1.3mm Wise-Lock Low Profile Straight Plate - (2-12 Holes) ,1.3mm Wise-Lock Low
 Profile T-Plate - (2-15 Holes) ,1.3mm Wise-Lock Low Profile Rolando Fracture Hook Plate - (5-10
 Holes) ,1.3mm Wise-Lock Low Profile Rotational Correction Plate - (4-10 Holes) ,0.8/1.
 5/2.0mm Wise-Lock Plate - (1-20 Holes) ,0.8/1.5/2.0mm Varixis Wise-Lock Plate - (1-20
 Holes) ,130 degree Wise-Lock DHS Plate - (1-30 Holes) ,135 degree Wise-Lock DHS Plate -
 (1-30 Holes) ,145 degree Wise-Lock DHS Plate - (1-30 Holes) ,135 degree Wise-Lock DHS
 Plate Short Barrel - (1-30 Holes) ,4.5/5.0mm Wise-Lock Trochanter Stabilizing Plate For DHS
 - Adjustable Length 50-200mm - ,130 degree Dynamic Hip Compression Plate - (1-30 Holes)
 ,95 degree Wise-Lock DCS Plate - (2-30 Holes) ,135 degree Dynamic Hip Compression Plate
 - (1-30 Holes) ,140 degree Dynamic Hip Compression Plate - (1-30 Holes) ,2.0mm Varixis
 Fracture Plate - (2-10 Holes) ,145 degree Dynamic Hip Compression Plate - (1-30 Holes) ,
 150 degree Dynamic Hip Compression Plate - (1-30 Holes) ,135 degree Dynamic Hip
 Compression Plate Short Barrel - (2-12 Holes) ,95 degree DCS Plate - (2-30 Holes) ,130-150
 degree Wise-Lock Variable Angle DHS Plate - (2-30 Holes) ,Epiphyseal Plate- Terrace Shape
 - (Length 10-20mm) ,Epiphyseal Plate-Arc-Bridge Shape - (Length 10-20mm) ,Patella Plate
 -Small/Medium/Large - ,3.5mm Wise-Lock Pediatric Hip Plate 90°-150° x Length 60-75mm
 x Width 18.5mm - (3-10 Holes) ,4.5/5.0mm Wise-Lock Pediatric Hip Plate - ,90°-150° x
 Length 60-90mm x Width 22.5mm - (3-10 Holes) ,115° Bifurcated Plates Blade 30-
 35mm/Displacement 5mm - (NA) ,90° Infant Osteotomy Plates Blade 25-32mm
 Displacement 7-12mm - ,1.3mm Wise-Lock Plates - (2-12 Holes) ,90°/100° Toddler
 Osteotomy Plates Balde 26-44mm Displacement 4-8mm - ,80°/90°/100° Child Osteotomy
 Plate Blade 35-45mm Displacement 8mm - ,90° Adolescent Osteotomy Plate Blade 40-
 60mm Displacement 10-15mm - ,2.7mm Wise-Lock Pediatric Hip Plate90°-130° x 2 Holes - ,
 3.5mm Pediatric Condylar Plate -90° x 3-7 Holes - ,5.0mm Pediatric Condylar Plate-90° x 3-
 7 Holes - (NA) ,2.4/2.7mm Varixis TMT Fusion Plates Short/Long/Standard - ,2.0mm Mini
 "L" PlateLeft & Right - (2-12 Holes) ,2.0mm Mini Straight Plate - (2-12 Holes) ,2.0mm DCP
 Plate - (2-12 Holes) ,2.0mm Mini "T" Plate - ,2.7mm "L" Plate Left & Right - (2-10 Holes) ,2.7
 mm "T" Plate - (2-12 Holes) ,2.7mm Quarter Tubular Plate - (2-12 Holes) ,2.7mm Dynamic
 Compression Plate - (2-16 Holes) ,2.7mm Reconstruction Plate Straight - (2-30 Holes) ,1.5
 mm Mini "L" PlateLeft & Right - (2-12 Holes) ,1.5mm Mini Straight Plate - (2-12 Holes) ,1.5
 mm DCP Plate - 2-12 Holes ,1.5mm Mini "T" Plate - ,3.5mm One-Third Tubular Plate - (2-20
 Holes) ,3.5mm One-Third Tubular Plate with Collar - (2-20 Holes) ,3.5mm Small Dynamic
 Compression Plate - (2-20 Holes) ,3.5mm Small Limited Contact Dynamic Compression
 Plate - (2-20 Holes) ,3.5mm Small "T" Plate - ,Right Angled (3 Head Holes) - (2-12 Holes) ,
 3.5mm Small "T" Plate - ,Right Angled(4 Head Holes) - (2-12 Holes) ,3.5mm Small "T" Plate
 Oblique Angled Left & Right - (2-12 Holes) ,Suprapectineal Plate - ,3.5mm Hook Plate - (2-12
 Holes) ,3.5mm Pelvic Reconstruction Plate Straight - (2-30 Holes) ,3.5mm Pelvic
 Reconstruction Plate Curved - (2-30 Holes) ,3.5mm Calcaneal Plate Size 60-70mm - ,
 Cervical Spine H-Plate Holes Spacing - (16 - 16+18+18)mm - (5-10 Holes) ,3.5mm Cloverleaf
 Plate - (2-16 Holes) ,3.5mm Clavicle Hook PlateHook Depth 12mmLeft & Right - (2-10 Holes)
 ,3.5mm Y-Reconstruction PlateSmall/Medium/Large - (4-16 Holes) ,Lecestre Plate -
 Modified 2 Head Holes - Left & Right - (3-15 Shaft Holes) ,Proximal Ulna PlateLeft & Right -
 2-10 Holes ,Proximal Humeral Plate - (2-12 Holes) ,Y-Fork Plate Left & Right - 2-10 Holes ,
 Distal Fibular PlateLeft & Right - (2-12 Holes) ,4.5mm Narrow Limited Contact Dynamic
 Compression Plate - (2-20 Holes) ,4.5mm Broad Dynamic Compression Plate - (2-22
 Holes) ,3.5mm Wise-Lock Medial Distal Tibia Plate Left & Right - (2-20 Holes) ,4.5mm
 Broad Limited Contact Dynamic Compression Plate - (2-22 Holes) ,3.5mm LC DCP Plates - (2-30
 Holes) ,4.5mm Narrow Lengthening Plate Lengthening 30-100mm - (8 Holes Length
 135-185mm) ,4.5mm Broad Lengthening Plate - (8 Holes Lengthening 30-80mLength 135-
 185mm) ,4.5mm Broad Lengthening Plate - (10 Holes Lengthening 50mmLength 175-
 250mm) ,4.5mm Semi Tubular Plate - (2-15 Holes) ,4.5mm Lateral Tibia Head Buttress
 Plate - (2-15 Holes) ,4.5mm Lateral Tibia Head Buttress Plate 5 Holes Left & Right - (NA) ,2.4
 /2.7mm Varixis Two-Column Volar Distal Radius Plate Extra-Long Narrow/Standard/Wide 6-
 7 Head Holes Left & Right - (7-13 Shaft Holes) ,2.4/2.7mm Varixis X-Plate - ,Distal Lateral
 Humeral Plate Left & Right - (2-10 Holes) ,3.5mm DCP Plates - (2-30 Holes) ,3.5mm Y
 Reconstruction Plate - (2-20 Holes) ,4.5mm "T" Buttress Plate - (2-16 Holes) ,4.5mm "L"
 Buttress Plate Left & Right - (2-16 Holes) ,4.5mm Spoon Plate - (2-10 Holes) ,4.5mm Hook
 Plate - (2-10 Holes) ,4.5mm Reconstruction Plate Straight - (2-30 Holes) ,4.5mm Roy
 Camille Plate - (2-16 Holes) ,4.5mm Cobra Head Plate - (2-16 Holes) ,Sherman Plate - (2-15
 Holes) ,4.5mm Proximal Tibia Medial Plate Left & Right - 3 Holes ,4.5mm Proximal Tibia
 Plate with Round Holes Left & Right - (2-12 Holes) ,4.5mm Proximal Lateral Tibia Plate - (2-

15 Holes) ,4.5mm Proximal Femur Plate Left & Right - (2-15 Holes) ,4.5mm Distal Tibia Plate Left & Right - (2-15 Holes) ,1.3mm Wise-Lock Straight Plate - (2-12 Holes) ,4.5mm Distal Lateral Tibia Plate with Round Holes - (2-15 Holes) ,4.5mm Fibular Distal Tibia Plate - (2-15 Holes) ,4.5mm Distal Femur Plate - (2-15 Holes) ,Bone Plates - (dia 3.5-4.5mm,2-20 Holes),130° Angle Blade Plate/ Blade 50-100mm x 2-22 Holes - ,90 degree Angle Blade Plate for Adults/ Displacement 10-20mm x Blade 40-70mm - 4 Holes ,100 degree Angle Blade Plate for Adults/ Displacement 10mm x Blade 50-70mm - 4 Holes ,110 degree Angle Blade Plate for Intertrochanteric - Femoral Osteotomies in Adults - Blade 50-90mm ,120 degree Angle Blade Plate for Intertrochanteric - Femoral Osteotomies in Adults - Blade 50-90mm ,130 degree Angle Blade Plate for Intertrochanteric - Femoral Osteotomies in Adults - Blade 50-120mm ,90/100/110/120/130 degree Hip Plate Displacement 10/15/20mm - Blade Length 40-110mm ,130/135/140/145 degree Jewett Nail Plate Length 50-100mm - 4-15 Holes ,1.5mm Varixis Strut Plate Oblique Left & Right - (2-10 Holes) ,3.5mm Posterior Wall Acetabular Fragment Plate Left & Right - (5-10 Holes) ,3.5mm Curved Posterior Wall Acetabular Fragment Plate Left & Right - (8-15 Holes) ,3.5mm Superior Sacro-iliac Plate - (2-8 Holes) ,3.5mm Posterior Wall Acetabular Plates - (5-10 Holes) ,3.5mm Acetabular Spring Plate - (1-10 Holes) ,3.5mm Reconstruction Pelvis Plate - (2-10 Holes) ,3.5mm Interlocking Reconstruction Plate - (8-15 Holes) ,3.5mm Quadrilateral Surface Plate Left & Right - (1-5 Holes) ,3.5mm Intrapelvic Plate Left & Right - (5-10 Holes) ,3.5mm Anterior Brim Plate Left & Right - (10-20 Holes) ,4.5mm "T" Plate - 2-16 Holes ,3.5mm Pelvic Plate Straight/Curved - (2-20 Holes) ,3.5mm Flex Plate - (2-20 Holes) ,3.5mm Symphysis Plate - (2-20 Holes) ,Infrapectineal Plate Large/Small - ,dia 3.5-4.5mm Quadrilateral Surface Plate Left & Right - ,1.0mm Straight Plate - (4 ,6 Holes),2.4/2.7mm Varixis T-Fusion Plate Short/Standard/Long/Extra Long - ,4.5mm Condylar Buttress Plate Left & Right - holes (7-15) ,2.0mm Varixis Phalangeal Base Plate 2 Head Holes - (2-10 Shaft Holes) ,95 degree Condylar Blade Plate/(Blade 50-80mm x 2-22 Holes) - ,1.0mm L-Plate 90° - Left & right - (NA) ,1.5mm L-Plate 90° Left & right - (2+2 Holes 2+3 Holes 2+3 Holes 2+5 Holes 3+5 Holes) ,1.0mm Y-Plate with Bridge-4 Holes - (NA) ,1.0mm Y-Plate- 5 Holes - (NA) ,1.0mm T-Plate- 6 Holes - ,1.0mm Square Plate(2 x 2 Holes 2 x 3 Holes) - ,1.0mm Rectangular Grill Plate Type-I - (2 x 4 Holes) ,1.0mm Rectangular Grill Plate Type-II - (4 x 6 Holes) ,1.0mm Rectangular Grill Plate Type-III - (2 x 2 Holes/ 2 x 3 Holes/2 x 4 Holes/4 x 5 Hole) ,1.0mm Orbital Floor Plate Type-I/II/III/IV/V - ,1.0mm Orbital Floor Plate Type-VI/VII/VIII Left & Right - ,1.5mm Plate - 2 Holes Space 6.0mm/8.0mm/10.0mm/12.0mm ,1.5mm Straight Plate - (4 holes 6 holes 8 holes 12 holes 14 holes) ,1.5mm Plate- 4 Holes/ Space 4.5mm-12.0mm - (NA) ,1.5mm Plate - (6 Holes/ Space 6.0mm-12.0mm) ,2.0mm Varixis Strut Plate - (10-16 Holes) ,2.0mm Varixis Box Plate - (2-10 Holes) ,2.0mm Varixis First Metacarpal Plate Dorsal/Lateral Left & Right - (NA) ,2.0mm Varixis Rotation Correction Plate - (2-10 Holes) ,1.5mm Orbital Floor Plate Type-VI/VII/VIII Left & Right - (NA) ,1.5mm Chin Plate/ Space 2.0mm to 10.0mm - (NA) ,1.5mm Maxilla Plate/Space 3.0mm -12.0mm Left & Right - (NA) ,1.5mm Varixis Strut Plate - (10-16 Holes) ,1.5mm Varixis Box Plate - (2-10 Holes) ,1.5mm Varixis First Metacarpal Plate Dorsal/Lateral Left & Right - ,1.5mm Continuous Plate - (6 Holes 8 Holes 16 Holes) ,1.5mm Orbital Plate- 4 Holes /Space 6.0mm -8.0mm - ,1.5mm Orbital Plate- 6 Holes - (Space 8.0mm-14.0mm) ,1.5mm Orbital Plate 7&8 Holes - (Space 7.5mm-8.0mm) ,1.5mm L-Plate with Bridge 90° Left & Right - (2+2 Holes Space 5.5mm -15.0mm) ,1.5mm L-Plate 130° Left & Right - (2+2 Holes, 2+4 Holes) - ,1.5mm L-Plate with Bridge 100° Left & Right - (2+2, 2+3 Holes, Space 5.5mm-9.0mm), 1.5mm L-Plate with Bridge 100° Left & Right - (3+4 Holes, Space 5.0mm-12.0mm), 1.5mm Double X-Plate Small - (4+2 Holes, Space 4.0mm-9.0 mm), 1.5mm Double X-Plate Medium(4+3 Holes) - ,1.5mm Double X-Plate Large(8+3 Holes) - ,1.5mm X-Plate(2+2 Holes) - ,1.5mm Double X-Plate with Support - (8+2 Holes Space 10.0mm-15.0mm) ,1.5mm Cross Bend Plate(2+3 Holes) - ,1.5mm Y-Plate with Bridge Type-I - (2+2 Holes Space 8.0mm-15.0mm) ,1.5mm Y-Plate with Bridge Type-II - (2+3 Holes Space 5.5mm-9.0mm) ,1.5mm Y-Plate - (2+3, 2+4, 4+7 Holes), 1.5mm H-Plate - (6+1, 8+1, 10+1, 16+1 Holes), 1.5mm H-Plate Big 8&16 Holes - ,1.5mm H-Plate Curved - holes(10+1 to 2) ,1.5mm I-Plate - (4 Holes, Space 8.0mm-12.0mm), 1.5mm T-Plate - (3+3 Holes 3+4 Holes 5+7 Holes 7+9 Holes) ,1.5mm T-Plate with Bridge - (2+2 to 3 Hole, Space 9.0mm-12.0 mm) - ,1.5mm T-Plate Long 2+4 Holes - ,Single Joint Fusion Plate/ Small/Medium & Large - ,Lateral Column Lengthening Plate Small/Medium & Large - ,3.5mm Semi Tubular Plate - (2-30 Holes) ,1.5mm Triangular Plate 3 Holes - ,1.5mm Rectangular Grill Plate Type-III - (2 x 2 to 4 Holes 4 x 6 Holes) ,1.5mm Rectangular Grill Plate Type-IV - (2 x 3 to 5 Holes) ,1.5mm Rectangular Grill Plate Type-V - (11 x 17 Holes, 2 x 11 & 21), 1.5mm T-Gap Plate Angled Left & Right - (Space 13.5mm to 17.5mm) ,1.5mm T-Gap Plate Straight - (Space 13.5mm to 17.5 mm) ,1.5mm Orbital Floor Plate Type-III/IV - ,1.3mm Wise-Lock Phalangeal Base Plate 2 Head Holes - (2-10 Shaft Holes) ,1.3mm Wise-Lock Phalangeal Head Plate Left & Right - ,1.3 mm Locking Strut Plate Oblique Left & Right - (2-10 Holes) ,1.3mm Wise-Lock Web Plate - (2-14 Holes) ,1.5mm Varixis Straight Plate - (2-12 Holes) ,1.5mm Varixis T-Plate 3 Head Holes - (2-10 Shaft Holes) ,Distal Radius Plate - (2-10 Holes) ,1.5mm Varixis Condylar Plate 2 Head Holes - (2-10 Shaft Holes) ,1.5mm Varixis Phalangeal Head Plate Left & Right - ,1.5 mm Rectangular Grill Plate Type-I - (4x 2 Holes ,4 x 6 Holes), 2.0mm L-Plate Type-II 90° Left

& Right - (2+2 to 4 Holes, 0.8mm-1.0 Thickness) - ,2.0mm L-Plate with Bridge Type-III 90°
 Left & Right - (2+2 to 3, 1.5mm Rectangular Grill Plate Type-II - (2 x 2 to 4 Holes, 4 x 6 Holes)
 - ,2.0mm Straight Plate - (4 holes, 6 holes, 8 holes, 12 holes, 14, 16 holes), 2.0mm Straight Plate
 with Bridge Type-I - (4, 6 Holes, Space 9.0mm-12.0mm), 2.0mm Straight Plate Type-I - (2
 Holes, Space 8.0mm-12.0mm), 2.0mm Straight Plate with Bridge Type-II - (4 & 8 Holes, Space
 6.0mm-12.0mm), 2.0mm Straight Plate Type-I - holes (5 & 6) ,2.0mm L-Plate with Bridge
 Type-I 90° Left & Right - (2+2 Holes, Space 8.0mm -15.0mm), 2.0mm L-Plate with Bridge
 Type-I 90° Left & Right - (2+3 Holes Space 9.0mm & 13.0mm) ,2.0mm L-Plate Type-I 90°
 Left & Right - (2+2 to 4 Holes) ,2.0mm L-Plate with Bridge Type-II 90° Left & Right - (2+2,
 3+3 Holes, Space 6.0mm-10.0mm), 2.0mm L-Oblique Plate with Bridge 90° Left & Right -
 (2+2, 3+3 Holes, Space 6.0mm-10.0mm), 2.0mm H-Plate - 11 Holes - ,2.0mm Straight Plate - (4
 , 5 holes, 6 holes, 8 holes, 12 holes, 14 & 16 holes, 0.8mm-1.0mm Thickness) - ,2.0mm Straight
 Plate with Bridge Type-III - (4 , 6 Holes/Space 6.0mm-12.0mm, 0.8mm -1.0 Thickness), 2.0mm
 Straight Plate Type-II - (5 & 6 Holes .8mm -1.0 Thickness) ,2.0mm L-Plate 130° Left & Right -
 2+2 to 4 Holes 0.8mm-1.0 Thickness) ,2.0mm L-Plate with Bridge Type-IV 90 degree Left &
 Right - (2+2 Holes, Space 6.0mm-10.0mm, 0.8mm-1.0 Thickness), 2.0mm Double X-Plate
 Small - 4+2 , 4+4 Holes ,space 6.0mm to 12.0mm, 0.8mm-1.0 Thickness), 2.0mm H-Plate -
 (6+1, 8+1, 10+1, 16+1 Holes, .8mm-1.0 Thickness), 2.0mm I-Plate - (Space 6.0mm & 9.0mm, 0.8
 mm-1.0 Thickness), 2.0mm T-Plate with Bridge - (2+2 to 4, 2+6 Holes, Space 6.0mm-15.0, 0.8
 mm-1.0 Thickness), 2.0mm Long T-Plate Oblique Angled Left & Right - (0.8mm-1.0
 Thickness) ,2.0mm T-Plate - (3+3 to 6 Holes, 0.8mm-1.0 Thickness), 2.0mm T-Plate with
 Bridge - (3+2 Holes, Space 8.0mm & 12.0mm, 0.8mm-1.0 Thickness), 2.0mm Z-Plate Left &
 Right - (Space 8.0mm & 12.0mm, 0.8mm-1.0 Thickness), 2.0mm Pseudo-Possessed Plate
 Type-III - (7 Holes, 0.8mm-1.0 Thickness), 2.0mm Rectangular Grill Plate Type-I - (2 x 2 to 3
 Holes, 0.8mm-1.0 Thickness), 2.0mm Rectangular Grill Plate Type-II - (4 x 2, 4x4, 4x6 Holes,
 0.8mm-1.0 Thickness), 2.0mm Rectangular Grill Plate Type -III - (2 x 4 Holes, 0.8mm-1.0
 Thickness), 2.0mm Rectangular Grill Plate Type -IV Left & Right - 2 x 4 Holes - 0.8mm-1.0
 Thickness) ,2.0mm Locking Straight Plate with Bridge Type-I - (4 holes, 6 holes, 8 holes, 12
 holes, 14 holes), 2.0mm Locking T-Gap Plate Straight - (4 holes, 6 hole, Space 10.0 & 12.0mm),
 2.0mm Locking U-Plate - holes (3+3 & 4+4) ,2.0mm Locking U-Plate 9 Holes - ,2.0mm Locking
 Square Frame Plate Type-I - - hole (2x4 to 8) ,2.0mm Locking Rectangular Grill Plate Type-I -
 (4 x 2, 4 x 6 Holes) - ,Periprosthetic Distal Femur Plates Left & Right - (3-25 Holes) ,
 Periprosthetic Trochanter Plates Narrow/Wide - ,2.0mm Locking Straight Plate with Bridge
 Type-III - (4 , 6 Holes, Space 10.0mm & 12.0mm), 2.0mm Locking Straight Plate with Bridge
 Type-IV - (4 , 6 Holes, Space 8.0mm to 12.0mm), 2.0mm Locking Straight Plate Type-II -
 4, 6, 8, 10, 2, 14, 16 holes), 2.0mm Locking Straight Plate with Bridge Type-V - (4, .6 Holes, Space
 8.0mm to 12.0mm), 2.0mm Locking Straight Plate Type-III - (6 , 8, 26 holes), 2.0mm Locking
 Orbital Plate - (4 Holes, Space 10.0mm & 15.0mm), 2.0mm Locking Curved Plate Type-I Left
 & Right - (4 holes, 6 holes, 8 holes, Space 6.0mm to 11.0mm), 2.0mm One -Way Pressure Plate
 with Bridge - (4, 6 Holes Space 8.0mm to 12.0mm), 2.0mm One -Way Pressure Plate - (6 , 8, 26
 holes), 2.0mm One -Way Pressure Orbital Plate - (4 Holes, Space 10.0mm & 15.0mm), 2.0
 mm One -Way Pressure Curved Plate Left & Right - (4 , 6 , 8 Holes/Space 6.0mm to 11.0mm),
 2.4mm Mandible Reconstruction Plate Straight - (12, 15, 17, 20 holes, 2.0mm Thickness), 2.4
 mm Mandible Reconstruction Plate Angled Left & Right - 5+10, 5+15, 5+20 Holes, 2.0mm
 Thickness), 2.4mm Locking Two-way Compression Mandible Reconstruction Plate Straight -
 (12, 15, 17, 20 holes, 2.0mm Thickness), 1.5mm Wise-Lock Condylar Plate (2-6 Head Holes) -
 (2-12 Holes) ,2.7mm Wise-Lock L-Plate (2-6 Head Holes) Left & Right - (2-12 Holes) ,2.4mm
 Locking Two-Way Compression Mandible Reconstruction Plate Angled Left & Right - (5+10 ,
 5+15, 5 +20 Holes, 2.5mm Thickness), 2.4mm Mandible Reconstruction Plate Double Angled
 - (5+25+5 Holes, 2.5mm Thickness), 2.4mm Locking Round Holes Mandible Reconstruction
 Plate Double Angled - (5+25+5 Holes, 2.5mm Thickness), 2.4mm Locking Two-Way
 Compression Mandible Reconstruction Plate Double Angled - (5+25+5 Holes, 2.5mm
 Thickness), 2.7mm Wise-Lock Mini Condylar Plate Left & Right - (2-12 Holes) ,2.4mm
 Mandible Reconstruction Plate Straight - (12 , 15, 17, 20 Holes, 2.5mm Thickness), 2.4mm
 Locking Two-Way Mandible Reconstruction Plate Straight - (12 , 15, 17, 20 Holes, 2.5mm
 Thickness), 2.4mm Locking Round Holes Mandible Reconstruction Plate Angled Left & Right
 - (5+10, 5+15, 5 +20 Holes, 2.5mm Thickness), 2.4mm Locking Round Holes Mandible
 Reconstruction Plate Straight - (12 , 15, 17, 20 Holes, 2.5mm Thickness), 2.4mm Mandible
 Reconstruction Plate Angled Left & Right - (5+10, 5+15, 5 +20 Holes, 2.5mm Thickness)

1. Generic Name :Bone Screws

2. Brand Name :NIL

3. Notified Category :Orthopaedic Implants

4. Class of Medical Device :Class C

5. Shelf life :5 Years

6. Sterile/Non-Sterile:Sterilized

7. Intended Use :Bone Screws are used during the surgery of fractured bones. These serve as a support for internal fixation of bones. These screws are used alone or along with bone plates or interlocking nails.

8. Material of Construction: Stainless Steel (ISO-5832-1)

9. Dimension: Various Dimension Bone screws are manufactured

10. Model/Catalogue No./Name :1.3mm Wise-Lock Screws - ,1.5mm Varixis Screws Self-Tapping(Star Head) - (Length 4-30mm) ,4.5mm Cortical Screws Self-Tapping (Hex Head) - (Length 6-150mm) ,5.0mm Wise-Lock Screw Self Tapping(Hex Head) - (Length 6-150mm) , 5.0mm Wise-Lock Screw Self-Tapping (Hex Head) - (Length 6-150mm) ,2.7mm Varixis Screw Self-Tapping (Star Head) - (Length 4-60mm) ,3.5mm Varixis Screw Self-Tapping - (Length 6-150mm) ,3.5mm Cortical Screw Self-Tapping (Star Head) - (Length 6-150mm) ,3.5 mm Wise-Lock Screw Self-Tapping (Star Head) - (Length 6-150mm) ,2.7mm Varixis Screw Self-Tapping (Star Head) - (Length 4-60mm) ,Flat Connector dia 1-4mm - ,5.0mm Wise-Lock Screw Self-Tapping (Hex Head) - (Length 6-150mm) ,Locking Caps for Periprosthetic Plates - (Length 0-50mm) ,3.5mm Cortical Screw (Star Head) - (Length 6-150mm) ,3.5mm Wise-Lock Screw Self-Tapping (Star Head) - (Length 6-150mm) ,2.7mm Cortical Screw Self-Tapping (Star Head) - (Length 6-150mm) ,2.7mm Wise-Lock Screw Self-Tapping (Star Head) - (Length 6-150mm) ,2.7mm Varixis Screw Self-Tapping (Star Head) - (Length 6-150mm) , 1.0mm Cortical ScrewSelf-Tapping - (Length 2-50mm) ,1.0mm Cortical Screws Self-Tapping - (Length 6-20mm),Hybrid Screws - (Length 4-150mm) ,2.0mm Wise-Lock Screw Self-Tapping (Star Head) - (Length 4-60mm) ,2.7mm Wise-Lock Screw Self-Tapping (Star Head) - (Length 4-80mm) ,Ø10.0mm Bolt for Femoral Neck Plate - (Length 50-170mm) ,Ø6.4mm Anti-Rotaion Screw for Femoral Neck Plate - (Length 50-150mm) ,5.0mm Wise-Lock Screw Self-Tapping (Hex Head) - (Length 10-70mm) ,1.5mm Low Profile Screw (Star Head) - (Length 2-50mm) ,2.3mm Wise-Lock Low Profile Screw (Star Head) - (Length 2-50mm) ,2.3 mm Low Profile Screw (Star Head) - (Length 2-50mm) ,1.5mm Wise-Lock Low Profile Screw (Star Head) - (Length 2-50mm) ,3.5mm Multidirectional Locking Screw - (Length 6-150mm) , 1.0mm Cortical Screws Self-Tapping - (Length 6-20mm) ,1.3mm Cortical Screws Self-Tapping (Star Head) - (Length 4-30mm) ,Self Tapping (Star Head) Length 4-30mm - (Length 4-30mm) ,4.5mm Cortex Screw Self-Tapping Cannulated (3.0mm Hex) - (Length 10-150mm) ,3.5mm Wise-Lock Screw Self-Tapping (Hex Head) - (Length 6-150mm) ,3.5mm Cannulated Cortical Screw Short Thread Self-Tapping - (Length 6-150mm) ,3.5mm Cannulated Cortical Screw Full Thread Self-Tapping - (Length 6-150mm) ,3.5mm Cannulated Screw - (Length 6-150mm) ,3.5mm Cannulated Cortical Screw - (Length 6-150mm) ,2.5mm Multidirectional Threaded Peg Screws - (Length 6-150mm) ,3.5mm Low Profile Cortical Screws - (Length 6-150mm) ,2.5mm Locking Screws - (Length 6-150mm) , Connection Screw for Periprosthetic Trochanter Plate - (Length 10-150mm) ,7.0mm Cannulated Cancellous Screw 32mm Thread - (Length 35-180mm) ,7.0mm Cannulated Cancellous Screw Full Thread Self-Drilling - (Length 30-180mm) ,7.0mm Cannulated Screw - (Length 30-180mm) ,7.0mm Cannulated Screw 16/32/Full Thread - (Length 30-180mm) ,4.0 mm Cannulated Cancellous Screw Self-Tapping - (Length 6-150mm) ,4.0mm Cannulated Screw Short/Long Thread - (Length 6-150mm) ,5.0mm Cannulated Screw Partial/Full Thread - (Length 6-150mm) ,2.0mm Peg Screw - (Length 4-50mm) ,2.7mm Varixis Screw Self-Tapping (Star Head) - (Length 10-150mm) ,2.7mm Wise-Lock ScrewSelf-Tapping (Star Head) - (Length 6-150mm) ,2.7mm Cortical Screw Self-Tapping (Star Head) - (Length 6-150mm) ,2.7mm Cortical Screw (Star Head) - (Length 6-150mm) ,2.4mm Cortical Screw Self-Tapping (Star Head) - (Length 6-150mm) ,2.4mm Cortical Screw (Star Head) - ,3.5mm Cortical Screw Self-Tapping (Star Head) - (Length 10-150mm) ,2.4mm Variable Angle Screw Self-Tapping (Star Head) - (Length 4-60mm) ,2.4mm Wise-Lock Screw Self Tapping (Star Head) - (Length 4-60mm) ,2.4mm Cortical Screw Self-Tapping (Star Head) - (Length 4-60mm) ,2.7mm Cortical Screw Self-Tapping (Star Head) - (Length 4-60mm) ,Cortical Screws for Periprosthetic Plates - (Length 10-150mm) ,Cancellous Screws for Periprosthetic Plates - (Length 10-150mm) ,1.5mm Cortical Screw Self-Tapping (Star Head) - (Length 4-60mm) , 1.5mm Wise-Lock ScrewSelf-Tapping (Star Head) - (Length 4-60mm) ,1.8mm Buttress Screw (Star Head) - (Length 6-50mm) ,2.0mm Cortical Screw Self-Tapping (Star Head) - (Length 4-60mm) ,3.0mm Cannulated Cancellous ScrewLong Thread - Length 6-150mm,3.5 mm Cortical Screw Self-Tapping (Hex Head) - (Length 6-150mm) ,4.5mm Cortical Screws Self-Tapping (Hex Head) - (Length 6-150mm) ,3.0mm Cannulated Cancellous Screw Short Thread - (Length 6-150mm) ,3.0mm Cannulated Cancellous Screw - (Length 6-150mm) , 2.4mm Cannulated Screws Short & Long Thread - (Length 6-150mm) ,3.5mm Cannulated Cortical Screw Short Thread - (Length 6-150mm) ,3.5mm Cannulated Cortical Screw Full Thread - (Length 6-150mm) ,2.7mm Cortical Screw Self-Tapping (Hex Head) - (Length 4-

50mm) ,2.7mm Wise-Lock Screw Self-Tapping (Hex Head) - (Length 6-150mm) ,3.5mm Wise-Lock Screw Self-Tapping (Hex Head) - (Length 6-150mm) ,7.3mm Cannulated Cancellous Screw 16mm Thread Self-Drilling - (Length 30-180mm) ,7.3mm Cannulated Cancellous Screw 32mm Thread Self-Drilling - (Length 35-180mm) ,Locking Screws for Periprosthetic Plates - (Length 10-150mm) ,3.7mm Wise-Lock Cannulated Screws Self-Tapping - (Length 6-150mm) ,3.7mm Wise-Lock Cannulated Conical Screws Self-Tapping - (Length 6-150mm) ,3.5mm Conical Screws - (Length 6-150mm) ,5.0mm Wise-Lock Periprosthetic Screws Self-Tapping - (Length 6-150mm) ,1.5mm Cortical Screw(Hex Head) - (Length 4-100mm) ,2.0mm Cortical Screw (Hex Head) - (Length 4-100mm) ,7.0mm Cannulated Screw16/32/Full Thread Self-Tapping - (Length 30-180mm) ,3.0mm Cannulated Screw - (Length 6-150mm) ,1.3/1.5/2.0mm Cortical Screw Self-Tapping - (Length 2-50mm) ,1.3/1.5/2.0mm Wise-Lock ScrewSelf-Tapping - (Length 2-50mm) ,1.3/1.5/2.0mm Varixis Screw - (Length 2-50mm) ,DHS/DCS Compression Screw - ,DHS/DCS Screw - (Length 25-150mm) ,4.5mm Cortical Screw Self-Tapping (Hex Head) - (Length 6-150mm) ,7.0mm Cannulated Screw 16/32/Full Thread Self-Drilling - (Length 30-180mm) ,6.5mm Cancellous Screw 16mm Thread - (Length 10-150mm) ,Variable Angle DHS/DCS Screw with Compression Screw - (Length 25-150mm) ,2.0mm Varixis Screws Self-Tapping (Star Head) - (Length 4-30mm) ,2.5mm Volar Screw Self-Tapping Full Thread - (Length 4-50mm) ,2.5mm Volar Screw Self-Tapping Partial Thread - (Length 4-50mm) ,4.0mm Cannulated Cancellous Screw Short/Full Thread Self-Drilling - (Length 6-150mm) ,4.0mm Cannulated Screw Self-Drilling - (Length 6-150mm) ,4.0mm Cannulated Cancellous Screw Self-Drilling - (Length 6-150mm) ,3.5mm Cannulated Screw Self-Drilling - (Length 6-150mm) ,3.5mm Cannulated Cortical Screw Self-Tapping - (Length 6-150mm) ,Cruciform - (Length 2-50mm) ,3.5mm Cannulated Cortical Screw Self-Drilling - (Length 6-150mm) ,4.0mm Cannulated Cancellous Screw Short Thread Self-Tapping - (Length 6-150mm) ,4.0mm Cannulated Cancellous Screw Full Thread Self-Tapping - (Length 6-150mm) ,4.0mm Cannulated Screw - (Length 6-150mm) ,4.0mm Cannulated Cancellous Screw - (Length 6-150mm) ,4.0mm Cannulated Screw Self-Tapping - (Length 6-150mm) ,1.8mm Varixis Buttress Pins - (Length 8-30mm) ,Aiming Block - ,Aiming Block Drill Sleeve - ,Aiming Block Screw - ,2.4mm Cortical Screw Self-Tapping (Hex Head) - (Length 4-50mm) ,2.4mm Wise-Lock Screw Self-Tapping (Hex Head) - (Length 4-50mm) ,4.5mm Cannulated Cortical Screw Self-Tapping - (Length 6-150mm) ,6.5mm Cannulated Screw16mm Thread Self-Drilling - (Length 30-180mm) ,6.5mm Cannulated Screw32mm Thread Self-Drilling - (Length 45-180mm) ,6.5mm Cannulated Screw Full Thread Self-Drilling - (Length 20-180mm) ,6.5mm Cannulated Screw - (Length 20-180mm) ,6.5mm Cannulated Screw 16/32/Full Thread Self-Tapping - (Length 20-180mm) ,7.0mm Cannulated Cancellous Screw 16mm Thread Self-Drilling - (Length 30-180mm) ,4.5mm Cannulated Cortical Screw Short Thread - (Length 10-150mm) ,4.5mm Cannulated Cortical Screw Full Thread - (Length 10-150mm) ,4.5mm Cannulated Cortical Screw Short Thread Self-Tapping - (Length 10-150mm) ,4.5mm Cannulated Cortical Screw Full Thread Self-Tapping - (Length 10-150mm) ,4.5mm Cannulated Cortical Screw - (Length 6-150mm) ,4.5mm Cannulated Screw - (Length 6-150mm) ,4.5mm Cannulated Screw Partial/Full Thread - (Length 6-150mm) ,4.5mm Cannulated ScrewPartial/Full ThreadSelf-Tapping - (Length 6-150mm) ,7.3mm Cannulated Cancellous Screw Full Thread Self-Drilling - (Length 20-150mm) ,7.3mm Cannulated Screw - (Length 20-150mm) ,7.3mm Cannulated Screw Self-Tapping - (Length 20-180mm) ,7.3mm Cannulated Screw Self-Drilling - (Length 20-180mm) ,8.0mm Cannulated Screw - (Length 20-180mm) ,8.0mm Cannulated Screw Partial/Full Thread - (Length 20-180mm) ,3.5mm Cannulated Screw Self-Tapping - (Length 6-150mm) ,3.5mm Wise-Lock Screw Self-Drilling (Hex Head) - (Length 6-150mm) ,3.5mm Wise-Lock Cancellous Screw Full Thread Self Tapping (Hex Head) - (Length 6-150mm) ,3.5mm Wise-Lock Cancellous Screw Short Thread Self Tapping (Hex Head) - (Length 6-150mm) ,3.5mm Cortical Screw Self-Tapping (Hex Head) - (Length 10-150mm) ,4.0mm Cancellous Screw Short Thread - (Length 10-150mm) ,4.0mm Cancellous Screw Full Thread - (Length 10-150mm) ,1.5mm Cortical Screw Self-Tapping (Hex Head) - (Length 4-100mm) ,4.5mm Cortical Screws Self-Tapping (Hex Head) - (Length 6-150mm) ,2.0mm Cortical Screw Self-Tapping (Hex Head) - (Length 4-100mm) ,2.7mm Cortical Screw (Hex Head) - (Length 4-100mm) ,2.7mm Cortical Screw Self-Tapping (Hex Head) - (Length 4-100mm) ,3.5mm Cortical Screw (Hex Head) - (Length 6-150mm) ,3.5mm Cortical Screw Self-Tapping (Hex Head) - (Length 10-150mm) ,3.5mm Cancellous Screw Short Thread - (Length 10-150mm) ,3.5mm Cancellous Screw Full Thread - (Length 6-100mm) ,4.0mm Cancellous Screw Short Thread - (Length 10-150mm) ,4.0mm Cancellous Screw Full Thread - Length 10-150mm,3.5mm Malleolar Screw - (Length 20-100mm) ,4.5mm Cortical Screw(Hex Head) - Length 10-150mm,4.5mm Cortical Screws Self-Tapping (Hex Head) - Length 10-150mm,4.5mm Malleolar Screw - Length 20-150mm,6.5mm Cancellous Screw 16mm Thread - (Length 25-150mm) ,6.5mm Cancellous Screw 32mm Thread - (Length 35-150mm) ,6.5mm Cancellous Screw Full Thread - (Length 25-150mm) ,Bone Screws dia. 2.4-6.5mm - (Length 6-150mm) ,3.5mm Low Profile Cortical Screw (Hex Head) - (Length 6-150mm) ,4.0mm Low Profile Cancellous screw (Hex Head) - (Length 20-150mm) ,5.0mm Wise-Lock Screw Self-Tapping (Hex Head) - (Length 6-150mm) ,5.0mm Wise-Lock Screw Self-Tapping & Self-Drilling (Hex

	Head) - (Length 6-150mm) ,5.0mm Wise-Lock Cancellous Screw Full Thread Self-Tapping (Hex Head) - (Length 6-150mm) ,5.0mm Wise-Lock Cancellous Screw Short Thread Self-Tapping (Hex Head) - (Length 6-150mm) ,5.0mm Wise-Lock Cannulated Screw Full Thread Self-Tapping (Length 6-150mm) ,5.0mm Wise-Lock Cannulated Screw Partial Thread Self-Tapping (Length 10-150mm) ,6.5mm Cancellous Screws 32mm Thread - (Length 10-150mm) ,6.5mm Cancellous Screws - (32mm Thread Length 10-150mm) ,6.5mm Cancellous Screws Full Thread - (Length 10-150mm)
--	--



1. Generic Name :Bone Screws
2. Brand Name :NIL
3. Notified Category :Orthopaedic Implants
4. Class of Medical Device :Class C
5. Shelf life :NA
6. Sterile/Non-Sterile:Non-Sterilized
7. Intended Use :Bone Screws are used during the surgery of fractured bones. These serve as a support for internal fixation of bones. These screws are used alone or along with bone plates or interlocking nails.
8. Material of Construction: Stainless Steel (ISO-5832-1)
9. Dimension: Various Dimension Bone screws are manufactured
10. Model/Catalogue No./Name :3.0mm Cannulated Cancellous Screw Short Thread - (Length 6-150mm) ,1.5mm Cortical Screw Self-Tapping(Hex Head) - (Length 4-100mm) ,5.0mm Wise-Lock Screw Self Tapping (Hex Head) - (Length 6-150mm) ,dia 10.0mm Bolt for Femoral Neck Plate - (Length 50-170mm) ,Ø6.4mm Anti-Rotaion Screw for Femoral Neck Plate - (Length 50-150mm) ,8.0mm Cannulated Screw - (Length 20-180mm) ,Aiming Block Drill Sleeve - ,3.5mm Cortical Screw Self-Tapping (Star Head) - (Length 6-150mm) , Cancellous Screws for Periprosthetic Plates - (Length 10-150mm) ,7.0mm Cannulated Screw 16/32/Full Thread Self-Tapping - (Length 30-180mm) ,8.0mm Cannulated Screw Partial/Full Thread - (Length 20-180mm) ,1.5mm Cortical Screw (Hex Head) - (Length 4-100mm) ,2.7mm Cortical Screw Self-Tapping (Star Head) - (Length 4-60mm) ,2.4mm Variable Angle Screw Self-Tapping (Star Head) - (Length 4-60mm) ,2.7mm Wise-Lock Screw Self-Tapping (Star Head) - (Length 6-150mm) ,Aiming Block - ,7.0mm Cannulated Screw 16/32/Full Thread Self-Drilling - (Length 30-180mm) ,7.3mm Cannulated Cancellous Screw 16mm Thread Self-Drilling - (Length 30-180mm) ,7.3mm Cannulated Cancellous Screw 32mm Thread Self-Drilling - (Length 35-180mm) ,7.3mm Cannulated Cancellous Screw Full Thread Self-Drilling - (Length 20-150mm) ,2.7mm Varixis Screw Self-Tapping (Star Head) - (Length 6-150mm) ,7.3mm Cannulated Screw - (Length 20-180mm) ,7.3mm Cannulated Screw Self-Tapping - (Length 20-180mm) ,4.0mm Cannulated Cancellous Screw Short Thread Self-Tapping - (Length 6-150mm) ,7.3mm Cannulated Screw Self-Drilling - (Length 20-180mm) ,3.5mm Cortical Screw Self-Tapping (Hex Head) - Length 10-150mm) ,4.0mm Cancellous Screw Short Thread - (Length 10-150mm) ,Aiming Block Screw - ,2.4mm Wise-Lock Screw Self-Tapping (Star Head) - (Length 4-60mm) ,2.4mm Cortical Screw Self-Tapping (Star Head) - (Length 4-60mm) ,3.5mm Wise-Lock Cancellous Screw - (Length 6-150mm) , 3.5mm Cortical Screw (Star Head) - (Length 6-150mm) ,3.5mm Wise-Lock Screw Self-Tapping (Star Head) - (Length 6-150mm) ,Locking Screws for Periprosthetic Plates - (Length 10-150mm) ,Cortical Screws for Periprosthetic Plates - ,2.5mm Volar Screw - Length 4-50mm ,Short Thread Self Tapping (Hex Head) - (Length 6-150mm) ,4.5mm Cannulated Cortical Screw Short ThreadSelf-Tapping - Length 10-150mm) ,3.5mm Cannulated Cortical Screw Self-Tapping - (Length 6-150mm) ,3.5mm Cannulated Cortical Screw Self-Drilling - (Length 6-150mm) ,4.0mm Cannulated Cancellous Screw Short/Full Thread Self-Drilling - (Length 6-150mm) ,4.0mm Cannulated Screw Self-Drilling - (Length 6-150mm) ,4.0mm Cannulated Cancellous Screw Self-Drilling - (Length 6-150mm) ,DHS/DCS Compression Screw - ,4.5mm Cannulated Cortical Screw Full Thread Self-Tapping - (Length 10-150mm) , 4.5mm Cannulated Cortical Screw - (Length 6-150mm) ,3.5mm Cannulated Screw - (Length 6-150mm) ,4.0mm Cannulated Cancellous Screw Full Thread Self-Tapping - (Length 6-150mm) ,3.5mm Cortical Screw Self-Tapping (Hex Head) - (Length 6-150mm) ,3.5mm Wise-Lock Screw Self-Tapping (Hex Head) - (Length 6-150mm) ,3.5mm Wise-Lock Screw Self-Drilling (Hex Head) - (Length 6-150mm) ,3.5mm Wise-Lock Cancellous Screw Full Thread Self Tapping (Hex Head) - (Length 6-150mm) ,2.7mm Wise-Lock Screw Self-Tapping (Star Head) - (Length 6-150mm) ,3.5mm Varixis Screw Self-Tapping - (Length 6-150mm) ,5.0mm Wise-Lock Screw Self-Tapping (Hex Head) - Length 6-150mm ,Connection Screw for Periprosthetic Trochanter Plate - (Length 6-150mm) ,Locking Caps for Periprosthetic Plates - (Length 0-50mm) ,2.0mm Peg Screw - Length 4-50mm ,2.4mm Variable Angle Screw Self-Tapping (Star Head) - (Length 4-60mm) ,4.0mm Cancellous Screw Full Thread - Length 10-150mm) ,Aiming Block For Variable Angle Two-Column Volar Distal Radius Plate - ,3.7mm Wise-Lock Cannulated Conical Screws Self-Tapping - (Length 6-150mm) ,3.5mm Conical Screws - (Length 6-150mm) ,5.0mm Wise-Lock Periprosthetic Screws Self-Tapping - (Length 6-150mm) ,4.5mm Cortical Screws Self-Tapping (Hex Head) - (Length 6-150mm) , 5.0mm Wise-Lock Screw Self-Tapping (Hex Head)Self-Tapping Full Thread - (Length 10-70mm) ,2.4mm Cortical Screw (Star Head) - (Length 6-150mm) ,7.0mm Cannulated Cancellous Screw 16mm Thread Self-Drilling - (Length 30-180mm) ,7.0mm Cannulated Cancellous Screw 32mm Thread Self-Drilling - (Length 35-180mm) ,7.0mm Cannulated Cancellous Screw Full Thread Self-Drilling - (Length 30-180mm) ,7.0mm Cannulated Screw - (Length 30-180mm) ,7.0mm Cannulated Screw 16/32/Full Thread - (Length 30-180mm) , 2.5mm Volar ScrewSelf-TappingPartial Thread - (Length 4-50mm) ,4.5mm Cannulated Cortical Screw Short Thread - (Length 10-150mm) ,4.5mm Cannulated Cortical Screw Full Thread - (Length 10-150mm) ,4.0mm Cancellous Screw Full Thread - (Length 10-150mm) ,

	3.5mm Malleolar Screw - (Length 20-100mm) ,4.5mm Cortical Screw (Hex Head) - (Length 10-150mm),4.5mm Cortical Screw Self-Tapping (Hex Head) - (Length 10-150mm) ,2.4mm Wise-Lock Screw Self-Tapping (Star Head) - (Length 4-60mm) ,4.5mm Malleolar Screw - (Length 20-150mm) ,6.5mm Cancellous Screw 16mm Thread - (Length 25-150mm) , Variable Angle DHS/DCS Screw with Compression Screw - (Length 25-150mm) ,6.5mm Cancellous Screw 32mm Thread - (Length 35-150mm) ,4.5mm Cortex Screw Self-Tapping Cannulated (3.0mm Hex) - (Length 10-150mm) ,3.5mm Wise-Lock Screw Self-Tapping (Hex Head) - (Length 6-150mm) ,6.5mm Cannulated Screw Full Thread Self-Drilling - (Length 20-180mm) ,6.5mm Cannulated Screw - (Length 20-180mm) ,6.5mm Cannulated Screw 16/32/Full Thread Self-Tapping - (Length 20-180mm) ,2.4mm Cortical Screw Self-Tapping (Hex Head) - (Length 4-50mm) ,2.4mm Wise-Lock Screw Self-Tapping (Hex Head) - (Length 4-50mm) ,2.7mm Cortical Screw Self-Tapping (Hex Head) - (Length 4-50mm) ,2.7mm Wise-Lock Screw Self-Tapping (Hex Head) - (Length 4-50mm) ,4.5mm Cortical Screws Self-Tapping (Hex Head) - (Length 6-150mm) ,3.0mm Cannulated Cancellous Screw Long Thread - (Length 6-150mm) ,3.0mm Cannulated Screw - (Length 6-150mm) ,3.0mm Cannulated Cancellous Screw - (Length 6-150mm) ,Threaded Washers Small & Large - ,5.0 mm Wise-Lock Screw Self-Tapping (Hex Head) - (Length 6-150mm) ,2.4mm Cannulated Screws Short & Long Thread - (Length 6-150mm) ,3.5mm Cannulated Cortical ScrewShort Thread - (Length 6-150mm) ,3.5mm Cannulated Cortical ScrewFull Thread - (Length 6-150mm) ,3.5mm Cannulated Cortical Screw Short Thread Self-Tapping - (Length 6-150mm) ,3.5mm Cannulated Cortical ScrewFull ThreadSelf-Tapping - (Length 6-150mm) ,5.0mm Wise-Lock Screw(Hex Head) - (Length 6-150mm) ,6.5mm Cancellous Screw16mm Thread - (Length 10-150mm) ,6.5mm Cancellous Screw32mm Thread - (Length 10-150mm) ,6.5mm Cancellous ScrewFull Thread - (Length 10-150mm) ,DHS/DCS Screw - (Length 25-150mm) ,6.5mm Cancellous Screw Full Thread - (Length 25-150mm) ,Bone Screws dia. 2.4-6.5mm - (Length 6-150mm) ,2.4mm Cortical Screw Self-Tapping (Star Head) - (Length 4-60mm) ,1.5 mm Wise-Lock Low Profile Screw (Star Head) - (Length 2-50mm) ,1.5mm Low Profile Screw (Star Head) - (Length 2-50mm) ,2.3mm Wise-Lock Low Profile Screw (Star Head) - (Length 2-50mm) ,2.7mm Cortical Screw (Hex Head) - (Length 4-100mm) ,2.7mm Cortical Screw Self-Tapping - (Length 4-100mm) ,3.5mm Cortical Screw (Hex Head) - (Length 6-150mm) ,3.5 mm Cortical Screw Self-Tapping (Hex Head) - (Length 10-150mm) ,3.5mm Cancellous Screw Short Thread - (Length 6-100mm) ,3.5mm Cancellous ScrewFull Thread - (Length 6-100mm) ,4.0mm Cancellous Screw Short Thread - (Length 10-150mm) ,2.0mm Cortical Screw Self-Tapping (Hex Head) - (Length 4-100mm) ,4.0mm Cannulated Screw - (Length 6-150mm) ,4.0mm Cannulated Cancellous Screw - (Length 6-150mm) ,4.0mm Cannulated Screw Self-Tapping - (Length 6-150mm) ,4.0mm Cannulated Cancellous Screw Self-Tapping - (Length 6-150mm) ,4.0mm Cannulated Screw Short/Long Thread - (Length 6-150mm) ,5.0 mm Cannulated Screw Partial/Full Thread - (Length 6-150mm) ,3.5mm Cannulated Screw Self-Tapping - (Length 6-150mm) ,3.5mm Cannulated Screw Self-Drilling - (Length 6-150mm) ,3.5mm Cannulated Cortical Screw - (Length 6-150mm) ,2.7mm Cortical Screw Self-Tapping (Star Head) - (Length 4-60mm) ,2.7mm Varixis Screw Self-Tapping (Star Head) - (Length 4-60mm) ,2.7mm Varixis Screw - (Length 10-150mm) ,4.5mm Cannulated Screw - (Length 6-150mm) ,4.5mm Cannulated Screw Partial/Full Thread - (Length 6-150mm) ,4.5 mm Cannulated Screw Partial/Full Thread Self-Tapping - (Length 6-150mm) ,4.5mm Cortical Screw Self-Tapping (Hex Head)Self-Tapping - (Length 6-150mm) ,2.7mm Cortical Screw Self-Tapping (Star Head) - (Length 6-150mm) ,2.7mm Cortical Screw (Star Head) - (Length 6-150mm) ,2.4mm Cortical Screw Self-Tapping (Star Head) - (Length 6-150mm) ,3.5 mm Low Profile Cortical Screw (Hex Head) - (Length 6-150mm) ,4.0mm Low Profile Cancellous screw (Hex Head) - (Length 20-150mm) ,2.0mm Cortical Screw (Hex Head) - (Length 4-100mm) ,4.5mm Cannulated Cortical Screw Self-Tapping - (Length 6-150mm) , 6.5mm Cannulated Screw16mm Thread Self-Drilling - (Length 30-180mm) ,6.5mm Cannulated Screw 32mm Thread Self-Drilling Self-Tapping (Star Head) - (Length 45-180mm) ,4.5mm Cortical ScrewsSelf-Tapping(Hex Head) - (Length 6-150mm) ,5.0mm Wise-Lock Screw Self-Tapping (Hex Head) - (Length 6-150mm) ,5.0mm Wise-Lock Screw Self-Tapping & Self-Drilling (Hex Head) - (Length 6-150mm) ,5.0mm Wise-Lock Cancellous Screw Full Thread Self-Tapping (Hex Head) - (Length 6-150mm) ,5.0mm Wise-Lock Cancellous ScrewShort Thread Self-Tapping(Hex Head)g - (Length 6-150mm) ,5.0mm Wise-Lock Cannulated Screw Full Thread Self-Tapping - (Length 6-150mm) ,5.0mm Wise-Lock Cannulated Screw Partial Thread Self-Tapping - (Length 10-150mm) ,6.5mm Cancellous Screws 16mm Thread - (Length 10-150mm) ,6.5mm Cancellous Screws 32mm Thread - (Length 10-150mm) ,6.5mm Cancellous Screws Full Thread - (Length 10-150mm) ,3.7mm Wise-Lock Cannulated Screws Self-Tapping - (Length 6-150mm) ,2.3mm Low Profile Screw (Star Head) - (Length 2-50mm) ,1.0mm Cortical Screw Self-Tapping - (Length 2-50mm) ,1.0 mm Cortical ScrewSelf-Tapping Cruciform - (Length 2-50mm) ,1.3/1.5/2.0mm Cortical Screw Self-Tapping - (Length 2-50mm) ,1.3/1.5/2.0mm Wise-Lock Screw Self-Tapping - (Length 2-50mm) ,1.3/1.5/2.0mm Varixis Screw - (Length 2-50mm)
--	---

1. Generic Name :Bone Screws

2. Brand Name :NIL

3. Notified Category :Orthopaedic Implants

4. Class of Medical Device :Class C

5. Shelf life :5 Years

6. Sterile/Non-Sterile:Non-Sterilized

7. Intended Use :Bone Screws are used during the surgery of fractured bones. These serve as a support for internal fixation of bones. These screws are used alone or along with bone plates or interlocking nails.

8. Material of Construction: Titanium (ISO 5832-3)

9. Dimension: NA

10. Model/Catalogue No./Name :Aiming Block - ,2.4mm Wise-Lock Screw Self-Tapping (Star Head) - (Length 4-60mm) ,2.4mm Cortical Screw Self-Tapping (Star Head) - (Length 4-60mm) ,2.7mm Cortical Screw Self-Tapping (Star Head) - (Length 4-60mm) ,2.4mm Variable Angle Screw Self-Tapping (Star Head) - (Length 4-60mm) ,2.4mm Wise-Lock Screw Self-Tapping (Star Head) - (Length 4-60mm) ,2.4mm Cortical Screw Self-Tapping (Star Head) - (Length 4-60mm) ,2.7mm Cortical Screw Self-Tapping (Star Head) - (Length 4-60mm) ,2.7 mm Varixis Screw Self-Tapping (Star Head) - (Length 4-60mm) ,2.7mm Varixis Screw Self-Tapping (Star Head) - (Length 6-150mm) ,2.7mm Wise-Lock Screw Self-Tapping (Star Head) - (Length 6-150mm) ,2.7mm Cortical Screw Self-Tapping (Star Head) - (Length 6-150mm) , 2.7mm Cortical Screw (Star Head) - (Length 6-150mm) ,2.4mm Cortical Screw Self-Tapping (Star Head) - (Length 6-150mm) ,2.4mm Cortical Screw (Star Head) - (Length 6-150mm) , 3.5mm Cortical Screw Self-Tapping (Star Head) - (Length 10-150mm) ,3.5mm Cortical Screw (Star Head) - (Length 6-150mm) ,3.5mm Wise-Lock Screw Self-Tapping (Star Head) - (Length 6-150mm) ,3.5mm Varixis Screw Self-Tapping (Star Head) - (Length 6-150mm) ,3.5 mm Cortical Screw Self-Tapping (Star Head) - (Length 6-150mm) ,Flat Connector dia 1-4mm - ,5.0mm Wise-Lock Screw Self-Tapping (Hex Head) - (Length 6-150mm) ,Connection Screw for Periprosthetic Trochanter Plate - ,Locking Caps for Periprosthetic Plates - (Length 0-50mm) ,DHS/DCS Screw - (Length 25-150mm) ,Variable Angle DHS/DCS Screw with Compression Screw - (Length 25-150mm) ,4.5mm Cortex Screw Self-Tapping Cannulated (3.0mm Hex) - (Length 10-150mm) ,3.5mm Cortical Screw Self-Tapping (Hex Head) - (Length 6-150mm) ,7.0mm Cannulated Screw - (Length 30-180mm) ,1.5mm Kirschner Screw - (Length 10mm-30mm) ,1.9mm Emergency Screw - (Length 10mm-30mm) ,2.0mm Cortical Screw Self-Tapping (Star Head) - (Length 4-60mm) ,2.0mm Wise-Lock Screw Self-Tapping (Star Head) - (Length 4-60mm) ,2.7mm Wise-Lock Screw Self-Tapping (Star Head) - (Length 4-80mm) ,Hybrid Screws Length 4-150mm - ,2.5mm Locking Screws - (Length 6-150mm) ,3.5mm Low Profile Cortical Screws - (Length 6-150mm) ,3.5mm Multidirectional Locking Screw - ,1.0mm Cortical Screws Self-Tapping - (Length 6-20mm) , 1.3mm Cortical Screws Self-Tapping (Star Head) - (Length 4-30mm) ,1.3mm Wise-Lock Screws Self Tapping (Star Head) - (Length 4-30mm) ,1.5mm Varixis Screws Self-Tapping (Star Head) - (Length 4-30mm) ,2.0mm Varixis Screws Self-Tapping(Star Head) - (Length 4-30mm) ,2.5mm Volar Screw Self-Tapping Full Thread - (Length 4-50mm) ,2.5mm Volar Screw Self-Tapping Partial Thread - (Length 4-50mm) ,2.0mm Peg Screw - (Length 4-50mm) ,2.4mm Cortical Screw Self-Tapping (Hex Head) - (Length 4-50mm) ,2.4mm Wise-Lock ScrewSelf-Tapping (Hex Head) - (Length 4-50mm) ,2.7mm Cortical Screw Self-Tapping (Hex Head) - (Length 4-50mm) ,2.7mm Wise-Lock Screw Self-Tapping(Hex Head) - (Length 6-150mm) ,3.5mm Wise-Lock Screw Self-Tapping (Hex Head) - (Length 6-150mm) ,3.5mm Wise-Lock Screw Self-Drilling (Hex Head) - (Length 6-150mm) ,3.5mm Wise-Lock Cancellous Screw Full Thread Self Tapping (Hex Head) - (Length 6-150mm) ,3.5mm Wise-Lock Cancellous Screw Short Thread Self Tapping (Hex Head) - (Length 6-150mm) ,3.5mm Cortical Screw Self-Tapping (Hex Head) - (Length 10-150mm) ,Aiming Block Drill Sleeve - , Aiming Block Screw - ,2.4mm Variable Angle Screw Self-Tapping (Star Head) - (Length 4-60mm) ,4.0mm Cancellous Screw Short Thread - (Length 10-150mm) ,5.0mm Wise-Lock Cancellous Screw Full Thread Self-Tapping (Hex Head) - (Length 6-150mm) ,5.0mm Wise-Lock Cancellous Screw Short Thread Self-Tapping (Hex Head) - (Length 6-150mm) ,5.0mm Wise-Lock Cannulated Screw Full Thread Self-Tapping - (Length 6-150mm) ,5.0mm Wise-Lock Cannulated Screw Partial Thread Self-Tapping - (Length 10-150mm) ,6.5mm Cancellous Screws 16mm Thread - (Length 10-150mm) ,6.5mm Cancellous Screws 32mm Thread - (Length 10-150mm) ,6.5mm Cancellous Screws Full Thread - (Length 10-150mm) ,3.7mm Wise-Lock Cannulated Screws Self-Tapping - (Length 6-150mm) ,3.7mm Wise-Lock Cannulated Conical Screws Self-Tapping - (Length 6-150mm) ,3.5mm Conical Screws - (Length 6-150mm) ,5.0mm Wise-Lock Periprosthetic Screws Self-Tapping - (Length 6-150mm) ,4.5mm Cortical Screws Self-Tapping (Hex Head) - (Length 6-150mm) ,5.0mm Wise-Lock Screw Self Tapping (Hex Head) - (Length 6-150mm) ,Ø10.0mm Bolt for Femoral Neck Plate - (Length 50-170mm) ,Ø6.4mm Anti-Rotaion Screw for Femoral Neck Plate - (Length 50-150mm) ,5.0mm Wise-Lock Screw Self-Tapping (Hex Head) - (Length 10-70mm) , 1.5mm Wise-Lock Low Profile Screw (Star Head) - (Length 2-50mm) ,1.5mm Low Profile Screw (Star Head) - (Length 2-50mm) ,2.3mm Wise-Lock Low Profile Screw (Star Head) -

(Length 2-50mm) ,2.3mm Low Profile Screw (Star Head) - (Length 2-50mm) ,1.0mm Cortical Screw Self-Tapping - (Length 2-50mm) ,1.0mm Cortical Screw Self-Tapping Cruciform - (Length 2-50mm) ,1.3/1.5/2.0mm Cortical Screw Self-Tapping - (Length 2-50mm) ,1.3/1.5/2.0mm Wise-Lock Screw Self-Tapping - (Length 2-50mm) ,1.3/1.5/2.0mm Varixis Screw - (Length 2-50mm) ,Locking Screws for Periprosthetic Plates - (Length 10-150mm) ,Cortical Screws for Periprosthetic Plates - (Length 10-150mm) ,DHS/DCS Compression Screw - ,2.4mm Locking Self-Tapping Screw - (Length 2mm-30mm) ,2.7mm Emergency Screw Self-Tapping - (Length 2mm-30mm) ,5.0mm Wise-Lock Screw Self-Tapping (Hex Head) - (Length 6-150mm) ,4.0mm Cancellous Screw Full Thread - (Length 10-150mm) ,4.5mm Cortical Screws Self-Tapping (Hex Head) - (Length 6-150mm) ,5.0mm Wise-Lock Screw Self-Tapping (Hex Head) - (Length 6-150mm) ,5.0mm Wise-Lock Screw Self-Tapping & Self-Drilling (Hex Head) - (Length 6-150mm) ,3.5mm Cannulated Screw Self-Tapping - (Length 6-150mm) ,3.0/3.9mm Herbert Cannulated Compression Screws (Hex Head) - (Length 6-150mm) ,3.0mm Cannulated Cancellous Screw Short Thread - (Length 6-150mm) ,3.0mm Cannulated Cancellous Screw Long Thread - (Length 6-150mm) ,3.5mm Cannulated Screw Self-Drilling - (Length 6-150mm) ,3.5mm Cannulated Cortical Screw - (Length 6-150mm) ,3.5mm Cannulated Cortical Screw Full Thread Self-Tapping - (Length 6-150mm) ,3.5mm Cannulated Screw - (Length 6-150mm) ,7.0mm Cannulated Screw 16/32/Full Thread Self-Tapping - (Length 30-180mm) ,7.0mm Cannulated Screw 16/32/Full Thread Self-Drilling - (Length 30-180mm) ,7.3mm Cannulated Cancellous Screw 16mm Thread Self-Drilling - (Length 30-180mm) ,7.3mm Cannulated Cancellous Screw 32mm Thread Self-Drilling - (Length 35-180mm) ,7.3mm Cannulated Cancellous Screw Full Thread Self-Drilling - (Length 20-150mm) ,7.3mm Cannulated Screw - (Length 20-180mm) ,7.3mm Cannulated Screw Self-Tapping - (Length 20-180mm) ,7.3mm Cannulated Screw Self-Drilling - (Length 20-180mm) ,3.5mm Cannulated Cortical Screw Self-Tapping - (Length 6-150mm) ,3.5mm Cannulated Cortical Screw Self-Drilling - (Length 6-150mm) ,4.0mm Cannulated Cancellous Screw Short Thread Self-Tapping - (Length 6-150mm) ,4.0mm Cannulated Cancellous Screw Full Thread Self-Tapping - (Length 6-150mm) ,4.0mm Cannulated Screw - (Length 6-150mm) ,4.0mm Cannulated Cancellous Screw - (Length 6-150mm) ,4.0mm Cannulated Screw Self-Tapping - (Length 6-150mm) ,4.0mm Cannulated Cancellous Screw Self-Tapping - (Length 6-150mm) ,4.0mm Cannulated Screw Short/Long Thread - (Length 6-150mm) ,5.0mm Cannulated Screw Partial/Full Thread - (Length 6-150mm) ,1.5mm Cortical Screw Self-Tapping (Star Head) - (Length 4-60mm) ,1.5mm Wise-Lock Screw Self-Tapping (Star Head) - (Length 4-60mm) ,1.8mm Buttress Screw (Star Head) - (Length 4-50mm) ,4.5mm Cannulated Cortical Screw Full Thread Self-Tapping - (Length 10-150mm) ,4.5mm Cannulated Cortical Screw - (Length 6-150mm) ,4.5mm Cannulated Screw - (Length 6-150mm) ,4.5mm Cannulated Screw Partial/Full Thread - (Length 6-150mm) ,4.5mm Cannulated Screw Partial/Full Thread Self-Tapping - (Length 6-150mm) ,4.5mm Cannulated Cortical Screw Self-Tapping - (Length 6-150mm) ,6.5mm Cannulated Screw 16mm Thread Self-Drilling - (Length 30-180mm) ,4.0mm Cannulated Cancellous Screw Short/Full Thread Self-Drilling - (Length 6-150mm) ,4.0mm Cannulated Screw Self-Drilling - (Length 6-150mm) ,2.5mm Headless Cannulated Screw - (Length 4-100mm) ,3.5mm Headless Cannulated Screw - (Length 10-100mm) ,4.0mm Headless Cannulated Screw - (Length 10-100mm) ,4.7mm Headless Cannulated Screw - (Length 10-100mm) ,7.0mm Cannulated Cancellous Screw 16mm Thread Self-Drilling - (Length 30-180mm) ,7.0mm Cannulated Cancellous Screw 32mm Thread Self-Drilling - (Length 35-180mm) ,7.0mm Cannulated Cancellous Screw Full Thread Self-Drilling - (Length 30-180mm) ,4.0mm Cannulated Cancellous Screw Self-Drilling - (Length 6-150mm) ,4.5mm Cannulated Cortical Screw Short Thread - (Length 10-150mm) ,4.5mm Cannulated Cortical Screw Full Thread - (Length 10-150mm) ,4.5mm Cannulated Cortical Screw Short Thread Self-Tapping - (Length 10-150mm) ,7.0mm Cannulated Screw 16/32/Full Thread - (Length 30-180mm) ,2.5mm Cannulated Herbert Screw Short/Long Thread (Hex Head) - (Length 6-150mm) ,3.0mm Cannulated Herbert Screw Short/Long Thread (Hex Head) - (Length 6-150mm) ,8.0mm Cannulated Screw - (Length 20-180mm) ,8.0mm Cannulated Screw Partial/Full Thread - (Length 20-180mm) ,2.5mm Cannulated Herbert Screw Short Thread (Star Head) - (Length 6-150mm) ,2.5mm Cannulated Herbert Screw Long Thread (Star Head) - (Length 6-150mm) ,3.0mm Cannulated Herbert Screw Short Thread (Star Head) - (Length 6-150mm) ,3.0mm Cannulated Herbert Screw Long Thread (Star Head) - (Length 6-150mm) ,Herbert Bone Screw dia 2.5-3mm - (Length 6-150mm) ,3.5mm Cannulated Herbert Screw Short/Long Thread (Star Head) - (Length 6-150mm) ,4.0mm Cannulated Herbert Screw Short/Long Thread (Star Head) - (Length 6-150mm) ,5.5mm Headless Cannulated Screw - (Length 10-100mm) ,7.5mm Headless Cannulated Screw - (Length 10-150mm) ,3.0mm Cannulated Screw - (Length 6-150mm) ,3.0mm Cannulated Cancellous Screw - (Length 6-150mm) ,2.4mm Cannulated Screws Short & Long Thread - (Length 6-150mm) ,3.5mm Cannulated Cortical Screw Short Thread - (Length 6-150mm) ,3.5mm Cannulated Cortical Screw Full Thread - (Length 6-150mm) ,3.5mm Cannulated Cortical Screw Short Thread Self-Tapping - (Length 6-150mm) ,2.5/3.0/4.5/6.5mm Headless Compression Screw Short/Full Thread - (Length 10-150mm) ,1.5mm Cortical Screw (Hex Head) - Length 4-

	100mm ,1.5mm Cortical ScrewSelf-Tapping (Hex Head) - Length 4-100mm ,2.0mm Cortical Screw (Hex Head) - Length 4-100mm ,2.0mm Cortical Screw Self-Tapping (Hex Head) - Length 4-100mm ,2.7mm Cortical Screw (Hex Head) - (Length 4-100mm) ,2.7mm Cortical Screw Self-Tapping (Hex Head) - (Length 4-100mm) ,3.5mm Cortical Screw (Hex Head) - (Length 6-150mm) ,3.5mm Cortical Screw Self-Tapping (Hex Head) - (Length 10-150mm) ,3.5mm Cancellous Screw Short Thread - Length 6-100mm ,3.5mm Cancellous Screw Full Thread - Length 6-100mm ,4.0mm Cancellous Screw Short Thread - Length 10-150mm ,4.0 mm Cancellous ScrewFull Thread - Length 10-150mm ,3.5mm Malleolar Screw - Length 20-100mm ,4.5mm Cortical Screw (Hex Head) - (Length 10-150mm) ,4.5mm Cortical Screw Self-Tapping (Hex Head) - (Length 10-150mm) ,4.5mm Malleolar Screw - (Length 20-150mm) ,6.5mm Cancellous Screw 16mm Thread - (Length 25-150mm) ,6.5mm Cancellous Screw 32mm Thread - (Length 35-150mm) ,6.5mm Cancellous Screw Full Thread - (Length 25-150mm) ,Bone Screws dia. 2.4-6.5mm - (Length 6-150mm) ,3.5mm Low Profile Cortical Screw (Hex Head) - (Length 6-150mm) ,4.0mm Low Profile Cancellous screw (Hex Head) - Length 20-150mm ,1.0mm Self-Tapping Screw - (Length 2mm-10mm) ,1.0mm Self-Tapping & Drilling Screw - (Length 2mm-10mm) ,1.3mm Emergency Screw Self-Tapping - (Length 2mm-10mm) ,1.5mm Self-Tapping Screw - (Length 2mm-20mm) ,1.5mm Self-Tapping & Self Drilling Screw - (Length 2mm-10mm) ,1.9mm Emergency Screw Self-Tapping - (Length 2mm-20mm) ,Cancellous Screws for Periprosthetic Plates - (Length 10-150mm) ,2.3mm Emergency Screw Self-Tapping - (Length 2mm-20mm) ,2.4mm Self-Tapping Screw - (Length 2mm-30mm) ,6.5mm Cannulated Screw 32mm Thread Self-Drilling - (Length 45-180mm) ,6.5mm Cannulated Screw Full Thread Self-Drilling - (Length 20-180mm) ,6.5mm Cannulated Screw - (Length 20-180mm) ,6.5mm Cannulated Screw 16/32/Full Thread Self-Tapping - (Length 30-180mm) ,2.0mm Krischner Screw - (Length 10mm-30mm) ,2.3mm Emergency Screw - (Length 10mm-30mm) ,2.0mm Lag Screw - (Length 10mm-30mm) ,1.5 mm Self-Tapping & Self Drilling IMF ScrewType-I - (Length 2mm-30mm) ,2.0mm Self-Tapping Screw - (Length 2mm-30mm) ,2.0mm Self-Tapping & Self Drilling Screw - (Length 2mm-30mm) ,2.0mm Locking Self-Tapping Screw - (Length 2mm-30mm) ,2.0mm Locking Self-Tapping & Drilling Screw - (Length 2mm-30mm) ,1.5mm Self-Tapping & Self Drilling IMF Screw Type-II - (Length 2mm-30mm) ,1.5mm Self-Tapping & Self Drilling IMF Screw Type-III - (Length 2mm-30mm) ,2.0mm Self-Tapping & Self Drilling IMF Screw Type-I - (Length 2mm-30mm) ,2.0mm Self-Tapping & Self Drilling IMF Screw Type-II - (Length 2mm-30mm) ,2.0mm Self-Tapping & Self Drilling IMF Screw Type-III - (Length 2mm-30mm) ,1.3 mm Anchor Screw - (Length 2.5mm-12.5mm)
--	--



1. Generic Name :Bone Screws
2. Brand Name :NIL
3. Notified Category :Orthopaedic Implants
4. Class of Medical Device :Class C
5. Shelf life :NA
6. Sterile/Non-Sterile:Non-Sterilized
7. Intended Use :Bone Screws are used during the surgery of fractured bones. These serve as a support for internal fixation of bones. These screws are used alone or along with bone plates or interlocking nails.
8. Material of Construction: Titanium (ISO-5832-3)
9. Dimension: Various Dimension Bone screws are manufactured
10. Model/Catalogue No./Name :1.5mm Self-Tapping & Self Drilling IMF Screw Type-III - (Length 2mm-20mm) ,2.0mm Self-Tapping & Self Drilling IMF Screw Type-I Length 5mm - (Length 2mm-20mm) ,2.0mm Self-Tapping & Self Drilling IMF Screw Type-II - (Length 2mm-20mm) ,1.5mm Self-Tapping & Self Drilling IMF Screw Type-II - (Length 2mm-20mm) ,2.7 mm Emergency Screw Self-Tapping - (Length 2mm-30mm) ,1.5mm Kirschner Screw - (Length 2mm-30mm) ,1.9mm Emergency Screw - (Length 2mm-30mm) ,2.0mm Kirschner Screw Length 18mm - (Length 2mm-30mm) ,2.7mm Cortical ScrewSelf-Tapping (Hex Head) - (Length 4-50mm) ,2.7mm Wise-Lock Screw Self-Tapping (Hex Head) - (Length 6-150mm) ,3.5mm Wise-Lock Screw Self-Tapping (Hex Head) - (Length 6-150mm) ,3.5mm Wise-Lock ScrewSelf-Drilling (Hex Head) - (Length 6-150mm) ,4.0mm Cannulated Cancellous Screw Full Thread Self-Tapping - (Length 6-150mm) ,4.0mm Cannulated Screw - (Length 6-150mm) ,4.0mm Cannulated Cancellous Screw - (Length 6-150mm) ,2.0mm Locking Self-Tapping & Drilling Screw - (Length 2mm-20mm) ,2.3mm Emergency Screw Self-Tapping - (Length 2mm-30mm) ,2.4mm Self-Tapping Screw - (Length 2mm-30mm) ,2.4mm Locking Self-Tapping Screw - (Length 2mm-30mm) ,3.0mm Cannulated Herbert Screw Long Thread (Star Head) - (Length 6-150mm) ,Herbert Bone Screw dia 2.5-3mm - (Length 6-150mm) ,3.5 mm Cannulated Herbert Screw Short/Long Thread (Star Head) - (Length 6-150mm) ,2.4 mm Cortical Screw Self-Tapping (Hex Head) - (Length 4-50mm) ,2.4mm Wise-Lock ScrewSelf-Tapping (Hex Head) - (Length 4-50mm) ,4.0mm Cannulated Cancellous ScrewShort Thread Self-Tapping - (Length 6-150mm) ,2.3mm Emergency Screw Length 18mm - (Length 2mm-30mm) ,2.0mm Lag Screw - (Length 2mm-30mm) ,1.5mm Self-Tapping & Self Drilling IMF Screw Type-I - (Length 2mm-20mm) ,7.0mm Cannulated Screw 16/32/Full ThreadSelf-Drilling - (Length 30-180mm) ,2.0mm Self-Tapping & Self Drilling IMF Screw Type-III - (Length 2mm-20mm) ,1.3mm Anchor Screw - (Length 2.5mm to 12.5mm) ,3.5mm Low Profile Cortical Screw (Hex Head) - (Length 6-150mm) ,4.0mm Low Profile Cancellous screw (Hex Head) - (Length 20-150mm) ,4.5mm Cortical Screw (Hex Head) - (Length 10-150mm) ,4.5mm Cortical ScrewSelf-Tapping (Hex Head) - (Length 10-150mm) ,4.5mm Malleolar Screw - (Length 20-150mm) ,6.5mm Cancellous Screw 16mm Thread - (Length 25-150mm) ,6.5mm Cancellous Screw 32mm Thread - (Length 35-150mm) ,6.5mm Cancellous ScrewFull Thread - (Length 25-150mm) ,Bone Screws dia. 2.4-6.5mm - (Length 6-150mm) ,3.5mm Cortical Screw (Hex Head) - (Length 6-150mm) ,3.5mm Cortical Screw Self-Tapping (Hex Head) - (Length 10-150mm) ,3.5mm Cancellous Screw Short Thread - (Length 6-100mm) ,3.0mm Cannulated Cancellous Screw - (Length 6-150mm) ,2.4mm Cannulated Screws Short & Long Thread - (Length 6-150mm) ,3.5mm Cannulated Cortical ScrewShort Thread - (Length 6-150mm) ,3.5mm Cannulated Cortical Screw Full Thread - (Length 6-150mm) ,3.5mm Cannulated Cortical Screw Short Thread Self-Tapping - (Length 6-150mm) ,3.5mm Cannulated Cortical Screw Full Thread Self-Tapping - (Length 6-150mm) ,3.5mm Cannulated Screw - Length 6-150mm ,3.5mm Cannulated Screw Self-Tapping - (Length 6-150mm) ,3.0mm Cannulated Herbert Screw Short Thread (Star Head) - (Length 6-150mm) ,4.0mm Cannulated Herbert Screw Short/Long Thread (Star Head) - (Length 6-150mm) ,2.5mm Cannulated Herbert Screw Short/Long Thread (Hex Head) - (Length 6-150mm) ,3.0mm Cannulated Herbert Screw Short/Long Thread (Hex Head) - (Length 6-150mm) ,3.0/3.9mm Herbert Cannulated Compression Screws (Hex Head) - (Length 6-150mm) ,3.0mm Cannulated Cancellous ScrewShort Thread - (Length 6-150mm) ,3.0mm Cannulated Cancellous Screw Long Thread - (Length 6-150mm) ,3.0mm Cannulated Screw - (Length 6-150mm) ,3.5mm Wise-Lock Cancellous Screw Full Thread Self Tapping (Hex Head) - Length 6-150mm ,1.5mm Self-Tapping & Self Drilling Screw - (Length 2mm-10mm) , Length 2-50mm - ,2.5mm Cannulated Herbert Screw Short Thread (Star Head) - (Length 6-150mm) ,3.5mm Cannulated Screw Self-Drilling - (Length 6-150mm) ,3.5mm Cannulated Cortical Screw - Length 6-150mm ,3.5mm Cannulated Cortical Screw Self-Tapping - Length 6-150mm ,3.5mm Cannulated Cortical Screw Self-Drilling - (Length 6-150mm) ,1.0mm Self-Tapping Screw - (Length 2mm-10mm) ,2.5mm Volar Screw Self-Tapping Full Thread - (Length 4-50mm) ,2.5mm Volar Screw Self-Tapping Partial Thread - (Length 4-50mm) ,2.0 mm Peg Screw - (Length 4-50mm) ,4.0mm Cannulated Screw Self-Tapping - (Length 6-150mm) ,4.0mm Cannulated Cancellous Screw Self-Tapping - (Length 6-150mm) ,4.0mm Cannulated Screw Short/Long Thread - (Length 6-150mm) ,5.0mm Cannulated Screw Partial/Full Thread - (Length 6-150mm) ,4.0mm Cannulated Cancellous Screw Short/Full

Thread Self-Drilling - Length 6-150mm ,4.0mm Cannulated Screw Self-Drilling - Length 6-150mm ,4.0mm Cannulated Cancellous Screw Self-Drilling - Length 6-150mm ,4.5mm Cannulated Cortical Screw Short Thread - Length 10-150mm ,4.5mm Cannulated Cortical Screw Full Thread - Length 10-150mm ,4.5mm Cannulated Cortical Screw Short Thread Self-Tapping - Length 10-150mm ,4.5mm Cannulated Cortical Screw Full Thread Self-Tapping - Length 10-150mm ,4.5mm Cannulated Cortical Screw - (Length 6-150mm) ,4.5mm Cannulated Screw - (Length 6-150mm) ,4.5mm Cannulated Screw Partial/Full Thread - (Length 6-150mm) ,4.5mm Cannulated Screw Partial/Full Thread Self-Tapping - (Length 6-150mm) ,4.5mm Cannulated Cortical Screw Self-Tapping - (Length 6-150mm) ,6.5mm Cannulated Screw 16mm Thread Self-Drilling - (Length 30-180mm) ,6.5mm Cannulated Screw 32mm Thread Self-Drilling - (Length 45-180mm) ,6.5mm Cannulated Screw Full Thread Self-Drilling - (Length 20-180mm) ,6.5mm Cannulated Screw - (Length 20-180mm) ,6.5mm Cannulated Screw 16/32/Full Thread Self-Tapping - Length 20-180mm ,7.0mm Cannulated Cancellous Screw 16mm Thread Self-Drilling - (Length 30-180mm) ,7.0mm Cannulated Cancellous Screw 32mm Thread Self-Drilling - (Length 35-180mm) ,7.0mm Cannulated Cancellous Screw Full Thread Self-Drilling - (Length 30-180mm) ,7.0mm Cannulated Screw - (Length 30-180mm) ,7.0mm Cannulated Screw 16/32/Full Thread - (Length 30-180mm) ,7.0mm Cannulated Screw 16/32/Full Thread Self-Tapping - (Length 30-180mm) ,4.5mm Cortical Screws self-Tapping (Hex Head) - (Length 6-150mm) ,Ø10.0mm Bolt for Femoral Neck Plate - (Length 50-170mm) ,Ø6.4mm Anti-Rotaion Screw for Femoral Neck Plate - (Length 50-150mm) ,5.0mm Wise-Lock Screw Self-Tapping (Hex Head) - (Length 10-70mm) ,2.0mm Self-Tapping Screw - (Length 2mm-30mm) ,2.0mm Self-Tapping & Self Drilling Screw - (Length 2mm-30mm) ,2.0mm Locking Self-Tapping Screw - (Length 2mm-20mm) ,2.5mm Headless Cannulated Screw - (Length 4-100mm) ,3.5mm Headless Cannulated Screw - (Length 10-100mm) ,4.0mm Headless Cannulated Screw - (Length 10-100mm) ,4.7mm Headless Cannulated Screw - (Length 10-100mm) ,4.7mm Headless Cannulated Screw - (Length 10-100mm) ,7.5mm Headless Cannulated Screw - (Length 10-150mm) ,2.5/3.0/4.5/6.5mm Headless Compression Screw Short/Full Thread - (Length 10-150mm) ,4.5mm Cortex Screw Self-Tapping Cannulated (3.0mm Hex) - (Length 10-150mm) ,3.5mm Wise-Lock Screw Self-Tapping (Hex Head) - (Length 6-150mm) ,3.5mm Cortical Screw Self-Tapping (Hex Head) - (Length 6-150mm) ,4.5mm Cortical Screws Self-Tapping (Hex Head) - (Length 6-150mm) ,5.0mm Wise-Lock Screw Self-Tapping (Hex Head) - (Length 6-150mm) ,DHS/DCS Compression Screw - ,DHS/DCS Screw - (Length 25-150mm) ,4.5mm Cortical Screw Self-Tapping (Hex Head) - (Length 6-150mm) ,5.0mm Wise-Lock Screw Self-Tapping (Hex Head) - (Length 6-150mm) ,6.5mm Cancellous Screw 16mm Thread - (Length 10-150mm) ,6.5mm Cancellous Screw 32mm Thread - (Length 10-150mm) ,6.5mm Cancellous Screw Full Thread - (Length 10-150mm) ,Variable Angle DHS/DCS Screw with Compression Screw - (Length 25-150mm) ,Flat Connector dia 1-4mm - ,5.0mm Wise-Lock Screw Self-Tapping (Hex Head) - (Length 6-150mm) ,Connection Screw for Periprosthetic Trochanter Plate - ,Locking Caps for Periprosthetic Plates - (Length 0-50mm) ,Locking Screws for Periprosthetic Plates - (Length 10-150mm) ,Cortical Screws for Periprosthetic Plates - (Length 10-150mm) ,Cancellous Screws for Periprosthetic Plates - (Length 10-150mm) ,1.5mm Cortical Screw Self-Tapping (Star Head) - (Length 4-60mm) ,1.5mm Wise-Lock Screw Self-Tapping (Star Head) - (Length 4-60mm) ,1.8mm Buttress Screw (Star Head) - (Length 6-50mm) ,2.0mm Cortical Screw Self-Tapping (Star Head) - (Length 4-60mm) ,2.0mm Wise-Lock Screw Self-Tapping (Star Head) - (Length 4-60mm) ,2.4mm Cortical Screw Self-Tapping (Star Head) - (Length 4-60mm) ,2.4mm Wise-Lock Screw Self-Tapping (Star Head) - (Length 4-60mm) ,2.7mm Cortical Screw Self-Tapping (Star Head) - (Length 4-60mm) ,2.7mm Wise-Lock Screw Self-Tapping (Star Head) - (Length 4-80mm) ,Hybrid Screws - (Length 4-150mm) ,2.5mm Multidirectional Threaded Peg Screws - (Length 6-150mm) ,2.5mm Locking Screws - Length 6-150mm ,3.5mm Low Profile Cortical Screws - (Length 6-150mm) ,3.5mm Multidirectional Locking Screw - Length 6-150mm ,1.0mm Cortical Screws Self-Tapping - (Length 6-20mm) ,1.3mm Cortical Screws Self-Tapping (Star Head) - (Length 4-30mm) ,1.3mm Wise-Lock Screws Self Tapping (Star Head) - (Length 4-30mm) ,1.5mm Varixis Screws Self-Tapping (Star Head) - Length 4-30mm ,2.0mm Varixis Screws Self-Tapping (Star Head) - (Length 4-30mm) ,3.5mm Cancellous Screw Full Thread - (Length 6-100mm) ,4.0mm Cancellous Screw Short Thread - (Length 10-150mm) ,4.0mm Cancellous Screw Full Thread - (Length 10-150mm) ,3.5mm Malleolar Screw - Length 20-100mm ,1.5mm Cortical Screw (Hex Head) - (Length 4-100mm) ,1.5mm Cortical Screw Self-Tapping (Hex Head) - (Length 4-100mm) ,2.0mm Cortical Screw (Hex Head) - (Length 4-100mm) ,2.0mm Cortical Screw Self-Tapping (Hex Head) - (Length 4-100mm) ,2.7mm Cortical Screw (Hex Head) - Length 4-100mm ,3.5mm Wise-Lock Screw Self-Tapping (Star Head) - (Length 6-150mm) ,2.4mm Variable Angle Screw Self-Tapping (Star Head) - (Length 4-60mm) ,3.5mm Wise-Lock Cancellous Screw Short Thread Self Tapping (Hex Head) - (Length 6-150mm) ,3.5mm Cortical Screw Self-Tapping (Hex Head) - (Length 10-150mm) ,4.0mm Cancellous Screw Short Thread - (Length 10-150mm) ,4.0mm Cancellous Screw Full Thread - (Length 10-150mm) ,4.5mm Cortical Screws Self-Tapping (Hex Head) - (Length 6-150mm) ,5.0mm Wise-Lock Screw Self-Tapping (Hex Head) - (Length 6-150mm) ,5.0mm

	Wise-Lock Screw Self-Tapping & Self-Drilling (Hex Head) - (Length 6-150mm) ,5.0mm Wise-Lock Cancellous Screw Full Thread Self-Tapping(Hex Head) - (Length 6-150mm) ,5.0mm Wise-Lock Cancellous Screw Short Thread Self-Tapping (Hex Head) - (Length 6-150mm) , 5.0mm Wise-Lock Cannulated Screw Full Thread Self-Tapping - (Length 6-150mm) ,5.0mm Wise-Lock Cannulated Screw Partial Thread Self-Tapping - (Length 10-150mm) ,6.5mm Cancellous Screws 16mm Thread - (Length 10-150mm) ,6.5mm Cancellous Screws 32mm Thread - (Length 10-150mm) ,6.5mm Cancellous Screws Full Thread - (Length 10-150mm) ,3.7mm Wise-Lock Cannulated Screws Self-Tapping - (Length 6-150mm) ,3.7mm Wise-Lock Cannulated Conical Screws Self-Tapping - (Length 6-150mm) ,3.5mm Conical Screws - (Length 6-150mm) ,5.0mm Wise-Lock Periprosthetic Screws Self-Tapping - (Length 6-150mm) ,2.7mm Cortical Screw Self-Tapping (Hex Head) - Length 4-100mm ,1.9mm Emergency Screw Self-Tapping - (Length 2mm-20mm) ,1.5mm Wise-Lock Low Profile Screw (Star Head) - (Length 2-50mm) ,1.5mm Low Profile Screw(Star Head) - (Length 2-50mm) , 2.3mm Wise-Lock Low Profile Screw(Star Head) - (Length 2-50mm) ,2.3mm Low Profile Screw (Star Head) - (Length 2-50mm) ,1.0mm Cortical Screw Self-Tapping - (Length 2-50mm) ,1.0mm Cortical Screw Self-Tapping Cruciform - Length 2-50mm ,1.3/1.5/2.0mm Cortical Screw - ,Self-Tapping - Length 2-50mm ,1.3/1.5/2.0mm Varixis Screw - ,2.5mm Cannulated Herbert Screw Long Thread (Star Head) - (Length 6-150mm) ,1.3/1.5/2.0mm Wise-Lock Screw Self-Tapping - (Length 2-50mm) ,Aiming Block - ,Aiming Block Drill Sleeve - ,Aiming Block Screw - ,2.4mm Variable Angle Screw Self-Tapping (Star Head) - (Length 4-60mm) ,2.7mm Varixis Screw Self-Tapping (Star Head) - (Length 4-60mm) ,2.7mm Cortical Screw (Star Head) - (Length 6-150mm) ,2.4mm Cortical Screw (Star Head) - (Length 6-150mm) ,3.5mm Cortical ScrewSelf-Tapping (Star Head) - (Length 6-150mm) ,3.5mm Cortical Screw (Star Head) - (Length 6-150mm) ,3.5mm Wise-Lock Screw Self-Tapping(Star Head) - (Length 6-150mm) ,2.7mm Varixis Screw Self-Tapping Star Head) - (Length 6-150mm) ,2.7mm Wise-Lock Screw Self-Tapping (Star Head) - (Length 6-150mm) ,3.5mm Varixis Screw Self-Tapping - (Length 6-150mm) ,3.5mm Cortical Screw Self-Tapping (Star Head) - (Length 6-150mm) ,1.0mm Self-Tapping & Drilling Screw - (Length 2mm-10mm) , 1.3mm Emergency Screw Self-Tapping - (Length 2mm-10mm) ,1.5mm Self-Tapping Screw - (Length 2mm-20mm)
19	1. Generic Name : Pins , Wires & Washers 2. Brand Name : NIL 3. Notified Category : Orthopaedic Implants 4. Class of Medical Device : Class C 5. Shelf life : 5 Years 6. Sterile/Non-Sterile: Sterilized 7. Intended Use : The Bone Pins , Wires & Washers are used with implants are temporary implant components that are intended for fracture fixation of bone and insertion of implants. 8. Material of Construction: Stainless Steel (ISO-5832-1) 9. Dimension: Various Dimension Pins , Wires & Washers are manufactured 10. Model/Catalogue No./Name : 1.8mm Varixis Buttress Pins - (Length 8-30mm) ,Bone Needle dia 1-4 Length 100-1000mm - ,Bone Needle with Hole dia 1- Length 50-500mm - , 1.6mm Compression Wires Thread Length 10-50mm - (Total Length 100-200mm) , Steinmann Pins - (Ø1.0-7.0mm x Length 10-500mm) ,Centrally Threaded Steinmann Pin - (Ø1.0-7.0mm x Length 10-500mm) ,Knowels Pin dia 3-6mm - (Length 10-500mm) ,Rush Nail dia 2-10mm - (Length 50-500mm) ,Denham Pin dia 4.0-6.0mm - (Length 10-500mm) , Austin Moore Pin with 2 Nuts - (Length 10-500mm) ,Front Threaded Pins - (dia. 0.5-10.0 mm,Length 10-1000mm),Guide Wire with Trocar Tip - (dia 0.8-50mm,Length 10-1000mm), Guide Wire with Threaded Trocar Tip - (dia 0.8-50mm,Length 10-1000mm),Guide Wire - (dia 0.8-50mmLength 10-1000mm),Suture Wire - (0.10-5.0mm,5-10 Meter),Kirschner Wire with Trocar Tip Both End - (Ø0.5-7.0mm,Length 50-1000mm),Kirschner Wire Fully Threaded - (Ø0.5-5.0mm x Length 100-1000mm) ,Circlage Wire With Loop - (Length 100-1000mm x 17-22 SWG (0.70-1.50mm)) ,Kirschner Wire with One Side Trocar Tip - (Ø0.5-5.0 mm x Length 100-1000mm) ,Kirschner Wire with Lanceolate Trocar - (dia 0.5-7.0mm, Length 50-500mm),Kirschner Wire with Single Bayonet Point - (dia 0.5-7.0mm,Length 50-500mm),Kirschner Wire Partially Threaded - (dia 0.5-7.0mm,Length 50-500mm),Kirschner Wire - (dia 0.5-5.0mm,Length 50-1000mm),Washers for 4.5mm to 7.0mm Screws - (NA), Spherical Washer Small & Large - (NA),Washer For Large Fragment Screw - (NA),Flat Washers Small & Large - (NA),Threaded Washers Small & Large - (NA),Washer For Small Fragment Screw - (NA)

20	1. Generic Name : Pins , Wires & Washers 2. Brand Name : NIL 3. Notified Category : Orthopaedic Implants 4. Class of Medical Device : Class C 5. Shelf life : NA 6. Sterile/Non-Sterile: Non-Sterilized 7. Intended Use : The Bone Pins , Wires & Washers are used with implants are temporary implant components that are intended for fracture fixation of bone and insertion of implants. 8. Material of Construction: Stainless Steel (ISO-5832-1) 9. Dimension: Various Dimension Pins , Wires & Washers are manufactured 10. Model/Catalogue No./Name : Bone Needle with Hole dia 1- Length 50-500mm - ,1.6 mm Compression Wires Thread Length 10-50mm - (Total Length 100-200mm) ,Steinmann Pins - (Ø1.0-7.0mm x Length 10-500mm) ,Centrally Threaded Steinmann Pin - (Ø1.0-7.0mm x Length 10-500mm) ,Suture Wire - (0.10-5.0mm,5-10 Meter),Kirschner Wire with Trocar Tip Both End - (Ø0.5-7.0mm,Length 50-1000mm),Kirschner Wire Fully Threaded - (Ø0.5-5.0 mm x Length 100-1000mm) ,Circlage Wire With Loop - (Length 100-1000mm x 17-22 SWG (0.70-1.50mm)) ,Kirschner Wire with One Side Trocar Tip - (Ø0.5-5.0mm x Length 100-1000mm) ,Kirschner Wire with Lanceolate Trocar - (dia 0.5-7.0mm,Length 50-500mm), Kirschner Wire with Single Bayonet Point - (dia 0.5-7.0,Length 50-500mm),Kirschner Wire Partially Threaded - (dia 0.5-7.0mm,Length 50-500mm),Knowels Pin dia 3-6mm - (Length 10-500mm) ,Kirschner Wire - (dia 0.5-5.0mm,Length 50-1000mm),Rush Nail dia 2-10mm - (Length 50-500mm) ,Denham Pin dia 4.0-6.0mm - (Length 10-500mm) ,Austin Moore Pin with 2 Nuts - (Length 10-500mm) ,Front Threaded Pins - (dia. 0.5-10.0mm,Length 10-1000mm),Guide Wire with Trocar Tip - (dia 0.8-50mmLength 10-1000mm),Spherical Washer Small & Large - ,Guide Wire with Threaded Trocar Tip - (dia 0.8-50mm,Length 10-1000mm), Washer For Large Fragment Screw - ,Guide Wire - (dia 0.8-50mm,Length 10-1000mm),Threaded Washers Small & Large - ,Washer For Small Fragment Screw - ,Flat Washers Small & Large - ,Washers for 4.5mm to 7.0mm Screws - ,1.8mm Varixis Buttress Pins (Length 8-30mm) - ,Bone Needle dia 1-4 Length 100-1000mm -
21	1. Generic Name : Pins , Wires & Washers 2. Brand Name : NIL 3. Notified Category : Orthopaedic Implants 4. Class of Medical Device : Class C 5. Shelf life : 5 Years 6. Sterile/Non-Sterile: Sterilized 7. Intended Use : The Bone Pins, Wires and washers are used with implants are temporary implant components that are intended for fracture fixation of bone and insertion of implants. 8. Material of Construction: Titanium (ISO-5832-3) 9. Dimension: Various Dimension of Pins , Wires & Washer are manufactured 10. Model/Catalogue No./Name : Steinmann Pins - (Ø1.0-7.0mm x Length 10-500mm) , Centrally Threaded Steinmann Pin - (Ø1.0-7.0mm x Length 10-500mm) ,Suture Wire - (0.10-5.0mm,5-10 Meter),Threaded Washers Small & Large - ,Kirschner Wire with Trocar Tip Both End - (Ø0.5-7.0mm,Length 50-1000mm),Flat Washers Small & Large - ,Kirschner Wire Fully Threaded - (Ø0.5-5.0mm x Length 100-1000mm) ,Circlage Wire With Loop - (Length 100-1000mm x 17-22 SWG (0.70-1.50mm)) ,Kirschner Wire with One Side Trocar Tip - (Ø0.5-5.0 mm x Length 100-1000mm) ,Kirschner Wire with Lanceolate Trocar - (dia 0.5-7.0mm , Length 50-500mm),Kirschner Wire with Single Bayonet Point - (dia 0.5-7.0mm,Length 50-500mm),Kirschner Wire Partially Threaded - (dia 0.5-7.0mm,Length 50-500mm),Knowels Pin dia 3-6mm - (Length 10-500mm) ,Kirschner Wire - (dia 0.5-5.0mm,Length 50-1000mm), Washer For Large Fragment Screw - ,Rush Nail dia 2-10mm - (Length 50-500mm) ,Denham Pin dia 4.0-6.0mm - (Length 10-500mm) ,Austin Moore Pin with 2 Nuts - (Length 10-500mm) ,Spherical Washer Small & Large - (NA) ,Washers for 4.5mm to 7.0mm Screws - (NA) ,Front Threaded Pins - (dia. 0.5-10.0mm,Length 10-1000mm),Washer For Small Fragment Screw - ,Guide Wire with Trocar Tip - (dia 0.8-50mm Length 10-1000mm) ,Cable dia 1-4 - Length 200-1000mm ,Guide Wire with Threaded Trocar Tip - (dia 0.8-50mm, Length 10-1000mm),Guide Wire - (dia 0.8-50mm ,Length 10-1000mm),Bone Needle dia 1-4 Length 100-1000mm - ,Bone Needle with Hole dia 1- Length 50-500mm - ,1.8mm Varixis Buttress Pins (Length 8-30mm) - ,1.6mm Compression Wires Thread Length 10-50mm - (Total Length 100-200mm) ,Washer For Large Fragment Screw - (NA)

22	1. Generic Name : Pins , Wires and Washers 2. Brand Name : NIL 3. Notified Category : Orthopaedic Implants 4. Class of Medical Device : Class C 5. Shelf life : NA 6. Sterile/Non-Sterile: Non-Sterilized 7. Intended Use : The Bone Pins, Wires and Washers are used with implants are temporary implant components that are intended for fracture fixation of bone and insertion of implants. 8. Material of Construction: Titanium (ISO-5832-3) 9. Dimension: Various Dimension of Pins , Wires and Washers and washers are manufactured 10. Model/Catalogue No./Name : Bone Needle with Hole dia 1- Length 50-500mm - ,1.6 mm Compression Wires Thread Length 10-50mm - ,Steinmann Pins - (Ø1.0-7.0mm x Length 10-500mm) ,Centrally Threaded Steinmann Pin - (Ø1.0-7.0mm x Length 10-500mm) ,Suture Wire - (0.10-5.0mm,5-10 Meter),Kirschner Wire with Trocar Tip Both End - (Ø0.5-7.0 mm,Length 50-1000mm),Kirschner Wire Fully Threaded - (Ø0.5-5.0mm x Length 100-1000mm) ,Circlage Wire With Loop - (Length 100-1000mm x 17-22 SWG (0.70-1.50mm)) , Kirschner Wire with One Side Trocar Tip - (Ø0.5-5.0mm x Length 100-1000mm) ,Kirschner Wire with Lanceolate Trocar - (dia 0.5-7.0mm, Length 50-500mm),Kirschner Wire with Single Bayonet Point - (dia 0.5-7.0mm,Length 50-500mm),Kirschner Wire Partially Threaded - (dia 0.5-7.0mm,Length 50-500mm),Knowels Pin dia 3-6mm - (Length 10-500mm) ,Kirschner Wire - (dia 0.5-5.0mm,Length 50-1000mm),Washer For Small Fragment Screw - (NA) ,Threaded Washers Small & Large - (NA) ,Flat Washers Small & Large - (NA) , Washer For Large Fragment Screw - (NA) ,Spherical Washer Small & Large - (NA) ,Washers for 4.5mm to 7.0mm Screws - (NA) ,Guide Wire with Threaded Trocar Tip - (dia 0.8-50mm, Length 10-1000mm),Cable dia 1-4 - Length 200-1000mm ,Guide Wire - (dia 0.8-50mm , Rush Nail dia 2-10mm - (Length 50-500mm) ,Denham Pin dia 4.0-6.0mm - (Length 10-500mm) ,Austin Moore Pin with 2 Nuts - (Length 10-500mm) ,Front Threaded Pins - (dia. 0.5-10.0mm,Length 10-1000mm),Guide Wire with Trocar Tip - (dia 0.8-50mm, Length 10-1000mm),1.8mm Varixis Buttress Pins - (Length 8-30mm) ,Bone Needle dia 1-4 Length 100-1000mm -
23	1. Generic Name : Staples 2. Brand Name : NIL 3. Notified Category : Orthopaedic Implants 4. Class of Medical Device : Class C 5. Shelf life : 5 Years 6. Sterile/Non-Sterile: Sterilized 7. Intended Use : Staples are intended to be used for fragment fixation particularly in small fragments and where interfragmental screw fixation is not possible. Conventary staples are used in tibial osteotomies to correct varus or valgus deformities. Staple used to hold osteotomy site. 8. Material of Construction: Stainless Steel (ISO-5832-1) 9. Dimension: Various Dimension of staples are manufactured 10. Model/Catalogue No./Name : Staple U - Type - Dia.(1.5-3)mm Length(15-25)mm , Blount staples - (dia 1.5-3.0mm ,Width 15-30mm) - ,Thorny staples - (10-20mm) ,Straight Staple - width 25mm Length(10-36)mm ,Staple with Offset - width1 (24mm) width2(5-14) mm Length(36-44)mm ,Three Legged Staple - width1(26mm) width2(5mm) Length 34mm , Ligament Staple - Inner width(6-16)mm Outer width(11-21)mm Length20mm- 25mm , Staple Coventry - Step(5-15)mm
24	1. Generic Name : Staples 2. Brand Name : NIL 3. Notified Category : Orthopaedic Implants 4. Class of Medical Device : Class C 5. Shelf life : NA 6. Sterile/Non-Sterile: Non-Sterilized 7. Intended Use : Staples are intended to be used for fragment fixation particularly in small fragments and where interfragmental screw fixation is not possible. Conventary staples are used in tibial osteotomies to correct varus or valgus deformities. Staple used to hold osteotomy site. 8. Material of Construction: Stainless Steel (ISO-5832-1) 9. Dimension: Various Dimension of staples are manufactured 10. Model/Catalogue No./Name : Staple U - Type - Dia.(1.5-3)mm Length(15-25)mm , Blount staples - (dia 1.5-3.0mm ,Width 15-30mm) - ,Thorny staples - (10-20mm) ,Straight Staple - width 25mm Length(10-36)mm ,Staple with Offset - width1 (24mm) width2(5-14) mm Length(36-44)mm ,Three Legged Staple - width1(26mm) width2(5mm) Length 34mm , Ligament Staple - Inner width(6-16)mm Outer width(11-21)mm Length20mm- 25mm , Staple Coventry - (5-15)mm

25	1. Generic Name :Staples 2. Brand Name :NIL 3. Notified Category :Orthopaedic Implants 4. Class of Medical Device :Class C 5. Shelf life :5 Years 6. Sterile/Non-Sterile:Sterilized 7. Intended Use :Staples are intended to be used for fragment fixation particularly in small fragments and where interfragmental screw fixation is not possible. Conventary staples are used in tibial osteotomies to correct varus or valgus deformities. Staple used to hold osteotomy site. 8. Material of Construction: Titanium (ISO-5832-3) 9. Dimension: Various Dimension of staples are manufactured 10. Model/Catalogue No./Name :Staple U - Type - Dia.(1.5-3)mm Length(15-25)mm , Blount staples - (dia 1.5-3.0mm ,Width 15-30mm) - ,Thorny staples - (10-20mm) ,Straight Staple - width 25mm Length(10-36)mm ,Staple with Offset - width1 (24mm) width2(5-14) mm Length(36-44)mm ,Three Legged Staple - width1(26mm) width2(5mm) Length 34mm , Ligament Staple - Inner width(6-16)mm Outer width(11-21)mm Length20mm- 25mm , Staple Coventry - (5-15)mm
26	1. Generic Name :Staples 2. Brand Name :NIL 3. Notified Category :Orthopaedic Implants 4. Class of Medical Device :Class C 5. Shelf life :NA 6. Sterile/Non-Sterile:Non-Sterilized 7. Intended Use :Staples are intended to be used for fragment fixation particularly in small fragments and where interfragmental screw fixation is not possible. Conventary staples are used in tibial osteotomies to correct varus or valgus deformities. Staple used to hold osteotomy site. 8. Material of Construction: Titanium (ISO-5832-3) 9. Dimension: Various Dimension of staples are manufactured 10. Model/Catalogue No./Name :Staple U - Type - Dia.(1.5-3)mm Length(15-25)mm , Blount staples - (dia 1.5-3.0mm ,Width 15-30mm) - ,Thorny staples - (10-20mm) ,Straight Staple - width 25mm Length(10-36)mm ,Staple with Offset - width1 (24mm) width2(5-14) mm Length(36-44)mm ,Three Legged Staple - width1(26mm) width2(5mm) Length 34mm , Ligament Staple - Inner width(6-16)mm Outer width(11-21)mm Length20mm- 25mm , Staple Coventry - (5-15)mm
27	1. Generic Name :Arthroscopy Implants 2. Brand Name :NIL 3. Notified Category :Orthopaedic Implants 4. Class of Medical Device :Class C 5. Shelf life :5 Years 6. Sterile/Non-Sterile:Sterilized 7. Intended Use :The Arthroscopy System Implants are intended to fix the damaged or dislocated soft tissue/ligaments and realign to its original position. 8. Material of Construction: Titanium (ISO-5832-3) 9. Dimension: Various Dimension of arthroscopy implants are manufactured 10. Model/Catalogue No./Name :1 - AUXILOCK® 4.5mm Titanium Screw-In Suture Anchor w/Two #2 Braid: White/Blue & White/Black, 2 - AUXILOCK® 5.0mm Titanium Screw-In Suture Anchor w/Two #2 Braid: White/Blue & White/Black, 3 - AUXILOCK® 5.5mm Titanium Screw-In Suture Anchor w/Two #2 Braid: White/Blue & White/Black, 4 - AUXILOCK® 6.5mm Titanium Screw-In Suture Anchor w/Two #2 Braid: White/Blue & White/Black, 5 - AUXILOCK® 5.0mm Titanium Screw-In Suture Anchor w/Two #2 Braid: White & White/Blue, w/Needles: MO-6, 6 - AUXILOCK® 5.0mm Titanium Screw-In Suture Anchor w/Two #2 Braid: White & White/Blue, w/Needles: MO-6, 7 - AUXILOCK® 2.8mm Titanium Screw-In Suture Anchor w/One #2 Braid White/Blue, 8 - AUXILOCK® 3.5mm Titanium Screw-In Suture Anchor w/Two #2 Braid White/Blue & White/Black, 9 - AUXILOCK® 4.5mm Titanium Screw-In Suture Anchor w/Two #2 Braid: White & White/Blue, w/Needles: MO-6, 10 - AUXILOCK® 5.5mm Titanium Screw-In Suture Anchor w/Two #2 Braid: White & White/Blue, w/Needles: MO-6, 11 - AUXILOCK® 2.8mm Titanium Screw-In Suture Anchor w/One #2 Braid, White/Blue, w/Needles: MO-6, 12 - AUXILOCK® 3.5mm Titanium Screw-In Suture Anchor w/Two #2 Braid, White & White/Blue, w/Needles: MO-6, 13 - AUXILOCK® GFS Ultimate Mini Button, Button L: 12mm, W: 3.9mm, 14 - AUXILOCK® GFS Ultimate Large Button, Button L: 16.5mm, W: 3.9mm, 15 - AUXILOCK® GFS Mini, Loop: 12mm-55mm, Button L: 12mm, W: 3.9mm, 16 - AUXILOCK® GFS II Large, Loop: 12mm-55mm, Button L: 16.5mm, W: 4.4mm, 17 - AUXILOCK® 7 to 12mm x 20 to 35 mm Titanium Interference Screw, 18. - Ø4.0mm Low Profile Cannulated Cancellous Screw, Full Thread, Length 30mm-45mm, 19 - Spiked Washer for Ø4.0mm & 6.5mm Cancellous Screw, 20. - Spiked Ligament Staple Small/Large

28	1. Generic Name :Arthroscopy Implants 2. Brand Name :NIL 3. Notified Category :Orthopaedic Implants 4. Class of Medical Device :Class C 5. Shelf life :5 Years 6. Sterile/Non-Sterile:Sterilized 7. Intended Use :The Arthroscopy System Implants are intended to fix the damaged or dislocated soft tissue/ligaments and realign to its original position. 8. Material of Construction: Peek as per ASTM F2026 9. Dimension: Various Dimension arthroscopy Implants are manufactured 10. Model/Catalogue No./Name :1 - AUXILOCK® 1.8mm Draw Tight Suture-Based Anchor w/One #2 Braid, 2 - AUXILOCK® 1.8mm Draw Tight Suture-Based Anchor w/One Suture Tape, 3 - AUXILOCK® 3.2mm Draw Tight Suture-Based Anchor w/Two #2 Braid, 4 - AUXILOCK® 3.2mm Draw Tight Suture-Based Anchor w/One #2 Braid And One Suture tape, 5 - AUXILOCK® 4.5mm PEEK OPTIMA Screw-In Suture Anchor w/Two #2 Braid, w/Needles - MO-6 , 6 - AUXILOCK® 5.0mm PEEK OPTIMA Screw-In Suture Anchor w/Two #2 Braid, w/Needles - MO-6 , 7 - AUXILOCK® 5.5mm PEEK OPTIMA Screw-In Suture Anchor w/Two #2 Braid, w/Needles - MO-6 , 8 - AUXILOCK® 6.5mm PEEK OPTIMA Screw-In Suture Anchor w/Two #2 Braid, w/Needles - MO-6 , 9 - AUXILOCK® 4.5mm PEEK OPTIMA Screw-In Suture Anchor w/Two #2 Braid, 10 - AUXILOCK® 5.0mm PEEK OPTIMA Screw-In Suture Anchor w/Two #2 Braid, 11 - AUXILOCK® 5.5mm PEEK OPTIMA Screw-In Suture Anchor w/Two #2 Braid, 12 - AUXILOCK® 6.5mm PEEK OPTIMA Screw-In Suture Anchor w/Two #2 Braid, 13 - AUXILOCK® 5mm -15mmx 20mm-40mm PEEK OPTIMA Interference Screw , 14 - AUXILOCK® SLIK 4.75mm x 15mm PEEK OPTIMA Screw-In Anchor , 15 - AUXILOCK® SLIK 5.5mm x 15mm PEEK OPTIMA Screw-In Anchor , 16 - AUXILOCK® SLIK 6.25mm x 15mm PEEK OPTIMA Screw-In Anchor
29	1. Generic Name :Arthroscopy Implants 2. Brand Name :NIL 3. Notified Category :Orthopaedic Implants 4. Class of Medical Device :Class C 5. Shelf life :5 Years 6. Sterile/Non-Sterile:Sterilized 7. Intended Use :The Arthroscopy System Implants are intended to fix the damaged or dislocated soft tissue/ligaments and realign to its original position. 8. Material of Construction: UHMWPE as per ASTM F2848 9. Dimension: Various Dimension products are manufactured 10. Model/Catalogue No./Name :33 - AUXILOCK® 2mm Braid Suture Tape: White/Blue, 7in Working Length, 39in Total Length, 1 - AUXILOCK® #1 Braid: Blue/White, 36in Total Length, 2 - AUXILOCK® #2 Braid: Blue/White, 36in Total Length, 3 - AUXILOCK® Two #2 Braid: White/Blue & White/Black, 36in Total Length, 4 - AUXILOCK® #2 Braid: Blue, w/Needles: MO-6 & CE, 36in Total Length, 5 - AUXILOCK® #2 Braid: White, w/Needle: MO-6, 36in Total Length, 6 - AUXILOCK® #2 Braid: White/Black, w/Needle: MO-6, 36in Total Length, 7 - AUXILOCK® #5 Braid: White, w/Needle: CCS, 36in Total Length, 8 - AUXILOCK® #2 Braid: White/Blue, w/ Needle: MO-6, 36in Total Length, 9 - AUXILOCK® #2 Braid: White/Black, 36in Total Length, 10 - AUXILOCK® #2 Braid: White/Green, w/ Needle: MO-6, 36in Total Length, 11 - AUXILOCK® #2 Braid: White/Green, 36in Total Length, 12 - AUXILOCK® #2 Braid: Blue, 36in Total Length, 13 - AUXILOCK® #2 Braid: White, 36in Total Length, 14 - AUXILOCK® #2 Braid: Blue/ Blue, 36in Total Length, 15 - AUXILOCK® #7 Braid: White/Blue 32in Total Length, 16 - AUXILOCK® #7 Braid: White, 47in Total Length, 17 - AUXILOCK® #2 Braid: White/Blue, 36in Total Length, 18 - AUXILOCK® #9 Braid: White 13cm Total Length, 19 - AUXILOCK® #9 Braid: White 6cm Total Length, 20 - AUXILOCK® #9 Braid: White 7.5cm Total Length, 21 - AUXILOCK® #9 Braid: White 10cm Total Length, 22 - AUXILOCK® #9 Braid: White 12.5cm Total Length, 23 - AUXILOCK® #9 Braid: White 15cm Total Length, 24 - AUXILOCK® #9 Braid: White 17.5cm Total Length, 25 - AUXILOCK® #9 Braid: White 20cm Total Length, 26 - AUXILOCK® #9 Braid: White 22.5cm Total Length, 27 - AUXILOCK® #9 Braid: White 25cm Total Length, 28 - AUXILOCK® #9 Braid: White 27.5cm Total Length, 29 - AUXILOCK® #2 Custom Braid: White, 47in Total Length, 30 - AUXILOCK® #2 Braid Infinity Loop: White, w/Needle: Straight, 20in Loop Length, 24in Total Length, 31 - AUXILOCK® #2 Braid Infinity Loop: White/Blue, w/Needle: Straight, 20in Loop Length, 24in Total Length, 32 - AUXILOCK® #5 Braid Infinity Loop: White/Blue, w/Needle: Straight, 20in Loop Length, 24in Total Length

1. Generic Name :Arthroscopy Implants
2. Brand Name :NIL
3. Notified Category :Orthopaedic Implants
4. Class of Medical Device :Class C
5. Shelf life :5 Years
6. Sterile/Non-Sterile:Sterilized
7. Intended Use :The Arthroscopy System Implants are intended to fix the damaged or dislocated soft tissue/ligaments and realign to its original position.
8. Material of Construction: Peek CF
9. Dimension: Various Dimension of arthroscopy implants are manufactured
10. Model/Catalogue No./Name :4 - AUXILOCK® 3.5mm PEEK CF Push-In Suture Anchor w/Two #2 Braid ,5 - AUXILOCK® 3.5mm PEEK CF Push-In Suture Anchor w/Two #2 Braid w/Needles MO-6 Short Length ,6 - AUXILOCK® 28 Knotless PEEK CF Push-In Suture Anchor w/Driver w/Suture Passer ,7 - AUXILOCK® 35 Knotless PEEK CF Push-In Suture Anchor w/Driver w/Suture Passer ,8 - AUXILOCK® 35 Knotless PEEK CF Push-In Suture Anchor w/Suture Passer ,9 - AUXILOCK® 45 Knotless PEEK CF Push-In Suture Anchor w/Suture Passer ,10 - AUXILOCK® 55 Knotless PEEK CF Push-In Suture Anchor w/Suture Passer ,11 - AUXILOCK® 4.5mm PEEK CF Screw-In Suture Anchor w/Two #2 Braid w/Needles MO-6 ,12 - AUXILOCK® 5.0mm PEEK CF Screw-In Suture Anchor w/Two #2 Braid w/Needles MO-6 ,13 - AUXILOCK® 5.5mm PEEK CF Screw-In Suture Anchor w/Two #2 Braid w/Needles MO-6 ,14 - AUXILOCK® 6.5mm PEEK CF Screw-In Suture Anchor w/Two #2 Braid w/Needles MO-6 ,15 - AUXILOCK® 4.5mm PEEK CF Screw-In Suture Anchor w/Two #2 Braid ,16 - AUXILOCK® 5.0mm PEEK CF Screw-In Suture Anchor w/Two #2 Braid ,17 - AUXILOCK® 5.5mm PEEK CF Screw-In Suture Anchor w/Two #2 Braid ,18 - AUXILOCK® 6.5mm PEEK CF Screw-In Suture Anchor w/Two #2 Braid ,19 - AUXILOCK® 5mm-15mm x 20mm-40mm PEEK CF Interference Screw ,1 - AUXILOCK® SLIK 4.75mm x 15mm PEEK CF Screw-In Anchor ,2 - AUXILOCK® SLIK 5.5mm x 15mm PEEK CF Screw-In Anchor ,3 - AUXILOCK® SLIK 6.25mm x 15mm PEEK CF Screw-In Anchor



1. Generic Name : Bone Nail implants
2. Brand Name : NIL
3. Notified Category : Orthopaedic Implants
4. Class of Medical Device : Class C
5. Shelf life : Not applicable
6. Sterile/Non-Sterile: Non-Sterilized
7. Intended Use : Bone Nail implants are commonly used to fix the long bone fractures
8. Material of Construction: Titanium (ISO 5832-3), Stainless Steel (ISO 5832-1)
9. Dimension: Various Dimension Bone nail implants are manufactured
10. Model/Catalogue No./Name : 130Degree AJAX Advance Nail Short dia 8mm-13mm Length 170-240mm - , 6.5mm Locking Bolt for Universal Intramedullary Cannulated Femur Nail Full Thread Length 30-150mm - , 6.5mm Blocking set for Universal Intramedullary Cannulated Femur Nail - Length 30-120mm , 130Degree AJAX Advance Nail Long dia 8-14mm Length 250-500mm Left & Right - , 4.9mm Locking Bolt for AJAX Nail Self-Tapping Length 20-150mm - , AJAX Blade Length 50-180mm - , AJAX Nail End Cap (For Ajax Blade) Length 0-50mm - , AJAX Nail End Cap (For Cephalic Screw) Length 0-50mm - , Inner Screw for Ajax Cephalic Screw - , AJAX Cephalic Screw Length 30-180mm - , End Cap for Ajax Cephalic Screw - , PFNA Nail (Proximal Femur Nail) Short & Long dia 7-14mm Length 100-500mm Left & Right - , PFNA II Nail (Proximal Femur Nail) Short & Long dia 7-14mm Length 100-500mm Left & Right - , PFNA Blade Length 50-180mm - , PFNA II Blade Length 50-180mm - , End Cap for PFNA Nail Length 0-50mm - , End Cap for PFNA II Nail Length 0-50mm - , 125Degree AJAX Advance Nail Short dia 8-13mm Length 170-240mm - , 125Degree AJAX Advance Nail Long dia 8-14mm Length 250-500mm Left & Right - , 135Degree AJAX Advance Nail Short dia 8-13mm Length 170-240mm - , 135Degree AJAX Advance Nail Long dia 8-14mm Length 250-500mm Left & Right - , Distal Femur Nail Short & Long dia 7-14mm Length 160-500mm Left & Right - , Distal Femur Nail Blade Length 40-180mm - , 4.9mm Locking Bolt Length 20-150mm - , Distal Femur Nail Blade Length 40-180mm - , End Cap for Distal Femur Nail Length 0-50mm - , Locking Screws for Distal Femur Nail Length 40-120mm - , Hip Screw for Antegrade Femur Nail Length 50-150mm - , Lateral Femoral Nail dia 8-16mm Length 300-500mm Left & Right - , Locking Screw for Lateral Femoral Nail - , End Cap for Lateral Femoral Nail - , Expert Tibia Nail dia 7-14mm Length 220-500mm - , Expert Tibia Nails Solid dia 7-11mm Length 220-500mm - , Locking Screws for Expert Tibia Nail Length 10-150mm - , Inner Screw For Ga-mma Nail Type-II - , 125Degree/130Degree/135Degree TFNA Nail Short & Long dia 7-15mm Length 100-500mm - , End Cap for TFNA Nail - End Cap for TFNA Nail II , Lag Screws for Cephalomedullary Nail Length 30-150mm - , End Cap for Cephalomedullary Nail Length 0-50mm - , 135Degree Anti-Rotation Ga-mma Nail Short dia 7-14mm Length 150-240mm - , 135Degree Anti-Rotation Ga-mma Nail Long dia 8-14mm Length 250-500mm - , End Cap For Anti-Rotation Ga-mma Nail Length 0-50mm - , Inner Screw For Anti-Rotation Ga-mma Nail-Long (For Cephalic Screw) - , End Cap For Dia10.5mm Cephalic Screw For Ga-mma Nail - , Locking Screws for Femur Reconstruction Nail Length 20-150mm - , End Cap for Femur Reconstruction Nail Length 0-50mm - , End Cap For JIN Type - Humerus Nail - , Solid Humeral Nail dia 6-12mm Length 150-500mm - , End Cap for Solid Humeral Nail Length 0-15mm - , Locking Bolt for Solid Humeral Nail 10-150mm - , End Cap for Proximal Humeral Nail - , Locking Bolt for Proximal Humeral Nail Length 10-150mm - , Intramedullary Humeral Nail dia 7-12mm Length 150-500mm - , Locking Screw for Intramedullary Humeral Nail Length 10-150mm - , End Cap for Intramedullary Humeral Nail Length 0-50mm - , Locking Screw for Intramedullary Cannulated Humeral Nail Length 10-150mm - , End Cap for Intramedullary Cannulated Humeral Nail Length 0-50mm - , Reconstruction Intramedullary Cannulated Humeral Nail dia 7-12mm Length 150-500mm - , Locking Screw for Reconstruction Intramedullary Cannulated Humeral Nail - , End Cap for Reconstruction Intramedullary Cannulated Humeral Nail Length 0-50mm - , Locking Screw for Reconstruction Humeral Nail Length 10-150mm - , End Cap for Reconstruction Humeral Nail Length 0-50mm - , Reconstruction Cannulated Humeral Nail dia 7-15mm Length 120-500mm - , Locking Screw for Reconstruction Cannulated Humeral Nail Length 10-150mm - , End Cap for Reconstruction Cannulated Humeral Nail Length 0-50mm - , JIN Type - Tibia Nail dia 7-13mm Length 220-500mm - , End Cap For JIN Type - Tibia Nail - , Dia4.5mm Locking Bolt Self-Tapping For JIN Type - Tibia Nail Length 10-150mm - , End Cap for Universal Tibia Nail Length 0-50mm - , Locking Bolt for Universal Tibia Nail Length 20-150mm - , Universal Cannulated Tibia Nail dia 7-15mm Length 250-500mm - , End Cap for Universal Cannulated Tibia Nail Length 0-50mm - , Locking Bolt for Universal Cannulated Tibia Nail Length 20-150mm - , End Cap for Cannulated Tibia Nail Length 0-50mm - , Locking Bolts for Cannulated Tibia Nail Length 20-150mm - , Locking Bolt for Intramedullary Tibia Nail Length 20-150mm - , Universal Intramedullary Cannulated Femur Nail dia 8-15mm Length 180-500mm Left & Right - , Universal Intramedullary Cannulated Femur Nail dia 8-15mm Length 180-500mm Left & Right - , End Cap For Universal Intramedullary Cannulated Femur Nail M10x1 Length 0-50mm - , Compression Screw For Universal Intramedullary Cannulated Femur Nail - , 4.5mm Locking Bolt For Universal Intramedullary Cannulated

Femur Nail - ,6.5mm Cannulated Reconstruction Screw For Universal Intramedullary
 Cannulated Femur Nail Length 30-150mm - ,6.5mm Locking Bolt for Universal
 Intramedullary Cannulated Femur Nail Full Thread - 125Degree/130Degree/135Degree
 TFNA Nail Short & Long dia 7-15mm Length 100-500mm ,Konzept Fibula & Forearm Nail
 dia4-8mm x Length 180mm-280mm - ,6.5mm Blocking set for Universal Intramedullary
 Cannulated Femur Nail Length 30-120mm - ,End Cap for Adolescent Lateral Femur Nail
 Length 0-50mm - ,Hip Screw for Adolescent Lateral Femur Nail Length 20-150mm - ,
 Locking Screw for Adolescent Lateral Femur Nail Length 15-120mm - ,Femur Neck Screws
 for TFN Nail (Trochanteric Fixation Nail) Length 50-150mm - ,End Cap for TFN Nail
 (Trochanteric Fixation Nail) Length 0-50mm - ,Locking Bolts for TFN Nail (Trochanteric
 Fixation Nail) Length 20-120mm - ,End Cap for Unreamed Femur Nail Length 0-50mm - ,
 End Cap for Cannulated Femur Nail Length 0-50mm - ,Radius Intramedullary Elastic Nail
 dia 2-6mm Length 150-300mm - ,Locking Screw for Radius Intramedullary Elastic Nail
 Length 10-100mm - ,Cortical Screw for Ulna Intramedullary Nail Length 8-100mm - ,
 Intramedullary Cannulated Humerus Nail dia 5-11mm Length 150-500mm - ,End Cap For
 Intramedullary Humerus Nail - ,Compression Screw For Intramedullary Humerus Nail - ,
 Dia4.5mm Proximal Screw Length 20-150mm - ,End Cap for Locking humerus Nail Length
 0-50mm - ,Locking Screws for Humerus Nail Length 10-150mm - ,Cortical Screws for
 Humerus Nail Length 10-150mm - ,Reconstruction Nail Cannulated dia5-11mm Length
 100-300mm - ,Reconstruction Cannulated Intramedullary Humerus Nail dia 5-11mm
 Length 150-500mm - ,End Cap For Reconstruction Cannulated Instramedullary Nail - ,4.5
 mm Locking Bolt For Interlocking Cannulated Tibia Nail Length 20-150mm - ,Kuntscher
 Cloverleaf Nail for Tibia dia 6-15mm Length 100-500mm - ,Retrograde Femur Nail dia 8-
 13mm Length 150-500mm - ,Intramedullary Supracondylar (IMSC) Femur Nail dia 8-13mm
 Length 150-500mm - ,Locking Screws for Intramedullary Supracondylar (IMSC) Femur Nail
 Length 20-150mm - ,End Cap for Intramedullary Supracondylar (IMSC) Femur Nail Length
 0-50mm - ,Locking Screws for Intramedullary Supracondylar (IMSC) Cannulated Femur Nail
 Length 20-150mm - ,End Cap for Intramedullary Supracondylar (IMSC) Cannulated Femur
 Nail Length 0-50mm - ,Pediatric Flexible Nail dia 1-5mm Legth 300-440mm - ,Tarsus Nail
 End Cap for Securing Spiral Blade - ,Tarsus Nail End Cap for Securing the most distal
 Locking Bolt - ,Konzept Fibula & Forearm Nail with Compression(Dia2-10 x Length 150-
 500mm) - ,End Cap M4 - ,Compression End Cap M4 - ,Cortical Screw Self-Tapping (Hex
 Head) Dia1.5/2.7mm Length 10mm-30mm Titanium - ,2.7mm Cortical Screw Self Tapping
 (Hex Head) Length 10-60mm Titanium - ,Reconstruction Nail Cannulated dia5-11mm
 Length 100-300mm - ,Reconstruction Cannulated Intramedullary Humerus Nail dia 5-
 11mm Length 150-500mm - ,DIA 3.5mm Locking Bolt For Humerus Nail Length 10-150mm
 - ,Dia 4.5mm Locking Bolt For Humerus Nail Length 10-150mm - ,4.5mm Locking Bolt For
 Interlocking Cannulated Tibia Nail - Length 20-150mm ,End Cap For Interlocking
 Cannulated Tibia Nail - Length 0-50mm ,Interlocking Cannulated Tibia Nail dia 7-13mm -
 Length 250-500mm ,Dia3.5mm Locking BoltSelf-Tapping For JIN Type - Humerus Nail -
 Length 10-150mm ,4.9mm Locking Bolt for AJAX Nail Self-Tapping - Length 20-150mm ,
 AJAX Blade - Length 50-180mm ,AJAX Nail End Cap (For Ajax Blade) - Length 0-50mm ,AJAX
 Nail End Cap (For Cephalic Screw) - Length 0-50mm ,Inner Screw for Ajax Cephalic Screw - ,
 4.5mm Locking Bolt Length 20-150mm - ,AJAX Nail End Cap (For Cephalic Screw) - Length 0-
 50mm ,Ø4.8mm Locking Bolt Self-Tapping For Expert Femur Nail - Length 20-150mm ,Ø6.
 4mm Cannulated Anti-Rotation Screw Self-Tapping For Expert Femur Nail - Length 50-
 180mm ,Intramedullary Femoral Nail dia 8-16mm Length 300-500mm Left & Right - ,Ø4.
 8mm Locking Bolt Self-Tapping For Ga-mma Nail - ,AJAX Nail II (Proximal Femur Nail)
 125Degree/130Degree/135Degree Short & Long dia 7-14mm Length 100-500mm Left &
 Right - ,PFNA Nail (Proximal Femur Nail) Short & Long dia 7-14mm Length 100-500mm Left
 & Right - ,End Cap For Ø10.5mm Cephalic Screw For Ga-mma Nail - ,125degree Anti-
 Rotation Ga-mma Nail Short dia 8-14mm Length 150-240mm - ,125degree Anti-Rotation
 Ga-mma Nail Long dia 8-14mm Length 250-500mm - ,130degree Anti-Rotation Ga-mma
 Nail Short dia 8-14mm Length 150-240mm - ,130degree Anti-Rotation Ga-mma Nail Long
 dia 8-14mm Length 250-500mm - ,End Cap For Anti-Rotation Ga-mma Nail Length 0-50mm
 - ,Inner Screw For Anti-Rotation Ga-mma Nail-Long (For Cephalic Screw) - ,Inner Screw For
 Anti-Rotation Ga-mma Nail-Short (For Anti-Rotation Screw) - ,Dia6.4mm Cannulated Anti-
 Rotation Screw for Ga-mma Nail Length 20-150mm - ,Dia10.5mm Cephalic Screw For Ga-
 mma Nail Length 30-180mm - ,End Cap For Dia10.5mm Cephalic Screw For Ga-mma Nail -
 Dia4.8mm Locking Bolt Self-Tapping For Ga-mma Nail Length 20-150mm - ,135degree Anti-
 Rotation Ga-mma Nail Short dia 7-14mm Length 150-240mm - ,135degree Anti-Rotation
 Ga-mma Nail Long dia 8-14mm Length 250-500mm - ,125degree Ga-mma Nail Type-II
 Short dia 8-14mm Length 150-240mm - ,125degree Ga-mma Nail Type-II Long dia 8-14mm
 Length 250-500mm Left & Right - ,130degree Ga-mma Nail Type-II Short dia 8-14mm
 Length 150-240mm - ,130degree Ga-mma Nail Type-II Long dia 8-14mm Length 250-
 500mm Left & Right - ,End Cap For Ga-mma Nail Type-II Length 0-50mm - ,Inner Screw For
 Ga-mma Nail Type-II - ,Dia10.5mm Cephalic Screw For Ga-mma Nail Length 30-180mm - ,
 End Cap For Dia10.5mm Cephalic Screw For Ga-mma Nail - ,Dia4.8mm Locking Bolt Self-

	Tapping For Ga-mma Nail Length 20-150mm - ,Dia4.5mm Locking Bolt Self-Tapping For JIN Type - Femur Nail Length 10-150mm - ,Interlocking Cannulated Tibia Nail dia 7-13mm Length 250-500mm - ,End Cap For Interlocking Cannulated Tibia Nail Length 0-50mm - , Compression Screw For Interlocking Cannulated Tibia Nail 0-50mm - ,4.5mm Locking Bolt For Interlocking Cannulated Tibia Nail Length 20-150mm - ,4.5mm Locking Bolt For Interlocking Cannulated Tibia Nail Length 20-150mm - ,End Cap For Universal Intramedullary Cannulated Femur Nail M10x1 Length 0-50mm - ,Compression Screw For Universal Intramedullary Cannulated Femur Nail - ,4.5mm Locking Bolt For Universal Intramedullary Cannulated Femur Nail Length 20-150mm - ,6.5mm Cannulated Reconstruction Screw For Universal Intramedullary Cannulated Femur Nail Length 30-150mm - ,Dia3.5mm Locking Bolt For Humerus Nail Length 10-150mm - ,End Cap For Interlocking Cannulated Tibia Nail Length 0-50mm - ,Compression Screw For Interlocking Cannulated Tibia Nail 0-50mm - Length 20-150mm ,Konzept Fibula & Forearm Nail with Compression Dia 4-8mm x Length 180mm-280mm - NA ,AJAX Nail II Blade Length 50-180mm - ,AJAX Nail II End Cap (For Ajax Blade) - ,Length 0-50mm - ,AJAX Nail II End Cap (For Cephalic Screw) Length 0-50mm - ,Inner Screw for AJAX Nail II - ,Cephalic Screw AJAX Nail II Length 30-180mm - ,End Cap for AJAX Nail II - ,Locking Screw for AJAX Nail II Length 30-180mm - NA ,125Degree Athos Nail Type-II Short dia 8-14mm Length 150-240mm - , 125Degree Athos Nail Type-II Long dia 8-14mm Length 250-500mm Left & Right - , 130Degree Athos Nail Type-II Short dia 8-14mm Length 150-240mm - ,130Degree Athos Nail Type-II Long dia 8-14mm Length 250-500mm Left & Right - ,End Cap For Athos Nail Type-II Length 0-50mm - ,Inner Screw For Athos Nail Type-II - ,Ø10.5mm Cephalic Screw For Athos Nail Length 30-180mm - ,Ø4.8mm Locking Bolt Self-Tapping For Athos Nail Length 20-150mm - ,End Cap For Ø10.5mm Cephalic Screw For Athos Nail - ,125Degree Athos Nail Short dia 7-14mm Length 150-240mm - ,125Degree Athos Nail Long dia 7-14mm Length 250-500mm Left & Right - ,130Degree Athos Nail Short dia 7-14mm Length 150-240mm - ,130Degree Athos Nail Long dia 7-14mm Length 250-500mm Left & Right - , 135Degree Athos Nail Short dia 7-14mm Length 150-240mm - ,135Degree Athos Nail Long dia 7-14mm Length 250-500mm Left & Right - ,135Degree Athos Nail Type-II Short dia 7-14mm Length 150-240mm - ,135Degree Athos Nail Type-II Long dia 7-14mm Length 250-500mm Left & Right - ,Distal Locking Screws Self-Tapping dia 3.5-5.0mm Length 4-70mm - , End Cap for Athos Nail Length 0-50mm - ,Inner Screw for Athos Nail - , 125Degree/130Degree/135Degree TFNA Nail Short & Long dia 7-15mm Length 100-500mm - ,Blade for TFNA Nail Length 50-180mm - ,End Cap for TFNA Nail Length 0-50mm - , Locking Screws for TFNA Nail Length 20-150mm - ,125Degree/130Degree/135Degree Cephalomedullary Short Nail dia 7-15mm Length 150-500mm - ,Lag Screws for Cephalomedullary Nail Length 30-150mm - ,Locking Screw for Cephalomedullary Nail Length 10-150mm - ,End Cap for Cephalomedullary Nail Length 0-50mm - ,125Degree Anti-Rotation Athos Nail Short dia 8-14mm Length 150-240mm - ,125Degree Anti-Rotation Athos Nail Long dia 8-14mm Length 250-500mm - ,130Degree Anti-Rotation Athos Nail Short dia 8-14mm Length 150-240mm - ,Inner Screw For Anti-Rotation Athos Nail-Long (For Cephalic Screw) - ,Inner Screw For Anti-Rotation Athos Nail-Short (For Anti-Rotation Screw) - ,Ø6.4mm Cannulated Anti-Rotation Screw for Athos Nail Length 20-150mm - ,Ø10.5mm Cephalic Screw For Athos Nail Length 30-180mm - ,End Cap For Ø10.5mm Cephalic Screw For Athos Nail - End Cap For Ø10.5mm Cephalic Screw For Athos Nail,Ø4.8mm Locking Bolt Self-Tapping For Athos Nail Length 20-150mm - End Cap For Anti-Rotation Athos Nail Length 0-50mm
--	---

1. Generic Name :Bone Plates
2. Brand Name :NIL
3. Notified Category :Orthopaedic Implants
4. Class of Medical Device :Class C
5. Shelf life :5 yrs
6. Sterile/Non-Sterile:Sterilized
7. Intended Use :The bone plates are intended for treating fractures of various bones including the clavicle, pelvis, scapula, long bone (humerus, ulna, radius, femur, tibia and fibula), and small bone (metacarpals, metatarsals, phalanges).
8. Material of Construction: Titanium (ISO 5832-3),Stainless Steel (ISO 5832-1)
9. Dimension: Various Dimension of Bone plates implants are manufactured
10. Model/Catalogue No./Name :1.0mm L Plate 90degree Left & Right - ,3.5mm Wise-Lock One Third Tubular Plate 2-20 Holes - ,3.5mm Wise-Lock Reconstruction Plate 2-30 Holes - ,3.5mm Wise-Lock Reconstruction Plate Curved 2-20 Holes - ,3.5mm Wise-Lock Cloverleaf Plate 2-10 Holes - ,2.7/3.5mm Wise-Lock Dorsolateral Distal Humerus Plate with Lateral Support 2-20 Holes Left & Right - ,1.5mm Wise-Lock Adaption Plate Straight 2-20 Holes - ,2.7mm Wise-Lock T-Plate (2-6 Head Holes) 2-12 Holes - ,3.5mm Wise-Lock Reconstruction Plate 2-30 Holes - ,2.4mm AV-Wiselock Dorsal Distal Radius Plate Intermediate Column - ,2.7/3.5mm Wise-Lock Dorsolateral Distal Humerus Plate with Lateral Support 2-20 Holes Left & Right - ,2.7/3.5mm Wise-Lock Dorsolateral Medial Distal Humerus Plate 2-20 Holes Left & Right - ,1.5mm T-Plate 3+3 to 4 Holes - ,3.5mm Wise-Lock Medial Proximal Tibia Plate 2-30 Holes Left & Right - ,3.5mm Wise-Lock Anterolateral Distal Tibia Plate 2-30 Holes Left & Right - ,3.5mm Wise-Lock Medial Distal Tibia Plate Without Tab 2-20 Holes Left & Right - ,3.5mm Wise-Lock Low Profile Medial Distal Tibia Plate Without Tab 2-20 Holes Left & Right - ,2.7mm Wise-Lock Straight Plate with Single Start Thread Stainless Steel - ,3.5mm Wise-Lock Superior Anterior Clavicle Plate 2-20 Holes Left & Right - ,PHEELOS - 3.5mm Wise-Lock Proximal Humerus Plate Short 2-10 Holes - ,PHEELOS - 3.5mm Wise-Lock Proximal Humerus Plate Long 5-20 Holes - ,3.5mm Wise-Lock Periarticular Proximal Humerus Plate 2-20 Holes Left & Right - ,3.5mm Superior Sacro-iliac Plate - 2-8 Holes ,4.5/5.0mm Wise-Lock T Buttress Plate 2-20 Holes - ,3.5mm Wise-Lock Posteromedial Proximal Tibia Plate - ,3.5mm AV-Wiselock Calcaneus Plates M Plate Small/Medium/Large Left & Right - 10-20 Holes ,150 degree Dynamic Hip Compression Plate 1-30 Holes - ,135 degree Dynamic Hip Compression Plate Short Barrel 2-12 Holes - ,0.8mm Wise-Lock Low Profile Avulsion Fracture Plate - 1-10 Holes ,0.8mm Wise-Lock Low Profile Straight Plate 1-15 Holes - ,0.8mm Wise-Lock Low Profile Curved Medial/Lateral Plate 5-12 Holes - ,0.8mm Wise-Lock Low Profile Curved Medial/Lateral Plate Short 2-10 Holes Left & Right - ,0.8mm Wise-Lock Low Profile Compression Plate 2-10 Holes - ,0.8mm Wise-Lock Low Profile T-Plate 2-20 Holes - ,2.4mm Variable Angle Two-Column Volar Distal Radius Plate Narrow 6 Head Holes Width 19.5mm 2-20 Shaft Holes Left & Right - ,3.5mm Wise-Lock Medial Proximal Tibia Plate 2-30 Holes Left & Right - ,3.5mm Wise-Lock Scapula Lateral Border Plate 2-20 Holes Left & Right - ,3.5mm Wise-Lock Scapula Medial Border Plate 2-20 Holes Left & Right - 3.5mm Wise-Lock Medial Border Plate 2-20 Holes Left & Right , 2.4mm Variable Angle Volar Rim Distal Radius Plate 6 Head Holes 2-20 Shaft Holes Left & Right - ,1.0mm Y-Plate 5 Holes - ,3.5mm Wise-Lock Anterolateral Distal Tibia Plate 2-30 Holes Left & Right - ,3.5mm Wise-Lock Scapula Acromion Plate 2-10 Holes Left & Right - ,3.5mm Wise-Lock Medial Distal Tibia Plate Without Tab 2-20 Holes Left & Right - ,3.5mm Wise-Lock Low Profile Medial Distal Tibia Plate Without Tab 2-20 Holes Left & Right - ,2.7mm Wise-Lock X-Plate Small Medium Large - ,2.7mm Wise-Lock Straight Plate with Single Start Thread Stainless Steel - ,3.5mm Wise-Lock Superior Anterior Clavicle Plate 2-20 Holes Left & Right - ,2.7/3.5mm Wise-Lock Dorsolateral Medial Distal Humerus Plate 2-20 Holes Left & Right - ,3.5mm Wise-Lock S Clavicle Plate Small/Medium/Large 2-10 Holes Left & Right - ,3.5mm Wise-Lock Metaphyseal Plate For Distal Medial Humerus 3-25 Holes - ,3.5mm Wise-Lock Metaphyseal Plate 2-20 Holes - ,3.5mm Wise-Lock Metaphyseal Plate For Medial Distal Tibia 4+2 - 4+30 Holes Left & Right - ,1.5mm H-Plate Curved 10+1to2 Holes - ,1.5mm I-Plate 4 Holes Space 8.0mm-12.0mm - ,1.5mm Orbital Plate 4 Holes Space 6.0mm to 8.0mm - ,1.5mm Orbital Plate 6 Holes Space 8.0mm to 14.0mm - ,1.5mm Orbital Plate 7 - ,8 Holes Space 7.5 to 8mm - ,1.5mm Continous Orbital Plate 6 to 16 Holes - ,1.5mm L-Plate 90° 2+2 to5 3+5 Holes - Left & Right - ,1.5mm L-Plate with Bridge 90° 2+2 to3 Holes Space 5.5mm to 15.0mm - Left & Right - ,1.5mm L-Plate 130° 2+2to 4 Holes - Left & Right - ,1.5mm L-Plate with Bridge 100° 2+2 Holes 2+3 Holes3+4 Holes Space 5.5mm to 9.0mm - Left & right - ,1.5mm Double X-Plate Small 4+2 Holes Space 4.0mm-9.0mm - ,1.5mm Double X-Plate Medium 4+3 Holes - ,1.5mm Double X-Plate Large 8+3 Holes - ,1.0mm Y-Plate with Bridge 4 Holes - ,1.5mm Wise-Lock Plate Straight 2-10 Holes - ,Periprosthetic Distal Femur Plates 3-25 Holes Left & Right - ,4.5/5.0mm Wise-Lock Osteotomy Lateral High Tibia Plate 2-10 Holes Left & Right - ,4.5/5.0mm Wise-Lock Proximal Femur Lateral Plate (Type-II) 2-20 Holes Left & Right - ,4.5/5.0mm Wise-Lock Reconstruction Plate 2-20 Holes - ,4.5/5.0mm Wise-Lock Narrow Dynamic Compression Plate with LC under cuts 2-30 Holes - ,4.5/5.0mm Wise-Lock T Buttress Plate 2-20 Holes - ,3.5mm Wise-Lock Posteromedial Proximal Tibia

Plate - ,Periprosthetic Trochanter Plates Narrow/Wide - ,4.5/5.0mm Wise-Lock Osteotomy Lateral Distal Femur Plate 2-10 Holes Left & Right - ,4.5/5.0mm Wise-Lock Osteotomy Medial Distal Femur Plate 2-10 Holes Left & Right - ,4.5/5.0mm Wise-Lock Osteotomy Femur Plate 2-10 Holes Left & Right - ,0.8mm Wise-Lock Low Profile T-Plate 2-20 Holes - ,0.8mm Wise-Lock Low Profile Offset Plate 2-12 Holes - ,Anti-Rotaion Screw for Femoral Neck Plate Length 60- 150mm Titanium - ,1.0mm Straight Plate 4-6 Holes - ,1.0mm L-Plate 90° Left & Right - ,1.0mm Double Y Plate 6 Holes - ,1.5mm X-Plate 2+2 Holes - ,1.5mm Double X-Plate with Support 8+2 Holes Space 10.0mm to 15.0mm - ,1.5mm Cross Bend Plate 2+3 Holes - ,1.5mm Y-Plate with Bridge Type-I 2+2 Holes Space 8.0mm-15.0mm - ,1.5mm Y-Plate with Bridge Type-II 2+3 Holes Space 5.5mm to 8.5.0mm - ,1.5mm Y-Plate 2+3 to 4 - ,4+7 Holes - ,1.5mm H-Plate 6 to 8 +1 Holes - ,1.5mm H-Plate 10+1 to2 Holes - ,1.5mm H-Plate Big 8 16 Holes - ,1.5mm H-Plate Curved 10+1 to 2 Holes - ,1.5mm H-Plate Big 8 16 Holes - ,3.5mm Wise-Lock Small Dynamic Compression Plate with LC under cuts 2-20 Holes - ,1.5mm T-Plate 5+7 Holes - ,1.5mm T-Plate 7+9 Holes - ,1.5mm T-Plate with Bridge 2+2 to3 Holes Space 9.0mm-12.0mm - ,1.5mm T-Plate Long 2+4 Holes - ,1.5mm T-Plate Long Oblique 2+4 Holes Left & Right - ,1.5mm T-Plate Oblique 3+3 Holes - Left & Right - ,80degree/90degree/100degree Child Osteotomy Plate Blade 35-45mm Displacement 8mm - ,90degree Adolescent Osteotomy Plate Blade 40-60mm Displacement 10-15mm - ,3.5mm Pediatric Condylar Plate 90° x 3-7 Holes - ,5.0mm Pediatric Condylar Plate 90degree x 3-7 Holes - ,3.5mm Pubic Symphysis Plate 2-8 Holes - ,3.5mm Intrapelvic Plate 5-10 Holes Left & Right - ,2.0mm Mini Straight Plate 2-12 Holes - ,2.7mm Reconstruction Plate Straight 2-30 Holes - ,3.5mm Cloverleaf Plate 2-16 Holes - ,3.5mm Clavicle Hook Plate Hook Depth 12mm 2-10 Holes Left & Right - ,3.5mm Y-Reconstruction Plate Small/Medium/Large 4-16 Holes - ,Lecestre Plate - Modified 2 Head Holes 3-15 Shaft Holes - Left & Right - ,2.0mm Straight Plate with Bridge Type-II 4 8Hole (Space 6.0mm to 12.0mm) - ,3.5mm Reconstruction Pelvic Plate - 2-10 Holes ,3.5mm Wise-Lock Z-type Proximal Lateral Tibial Plate 2-20 Holes Left & Right - ,3.5mm Wise-Lock Low Profile Medial Distal Tibia Plate Without Tab Left & Right - 2-20 Holes ,4.5mm AV-Wiselock Distal Femur Plate 2-20 Holes Left & Right - ,5.0mm Wise-Lock Proximal Lateral Tibia Plate(LISS) 2-20 Holes - ,3.5mm Wise-Lock Extra-Articular Distal Humerus Plate 2-20 Holes Left & Right - ,3.5mm Wise-Lock Olecranon Plate 2-20 Holes Left & Right - ,Wise-Lock Puddu Plate - 2-20 Holes ,3.5mm Wise-Lock Superior Anterior Clavicle Plate 2-20 Holes Left & Right - ,2.0mm L-Plate with Bridge Type-III 90° left and right (2+2 to 3 3+3 Holes Space 8.0mm to 15.0mm - Left 0.8mm -1.0mmThickness) - ,2.0mm L-Plate Type-II 90° left and right - (2+2 to 4 Holes 0.8mm -1.0 mmThickness) ,2.0mm Orbital Plate - (Space 6.0mm to 12.0mm 0.8mm -1.0mmThickness) , 2.0mm Orbital Plate with Bridge Type-II - (57 Holes Space 7.5mm 0.8mm-1.0mm Thickness) ,3.5mm Reconstruction Pelvic Plate - 2-10 Holes ,3.5mm Wise-Lock Z-type Proximal Lateral Tibial Plate 2-20 Holes Left & Right - ,3.5mm Wise-Lock Low Profile Medial Distal Tibia Plate Without Tab Left & Right - 2-20 Holes ,2.4mm AV-Wiselock Distal Radius Volar PlateExtra-articular (4 Head Holes) Left & Right - ,2.4mm AV-Wiselock Dorsal Distal Radius Plate Radial Column 5 & 6 Holes - ,3.5mm Wise-Lock S Clavicle Plate Small/Medium/Large 2-10 Holes Left & Right - ,2.4mm AV-Wiselock Dorsal Distal Radius Plate - ,Intermediate Column (2 Head Holes) 3 & 4 Holes Left & Right - ,2.4mm AV-Wiselock "L" Dorsal Distal Radius Plate (2 Head Holes) Left & Right - 3 & 5 Holes ,2.4mm AV-Wiselock "L" Dorsal Distal Radius Plate (3 Head Holes) Left & Right - 3 & 5 Holes ,2.0mm Wise-Lock Distal Ulna Hook Plate - 5-8 holes ,80degree/90degree/100degree Child Osteotomy Plate Blade 35-45mm Displacement 8mm - ,90degree Adolescent Osteotomy Plate Blade 40-60mm Displacement 10-15mm - ,1.0mm T-Plate 6 Holes - ,1.0mm Square Plate 2 x 2 to 3 Holes - ,1.0mm Rectangular Grill Plate Type-I &II 2 x 4 Holes 4 x 6 Holes - ,1.0mm Rectangular Grill Plate Type-III 2 x 2 to 4Holes 4 x 5 Holes - ,1.0mm Orbital Floor Plate Type-I to V - ,1.0mm Orbital Floor Plate Type-VI to VIII - Left & Right - ,1.5mm Plate 2 Holes Space 6.0mm to 12.0mm - ,1.5mm Straight Plate 4- 14 Holes - ,1.5mm Plate 4 Holes Space 4.5mm to 12.0mm - ,1.5mm Plate 6 Holes Space 6.0mm to12.0mm - ,Periprosthetic Proximal Femur Plates 3-25 Holes Left & Right - ,1.5mm Continuous Plate 6 to 16 Holes - ,3.5mm Pediatric Condylar Plate 90° x 3-7 Holes - ,3.5mm Wise-Lock S Clavicle Plate Small/Medium/Large 2-10 Holes Left & Right - ,3.5mm Wise-Lock Metaphyseal Plate For Distal Medial Humerus 3-25 Holes - ,3.5mm Wise-Lock Metaphyseal Plate 2-20 Holes - ,3.5mm Wise-Lock Metaphyseal Plate For Medial Distal Tibia 4+2 - 4+30 Holes Left & Right - ,3.5mm Wise-Lock Small Dynamic Compression Plate with LC under cuts 2-20 Holes - ,3.5mm Wise-Lock One Third Tubular Plate 2-20 Holes - ,1.5mm Wise-Lock Adaption Plate Straight 2-20 Holes - ,2.0mm Mini Condylar Plate 2-12 Holes Left & Right - ,Aiming Block For Variable Angle Two-Column Volar Distal Radius Plate Standard 6 Head Holes 22mm Left & Right - ,2.0mm Straight Plate 2 Holes Type-II (Space 8.0mm to 12.0mm 0.8mm-1.0 mm Thickness) - ,2.0mm Straight Plate Type-II (5 - ,6 Holes 0.8mm-1.0mm Thickness) - ,2.4mm AV-Wiselock Wrist Fusion M Plate Long Bend 19 Holes - ,2.4mm AV-Wiselock Wrist Fusion M Plate Short Bend 18 Holes - ,2.4mm AV-Wiselock Dorsal Wrist Fusion M Plates Radiocapitate Long & Short Bend 12 Holes - ,Periprosthetic Trochanter Plates Narrow/Wide - ,3.5mm Wise-Lock Metaphyseal Plate For Distal Medial Humerus 3-25 Holes - ,1.5mm

Wise-Lock Plate Straight 2-10 Holes - ,3.5mm Wise-Lock Reconstruction Plate 2-30 Holes - ,3.5mm Wise-Lock Reconstruction Plate Curved 2-20 Holes - ,3.5mm Wise-Lock Cloverleaf Plate 2-10 Holes - ,1.0mm Straight Plate 4-6 Holes - ,2.7/3.5mm Wise-Lock Superior Anterior Clavicle Plate with Lateral Extension 2-20 Holes Left & Right - ,3.5mm Wise-Lock "J" Reconstruction Plate with Coaxial Combi-Holes 8-20 Holes Left & Right - ,2.4mm AV-Wiselock L Dorsal Distal Radius Plate (2 Head Holes) Left & Right - 3 & 5 Holes ,2.4mm AV-Wiselock "T" Dorsal Distal Radius Plate (3 Head Holes) - ,2.7/3.5mm AV-Wiselock Extra Articular Proximal Ulna Plate 2-20 Holes Left & Right - ,2.7/3.5mm AV-Wiselock Medial Distal Humerus Plate 1-20 Holes -Left & Right - ,2.7/3.5mm AV-Wiselock Medial Distal Humerus Plate 1-20 Holes -Left & Right - ,2.7/3.5mm AV-Wiselock Extended Medial Distal Humerus Plate 1-20 Holes Left & Right - ,2.7/3.5mm AV-Wiselock Lateral Distal Humerus Plate 1-20 Holes Left & Right - ,AV-Wiselock Distal Posterolateral Humeral Plate 3-15 Holes Left & Right - ,AV-Wiselock Distal Medial Humeral Plate 3-15 Holes Left & Right - ,AV-Wiselock Distal Medial Humeral Plate Short 3-15 Holes Left & Right - ,2.0mm Long T-Plate Oblique Angled - Left and Right - (0.8mm -1.0mm Thickness) ,3.5mm Wise-Lock Z-Type Distal Posterolateral Humeral Plate Left & Right - 2-10 Holes ,2.0mm Long T-Plate Oblique Angled Left and Right - (0.8mm -1.0mm Thickness) ,2.0mm I-Plate - (Space 6.0mm to 9.0 mm 0.8mm-1.0mm Thickness) ,2.0mm H-Plate 6+1 - 6+1,8+1 - ,10+1 Holes 0.8mm-1.0mm Thickness - ,2.0mm L-Plate with Bridge Type-IV 90° left and right (2+2 Holes Space 6.0mm to 10.0mm 0.8mm-1.0mm Thickness) - ,2.0mm L-Plate 130° Left and Right (2+2 to 4 Holes 0.8mm-1.0mm Thickness) - ,1.5mm Hook Plate Hooks 2-4 - ,2.0mm L-Plate with Bridge 100° (2+2 - ,3+3 - ,3+4) - ,0.8/1.5/2.0mm Wise-Lock Plate 1-20 Holes - ,5.0mm Wise-Lock Distal Femur Plate (LISS) 2-20 Holes Left & Right - ,3.5mm Wise-Lock Hook Plate 2-10 Holes - ,3.5mm Wise-Lock Proximal Humerus Plate 2-10 Holes - ,3.5mm Wise-Lock Medial Distal Tibia Plate 2-20 Holes Left & Right - ,3.5mm Wise-Lock Proximal Tibia Plate 2-20 Holes Left & Right - ,3.5mm Wise-Lock Medial Proximal Tibia Plate 2-30 Holes Left & Right - ,3.5mm Wise-Lock Posterior Medial Proximal Tibia Plate 1-20 Holes - ,3.5mm Wise-Lock Anterolateral Distal Tibia Plate 2-30 Holes Left & Right - ,3.5mm Wise-Lock Low Profile Medial Distal Tibia Plate Without Tab 2-20 Holes Left & Right - ,3.5mm Wise-Lock Lateral Distal Fibula Plate 2-20 Holes Left & Right - ,2.7mm Wise-Lock Straight Plate with Single Start Thread - ,3.5mm Wise-Lock Symphyseal Plate with Coaxial Combi-Holes 2-10 Holes - ,3.5mm Wise-Lock Clavicle Hook Plate Hook Depth 12/15/18mm 2-10 Holes Left & Right - ,3.5mm Wise-Lock Superior Anterior Clavicle Plate 2-20 Holes Left & Right - ,2.7/3.5mm Wise-Lock Superior Anterior Clavicle Plate with Lateral Extension 2-20 Holes Left & Right - ,3.5mm Wise-Lock S Clavicle Plate Small/Medium/Large 2-10 Holes Left & Right - ,3.5mm Wise-Lock Metaphyseal Plate For Distal Medial Humerus 3-25 Holes - ,3.5mm Wise-Lock Pilon Plate 2-20 Holes - ,3.5mm Wise-Lock Metaphyseal Plate For Medial Distal Tibia 4+2 - 4+30 Holes Left & Right - ,3.5/4.5mm Wise-Lock Metaphyseal Plate 2/5-20/5 Holes - ,3.5mm Wise-Lock Metaphyseal Plate 2-20 Holes - ,3.5mm Wise-Lock Metaphyseal Plate For Distal Medial Humerus 3-25 Holes - ,3.5mm Wise-Lock Wrist Fusion Plate Short/Standard/Straight Bend 2-10 Holes - ,3.5mm Wise-Lock Calcaneal Plate Type-I 2-10 Holes Left & Right - ,3.5mm Wise-Lock Small "T" Plate Right Angled (3 Head Holes) 2-10 Holes - ,3.5mm Wise-Lock Small "T" Plate Right Angled (4 Head Holes) 2-10 Holes - ,3.5mm Wise-Lock Low Profile Reconstruction Plate with Coaxial Combi-Holes 2-30 Holes - ,3.5mm Wise-Lock Reconstruction Plate Curved 2-20 Holes - ,4.5/5.0mm Wise-Lock Proximal Tibia Plate 2-20 Holes Left & Right - ,4.5/5.0mm Wise-Lock Proximal Femur Lateral Plate (Type-II) 2-20 Holes Left & Right - ,3.5mm Wise-Lock Clavicle Plate 2-20 Holes Left & Right - ,3.5mm Wise-Lock Cloverleaf Plate 2-10 Holes - ,3.5mm Wise-Lock Proximal Ulna Plate Left & Right - 2-20 Holes ,3.5mm Wise-Lock Z-type Distal Medial Tibial Plate Left & Right - 2-20 Holes ,3.5mm Wise-Lock Olecranon Plate 2-20 Holes Left & Right - ,4.5/5.0mm Wise-Lock Distal Femur Plate Straight Hole Left & Right - 3-25 Holes ,4.5/5.0mm Wise-Lock Condylar Femur Plate Left & Right - 3-25 Holes ,4.5/5.0mm Wise-Lock Proximal Femur Plate Left & Right - 2-20 Holes ,4.5/5.0mm Wise-Lock Proximal Femur Hook Plate - 2-20 Holes ,4.5/5.0mm Wise-Lock Proximal Lateral Tibia Plate Left & Right - 3-25 Holes ,4.5/5.0mm Wise-Lock Medial Proximal Tibia Plate Left & Right - 2-20 Holes ,4.5/5.0mm Wise-Lock Reconstruction Plate - 2-20 Holes ,4.5/5.0mm Wise-Lock Broad Dynamic Compression Plate with LC under cuts - 2-30 Holes ,4.5/5.0mm Wise-Lock Curved Broad Plate - 10-30 Holes ,4.5/5.0mm Wise-Lock "L" Buttress Plate Left & Right - 2-20 Holes ,4.5/5.0mm Wise-Lock "T" Buttress Plate 2-20 Holes - ,4.5/5.0mm Wise-Lock "T" Plate - 2-20 Holes ,4.5/5.0mm Wise-Lock Osteotomy Tibia Plate Left & Right - 2-10 Holes ,4.5/5.0mm Wise-Lock Osteotomy Medial Distal Femur Plate Left & Right - 2-10 Holes ,4.5/5.0mm Wise-Lock Osteotomy Lateral Distal Femur Plate Left & Right - 2-10 Holes ,4.5/5.0mm Wise-Lock Osteotomy Lateral High Tibia Plate Left & Right - 2-10 Holes ,4.5/5.0mm Wise-Lock Osteotomy Medial High Tibia Plate - 2-10 Holes ,130-150 degree Wise-Lock Variable Angle DHS Plate - 2-30 Holes ,3.5mm Pubic Symphysis Plate - 2-8 Holes ,3.5mm Posterior Wall Acetabular Fragment Plate Left & Right - 5-10 Holes ,3.5mm Curved Posterior Wall Acetabular Fragment Plate Left & Right - 8-15 Holes ,3.5mm Posterior Wall Acetabular Plate - 5-10 Holes ,3.5mm Acetabular Spring Plate - 1-10 Holes ,3.5mm Reconstruction Pelvis Plate - 2-10 Holes ,3.5mm Interlocking Reconstruction Plate -

8-15 Holes ,3.5mm Quadrilateral Surface Plate Left & Right - 1-5 Holes ,3.5mm Intrapelvic Plate Left & Right - 5-10 Holes ,3.5mm Anterior Brim Plate Left & Right - 10-20 Hole , PHELOS - 3.5mm AV-Wiselock Proximal Humerus Plate Short and Long - 2 -20 Holes ,3.5 mm Pelvic Plate Straight/Curved - 2-20 Holes ,3.5mm Flex Plate - 2-20 Holes ,Infrapectineal Plate Large/Small - ,dia 3.5-4.5mm Quadrilateral Surface Plate Left & Right - ,3.5mm Symphysis Plate - 2-20 Holes ,3.5mm Wise-Lock Z-Type Distal Lateral Fibular Plate Holes 4-16 Holes Left & Right - ,3.5mm Wise-Lock Z-Type Proximal Lateral Humeral Plate 2-20Holes Left & Right - ,3.5mm Wise-Lock Z-Type Distal Medial Humeral Plate Short Left & Right - 2-10Holes ,2.4mm Variable Angle Volar Rim Distal Radius Plate 7 Head Holes 2-20 Shaft Holes Left & Right - ,2.4mm Variable Angle Two-Column Volar Distal Radius Plate Narrow 6 Head Holes Width 19.5mm 2-20 Shaft Holes Left & Right - ,2.4mm Variable Angle Two-Column Volar Distal Radius Plate Standard 6 Head Holes Width 22mm 2-20 Shaft Holes Left & Right - ,Intermediate Column (2 Head Holes) 3 & 4 Holes Left & Right - ,2.4mm Variable Angle Two-Column Volar Distal Radius Plate Wide 7 Head Holes Width 25.5mm 2-20 Shaft Holes Left & Right - ,2.4/2.7mm Varixis Two-Column Volar Distal Radius Plate Extra-Long Narrow/Standard/Wide 6-7 Head Holes 7-13 Shaft Holes Left & Right - ,2.4mm Variable Angle Volar Rim Distal Radius Plate 7 Head Holes 2-20 Shaft Holes Left & Right - , 2.4mm Varixis Dorsal Distal Radius Plate Radial Column 5 & 6 Holes - ,2.0mm Locking U-Plate (3+3 Holes 4+49 Holes) - ,1.5mm Z-Plate Space 9.0mm-13.0mm Left & Right - ,1.5mm Z-Plate Space 9.0mm-13.0mm Left 7 Right - ,1.5mm Rectangular Grill Plate Type-I 4 x 2 to 6 Holes - ,1.5mm Rectangular Grill Plate Type-II & III 2 x 2 to 4 Holes - ,2.0mm Wise-Lock Distal Ulna Hook Plate - 5-8 holes ,1.5mm Rectangular Grill Plate Type-II 4 x 6 Holes - ,1.5 mm Triangular Plate 3 Holes - ,1.5mm Rectangular Grill Plate Type-II & III 2 x 2 to 4 Holes - ,1.5mm Rectangular Grill Plate Type-III 4 x 6 Holes - ,1.5mm Rectangular Grill Plate Type-IV 2 x 3 to 5 Holes - ,1.5mm Rectangular Grill Plate Type-V 11 x 17 Holes - ,1.5mm Rectangular Grill Plate Type-V 2 x 21 Holes - ,2.4mm Variable Angle Two-Column Volar Distal Radius Plate Standard 6 Head Holes Width 22mm 2-20 Shaft Holes Left & Right - ,1.5mm Rectangular Grill Plate Type-V 2 x 11 Holes - ,2.0mm Straight Plate 5 6 Holes Type-I - ,2.0 mm L-Plate with Bridge Type-I 90° Left and right (2+2 - 2+3 Holes Space 8.0mm to 15.0) ,2.0 mm L-Plate Type-I 90° Left and Right (2+2 to 4 Holes) - ,2.0mm L-Plate with Bridge Type-II 90° Left and right (2+2 3+3Holes Space 6.0mm -10.0mm) - ,2.0mm L-Oblique Plate with Bridge 90° Left and right (2+2 3+3Holes Space 6.0mm -10.0mm) - ,2.0mm H-Plate 11 Holes - ,2.0mm Straight Plate (4-16 Holes 0.8mm Thickness-1.0mm) - ,2.0mm Straight Plate with Bridge Type-III (4 - ,Aiming Block For Variable Angle Two-Column Volar Distal Radius Plate Narrow 6 Head Holes 19.5mm Left & Right - ,6Holes - Space 6.0mm 0.8mm-1.0mm Thickness) ,1.5mm T-Gap Plate Angled Space 13.5mm-1 7.5mm Left & Right - ,1.5mm Orbital Floor Plate Type-III to IV - ,1.5mm Orbital Floor Plate Type-VI to VIII Left & Right - , 1.5mm Chin Plate Space 2.0mm to 10.0mm - ,1.5mm Maxilla Plate Space 3.0mm to 11.0 mm- Left & Right - ,2.0mm Straight Plate (4 - ,5 - ,6 - ,14 - ,16) - ,Aiming Block For Variable Angle Two-Column Volar Distal Radius Plate 7 Head Holes Wide 25.5mm Left & Right - ,2.4 mm AV-Wiselock Dorsal Distal Radius T-Plate 3 Head Holes 3-5 Shaft Holes - 2-10 HOLES , 2.4mm AV-Wiselock Dorsal Distal Radius L-Plate Oblique 3 Head Holes 3-5 Shaft Holes - , 2.4mm AV-Wiselock "T" Dorsal Distal Radius Plate (3 Head Holes) - 2-10 holes ,2.0mm Striaight Plate with Bridge Type-I (46Holes Space 9.0mm to 12.0mm) - ,2.0mm Straight Plate 2 Holes Type-I (Space 8.0mm to 12.0mm) - ,2.0mm Straight Plate with Bridge Type-II 4 8Hole (Space 6.0mm to 12.0mm) - ,2.0mm Straight Plate with Bridge Type IV (46 Holes Space 9.0mm to 12.0mm 0.8mm -1.0mm Thickness) - ,2.0mm Orbital Plate with Bridge Type-I (46 Holes Space 8.0mm to 15.0mm 0.8mm-1.0 Thickness) - ,2.0mm Orbital Plate with Bridge Type-II (5,7 Holes Space 7.5mm ,0.8mm-1.0mm Thickness) - ,2.0mm Orbital Plate (Space 6.0mm to 12.0mm 0.8mm -1.0mm Thickness) - ,2.0mm L-Plate Type-II 90° left and right (2+2 to 4 Holes 0.8mm -1.0mm Thickness) - ,2.0mm L-Plate with Bridge Type-III 90° left and right (2+2 to 3 3+3 Holes Space 8.0mm to 15.0mm - Left 0.8mm -1.0 mm Thickness) - ,2.0mm L-Plate with Bridge 100° (2+2,3+3,3+4) - ,2.4/2.7mm AV-Wiselock First TMT Fusion Plate Standard 39mm/Long 48mm - ,3.5mm Wise-Lock Pediatric Hip Plate II - 90°-150° x Length 60-75mm x Width 18.5mm 3-10 Holes, 2.0mm L-Plate 130° Left and Right (2+2 to 4 Holes 0.8mm-1.0mm Thickness) - ,2.0mm L-Plate with Bridge Type-IV 90° left and right (2+2 Holes Space 6.0mm to 10.0mm 0.8mm-1.0mm Thickness) - ,2.0mm Double X-Plate Small (4+2 to 4 Holes Space 6.0mm to 12.0mm 0.8mm -1.0mm Thickness) - , 2.0mm H-Plate - 6+1,8+1,10+1 Holes 0.8mm-1.0mm Thickness, 4.5/5.0mm Wise-Lock Pediatric Hip Plate II - 90°-150° x Length 60-110mm x Width 22.5mm, 3-10 Holes, 2.0mm I-Plate - (Space 6.0mm to 9.0mm 0.8mm-1.0mm Thickness) ,2.0mm T-Plate with Bridge - (2+2 to 3, 2+4, 2+6 Space 6.0mm to 15.0mm 0.8mm -1.0mm Thickness) ,4.5mm Wise-Lock Pediatric Hip Plate (Type-II), 90°-150° x Length 60mm-101mm x Width 18.8mm-25.5mm, 3 Holes - ,3.5mm Wise-Lock Pediatric Hip Plate (Type-II), 90°-150° x Length 60mm-101mm x Width 18.8mm-25.5mm, 3 Holes - ,3.5mm Wise-Lock Low Profile Medial Distal Tibia Plate Without Tab 2-20 Holes Left & Right - ,3.5mm Reconstruction Pelvic Plate - 2-20 Holes ,2.0 mm Long T-Plate Oblique Angled - Left and Right - (0.8mm -1.0mm Thickness) ,2.0mm T-Plate - (3+3 Holes 3+43+6 0.8mm-1.0mm Thickness) ,2.0mm T-Plate with Bridge - (3+2

Holes Space 8.0mm & 12.0mm 0.8mm-1.0mm Thickness) ,2.0mm Z-Plate Left and Right - (Space 8.0mm & 12.0mm 0.8mm-1.0mm Thickness) ,2.0mm Pseudo-Possessed Plate Type-III - (7 Holes 0.8mm -1.0mm Thickness) ,2.0mm Rectangular Grill Plate Type-I - (2 x 2 to3 Holes 0.8mm -1.0mm Thickness) ,2.0mm Rectangular Grill Plate Type-II - (4 x 2 4x4 4x6 Holes 0.8mm-1.0mm Thickness) ,2.0mm Rectangular Grill Plate Type -III - (2 x 4 Holes 0.8 mm-1.0mm Thickness) ,2.0mm Rectangular Grill Plate Type -IV Left & Right - (2 x 4 Holes 0.8mm -1.0mm Thickness) ,2.0mm Locking Straight Plate with Bridge Type-I - (4,6,8,10,12,14 Holes),2.4/2.7mm AV-Wiselock First TMT Fusion Plate - Standard 39/Long 48mm ,2.4/2.7mm AV-Wiselock L-Fusion Plate short/Medium/Large Length 37mm/44mm/62mm - ,2.4/2.7mm AV-Wiselock Cuboid Plate Left and Right - 2-20 Holes , 3.5mm AV-Wiselock Calcaneus Plates M Plate Small/Medium/Large 10-20 Holes Left & Right - ,2.4mm AV-Wiselock Dorsal Distal Radius Plate Intermediate Column 3-4 Shaft Holes - 2-10 Holes ,2.0mm Locking T-Gap Plate Straight - ,2.4mm Variable Angle Two-Column Volar Distal Radius Plate Wide 7 Head Holes Width 25.5mm 2-20 Shaft Holes Left & Right - ,2.0 mm Locking T-Gap Plate Straight (4,6 Holes Space 10.0mm -12.0mm) - ,2.0mm Locking Square Frame Plate Type-I - (2 x 42x62x8 Holes) ,2.0mm Locking Rectangular Grill Plate Type-II - (2 x 3 2x42x52x6 Holes) ,2.0mm Locking Rectangular Grill Plate Type-III - (2 x 3 2x42x52x6 Holes) ,2.0mm Locking Straight Plate with Bridge Type-III - (4 ,6Holes Space 10.0mm to 12.0mm),2.0mm Locking Straight Plate with Bridge Type-IV 4 - 6 Holes Space 8.0 to 12.0mmmm) ,2.0mm Locking Straight Plate Type-II - (4,6,8,10,12,14 Holes),2.0mm Locking Straight Plate with Bridge Type-V - (4,6Holes Space 8.0mm to12.0mm),2.0mm Locking Straight Plate Type-III - (6 ,8,26 Holes),2.0mm Locking Orbital Plate - (4 Holes Space 10.0mm&15.0mm) ,2.0mm Locking Curved Plate Type-I Left and Right - (4,6,8 Holes Space 6.0mm to 10.5 mm),2.0mm One -Way Pressure Plate with Bridge - (4,6Holes Space 8.0mm to12.0mm),2.0mm One -Way Pressure Plate - (6 ,8,26 Holes),2.0mm One -Way Pressure Orbital Plate - (4 Holes ,Space 10.0mm &15.0mm),2.0mm One -Way Pressure Curved Plate Left and Right - (4,6,8 Holes Space 6.0mm to 10.5 mm),2.0mm One -Way Pressure Curved Plate Left and Right - (4,6,8 Holes Space 6.0mm to 10.5 mm),2.4mm Mandible Reconstruction Plate Angled left and right - (5+10 ,5+15,5+20 Holes 2.0mm Thickness),2.4mm Locking Two-way Compression Mandible Reconstruction Plate Straight - (12,15,17 20 Holes 2.0mm Thickness),2.4mm Locking Round Holes Mandible Reconstruction Plate Angled - (5+10 ,5+15,5+20 Holes 2.5mm Thickness),2.4mm Locking Round Holes Mandible Reconstruction Plate Straight - (12,15,17 20 Holes 2.0mm Thickness),2.4mm Locking Two-Way Compression Mandible Reconstruction Plate Angled (5+10 5+15+20 Holes 2.0mm Thickness) - ,2.4mm Mandible Reconstruction Plate Double Angled (5+25+5 Holes 2.0mm Thickness) - ,2.4mm Locking Round Holes Mandible Reconstruction Plate Double Angled (5+25+5 Holes 2.0mm Thickness) - ,2.4mm Locking Two-Way Compression Mandible Reconstruction Plate Double Angled - (5+25+5 Holes 2.0 mm Thickness) ,2.4mm Mandible Reconstruction Plate Straight - (12,15,17 20 Holes 2.0 mm Thickness),2.4mm Locking Two-Way Mandible Reconstruction Plate Straight - (12,15,17,20 Holes 2.5mm Thickness),2.4mm Locking Round Holes Mandible Reconstruction Plate Angled - (5+10 ,5+15,5+20 Holes 2.5mm Thickness),2.4mm Locking Round Holes Mandible Reconstruction Plate Straight - (12,15,17,20 Holes 2.5mm Thickness),2.4mm Mandible Reconstruction Plate Angled Left and Right - (5+10 ,5+15,5+20 Holes 2.5mm Thickness),2.4mm Locking Two-Way Compression Mandible Reconstruction Plate Double Angled - (5+25+5 Holes 2.5mm Thickness) ,2.4mm Locking Two-Way Compression Mandible Reconstruction Plate Angled Left and Right - (5+10 5+15+20 Holes 2.5mm Thickness) ,2.4mm Mandible Reconstruction Plate Double Angled - (5+25+5 Holes 2.5mm Thickness) ,2. 3.5mm AV-Wiselock Medial Proximal Tibia Plate 2-20 Holes Left & Right - ,3.5mm AV-Wiselock Posterior Medial Tibia Plate 2-20 Holes Left & Right - ,3.5mm AV-Wiselock Extra Articular Distal Humerus Plate 2-20 Holes Left & Right - ,3.5mm Wise-Lock Hook Plate 2-10 Holes - ,2.7/3.5mm Wise-Lock Dorsolateral Distal Humerus Plate with Lateral Support 2-20 Holes Left & Right - ,2.7/3.5mm Wise-Lock Dorsolateral Distal Humerus Plate 2-20 Holes Left & Right - ,2.4mm Wise-Lock Distal Radius Dorsal Plate Straight 2-10 Holes - ,4.5mm AV-Wiselock Distal Femur Plate 2-20 Holes Left & Right - ,5.0 mm Wise-Lock Proximal Lateral Tibia Plate(LISS) 2-20 Holes - ,3.5mm Wise-Lock Extra-Articular Distal Humerus Plate 2-20 Holes Left & Right - ,2.4mm Locking Round Holes Mandible Reconstruction Plate Double Angled - (5+25+5 Holes 2.5mm Thickness) ,3.5mm AV-Wiselock Calcaneus Plates M Plate Small/Medium/Large Left & Right - 10-20 Holes ,150 degree Dynamic Hip Compression Plate 1-30 Holes - ,135 degree Dynamic Hip Compression Plate Short Barrel 2-12 Holes - ,0.8mm Wise-Lock Low Profile Avulsion Fracture Plate - 1-10 Holes ,0.8mm Wise-Lock Low Profile Straight Plate 1-15 Holes - ,0.8 mm Wise-Lock Low Profile Curved Medial/Lateral Plate 5-12 Holes - ,0.8mm Wise-Lock Low Profile Curved Medial/Lateral Plate Short 2-10 Holes Left & Right - ,0.8mm Wise-Lock Low Profile Compression Plate 2-10 Holes - ,0.8mm Wise-Lock Low Profile T-Plate 2-20 Holes - , 0.8mm Wise-Lock Low Profile L-Plate 2-10 Holes Left & Right - ,0.8mm Wise-Lock Low Profile Offset Plate 2-12 Holes - ,1.3mm Wise-Lock Low Profile Compression Plate 2-10 Holes - ,1.3mm Wise-Lock Low Profile Metacarpal Neck Plate 2-8 Holes Left & Right - ,1.3

mm Wise-Lock Low Profile Straight Plate 2-12 Holes - ,1.3mm Wise-Lock Low Profile T-Plate 2-15 Holes - ,1.3mm Wise-Lock Low Profile Rolando Fracture Hook Plate 5-10 Holes - ,1.3 mm Wise-Lock Low Profile Rotational Correction Plate 4-10 Holes - ,1.5mm T-Gap Plate Straight Space 13.5mm-17.5mm - ,2.0mm Wise-Lock Rotation Correction Plate - ,2.4mm Wise-Lock Condylar Plate (2-6 Head Holes) 2-12 Holes - ,3.5mm Wise-Lock Distal Tibia Plate 2-20 Holes left & Right - ,4.5/5.0mm Wise-Lock Proximal Femur Hook Plate - 2-20 Holes ,4.5 /5.0mm Wise-Lock Proximal Lateral Tibia Plate - 3-25 Holes Left & Right ,0.8mm Wise-Lock Low Profile L-Plate 2-10 Holes Left & Right - ,4.5/5.0mm Wise-Lock Proximal Tibia Plate Left & Right - 2-20 Holes ,2.7mm Mini Condylar Plate 2-12 Holes Left & Right - ,2.4/2.7mm Wise-Lock X-Plate 2-8 Holes - ,Medial Column Fusion Plate Small Medium & Large Left & Right - , 2.5mm Multidirectional Threaded Peg Screws Length 6-150mm - ,1.5mm Varixis Rotation Correction Plate 2-10 Holes - ,2.4mm Wise-Lock Volar Column Distal Radius Plate (8 Head Holes) 2-10 Holes Left & Right - ,2.4mm Wise-Lock Proximal Radius Plate for Radial Head Rim 2-10 Holes Left & Right - ,2.4mm Wise-Lock Proximal Radius Plate for Radial Head Neck 2-10 Holes - ,2.7/3.5mm Wise-Lock Dorsolateral Distal Humerus Plate 2-20 Holes Left & Right - ,Aiming Block - ,3.5mm Wise-Lock Posterior Medial Proximal Tibia Plate 1-20 Holes - ,2.0mm Orbital Plate - Hole 6-15 ,0.8mm-1.0mm Thickness - ,3.5mm Wise-Lock Z-Type Distal Medial Humeral Plate Left & Right - 2-10 Holes ,3.5mm Wise-Lock Scapula Glenoid Plate 2-10 Holes Left & Right - ,2.0mm Mini Condylar Plate 2-12 Holes Left & Right - ,4.5/5.0mm AV-Wiselock "L" Buttress Plate 2-20 Holes Left & Right - ,4.5/5.0mm AV-Wiselock Distal Femur Plate 2-20 Holes Left & Right - ,4.5/5.0mm AV-Wiselock Proximal Lateral Tibia Plate 2-20 Holes Left & Right - ,4.5/5.0mm AV-Wiselock Condylar Plate 2-20 Holes Left & Right - ,2.4/2.7mm AV-Wiselock First MTP Fusion Plate - Small/Medium/Large 42mm ,2.7mm AV-Wiselock MTP Revision M Plate 5°-10° Dorsiflexion 4 to 12 Holes - ,2.7 mm AV-Wiselock MTP Fusion M Plate 0°-10° Dorsiflexion 2 to 14 holes - ,2.4/2.7mm AV-Wiselock First MTP Fusion Plate Small 42mm 0°-10° Left and Right - ,2.4/2.7mm AV-Wiselock L-Fusion Plate short/Medium/Large Length 37mm/44mm/62mm - NA ,0.8mm Wise-Lock Low Profile Offset Plate 2-12 Holes - ,1.3mm Wise-Lock Low Profile Compression Plate 2-10 Holes - ,1.3mm Wise-Lock Low Profile Metacarpal Neck Plate 2-8 Holes Left & Right - ,1.3mm Wise-Lock Low Profile Straight Plate 2-12 Holes - ,3.5mm AV-Wiselock Pheelos Plate 2-20 Holes Left & Right - ,1.3mm Wise-Lock Low Profile T-Plate 2-15 Holes - , 1.3mm Wise-Lock Low Profile Rolando Fracture Hook Plate 5-10 Holes - ,1.3mm Wise-Lock Low Profile Rotational Correction Plate 4-10 Holes - ,0.8/1.5/2.0mm Wise-Lock Plate 1-20 Holes - ,5.0mm Wise-Lock Distal Femur Plate (LISS) 2-20 Holes Left & Right - ,2.7/3.5mm Wise-Lock Dorsolateral Distal Humerus Plate with Lateral Support 2-20 Holes Left & Right - ,2.7/3.5mm Wise-Lock Dorsolateral Distal Humerus Plate 2-20 Holes Left & Right - ,2.4mm Wise-Lock Distal Radius Dorsal Plate Straight 2-10 Holes - ,4.5/5.0mm Wise-Lock Reconstruction Plate 2-20 Holes - ,4.5/5.0mm Wise-Lock Narrow Dynamic Compression Plate with LC under cuts 2-30 Holes - 2.0mm Straight Plate with Bridge Type-II 4 ,8Hole (Space 6.0mm to 12.0mm) - ,Aiming Block For Variable Angle Two-Column Volar Distal Radius Plate Narrow 6 Head Holes 19.5mm Left & Right - ,2.4/2.7mm AV-Wiselock Two-Column Volar Distal Radius Plate Extra-Long Narrow/Standard/Wide 6-7 Head Holes 7-13 Shaft Holes Left & Right - ,2.4mm AV-Wiselock Extra Articular Distal Radius Plate 4-5 Head Holes 3-5 Shaft Holes Left & Right - ,2.4mm AV-Wiselock Dorsal Distal Radius Plate Radial Column 5-6 Shaft Holes - ,2.4mm AV-Wiselock Dorsal Distal Radius Plate Intermediate Column 3-4 Shaft Holes - ,2.4mm AV-Wiselock Dorsal Distal Radius T-Plate 3 Head Holes 3-5 Shaft Holes - ,2.4mm AV-Wiselock Dorsal Distal Radius L-Plate 2-3 Head Holes 3-5 Shaft Holes - ,2.4mm AV-Wiselock Dorsal Distal Radius L-Plate Oblique 3 Head Holes 3-5 Shaft Holes - ,2.4mm Variable Angle Volar Rim Distal Radius Plate 6 Head Holes 2-20 Shaft Holes Left & Right - ,2.4mm Variable Angle Volar Rim Distal Radius Plate 7 Head Holes 2-20 Shaft Holes Left & Right - ,2.4mm AV-Wiselock Distal Radius Volar Plate Extra-articular (4 Head Holes) 2-8 Holes - Left & Right - ,2.4mm AV-Wiselock Dorsal Distal Radius Plate Radial Column 5 & 6 Holes - ,2.4mm AV-Wiselock Dorsal Distal Radius Plate Intermediate Column (2 Head Holes) 3 & 4 Holes Left & Right - ,2.4mm AV-Wiselock "L" Dorsal Distal Radius Plate (2 Head Holes) 3 & 5 Holes Left & Right - ,2.4mm AV-Wiselock "L" Dorsal Distal Radius Plate (2 Head Holes) 3 & 5 Holes Left & Right - ,2.4mm AV-Wiselock "L" Dorsal Distal Radius Plate (3 Head Holes) 3 & 5 Holes Left & Right - ,2.4mm AV-Wiselock "L" Dorsal Distal Radius Plate Oblique (3 Head Holes) 3 & 5 Holes Left & Right - ,2.4mm AV-Wiselock "T" Dorsal Distal Radius Plate (3 Head Holes) - ,2.4mm AV-Wiselock Distal Radius Volar Plate Extra-articular (4 Head Holes) 2-8 Holes - Left & Right - ,2.4mm AV-Wiselock Dorsal Distal Radius Plate Radial Column 5 & 6 Holes - ,2.4mm AV-Wiselock Dorsal Distal Radius Plate Intermediate Column (2 Head Holes) 3 & 4 Holes Left & Right - ,2.4mm AV-Wiselock "L" Dorsal Distal Radius Plate (2 Head Holes) 3 & 5 Holes Left & Right - ,2.4mm AV-Wiselock "L" Dorsal Distal Radius Plate (3 Head Holes) 3 & 5 Holes Left & Right - ,2.4mm AV-Wiselock "L" Dorsal Distal Radius Plate Oblique (3 Head Holes) 3 & 5 Holes Left & Right - ,2.4mm AV-Wiselock "T" Dorsal Distal Radius Plate (3 Head Holes) - ,2.7/3.5mm AV-Wiselock Proximal Olecranon Plate 2-6 Holes Left & Right - ,2.7/3.5mm AV-Wiselock Olecranon Plate 2-20 Holes Left & Right - ,2.7/3.5mm AV-Wiselock Extra Articular Proximal Ulna Plate 2-20 Holes Left & Right -

,2.7/3.5mm AV-Wiselock Dorsolateral Distal Humerus Plate with Lateral Support 2-20 Holes Left & Right - ,2.7/3.5mm AV-Wiselock Dorsolateral Distal Humerus Plate 2-20 Holes Left & Right - ,2.7/3.5mm AV-Wiselock Medial Distal Humerus Plate 2-20 Holes Left & Right - ,2.7/3.5mm AV-Wiselock Extended Medial Distal Humerus Plate 1-20 Holes Left & Right - ,2.7/3.5mm AV-Wiselock Lateral Distal Humerus Plate 1-20 Holes Left & Right - ,AV-Wiselock Distal Posterolateral Humeral Plate 3-15 Holes Left & Right - ,AV-Wiselock Distal Medial Humeral Plate 3-15 Holes Left & Right - ,AV-Wiselock Distal Medial Humeral Plate Short 3-15 Holes Left & Right - ,AV-Wiselock Distal Lateral Humeral Plate 3-15 Holes Left & Right - ,AV-Wiselock Distal Medial Humeral Plate Short 3-15 Holes Left & Right - ,AV-Wiselock Proximal Ulna Locking Plate 3-15 Holes Left & Right - ,2.7/3.5mm AV-Wiselock Medial Distal Tibia Plate 2-20 Holes Left & Right - ,2.7/3.5mm AV-Wiselock Anteromedial Distal Tibia Plate 2-20 Holes Left & Right - ,2.7mm AV-Wiselock Lateral Distal Fibula Plate 2-20 Holes Left & Right - ,2.7mm AV-Wiselock Distal Tibia L-Plate 2-10 Holes Left & Right - ,2.7mm AV-Wiselock Distal Tibia T-Plate 2-10 Holes - ,2.7/3.5mm AV-Wiselock Anterolateral Distal Tibia Plate 2-20 Holes Left & Right - ,2.7/3.5mm AV-Wiselock Ankle Plate 2-20 Holes Left & Right - ,2.7/3.5mm AV-Wiselock Medial Distal Tibia Plate 2-20 Holes Left & Right - ,2.7/3.5mm AV-Wiselock Anteromedial Distal Tibia Plate 2-20 Holes Left & Right - ,2.7mm AV-Wiselock Lateral Distal Fibula Plate 2-20 Holes Left & Right - ,2.7mm AV-Wiselock Distal Tibia L-Plate 2-10 Holes Left & Right - ,2.7mm AV-Wiselock Distal Tibia T-Plate 2-10 Holes - ,2.7/3.5mm AV-Wiselock Anterolateral Distal Tibia Plate 2-20 Holes Left & Right - ,2.7/3.5mm AV-Wiselock Ankle Plate 2-20 Holes Left & Right - ,3.5mm AV-Wiselock Proximal Tibia Plate Small Bend 2-20 Holes Left & Right - ,3.5mm AV-Wiselock Proximal Tibia Plate Large Bend 2-20 Holes Left & Right - ,2.4mm AV-Wiselock Dorsal Total Wrist Fusion M Plate Straight 12 to 24Holes - ,2.4mm AV-Wiselock Dorsal Wrist Fusion M Plate Radiocapitate Long/Short Bend 8 to 20holes - ,2.4mm AV-Wiselock Dorsal/volar RSL Fusion M Plate 2- 20Holes - ,2.4mm AV-Wiselock Wrist Fusion M Plate Long/Short Bend 14 to 24 Holes - ,2.4mm AV-Wiselock Dorsal Total Wrist Fusion M Plate Long/Short Bend 10 to 22Holes - ,2.4mm AV-Wiselock Distal Radius Small Fragment M Plate Curved 2 to 10 holes - ,2.4mm AV-Wiselock T-Distal Radius Small Fragment M Plate 2 to 10 holes - ,2.4mm AV-Wiselock L-Distal Radius Small Fragment M Plate 2 to 10 holes - ,2.4mm AV-Wiselock Lateral Distal Radius Small Fragment M Plate 2 to 10 holes - ,2.4mm AV-Wiselock Distal Radius Volar Rim M Plate 8 to 18holes - ,2.4mm AV-Wiselock Volar Lunate Facet M Plate 2 to 10holes - ,2.4mm AV-Wiselock Dorsal H-Distal Radius M Plate 6 to 16 holes - ,2.4mm AV-Wiselock Dorsal Frame Distal Radius M Plate Narrow 12 to 22 holes - ,2.4mm AV-Wiselock Dorsal Frame Distal Radius M Plate 14 to 24holes - ,2.4mm AV-Wiselock Volar Distal Radius M Plate XL 16 to 34holes - ,2.4mm AV-Wiselock Volar Distal Radius Fracture M Plate 6 to 16holes - ,2.4mm AV-Wiselock Volar Distal Radius Fracture M Plate Narrow Short 6 to 16 holes - ,2.4mm AV-Wiselock Distal Ulna M Plate 4 to 18 holes - ,2.4mm AV-Wiselock FPL Volar Distal Radius M Plate 4 to 18holes - ,2.4mm AV-Wiselock FPL Volar Distal Radius M Plate Long 8 to 20holes - ,2.4mm AV-Wiselock Volar Distal Radius M PlateWide Narrow Long 6 to 20Holes - ,2.4mm AV-Wiselock Volar Distal Radius M Plate 8 to 22Holes - ,2.7mm AV-Wiselock Olecranon Tension M Plate 2 to 10Holes - ,2.7mm AV-Wiselock Medial Distal Humerus M Plate Short/medium/Long 6 to 20Holes - ,2.7mm AV-Wiselock Lateral Distal Humerus M Plate Short/Medium/Long 6 to 26holes - ,2.7mm AV-Wiselock MTP Fusion M Plate 0°5°10° Dorsiflexion 2 to 14holes - ,2.4mm AV-Wiselock Dorsal RSL Fusion M Plate 11 Holes Left & Right - ,2.4mm AV-Wiselock Volar RSL Fusion M Plate 10 Holes Left & Right - ,2.0mm Wise-Lock Rotation Correction Plate - ,2.4mm Wise-Lock Condylar Plate (2-6 Head Holes) 2-12 Holes - ,2.4/2.7mm AV-Wiselock First MTP Fusion Plate Small 42mm 0° Left & Right - ,2.4/2.7mm AV-Wiselock First MTP Fusion Plate Small/Medium/Large 42mm 0°-10° Left and Right - ,2.4/2.7mm AV-Wiselock First MTP Fusion Plate Revision 53mm 0° Left & Right - ,2.4/2.7mm AV-Wiselock Opening Wedge Osteotomy Plate Space 0 mm-10 - ,2.4/2.7mm AV-Wiselock First TMT Fusion Plate Standard/Long 39mm - ,2.4/2.7mm AV-Wiselock TMT Fusion Plate 43 mm - ,2.4/2.7mm AV-Wiselock Navicular Plate - ,2.4/2.7mm AV-Wiselock Cuboid Plate Left and Right - ,2.4/2.7mm AV-Wiselock Cloverleaf Fusion Plate Short/Medium/large Length 38mm/45mm/64mm - ,2.4/2.7mm AV-Wiselock T-Fusion Plate short/Medium/large Length 35mm/42mm/61mm-92mm - ,2.4/2.7mm AV-Wiselock L-Fusion Plate short/Medium/large Length 375mm/44mm/62mm - ,2.4/2.7mm AV-Wiselock L-Fusion Plateshort/Medium/large Length 37mm/44mm/62mm - ,2.4/2.7mm AV-Wiselock X-Fusion Plate Extra Small Small/Medium/Large24mm/27mm/32mm/36mm - ,2.4/2.7mm AV-Wiselock Straight Fusion Plate 2-10 Holes Length 27mm-40mm - ,2.4/2.7mm AV-Wiselock Mesh Plate 5 x 12 holes 2-20 Holes Left & Right - ,3.5mm AV-Wiselock Z-type Fibula Plates 2-20 Holes Left & Right - ,2.7mm AV-Wiselock MTP Revision M Plate 5°10° Dorsiflexion4 to 12Holes - ,2.7mm AV-Wiselock TMT-I Medial Fusion M Plate 2 to 12Holes - ,2.7mm AV-Wiselock Grid M Plate 2 to 10 Holes - ,2.7mm AV-Wiselock Grid M Plate Short 2 to 10 Holes - ,3.5mm AV-Wiselock Calcaneus Plates M PlateSmall/Medium/Large10-20Holes Left & Right - ,3.5mm AV-Wiselock Superior Anterior Clavical Plate 2-20 Holes Left & Right - ,3.5mm AV-Wiselock Superior Anterior Plate with Lateral Extension 2-20 Holes Left & Right - ,4.5mm AV-Wiselock Distal Femur Plate 2-20 Holes Left & Right - ,4.5mm AV-

Wiselock Proximal Lateral Tibia Plate 2-20 Holes Left & Right - ,4.5/5.0mm AV-Wiselock Proximal Femur Plate 2-20 Holes Left & Right - ,3.5mm AV-Wiselock Small Dynamic Compression Plate 2-20 Holes Left & Right - ,4.5/5.0mm AV-Wiselock Narrow Dynamic compression Plate 2-20 Holes Left & Right - ,4.5/5.0mm AV-Wiselock Broad Dynamic compression Plate 2-20 Holes Left & Right - ,3.5mm AV-Wiselock One Third Tubular Plate 2-20 Holes Left & Right - ,3.5mm AV-Wiselock Reconstruction Plate 2-20 Holes Left & Right - ,3.5mm AV-Wiselock Z-type Fibula Plates 2-20 Holes Left & Right - ,4.5/5.0mm AV-Wiselock Proximal Lateral Tibia Plate 2-20 Holes Left & Right - ,2.4mm AV-Wiselock Endosteal Plate (Type I) length 45mm Titanium - ,2.4mm AV-Wiselock Endosteal Plate (Type II) length 45mm Titanium - ,PHELOS - 3.5mm AV-Wiselock Proximal Humerus Plate With Suture Cuts Short and long 2-20 Holes - ,PHELOS - 3.5mm Wise-Lock Proximal Humerus Plate With Suture Cuts Short and long 2-20 Holes - ,4.5/5.0mm AV-Wiselock "T" Plate Titanium 2-20 Holes Left & Right - ,4.5/5.0mm AV-Wiselock "T" Buttress Plate 2-20 Holes - ,2.7mm AV-Wiselock Distal Tibia L-Plate 2-10 Holes Left & Right - ,2.4mm AV-Wiselock Volar Distal Radius M Plate Narrow 10 Holes Left and Right - ,2.4mm AV-Wiselock Volar Distal Radius M Plate 11 Holes Left and Right - ,2.4mm AV-Wiselock Volar Distal Radius M Plate Wide 13 Holes Left and Right - ,2.4mm AV-Wiselock Volar Distal Radius M Plate Narrow 12 Holes Left and Right - ,2.4mm AV-Wiselock Volar Distal Radius M Plate Long 13 Holes Left and Right - ,2.4mm AV-Wiselock Volar Distal Radius M Plate Wide 15 Holes Left & Right - ,2.7 mm Wise-Lock T-Plate (2-6 Head Holes) 2-12 Holes - ,2.7mm Mini Condylar Plate 2-12 Holes Left & Right - ,Medial Column Fusion Plate Small Medium & Large Left & Right - ,2.5 mm Multidirectional Threaded Peg Screws Length 6-150mm - ,1.5mm AV-Wiselock Rotation Correction Plate 2-10 Holes - ,2.4mm Wise-Lock Volar Column Distal Radius Plate (8 Head Holes) 2-10 Holes Left & Right - ,2.4mm Wise-Lock Proximal Radius Plate for Radial Head Rim 2-10 Holes Left & Right - ,2.4mm Wise-Lock Proximal Radius Plate for Radial Head Neck 2-10 Holes - ,2.7/3.5mm Wise-Lock Dorsolateral Distal Humerus Plate 2-20 Holes Left & Right - ,3.5mm Wise-Lock Distal Tibia Plate 2-20 Holes left & Right - ,4.5/5.0mm Wise-Lock Proximal Femur Hook Plate - 2-20 Holes ,4.5/5.0mm Wise-Lock Proximal Lateral Tibia Plate - 3-25 Holes Left & Right ,4.5/5.0mm Wise-Lock Proximal Tibia Plate Left & Right - 2-20 Holes ,4.5/5.0mm Wise-Lock Proximal Femur Lateral Plate (Type-II) 2-20 Holes Left & Right - ,2.4mm Locking Two-Way Compression Mandible Reconstruction Plate Double Angled (5+2 - ,5+5 Holes 2.5mm Thickness) - ,2.4mm Locking Round Holes Mandible Reconstruction Plate Double Angled (5+2 - ,5+5 Holes 2.5mm Thickness) - ,2.4mm Mandible Reconstruction Plate Double Angled (5+2 - ,5+5 Holes 2.5mm Thickness) - ,2.4mm Locking Two-Way Compression Mandible Reconstruction Plate Angled Left and Right - (5+10 ,5+15,5+20 Holes 2.5mm Thickness),2.4mm Mandible Reconstruction Plate Angled Left and Right - (5+10 ,5+15,5+20 Holes 2.5mm Thickness),2.4mm Locking Round Holes Mandible Reconstruction Plate Straight - (12,15,17,20 Holes 2.5mm Thickness),2.4 mm Locking Round Holes Mandible Reconstruction Plate Angled (5+10 5+15+20 Holes 2.5mm Thickness) - ,2.4mm Locking Two-Way Mandible Reconstruction Plate Straight (12151720 Holes 2.5mm Thickness) - ,2.4mm Mandible Reconstruction Plate Straight (12151720 Holes 2.5mm Thickness) - ,2.4mm Locking Round Holes Mandible Reconstruction Plate Double Angled (5+25+5 Holes 2.0mm Thickness) - ,2.4mm Mandible Reconstruction Plate Double Angled (5+25+5 Holes 2.0mm Thickness) - ,2.4mm Locking Two-Way Compression Mandible Reconstruction Plate Angled - (5+10 ,5+15,5+20 Holes 2.0 mm Thickness),2.4mm Locking Round Holes Mandible Reconstruction Plate Straight - (12,15,17 20 Holes 2.0mm Thickness),2.4mm Locking Round Holes Mandible Reconstruction Plate Angled - (5+10 ,5+15,5+20 Holes 2.0mm Thickness),2.4mm Locking Two-way Compression Mandible Reconstruction Plate Straight - (12,15,17 20 Holes 2.0mm Thickness),2.4mm Mandible Reconstruction Plate Angled left and right (5+10 - 5+15,5+20 Holes 2.0mm Thickness),4.5/5.0mm AV-Wiselock Proximal Lateral Tibia Plate Left and Right, 6-20 Holes - ,2.4mm AV-Wiselock Endosteal Plate (Type-I) Length 45mm Titanium - ,2.4mm Mandible Reconstruction Plate Straight (12,15,17,20 Holes 2.0mm Thickness) - ,4.5 /5.0mm AV-Wiselock Distal Femur Plate Left and Right 6-20 Holes - ,2.4mm AV-Wiselock Endosteal Plate (Type-II) Length 45mm Titanium - ,4.5/5.0mm AV-Wiselock Distal Femur Plate Left and Right 6-20 Holes - ,2.0mm One -Way Pressure Curved Plate Left and Right (4 6 8 Holes Space 6.0mm to10.5mm) - ,4.5/5.0mm AV-Wiselock "L" Buttress Plate, 6-20 Holes - ,4.5/5.0mm AV-Wiselock "T" Buttress Plate, 6-20 Holes - ,2.0mm One -Way Pressure Plate (6 ,8,26 Holes) - ,4.5/5.0mm AV-Wiselock "T" Plate, 6-20 Holes - ,2.7/3.5mm AV Wiselock Superior Anterior Clavicle Plate with Lateral Extension, Left and Right ,6-20 Holes - ,2.0mm One -Way Pressure Orbital Plate (4 Holes, Space 10.0mm &15.0mm) - ,3.5mm Scapula Acromion Plate, 2-10 Holes, Left & Right - ,2.0mm One -Way Pressure Plate with Bridge (4, 6Holes Space 8.0mm to12.0mm) - ,3.5mm Wise-Lock Scapula Glenoid Plate 2-10 Holes Left & Right - ,2.0mm Locking Curved Plate Type-I Left and Right (4,6,8 Holes Space 6.0mm to 10.5 mm) - ,3.5mm AV Wiselock Extra-Articular Distal Humerus Plate Left and Right ,6-20 Holes - ,3.5mm Scapula Lateral Border Plate, 2-20 Holes, Left & Right - ,2.0mm Locking Orbital Plate (4 Holes Space 10.0mm&15.0mm) - ,2.0mm Locking Straight Plate Type-III (6, 8,26 Holes) - ,3.5mm Wise-Lock Scapula Medial Border Plate 2-20 Holes, Left & Right - ,

	2.0mm Locking Straight Plate with Bridge Type-V (46 Holes Space 8.0mm to12.0mm) - ,2.0 mm Locking Straight Plate Type-II (4 ,6,8,10,12,14,16 Holes) - ,2.0mm Locking Straight Plate with Bridge Type-IV 4,6 Holes Space 8.0 to 12.0mmmm) - ,2.0mm Locking Straight Plate with Bridge Type-III (4 - 6Holes Space 10.0mm to 12.0mm),2.0mm Locking Rectangular Grill Plate Type-III (2 x 3, 2x4,2x5,2x6 Holes) - ,2.0mm Locking Rectangular Grill Plate Type-II (2 x 3, 2x4,2x5,2x6 Holes) - ,2.0mm Locking Straight Plate with Bridge Type-II- 4 Holes - ,2.0mm Locking Rectangular Grill Plate Type-I (4 x 2 Holes4x6 Holes) - , 2.0mm Locking Square Frame Plate Type-I (2 x 4,2x6,2x8 Holes) - ,2.0mm Locking U-Plate (3+3 Holes4+49 Holes) - ,2.0mm Locking T-Gap Plate Straight (4,6 Holes Space 10.0mm -12.0mm) - ,2.0mm Locking Straight Plate with Bridge Type-III (4 -6Holes Space 10.0mm to 12.0mm) - ,2.0mm Rectangular Grill Plate Type -III (2 x 4 Holes - 0.8mm-1.0mm Thickness), 2.0mm Rectangular Grill Plate Type-I(2 x 2 to3 Holes - 0.8mm -1.0mmThickness),2.0mm Z-Plate Left and Right (Space 8.0mm & 12.0mm - 0.8mm-1.0mm Thickness),2.0mm T-Plate with Bridge (3+2 Holes Space 8.0mm & 12.0mm 0.8mm-1.0mm Thickness) - ,2.0mm Long T-Plate Oblique Angled - Left and Right (0.8mm -1.0mmThickness) - ,2.0mm T-Plate with Bridge (2+2to3 ,2+4) - ,2+6 Space 6.0mm to 15.0mm 0.8mm -1.0mmThickness) - ,2.0mm L-Plate (Space 6.0mm to 9.0mm - 0.8mm-1.0mm Thickness),2.0mm Double X-Plate Small (4+2 to 4 Holes Space 6.0mm to 12.0mm - 0.8mm -1.0mmThickness),2.0mm L-Plate with Bridge Type-IV 90° left and right (2+2 Holes Space 6.0mm to 10.0mm 0.8mm-1.0mm Thickness) - ,2.0mm L-Plate 130° Left and Right (2+2 to4 Holes - 0.8mm-1.0mm Thickness) 2.0mm L-Plate with Bridge100° (2+2,3+3,3+4) - ,2.0mm L-Plate with Bridge Type-III 90° left and right (2+2 to 3 3+3 Holes Space 8.0mm to 15.0mm - Left 0.8mm -1.0mmThickness) - , 2.0mm L-Plate Type-II 90° left and right (2+2 to 4 Holes 0.8mm -1.0mmThickness) - ,2.0 mm Orbital Plate (Space 6.0mm to 12.0mm 0.8mm -1.0mmThickness) - ,2.0mm Orbital Plate with Bridge Type-II (5 - ,7 Holes Space 7.5mm 0.8mm-1.0mm Thickness) - ,2.0mm Orbital Plate with Bridge Type-I (4 - ,6 Holes Space 8.0mm to 15.0mm 0.8mm-1.0 Thickness) - NA
33	1. Generic Name :Endoprosthesis 2. Brand Name :NIL 3. Notified Category :Orthopaedic Implants 4. Class of Medical Device :Class C 5. Shelf life :5 yrs 6. Sterile/Non-Sterile:Sterilized 7. Intended Use :Endoprosthesis are specially used in femur neck fracture. when femur bone head isdamaged or fractured. 8. Material of Construction: Stainless Steel (ISO 5832-1) 9. Dimension: Various Dimension of endoprosthesis implants are manufactured 10. Model/Catalogue No./Name :Lazcano Hip Prosthesis Regular Finish Sterile - Dia 38-58mm ,Lazcano Hip Prosthesis Satin Finish - Dia 38-58mm

1. Generic Name :Bone Screws

2. Brand Name :NIL

3. Notified Category :Orthopaedic Implants

4. Class of Medical Device :Class C

5. Shelf life :5 yrs

6. Sterile/Non-Sterile:Sterilized

7. Intended Use :Bone Screws are used during the surgery of fractured bones. These serve as support for internal fixation of bones. These screws are used alone or along with bone plates or interlocking nails

8. Material of Construction: Titanium (ISO 5832-3),Stainless Steel (ISO 5832-1)

9. Dimension: Various shape, size and dimension of Bone Screws are available.

10. Model/Catalogue No./Name :2.7mm AV-Wiselock Screw Self-Tapping (Star Head)

Length 4-60mm - ,3.5mm Varixis Screw Self-Tapping 8mm to 100mm - ,Curved Connector dia 1-4mm - ,3.0mm Cannulated Cancellous Screw Long Thread Length 6-150mm - ,3.5mm Cannulated Cortical Screw Full Thread - Length 6-150mm ,3.5mm Cannulated Cortical Screw Full Thread - Length 6-150mm ,3.5mm Cannulated Cortical Screw Self-Drilling - Length 6-150mm ,3.5mm Cannulated Cortical Screw Length 6-150mm - ,4.0mm Cannulated Cancellous Screw Short Thread Self-Tapping Length 6-150mm - ,4.0mm Cannulated Cancellous Screw Full Thread Self-Tapping Length 6-150mm - ,4.0mm Cannulated Cancellous Screw Short/Full Thread Self-Drilling Length 6-150mm - ,7.0mm Cannulated Cancellous Screw 16mm Thread Self-Drilling Length 30-180mm - ,7.0mm Cannulated Cancellous Screw 32mm Thread Self-Drilling Length 35-180mm - ,7.0mm Cannulated Cancellous Screw Full Thread Self-Drilling Length 30-180mm - ,7.3mm Cannulated Cancellous Screw 16mm Thread Self-Drilling Length 30-180mm - ,7.3mm Cannulated Cancellous Screw Full Thread Self-Drilling Length 20-150mm - ,7.3mm Cannulated Cancellous Screw 32mm Thread Self-Drilling Length 35-180mm - ,7.3mm Cannulated Screw Length 20-180mm - ,7.3mm Cannulated Screw Self-Tapping Length 20-180mm - ,7.3mm Cannulated Screw Self-Drilling Length 20-180mm - ,8.0mm Cannulated Screw Length 20-180mm - ,8.0mm Cannulated Screw Partial/Full Thread Length 20-180mm - ,2.5mm Headless Cannulated Screw Length 4-100mm - ,5.5mm Headless Cannulated Screw Length 10-100mm - ,7.5mm Headless Cannulated Screw Length 10-150mm - , AUXILOCK 7-12mm x 20-40mm Titanium Interference Screw - ,2.4mm Anchor Screw Length 8.5mm-9.5mm Titanium - ,1.9mm Anchor Screw Length 3.5 - 5.5mm - ,2.4mm Wise-Lock Screw Self-Tapping (Star Head) - Length 4-60mm ,2.4mm Cortical Screw Self-Tapping (Star Head) - Length 4-60mm ,2.7mm Cortical Screw Self-Tapping (Star Head) - Length 4-60mm ,2.5mm Multidirectional Threaded Peg Screws - Length 6-150mm ,2.4mm Cortical Screw Self-Tapping(Star Head) - Length 4-60mm ,3.5mm Varixis Screw Self-Tapping - Length 6mm-150mm ,2.7mm Cortical Screw Self-Tapping (Star Head) - Length 4-60mm ,2.4 mm Variable Angle Screw Self-Tapping (Star Head) - Length 4-60mm ,2.4mm Cortical Screw Self-Tapping (Star Head) Length 4-60mm - ,2.7mm Cortical Screw Self-Tapping (Star Head) Length 4-60mm - ,1.8mm Varixis Buttress Pins - Length 4-40mm ,2.4mm Wise-Lock Screw Self-Tapping (Star Head) - Length 4-60mm ,2.4mm Cortical Screw Self-Tapping (Star Head) - Length 4-60mm ,Connection Screw for Periprosthetic Trochanter Plate - ,Locking Caps Length 0-50mm for Periprosthetic Plates - ,Locking Screws for Periprosthetic Plates - Length 10-150mm ,Cortical Screws for Periprosthetic Plates Length 10-150mm - , Cancellous Screws for Periprosthetic Plates - Length 10-150mm ,3.5mm Low Profile Cortical Screw (Hex Head) - Length 6-150mm ,2.7mm AV-Wiselock Screw Self-Tapping (Star Head) Length 6-150mm - ,2.7mm Cortical Screw Self-Tapping (Hex Head) Length 4-50-mm - ,1.5 cortical Screws (Star Head) Self-Tapping - Length 4-100mm ,2.7mm Varixis Screw Self-Tapping (Star Head) - Length 20-180mm ,3.5mm Varixis Screw Self-Tapping - Length 10-150mm ,3.5mm Wise-Lock Screw Self-Tapping - Length 10-150mm ,3.5mm Cortical Screw Self-Tapping - Length 10-150mm ,2.7mm Cortical Screw Self-Tapping (Star Head) Length 50mm - Length 6-150mm ,2.5/3.0/4.5/6.5mm Headless Compression Screw Short/Full Thread - Length 10-150mm ,4.0mm Low Profile Cancellous screw (Hex Head) - Length 20-150mm ,2.4mm Variable Angle Screws Self Tapping (Star Head) - Length 2 to 60mm ,2.4 mm Wise-Lock Screws, Self Tapping, (Star Head) - Length 2 to 70mm ,3.5mm AV-Wiselock Screw Self-Tapping Length 6-150mm - ,Aiming Block For Variable Angle Two-Column Volar Distal Radius Plate Standard 6 Head Holes 22mm Left & Right - ,Aiming Block For Variable Angle Two-Column Volar Distal Radius Plate 7 Head Holes Wide 25.5mm Left & Right - , Aiming Block Drill Sleeve - ,Aiming Block Screw - ,2.7mm AV-Wiselock Screw Self-Tapping (Star Head) Length 4-60mm - ,1.8mm AV-Wiselock Buttress Pins Length 8-30mm - ,Aiming Block For Variable Angle Volar Rim Distal Radius Plate 6 Head Holes Left & Right - ,Aiming Block For Variable Angle Volar Rim Distal Radius Plate 7 Head Holes Left & Right - ,2.4mm Variable Angle Screw Self-Tapping (Star Head) Length 4-60mm - ,2.4mm Wise-Lock Screw Self-Tapping (Star Head) Length 4-60mm - ,2.4mm Cortical Screw Self-Tapping (Star Head) Length 4-60mm - ,2.7mm Cortical Screw Self-Tapping (Star Head) Length 4-60mm - ,2.7mm AV-Wiselock Screw Self-TappingLength 6-150mm - ,3.5mm Wise-Lock Screw Self-Tapping 6-150mm - ,2.7mm AV-Wiselock Screw Self-Tapping (Star Head) Length 6-150mm - ,3.5mm

	AV-Wiselock Screw Self-Tapping Length 6-150mm - ,3.5mm Wise-Lock Screw Self-Tapping (Star Head) Length 6-150mm - ,1.8mm Buttress Screws (Star Head) Length 4 to 32mm - ,3.5 mm AV-Wiselock Screw Self-Tapping Length 6mm-150mm - ,Tarsus Screw dia 4-20mm - NA
35	1. Generic Name : Pins , Wires and Washer 2. Brand Name : NIL 3. Notified Category : Orthopaedic Implants 4. Class of Medical Device : Class C 5. Shelf life : Not applicable 6. Sterile/Non-Sterile: Non-Sterilized 7. Intended Use : The Bone Pins , Wires & Washers are used with implants are temporary implant components that are intended for fracture fixation of bone and insertion of implants 8. Material of Construction: Titanium (ISO 5832-3),Stainless Steel (ISO 5832-1) 9. Dimension: Various Dimension of Pins , Wires and Washer implants are manufactured 10. Model/Catalogue No./Name : Bone Needle dia 1-4 - Length 100-1000mm ,Bone Needle with Hole dia 1-4 - Length 50-500mm ,Circlage Wire With Loop - Length 100-1000mm x 17-28 SWG (0.70-1.50mm) ,Washer for Ulna Intramedullary Nail - ,Washer for Cortical Screws - ,1.8mm Varixis Buttress Pins - Length 8-30mm



1. Generic Name :Arthroscopy Implants
2. Brand Name :NIL
3. Notified Category :Orthopaedic Implants
4. Class of Medical Device :Class C
5. Shelf life :5 yrs
6. Sterile/Non-Sterile:Sterilized
7. Intended Use :The Arthroscopy System Implants are intended to fix the damaged or dislocated soft tissue/ligaments and realign to its original position.
8. Material of Construction: Titanium (ISO 5832-3), Peek Optima as per ASTM F 2026, Peek CF, UHMWPE as per ASTM F2848, SS
9. Dimension: Various shape, size and dimension of Arthroscopy Implants are available.
10. Model/Catalogue No./Name :AUXILOCK 3.5mm PEEK CF Push-In Suture Anchor With Two 2 BioBraidWhite & White/Blue With NeedlesMO-6 Short Length - ,AUXILOCK 4.5mm Knotless PEEK CF Push-In Suture Anchor With Driver With Suture Passer - ,AUXILOCK 5.5mm Knotless PEEK CF Push-In Suture Anchor With Driver With Suture Passer - ,AUXILOCK® Rotador 4.75mm-6.25mm x 15mm PEEK OPTIMA Screw-In Anchor - ,AUXILOCK® Rotador 4.75mm-6.25mm x 15mm PEEK CF Screw-In Anchor - ,AUXILOCK 2.8mm Knotless PEEK OPTIMA Push-In Suture Anchor With Driver With Suture Passer - ,MENISCO Meniscus Root Repair Inside-Out - ,AUXILOCK 4.5mm Knotless PEEK OPTIMA Push In Suture Anchor With Driver With Suture Passer - ,AUXILOCK 5.5mm Knotless PEEK OPTIMA Push In Suture Anchor With Driver With Suture Passer - ,AUXILOCK 5.5mm Knotless PEEK OPTIMA Push-In Suture Anchor With Suture Passer - ,AUXILOCK 3.5mm PEEK OPTIMA Push-In Suture Anchor With Two 2 BioBraidWhite/Blue & White/Black - ,PEEK OPTIMA Push In Anchor With Needle - ,AUXILOCK 2.8mm PEEK OPTIMA Push-In Suture Anchor With One 2 BioBraidWhite/Black With NeedlesMO-6 Short Length - ,AUXILOCK 3.5mm Knotless PEEK OPTIMA Push-In Suture Anchor With Driver With Suture Passer - ,AUXILOCK 4.5mm Knotless PEEK OPTIMA Push-In Suture Anchor With Suture Passer - ,AUXILOCK 3.5mm PEEK OPTIMA Push-In Suture Anchor With Two 2 BioBraidWhite & White/Blue With NeedlesMO-6 Short Length - ,AuxSuture Anchor Without Needle - ,AUXILOCK 4.5mm Knotless PEEK OPTIMA Push-In Suture Anchor With Suture Passer - ,AUXILOCK 3.2mm Draw Tight Suture-Based Anchor With One 2 BioBraid and One 1.4mm Suture TapeWhite/Black & White/Blue - ,AUXILOCK 2.8mm Knotless PEEK CF Push-In Suture Anchor With Driver With Suture Passer - ,PEEK CF Knotless Anchor - ,AUXILOCK 3.5mm Knotless PEEK CF Push-In Suture Anchor With Driver With Suture Passer - ,AUXILOCK 4.5mm Knotless PEEK CF Push-In Suture Anchor With Suture Passer - ,AUXILOCK 5.5mm Knotless PEEK CF Push-In Suture Anchor With Suture Passer - ,AUXILOCK 1.8mm Draw Tight Suture-Based Anchor With One 1.4mm Suture TapeWhite/Blue - ,AUXILOCK 2.8mm PEEK CF Push-In Suture Anchor With One 2 BioBraidWhite/Blue - ,PEEK CF Push In Anchor Without Needle - ,AUXILOCK 3.5mm PEEK CF Push-In Suture Anchor With Two 2 BioBraidWhite/Blue & White/Black - ,PEEK CF Push In Anchor With Needle - ,AUXILOCK 2.8mm PEEK CF Push-In Suture Anchor With One 2 BioBraidWhite/Blue With NeedlesMO-6 Short Length - ,AUXILOCK 2.8mm PEEK OPTIMA Push-In Suture Anchor With One 2 BioBraidWhite/Black - ,PEEK OPTIMA Screw In Knotless Anchor - ,AUXILOCK® GFS Mini Naked Button L12mm W 3.9mm - ,AUXILOCK® GFS II Large Naked Button L 16.5mm W 4.4mm - ,AUXILOCK® Ultimate Mini Naked Button L 12mm W 3.9mm - ,AUXILOCK® Ultimate Large Naked Button L 16.5mm W 3.9mm - ,AUXILOCK® GFS Ultimate Mini Button Button L 12mm W 3.9mm (Adjustable Loop) - ,AUXILOCK® GFS Ultimate Large Button Button L 16.5mm W 3.9mm (Adjustable Loop) - ,AUXILOCK® GFS Mini, Loop 12mm-55mm, Button L 12mm, W 3.9mm - ,AUXILOCK® GFS II Large, Loop 12mm-55mm, Button L 16.5mm, W 4.4mm - ,AUXILOCK® 7mm-12mm x 20mm-40mm PEEK CF Interference Screw - ,AUXILOCK® 7mm-12mm x 20mm-40mm PEEK OPTIMA Interference Screw - ,AUXILOCK® 7mm-12mm x 20mm-40mm Titanium Interference Screw - ,AUXILOCK® GFS Button Extender L 18mm W 5.0mm - ,Ligament Staple 6mm-16mm x 11mm-21mm x 20mm-25mm - ,AUXILOCK® 2.8mm Titanium Screw-In Suture Anchor with One #2 BioBraid - White/Blue With Needle MO-6, Mini Loop Button - ,Large Loop Button - ,PEEK CF Interference Screw - ,PEEK OPTIMA Interference Screw - ,Naked Button - ,AUXILOCK AC Joint Button - ,Titanium Screw In Anchor with Without Needle - ,PEEK CF Knotless Anchor - ,Expert Syndesmosis Plate - ,Meni-Fix Meniscus Root Repair Implant - ,#2-0 BioBraid Meniscus Repair Needle - ,Ligament Staple - ,1.0mm BioBraid SutureTape Meniscus Repair Needle - ,Titanium Interference Screw - ,Button Extender - ,Rotador PEEK CF Screw In Knotless Anchor - ,AUXILOCK® Syndesmosis Ultimate-Kit - ,Expert Syndesmosis Plate - ,BioBraid Meniscus Repair Needle - ,1.0mm BioBraid SutureTape Meniscus Repair Needle - ,Titanium Screw In Anchor with Needle - ,#0 BioBraid Meniscus Repair Needle - ,1.0mm BioBraid SutureTape Meniscus Repair Needle - ,PEEK OPTIMA Push-In Suture Anchor - ,PEEK OPTIMA Push In Anchor Without Needle - ,PEEK OPTIMA Push In Anchor With Needle - ,AuxSuture Anchor Without Needle - ,AuxSuture Anchor With Needle - ,AUXILOCK®Tendo Screw-In Anchor - ,AUXILOCK® 4mm-10 x 8-30mm PEEK OPTIMA Interference Screw - ,AUXILOCK® 4mm-10 x 8-30mm PEEK CF Interference Screw - ,Expert Syndesmosis Plate - ,Expert Syndesmosis

Ultimate Kit - ,1.0mm BioBraid SutureTape Meniscus Repair Needle - ,AUXILOCK® 2.8mm PEEK CF Push-In Suture Anchor with One 2 BioBraid: White/Blue - ,AUXILOCK® 2.8mm PEEK CF Push-In Suture Anchor with One 2 BioBraid: White/Blue, With Needle: MO-6, Short Length - ,AUXILOCK® 2.8mm PEEK OPTIMA Push-In Suture Anchor with One 2 BioBraid: White/Black - ,AUXILOCK® 2.8mm PEEK OPTIMA Push-In Suture Anchor with One 2 BioBraid: White/Black, With Needle: MO-6, Short Length - ,AUXILOCK® 4.5mm PEEK OPTIMA Screw-In Suture Anchor with One 2 BioBraid and One 1.4mm Suture Tape: White/Blue & White/Black - ,AUXILOCK® 5.5mm PEEK OPTIMA Screw-In Suture Anchor with One 2 BioBraid and One 1.4mm Suture Tape: White/Blue & White/Black - ,AUXILOCK® 6.5mm PEEK OPTIMA Screw-In Suture Anchor with One 2 BioBraid and One 1.4mm Suture Tape: White/Blue & White/Black - ,AUXILOCK® 4.5mm PEEK CF Screw-In Suture Anchor with One 2 BioBraid and One 1.4mm Suture Tape: White/Black & White/Blue - ,AUXILOCK® 5.5mm PEEK CF Screw-In Suture Anchor with One 2 BioBraid and One 1.4mm Suture Tape: White/Black & White/Blue - ,AUXILOCK® 6.5mm PEEK CF Screw-In Suture Anchor with One 2 BioBraid and One 1.4mm Suture Tape: White/Black & White/Blue - ,AUXILOCK® 4.5mm PEEK OPTIMA Screw-In Suture Anchor with Two 1.4mm Suture Tape: White/Blue & White/Black - ,AUXILOCK® 5.5mm PEEK OPTIMA Screw-In Suture Anchor with Two 1.4mm Suture Tape: White/Blue & White/Black - ,AUXILOCK® 6.5mm PEEK OPTIMA Screw-In Suture Anchor with Two 1.4mm Suture Tape: White/Blue & White/Black - ,AUXILOCK® 4.5mm PEEK CF Screw-In Suture Anchor with Two 1.4mm Suture Tape: White/Blue & White/Black - ,AUXILOCK® 5.5mm PEEK CF Screw-In Suture Anchor with Two 1.4mm Suture Tape: White/Blue & White/Black - ,AUXILOCK® 6.5mm PEEK CF Screw-In Suture Anchor with One #2 BioBraid and One 1.4mm Suture Tape: White/Black & White/Blue - ,AUXILOCK® 2.9mm AuxSuture Anchor with Two 1.4mm Suture Tape: White/Black & White/Blue - ,AUXILOCK GFS Ultimate Mini Button, Button L:12mm, W:3.9mm (Adjustable Loop) - ,AUXILOCK GFS Ultimate Large Button, Button L:16.5mm, W:3.9mm (Adjustable Loop) - ,AUXILOCK® 4mm-16mm x 10mm-60mm PEEK CF Interference Screw - ,AUXILOCK® 4mm-16mm x 10mm-60mm PEEK OPTIMA Interference Screw - ,AUXILOCK® 4mm-16mm x 10mm-60mm Titanium Interference Screw - ,AUXILOCK GFS Button Extender, L18mm, W5.0mm - ,Ligament Staple 8mm-16mm x 13mm-21mm x 20mm-25mm - ,AUXILOCK 2.8mm Titanium Screw-In Suture Anchor With One 2 BioBraidWhite/Blue, With NeedlesMO-6 - ,AUXILOCK 3.5mm Titanium Screw-In Suture Anchor With One 2 BioBraidWhite/Blue, With NeedlesMO-6 - ,AUXILOCK 3.5mm Titanium Screw-In Suture Anchor With Two 2 BioBraidWhite & White/Blue With NeedlesMO-6 - ,AUXILOCK 5.0mm Titanium Screw-In Suture Anchor With Two 2 BioBraidWhite & White/Blue With NeedlesMO-6 - ,AUXILOCK 5.0mm Twix Titanium Screw-In Suture Anchor With Two 2 BioBraidWhite & White/Blue With NeedlesMO-6 - ,AUXILOCK 6.5mm Titanium Screw-In Suture Anchor With Two 2 BioBraidWhite & White/Blue With NeedlesMO-6 - ,AUXILOCK 5.0mm Twix Titanium Screw-In Suture Anchor With Two 2 BioBraidWhite & White/Blue With NeedlesMO-6 - ,AUXILOCK 6.5mm Twix Titanium Screw-In Suture Anchor With Two 2 BioBraidWhite & White/Blue With NeedlesMO-6 - ,AUXILOCK 2.8mm Titanium Screw-In Suture Anchor With One 2 BioBraidWhite/Blue - ,AUXILOCK 3.5mm Titanium Screw-In Suture Anchor With One 2 BioBraidWhite/Blue - ,AUXILOCK 3.5mm Titanium Screw-In Suture Anchor With Two 2 BioBraidWhite/Blue & White/Black - ,AUXILOCK 5.0mm Titanium Screw-In Suture Anchor With Two 2 BioBraidWhite/Blue & White/Black - ,AUXILOCK 5.0mm Titanium Screw-In Suture Anchor With Three 2 BioBraidWhite White/Blue & White/Black - ,AUXILOCK 6.5mm Titanium Screw-In Suture Anchor With Two 2 BioBraidWhite/Blue & White/Black - ,AUXILOCK 4.5mm PEEK OPTIMA Screw-In Suture Anchor With Two 2 BioBraidWhite & White/Blue With NeedlesMO-6 - ,AUXILOCK 5.5mm PEEK OPTIMA Screw-In Suture Anchor With Two 2 BioBraidWhite & White/Blue With NeedlesMO-6 - ,AUXILOCK 6.5mm PEEK OPTIMA Screw-In Suture Anchor With Two 2 BioBraidWhite & White/Blue With NeedlesMO-6 - ,AUXILOCK 4.5mm PEEK OPTIMA Screw-In Suture Anchor With Two 2 BioBraidWhite/Blue & White/Black - ,AUXILOCK 5.5mm PEEK OPTIMA Screw-In Suture Anchor With Two 2 BioBraidWhite/Blue & White/Black - ,AUXILOCK 6.5mm PEEK OPTIMA Screw-In Suture Anchor With Two 2 BioBraidWhite/Blue & White/Black - ,AUXILOCK 4.5mm PEEK OPTIMA Screw-In Suture Anchor With Three 2 BioBraidWhite White/Blue & White/Black - ,AUXILOCK 5.5mm PEEK OPTIMA Screw-In Suture Anchor With Three 2 BioBraidWhiteWhite/Blue & White/Black - ,AUXILOCK 4.5mm PEEK OPTIMA Screw-In Suture Anchor With One 2 BioBraid and One 1.4mm Suture TapeWhite/Blue & White/Black - ,AUXILOCK 5.5mm PEEK OPTIMA Screw-In Suture Anchor With One 2 BioBraid and One 1.4mm Suture TapeWhite/Blue & White/Black - ,AUXILOCK 6.5mm PEEK OPTIMA Screw-In Suture Anchor With One 2 BioBraid and One 1.4mm Suture TapeWhite/Blue & White/Black - ,AUXILOCK 4.5mm PEEK OPTIMA Screw-In Suture Anchor With Two 1.4mm Suture TapeWhite/Blue & White/Black - ,AUXILOCK 5.5mm PEEK OPTIMA Screw-In Suture Anchor With Two 1.4mm Suture TapeWhite/Blue & White/Black - ,AUXILOCK 6.5mm PEEK OPTIMA Screw-In Suture Anchor With Two 1.4mm Suture TapeWhite/Blue & White/Black - ,AUXILOCK 4.5mm PEEK CF Screw-In Suture Anchor With Three 2 BioBraidWhite White/Blue & White/Black - ,AUXILOCK 4.5mm PEEK CF Screw-In


Suture Anchor With Two 2 BioBraidWhite/Blue & White/Black - ,AUXILOCK 5.5mm PEEK CF Screw-In Suture Anchor With Three 2 BioBraidWhiteWhite/Blue & White/Black - ,AUXILOCK 5.5mm PEEK CF Screw-In Suture Anchor With Two 2 BioBraidWhite/Blue & White/Black - ,AUXILOCK 6.5mm PEEK CF Screw-In Suture Anchor With Two 2 BioBraidWhite/Blue & White/Black - ,AUXILOCK 4.5mm PEEK CF Screw-In Suture Anchor With One 2 BioBraid and One 1.4mm Suture TapeWhite/Black & White/Blue - ,AUXILOCK 5.5mm PEEK CF Screw-In Suture Anchor With One 2 BioBraid and One 1.4mm Suture TapeWhite/Black & White/Blue - ,AUXILOCK 6.5mm PEEK CF Screw-In Suture Anchor With One 2 BioBraid and One 1.4mm Suture TapeWhite/Black & White/Blue - ,AUXILOCK 4.5mm PEEK CF Screw-In Suture Anchor With Two 1.4mm Suture TapeWhite/Blue & White/Black - ,AUXILOCK 6.5mm PEEK CF Screw-In Suture Anchor With One 2 BioBraid and One 1.4mm Suture TapeWhite/Black & White/Blue - ,AUXILOCK 5.5mm PEEK CF Screw-In Suture Anchor With Two 1.4mm Suture TapeWhite/Blue & White/Black - ,PEEK OPTIMA Draw Tight Suture-Based Anchor - ,AUXILOCK 1.8mm Draw Tight Suture-Based Anchor With One 2 BioBraidWhite/Blue - ,AUXILOCK 3.2mm Draw Tight Suture-Based Anchor With Two 2 BioBraidWhite/Blue & White/Black - ,AUXILOCK 1.5mm AuxSuture Anchor With One 2 BioBraidWhite/Blue - ,AUXILOCK 1.5mm AuxSuture Anchor With One 1.4mm Suture TapeWhite/Blue - ,AUXILOCK 1.8mm AuxSuture Anchor With Two 2 BioBraidWhite/Blue & White/Green - ,AUXILOCK 1.8mm AuxSuture Anchor With One 2 BioBraid and One 1.4mm Suture TapeWhite/Black & White/Blue - ,AUXILOCK 2.9mm AuxSuture Anchor With Two 2 BioBraidWhite/Blue & White/Green - ,AUXILOCK 2.9mm AuxSuture Anchor With Three 2 BioBraidWhite White/Blue & White/Green - ,AUXILOCK 2.9mm AuxSuture Anchor With One 2 BioBraid and One 1.4mm Suture TapeWhite/Black & White/Blue - ,AUXILOCK 2.9mm AuxSuture Anchor With Two 1.4mm Suture TapeWhite/Black & White/Blue - ,AuxSuture Anchor With Needle - ,AUXILOCK 1.5mm AuxSuture Anchor With One 2 BioBraidWhite/Blue With NeedlesMO-6 - ,AUXILOCK 1.8mm AuxSuture Anchor With Two 2 BioBraidWhite/Blue & White/Green With NeedlesMO-6 - ,AUXILOCK 1.8mm AuxSuture Anchor With One 2 BioBraid and One 1.4mm Suture TapeWhite/Black & White/Blue With NeedlesMO-6 - ,AUXILOCK 2.9mm AuxSuture Anchor With Two 2 BioBraidWhite/Blue & White/Green With NeedlesMO-6 - ,AUXILOCK Tendo 7.0mm - 9.0mm x 15mm PEEK OPTIMA Screw-In Anchor - ,AUXILOCK Tendo 7.0mm-9.0mm x 15mm PEEK CF Screw-In Anchor - PEEK OPTIMA Tendo Screw-In Anchor,AUXILOCK AuxFix Button (AC Joint) - ,PEEK CF Tendo Screw-In Anchor - ,AUXILOCK 1.2mm AuxSuture Anchor With One 0 BioBraidWhite/Blue - ,AUXILOCK 1.2mm AuxSuture Anchor With One 0 BioBraidWhite/Blue With Needles - ,AUXILOCK 2.0mm Titanium Screw-In Suture Anchor With One 0 BioBraidWhite/Blue With Needles - ,AUXILOCK 2.0mm Titanium Screw-In Suture Anchor With One 0 BioBraidWhite/Blue - ,AUXILOCK 2.5mm Titanium Screw-In Suture Anchor With One 1 BioBraidWhite/Blue With NeedlesMO-6 - ,AUXILOCK 2.5mm Titanium Screw-In Suture Anchor With One 1 BioBraidWhite/Blue - ,AUXILOCK Rotador 4.75mm x 15mm PEEK OPTIMA Screw-In Anchor - ,AUXILOCK 1.3mm Titanium Fin Anchor With One 4-0 BioBraidWhite/Blue - ,AUXILOCK 1.8mm Titanium Fin Anchor With One 2 BioBraidWhite/Green - ,AUXILOCK 2.8mm Titanium Fin Anchor With One 2 BioBraidWhite/Blue - ,Titanium FIN Anchor - ,AUXILOCK 1.3mm Titanium Fin Anchor With One 4-0 BioBraidWhite/Blue - ,AUXILOCK 1.8mm Titanium Fin Anchor With One 2-0 BioBraidWhite/Blue - ,AUXILOCK 2.4mm Titanium Fin Anchor With One 2 BioBraidWhite/Green - ,AUXILOCK 2.8mm Titanium Fin Anchor With One 2 BioBraidWhite/Blue - ,PEEK OPTIMA Interference Screw - ,AUXILOCK 2.8mm Knotless PEEK CF Push-In Suture Anchor With Hip Length Driver With Suture Passer (Hip) - ,AUXILOCK 2.8mm Knotless PEEK OPTIMA Push-In Suture Anchor With Hip Length Driver With Suture Passer (Hip) - ,AUXILOCK Two 2 BioBraidWhite/Blue & White/Black 36in Total Length - ,AUXILOCK 2 BioBraidBlue With NeedlesMO-6 & CE 36in Total Length - ,AUXILOCK 2 BioBraidWhite With NeedleMO-6 ,36in Total Length - ,AUXILOCK 2 BioBraidWhite/Black With NeedleMO-6 ,36in Total Length - ,AUXILOCK 2 BioBraidWhite/Blue With NeedleMO-6 , 36in Total Length - ,AUXILOCK 2 BioBraidWhite/Black 36in Total Length - ,AUXILOCK 2 BioBraidWhite/Green With NeedleMO-6 ,36in Total Length - ,AUXILOCK 2 BioBraidWhite/Green 36in Total Length - ,AUXILOCK 2 BioBraidBlue 36in Total Length - ,AUXILOCK 2 BioBraidWhite 36in Total Length - ,AUXILOCK 2 BioBraidWhite/Blue 36in Total LengthAUXILOCK 2 BioBraidWhite With NeedleCCS 36in Total Length - ,AUXILOCK 2 BioBraidWhite With Needle CCS 36in Total Length - ,AUXILOCK 5 BioBraidWhite With NeedleCCS 36in Total Length - ,AUXILOCK 1.8mm BioBraid Suture TapeWhite/Blue 15in Working Length 39in Total Length - ,AUXILOCK 1.4mm BioBraid Suture TapeWhite/Blue 15in Working Length 36in Total Length - ,AUXILOCK 2 BioBraid Infinity LoopWhite With NeedleStraight 20in Loop Length 24in Total Length - ,AUXILOCK 2 BioBraid Infinity LoopWhite/Blue With NeedleStraight 20in Loop Length 24in Total Length - ,AUXILOCK 5 BioBraid Infinity LoopWhite/Blue With NeedleStraight 20in Loop Length 24in Total Length - AUXILOCK GFS Ultimate Large Button Button L:16.5mm W:3.9mm (Adjustable Loop),AUXILOCK Syndemosis Ultimate Kit - AUXILOCK GFS Ultimate Mini Button Button L:12mm W:3.9mm (Adjustable Loop),AUXILOCK GFS Mini Naked Button L12mm W3.9mm -

	AUXILOCK Ultimate Mini Naked Button L 12mm W3.9mm,AUXILOCK GFS II Large Naked Button L16.5mm W4.4mm - AUXILOCK Ultimate Mini Naked Button L12mm W3.9mm, Expert Syndesmosis Ultimate Kit - ,Meni-Fix Meniscus Root Repair Implant - ,MENISCO Meniscus Root Repair, Inside-Out - ,#2-0 BioBraid Meniscus Repair Needle - ,#0 BioBraid Meniscus Repair Needle - ,1.0mm BioBraid SutureTape Meniscus Repair Needle - NA
37	1. Generic Name :Spinal Implant 2. Brand Name :NIL 3. Notified Category :Orthopaedic Implants 4. Class of Medical Device :Class C 5. Shelf life :5 yrs 6. Sterile/Non-Sterile:Sterilized 7. Intended Use :Spinal Implants used to facilitate fusion, correct deformities, and stabilize and strengthen the spine. 8. Material of Construction: Titanium (ISO 5832-3) 9. Dimension: Various Dimension of Spinal implants are manufactured 10. Model/Catalogue No./Name :VERTAUX - Occipital Inner Screw Cap(M6) - ,VERTAUX - Occipital Laminar Hook Small & Large - ,VERTAUX - Occipital Lateral Offset Connector dia 3.2mm x Length 10-50mm - ,VERTAUX - Occipital Pre Bent Rod for Plate dia 3.2 x Length 100-200mm - ,3.5mm to 4.5/5.5/6.0mm Transition Rod - ,Cross Connector Plate Length 20-60mm - ,Hook Standard/Standard Short/Standard Tall/Offset Right/Offset Left dia 3.5/5.0/6.5/8.0mm - ,Cancellous Biased Angle Screws dia 3.5/4.0mm Length 10-50mm - ,Smooth Shank Biased Angle Screws dia 3.5mm Length 10-60mm - ,Rod-to-Rod Connectors Small/Large Length 3.5mm to 5.5mm - ,Fusion Cage width 8/9/10/11 Length 9/10/11/12/13/14/15mm - ,Vertaux Basico Polyaxial Screw Poly Head - ,Vertaux MIS Polyaxial Screw Polyhead - ,Vertaux MIS Polyaxial Screw Head Cap - ,Vertaux MIS Polyaxial Screw with Cap - Ø5.0mm-Ø8.0mm x Length 30mm-70mm ,Vertaux MIS Polyaxial Screw - Ø5.0mm-Ø8.0mm x Length 30mm-70mm ,Vertaux MIS Inner Screw - ,Vertaux MIS Monoaxial Screw Polyhead - ,Vertaux MIS Monoaxial Screw Head Cap - ,Vertaux MIS Pre Bend Rod - Ø5.5mm x Length 30mm-500mm ,Vertaux MIS Monoaxial Screw with Cap - Ø5.0mm-8.0mm x Length 30mm-80mm ,Vertaux MIS Monoaxial Screw rod - Ø5.0mm-Ø8.0mm x Length 30mm-70mm ,Vertaux MIS Straight - Ø5.5mm x Length 30mm-500mm ,U-Spine - 8-20mm ,Vertaux MIS Inner Screw Cap - ,Vertaux MIS Monoaxial Screw - Ø5.0mm-Ø8.0mm x Length 30mm-70mm ,Vertaux MIS Straight rod - Ø5.5mm x Length 30mm-500mm ,Vertaux MIS Inner Screw Cap - ,ervical Cage II (ACDF) 4mm-12mm x 16mm x 13mm - ,3.0mm Titanium Cervical Spine Locking Screw Length 10-20mm - ,Vertaux Basico Polyaxial Conical TH Screw with Cap Ø4.5mm-8.0mm x Length 30mm-80mm - ,Vertaux Basico Polyaxial Conical TH Screw - ,Vertaux Basico Polyaxial Polyhead for Conical TH Screw - ,Asterius-Anterior Cervical Plate, Length 20-100mm - ,Asterius-3.5mm-4.0mm Cancellous Screw, Self-Tapping, (Cross Head), Length 6-60mm - ,Asterius-3.5mm-4.0mm Cancellous Screw, Self-Drilling, (Cross Head), Length 6-60mm - ,Asterius-3.5mm-4.0mm Cancellous Screw, Self-Tapping, (Hex Head), Length 6-60mm - ,Asterius-3.5mm-4.0mm Cancellous Screw, Self-Tapping, (Hex Head), Length 6-60mm - NA

1. Generic Name :Bone Nail implants
2. Brand Name :NIL
3. Notified Category :Orthopaedic Implants
4. Class of Medical Device :Class C
5. Shelf life :5 yrs
6. Sterile/Non-Sterile:Sterilized
7. Intended Use :Bone Nail implants are commonly used to fix the long bone fractures
8. Material of Construction: Titanium (ISO 5832-3),Stainless Steel (ISO 5832-1)
9. Dimension: Various Dimension Bone nail implants are manufactured
10. Model/Catalogue No./Name :130Degree AJAX Advance Nail Short dia 8mm-13mm Length 170-240mm - ,4.5mm Locking Bolt For Interlocking Cannulated Tibia Nail Length 20-150mm - ,Kuntscher Cloverleaf Nail for Tibia dia 6-15mm Length 100-500mm - , Retrograde Femur Nail dia 8-13mm Length 150-500mm - ,Intramedullary Supracondylar (IMSC) Femur Nail dia 8-13mm Length 150-500mm - ,Locking Screws for Intramedullary Supracondylar (IMSC) Femur Nail Length 20-150mm - ,End Cap for Intramedullary Supracondylar (IMSC) Femur Nail Length 0-50mm - ,Locking Screws for Intramedullary Supracondylar (IMSC) Cannulated Femur Nail Length 20-150mm - ,End Cap for Intramedullary Supracondylar (IMSC) Cannulated Femur Nail Length 0-50mm - ,Pediatric Flexible Nail dia 1-5mm Length 300-440mm - ,Tarsus Nail End Cap for Securing Spiral Blade - ,Tarsus Nail End Cap for Securing the most distal Locking Bolt - ,Konzept Fibula & Forearm Nail with Compression(Dia2-10 x Length 150-500mm) - ,End Cap M4 - , Compression End Cap M4 - ,Cortical Screw Self-Tapping (Hex Head) Dia1.5/2.7mm Length 10mm-30mm Titanium - ,2.7mm Cortical Screw Self Tapping (Hex Head) Length 10-60mm Titanium - ,Reconstruction Nail Cannulated dia5-11mm Length 100-300mm - , Reconstruction Cannulated Intramedullary Humerus Nail dia 5-11mm Length 150-500mm - ,DIA 3.5mm Locking Bolt For Humerus Nail Length 10-150mm - ,Dia 4.5mm Locking Bolt For Humerus Nail Length 10-150mm - ,4.5mm Locking Bolt For Interlocking Cannulated Tibia Nail - Length 20-150mm ,End Cap For Interlocking Cannulated Tibia Nail - Length 0-50mm ,Interlocking Cannulated Tibia Nail dia 7-13mm - Length 250-500mm ,Dia3.5mm Locking BoltSelf-Tapping For JIN Type - Humerus Nail - Length 10-150mm ,4.9mm Locking Bolt for AJAX Nail Self-Tapping - Length 20-150mm ,AJAX Blade - Length 50-180mm ,AJAX Nail End Cap (For Ajax Blade) - Length 0-50mm ,AJAX Nail End Cap (For Cephalic Screw) - Length 0-50mm ,Inner Screw for Ajax Cephalic Screw - ,4.5mm Locking Bolt Length 20-150mm - ,AJAX Nail End Cap (For Cephalic Screw) - Length 0-50mm ,Ø4.8mm Locking Bolt Self-Tapping For Expert Femur Nail - Length 20-150mm ,Ø6.4mm Cannulated Anti-Rotation Screw Self-Tapping For Expert Femur Nail - Length 50-180mm ,Intramedullary Femoral Nail dia 8-16mm Length 300-500mm Left & Right - ,Ø4.8mm Locking Bolt Self-Tapping For Ga-mma Nail - Length 20-150mm ,Konzept Fibula & Forearm Nail dia4-8mm - Length 180mm-280mm ,Konzept Fibula & Forearm Nail with Compression dia4-8mm - Length 180mm-280mm ,End Cap For Ø10.5mm Cephalic Screw For Ga-mma Nail - ,125degree Anti-Rotation Ga-mma Nail Short dia 8-14mm Length 150-240mm - ,125degree Anti-Rotation Ga-mma Nail Long dia 8-14mm Length 250-500mm - ,130degree Anti-Rotation Ga-mma Nail Short dia 8-14mm Length 150-240mm - ,130degree Anti-Rotation Ga-mma Nail Long dia 8-14mm Length 250-500mm - ,End Cap For Anti-Rotation Ga-mma Nail Length 0-50mm - ,Inner Screw For Anti-Rotation Ga-mma Nail-Long (For Cephalic Screw) - , Inner Screw For Anti-Rotation Ga-mma Nail-Short (For Anti-Rotation Screw) - ,Dia6.4mm Cannulated Anti-Rotation Screw for Ga-mma Nail Length 20-150mm - ,Dia10.5mm Cephalic Screw For Ga-mma Nail Length 30-180mm - ,End Cap For Dia10.5mm Cephalic Screw For Ga-mma Nail - ,Dia4.8mm Locking Bolt Self-Tapping For Ga-mma Nail Length 20-150mm - , 135degree Anti-Rotation Ga-mma Nail Short dia 7-14mm Length 150-240mm - ,135degree Anti-Rotation Ga-mma Nail Long dia 8-14mm Length 250-500mm - ,125degree Ga-mma Nail Type-II Short dia 8-14mm Length 150-240mm - ,125degree Ga-mma Nail Type-II Long dia 8-14mm Length 250-500mm Left & Right - ,130degree Ga-mma Nail Type-II Short dia 8-14mm Length 150-240mm - ,130degree Ga-mma Nail Type-II Long dia 8-14mm Length 250-500mm Left & Right - ,End Cap For Ga-mma Nail Type-II Length 0-50mm - ,Inner Screw For Ga-mma Nail Type-II - ,Dia10.5mm Cephalic Screw For Ga-mma Nail Length 30-180mm - ,End Cap For Dia10.5mm Cephalic Screw For Ga-mma Nail - ,Dia4.8mm Locking Bolt Self-Tapping For Ga-mma Nail Length 20-150mm - ,Dia4.5mm Locking Bolt Self-Tapping For JIN Type - Femur Nail Length 10-150mm - ,Interlocking Cannulated Tibia Nail dia 7-13mm Length 250-500mm - ,End Cap For Interlocking Cannulated Tibia Nail Length 0-50mm - , Compression Screw For Interlocking Cannulated Tibia Nail 0-50mm - ,4.5mm Locking Bolt For Interlocking Cannulated Tibia Nail Length 20-150mm - ,4.5mm Locking Bolt For Interlocking Cannulated Tibia Nail Length 20-150mm - ,End Cap For Universal Intramedullary Cannulated Femur Nail M10x1 Length 0-50mm - ,Compression Screw For Universal Intramedullary Cannulated Femur Nail - ,4.5mm Locking Bolt For Universal Intramedullary Cannulated Femur Nail Length 20-150mm - ,6.5mm Cannulated Reconstruction Screw For Universal Intramedullary Cannulated Femur Nail Length 30-150mm - ,6.5mm Locking Bolt for Universal Intramedullary Cannulated Femur Nail Full

Thread Length 30-150mm - ,6.5mm Blocking set for Universal Intramedullary Cannulated Femur Nail - Length 30-120mm ,130Degree AJAX Advance Nail Long dia 8-14mm Length 250-500mm Left & Right - ,4.9mm Locking Bolt for AJAX Nail Self-Tapping Length 20-150mm - ,AJAX Blade Length 50-180mm - ,AJAX Nail End Cap (For Ajax Blade) Length 0-50mm - ,AJAX Nail End Cap (For Cephalic Screw) Length 0-50mm - ,Inner Screw for Ajax Cephalic Screw - ,AJAX Cephalic Screw Length 30-180mm - ,End Cap for Ajax Cephalic Screw - ,PFNA Nail (Proximal Femur Nail) Short & Long dia 7-14mm Length 100-500mm Left & Right - ,PFNA II Nail (Proximal Femur Nail) Short & Long dia 7-14mm Length 100-500mm Left & Right - ,PFNA Blade Length 50-180mm - ,PFNA II Blade Length 50-180mm - ,End Cap for PFNA Nail Length 0-50mm - ,End Cap for PFNA II Nail Length 0-50mm - ,125Degree AJAX Advance Nail Short dia 8-13mm Length 170-240mm - ,125Degree AJAX Advance Nail Long dia 8-14mm Length 250-500mm Left & Right - ,135Degree AJAX Advance Nail Short dia 8-13mm Length 170-240mm - ,135Degree AJAX Advance Nail Long dia 8-14mm Length 250-500mm Left & Right - ,Distal Femur Nail Short & Long dia 7-14mm Length 160-500mm Left & Right - ,Distal Femur Nail Blade Length 40-180mm - ,4.9mm Locking Bolt Length 20-150mm - ,Distal Femur Nail Blade Length 40-180mm - ,End Cap for Distal Femur Nail Length 0-50mm - ,Locking Screws for Distal Femur Nail Length 40-120mm - ,Hip Screw for Antegrade Femur Nail Length 50-150mm - ,Lateral Femoral Nail dia 8-16mm Length 300-500mm Left & Right - ,Locking Screw for Lateral Femoral Nail - ,End Cap for Lateral Femoral Nail - ,Expert Tibia Nail dia 7-14mm Length 220-500mm - ,Expert Tibia Nails Solid dia 7-11mm Length 220-500mm - ,Locking Screws for Expert Tibia Nail Length 10-150mm - ,Inner Screw For Ga-mma Nail Type-II - ,125Degree/130Degree/135Degree TFNA Nail Short & Long dia 7-15mm Length 100-500mm - ,End Cap for TFNA Nail - ,Lag Screws for Cephalomedullary Nail Length 30-150mm - ,End Cap for Cephalomedullary Nail Length 0-50mm - ,135Degree Anti-Rotation Ga-mma Nail Short dia 7-14mm Length 150-240mm - ,135Degree Anti-Rotation Ga-mma Nail Long dia 8-14mm Length 250-500mm - ,End Cap For Anti-Rotation Ga-mma Nail Length 0-50mm - ,Inner Screw For Anti-Rotation Ga-mma Nail-Long (For Cephalic Screw) - ,End Cap For Dia10.5mm Cephalic Screw For Ga-mma Nail - ,Locking Screws for Femur Reconstruction Nail Length 20-150mm - ,End Cap for Femur Reconstruction Nail Length 0-50mm - ,End Cap For JIN Type - Humerus Nail - ,Solid Humeral Nail dia 6-12mm Length 150-500mm - ,End Cap for Solid Humeral Nail Length 0-15mm - ,Locking Bolt for Solid Humeral Nail 10-150mm - ,End Cap for Proximal Humeral Nail - ,Locking Bolt for Proximal Humeral Nail Length 10-150mm - ,Intramedullary Humeral Nail dia 7-12mm Length 150-500mm - ,Locking Screw for Intramedullary Humeral Nail Length 10-150mm - ,End Cap for Intramedullary Humeral Nail Length 0-50mm - ,Locking Screw for Intramedullary Cannulated Humeral Nail Length 10-150mm - ,End Cap for Intramedullary Cannulated Humeral Nail Length 0-50mm - ,Reconstruction Intramedullary Cannulated Humeral Nail dia 7-12mm Length 150-500mm - ,Locking Screw for Reconstruction Intramedullary Cannulated Humeral Nail - ,End Cap for Reconstruction Intramedullary Cannulated Humeral Nail Length 0-50mm - ,Locking Screw for Reconstruction Humeral Nail Length 10-150mm - ,End Cap for Reconstruction Humeral Nail Length 0-50mm - ,Reconstruction Cannulated Humeral Nail dia 7-15mm Length 120-500mm - ,Locking Screw for Reconstruction Cannulated Humeral Nail Length 10-150mm - ,End Cap for Reconstruction Cannulated Humeral Nail Length 0-50mm - ,JIN Type - Tibia Nail dia7-13mm Length 220-500mm - ,End Cap For JIN Type - Tibia Nail - ,Dia4.5mm Locking Bolt Self-Tapping For JIN Type - Tibia Nail Length 10-150mm - ,End Cap for Universal Tibia Nail Length 0-50mm - ,Locking Bolt for Universal Tibia Nail Length 20-150mm - ,Universal Cannulated Tibia Nail dia 7-15mm Length 250-500mm - ,End Cap for Universal Cannulated Tibia Nail Length 0-50mm - ,Locking Bolt for Universal Cannulated Tibia Nail Length 20-150mm - ,End Cap for Cannulated Tibia Nail Length 0-50mm - ,Locking Bolts for Cannulated Tibia Nail Length 20-150mm - ,Locking Bolt for Intramedullary Tibia Nail Length 20-150mm - ,Universal Intramedullary Cannulated Femur Nail dia 8-15mm Length 180-500mm Left & Right - ,Universal Intramedullary Cannulated Femur Nail dia 8-15mm Length 180-500mm Left & Right - ,End Cap For Universal Intramedullary Cannulated Femur Nail M10x1 Length 0-50mm - ,Compression Screw For Universal Intramedullary Cannulated Femur Nail - ,4.5 mm Locking Bolt For Universal Intramedullary Cannulated Femur Nail - ,6.5mm Cannulated Reconstruction Screw For Universal Intramedullary Cannulated Femur Nail Length 30-150mm - ,6.5mm Locking Bolt for Universal Intramedullary Cannulated Femur Nail Full Thread - ,6.5mm Blocking set for Universal Intramedullary Cannulated Femur Nail Length 30-120mm - ,End Cap for Adolescent Lateral Femur Nail Length 0-50mm - ,Hip Screw for Adolescent Lateral Femur Nail Length 20-150mm - ,Locking Screw for Adolescent Lateral Femur Nail Length 15-120mm - ,Femur Neck Screws for TFN Nail (Trochanteric Fixation Nail) Length 50-150mm - ,End Cap for TFN Nail (Trochanteric Fixation Nail) Length 0-50mm - ,Locking Bolts for TFN Nail (Trochanteric Fixation Nail) Length 20-120mm - ,End Cap for Unreamed Femur Nail Length 0-50mm - ,End Cap for Cannulated Femur Nail Length 0-50mm - ,Radius Intramedullary Elastic Nail dia 2-6mm Length 150-300mm - ,Locking Screw for Radius Intramedullary Elastic Nail Length 10-100mm - ,Cortical Screw for

Ulna Intramedullary Nail Length 8-100mm - ,Intramedullary Cannulated Humerus Nail dia 5-11mm Length 150-500mm - ,End Cap For Intramedullary Humerus Nail - ,Compression Screw For Intramedullary Humerus Nail - ,Dia4.5mm Proximal Screw Length 20-150mm - , End Cap for Locking humerus Nail Length 0-50mm - ,Locking Screws for Humerus Nail Length 10-150mm - ,Cortical Screws for Humerus Nail Length 10-150mm - ,Reconstruction Nail Cannulated dia5-11mm Length 100-300mm - ,Reconstruction Cannulated Intramedullary Humerus Nail dia 5-11mm Length 150-500mm - ,End Cap For Reconstruction Cannulated Instramedullary Nail - ,Dia3.5mm Locking Bolt For Humerus Nail Length 10-150mm - ,End Cap For Interlocking Cannulated Tibia Nail Length 0-50mm - , Compression Screw For Interlocking Cannulated Tibia Nail 0-50mm - ,125Degree Athos Nail Type-II Short dia 8-14mm Length 150-240mm - ,125Degree Athos Nail Type-II Long dia 8-14mm Length 250-500mm Left & Right - ,130Degree Athos Nail Type-II Short dia 8-14mm Length 150-240mm - ,130Degree Athos Nail Type-II Long dia 8-14mm Length 250-500mm Left & Right - ,End Cap For Athos Nail Type-II Length 0-50mm - ,Inner Screw For Athos Nail Type-II - ,Ø10.5mm Cephalic Screw For Athos Nail Length 30-180mm - ,Ø4.8mm Locking Bolt Self-Tapping For Athos Nail Length 20-150mm - ,End Cap For Ø10.5mm Cephalic Screw For Athos Nail - ,125Degree Athos Nail Short dia 7-14mm Length 150-240mm - , 125Degree Athos Nail Long dia 7-14mm Length 250-500mm Left & Right - ,130Degree Athos Nail Short dia 7-14mm Length 150-240mm - ,130Degree Athos Nail Long dia 7-14mm Length 250-500mm Left & Right - ,135Degree Athos Nail Short dia 7-14mm Length 150-240mm - ,135Degree Athos Nail Long dia 7-14mm Length 250-500mm Left & Right - , 135Degree Athos Nail Type-II Short dia 7-14mm Length 150-240mm - ,135Degree Athos Nail Type-II Long dia 7-14mm Length 250-500mm Left & Right - ,Distal Locking Screws Self-Tapping dia 3.5-5.0mm Length 4-70mm - ,End Cap for Athos Nail Length 0-50mm - ,Inner Screw for Athos Nail - ,125Degree/130Degree/135Degree TFNA Nail Short & Long dia 7-15mm Length 100-500mm - ,Blade for TFNA Nail Length 50-180mm - ,125Degree Anti-Rotation Athos Nail Short dia 8-14mm Length 150-240mm - ,125Degree Anti-Rotation Athos Nail Long dia 8-14mm Length 250-500mm - ,130Degree Anti-Rotation Athos Nail Long dia 8-14mm Length 250-500mm - ,130Degree Anti-Rotation Athos Nail Short dia 8-14mm Length 150-240mm - ,Inner Screw For Anti-Rotation Athos Nail-Long (For Cephalic Screw) - ,End Cap For Anti-Rotation Athos Nail Length 0-50mm - ,Inner Screw For Anti-Rotation Athos Nail-Short (For Anti-Rotation Screw) - ,Ø6.4mm Cannulated Anti-Rotation Screw for Athos Nail Length 20-150mm - ,Ø10.5mm Cephalic Screw For Athos Nail Length 30-180mm - ,End Cap For Ø10.5mm Cephalic Screw For Athos Nail - ,Ø4.8mm Locking Bolt Self-Tapping For Athos Nail Length 20-150mm - ,End Cap For Ø10.5mm Cephalic Screw For Athos Nail - NA



MINISTRY OF HEALTH, GOVERNMENT OF INDIA

1. Generic Name :Bone Plates

2. Brand Name :NIL

3. Notified Category :Orthopaedic Implants

4. Class of Medical Device :Class C

5. Shelf life :Not applicable

6. Sterile/Non-Sterile:Non-Sterilized

7. Intended Use :The bone plates are intended for treating fractures of various bones including the clavicle, pelvis, scapula, long bone (humerus, ulna, radius, femur, tibia and fibula), and small bone (metacarpals, metatarsals, phalanges).

8. Material of Construction: Titanium (ISO 5832-3),Stainless Steel (ISO 5832-1)

9. Dimension: Various Dimension of Bone plates implants are manufactured

10. Model/Catalogue No./Name :3.5mm Cloverleaf Plate 2-16 Holes - ,2.7/3.5mm Wise-Lock Dorsolateral Distal Humerus Plate with Lateral Support 2-20 Holes Left & Right - ,2.7 mm Wise-Lock X-Plate Small Medium Large - ,2.7/3.5mm Wise-Lock Dorsolateral Distal Humerus Plate 2-20 Holes Left & Right - ,2.4mm Wise-Lock Distal Radius Dorsal Plate Straight 2-10 Holes - ,4.5mm AV-Wiselock Distal Femur Plate 2-20 Holes Left & Right - ,5.0 mm Wise-Lock Proximal Lateral Tibia Plate(LISS) 2-20 Holes - ,3.5mm Wise-Lock Extra-Articular Distal Humerus Plate 2-20 Holes Left & Right - ,3.5mm Wise-Lock Symphyseal Plate with Coaxial Combi-Holes 2-10 Holes - ,3.5mm Wise-Lock Olecranon Plate 2-20 Holes Left & Right - ,3.5mm Wise-Lock Superior Anterior Clavicle Plate 2-20 Holes Left & Right - , 2.7/3.5mm Wise-Lock Superior Anterior Clavicle Plate with Lateral Extension 2-20 Holes Left & Right - ,3.5mm Wise-Lock S Clavicle Plate Small/Medium/Large 2-10 Holes Left & Right - ,3.5mm Wise-Lock Low Profile Reconstruction Plate with Coaxial Combi-Holes 2-30 Holes - ,3.5mm Wise-Lock Metaphyseal Plate For Distal Medial Humerus 3-25 Holes - ,4.5 mm AV-Wiselock Distal Femur Plate 2-20 Holes Left & Right - ,4.5mm AV-Wiselock Proximal Lateral Tibia Plate 2-20 Holes Left & Right - ,2.4/2.7mm AV-Wiselock Mesh Plate 5 x 12 holes 2-20 Holes Left & Right - ,3.5mm AV-Wiselock Pheelos Plate 2-20 Holes Left & Right - , 2. 3.5mm AV-Wiselock Medial Proximal Tibia Plate 2-20 Holes Left & Right - ,3.5mm AV-Wiselock Posterior Medial Tibia Plate 2-20 Holes Left & Right - ,2.0mm H-Plate - 6+1 ,3.5 mm AV-Wiselock Extra Articular Distal Humerus Plate 2-20 Holes Left & Right - ,3.5mm AV-Wiselock Superior Anterior Clavical Plate 2-20 Holes Left & Right - ,2.0mm Rectangular Grill Plate Type-I - (2 x 2 to 3 Holes 0.8mm -1.0mm Thickness) ,3.5mm AV-Wiselock Superior Anterior Plate with Lateral Extension 2-20 Holes Left & Right - ,2.4/2.7mm AV-Wiselock L-Fusion Plate short/Medium/large Length 37mm/44mm/62mm - ,3.5mm Wise-Lock "J" Reconstruction Plate with Coaxial Combi-Holes 8-20 Holes Left & Right - ,3.5mm Wise-Lock Clavicle Hook Plate Hook Depth 12/15/18mm 2-10 Holes Left & Right - ,2.4mm AV-Wiselock Distal Ulna M Plate 4 to 18 holes - ,2.0mm Z-Plate Left and Right (Space 8.0mm & 12.0mm 0.8mm-1.0mm Thickness) - ,3.5mm Wise-Lock Reconstruction Plate Curved 2-20 Holes - , 3.5mm Wise-Lock Cloverleaf Plate 2-10 Holes - ,2.7/3.5mm Wise-Lock Dorsolateral Distal Humerus Plate with Lateral Support 2-20 Holes Left & Right - ,2.7/3.5mm Wise-Lock Dorsolateral Medial Distal Humerus Plate 2-20 Holes Left & Right - ,3.5mm Wise-Lock Medial Proximal Tibia Plate 2-30 Holes Left & Right - ,3.5mm Wise-Lock Anterolateral Distal Tibia Plate 2-30 Holes Left & Right - ,3.5mm Wise-Lock Medial Distal Tibia Plate Without Tab 2-20 Holes Left & Right - ,3.5mm Wise-Lock Low Profile Medial Distal Tibia Plate Without Tab 2-20 Holes Left & Right - ,2.7mm Wise-Lock Straight Plate with Single Start Thread Stainless Steel - ,1.3mm Wise-Lock Low Profile Rotational Correction Plate 4-10 Holes - ,0.8/1.5/2.0mm Wise-Lock Plate 1-20 Holes - ,5.0mm Wise-Lock Distal Femur Plate (LISS) 2-20 Holes Left & Right - ,2.4/2.7mm AV-Wiselock L-Fusion Plate short/Medium/large Length 37mm/44mm/62mm - ,2.7mm AV-Wiselock MTP Fusion M Plate 0°-10° Dorsiflexion 2 to 14holes - ,2.7mm AV-Wiselock MTP Revision M Plate 5°-10° Dorsiflexion 4 to 12Holes - 2.4/2.7mm AV-Wiselock First MTP Fusion Plate Small/Medium/Large 42mm 0°-10° Left and Right - ,3.5mm Intrapelvic Plate 5-10 Holes Left & Right - ,2.0mm H-Plate 11 Holes - ,2.0mm Locking Rectangular Grill Plate Type-I (4 x 2 Holes 4x6 Holes) - ,2.0mm Locking Square Frame Plate Type-I (2 x 42x62x8 Holes) - ,2.0mm Pseudo-Possessed Plate Type-III - (7 Holes 0.8mm -1.0mm Thickness) ,2.0mm Mini Straight Plate 2-12 Holes - ,2.0mm Z-Plate Left and Right - (Space 8.0mm & 12.0mm 0.8mm-1.0mm Thickness) ,Periprosthetic Proximal Femur Plates 3-25 Holes Left & Right - ,Periprosthetic Distal Femur Plates 3-25 Holes Left & Right - ,4.5/5.0mm Wise-Lock Osteotomy Lateral High Tibia Plate 2-10 Holes Left & Right - ,4.5/5.0mm Wise-Lock Osteotomy Lateral Distal Femur Plate 2-10 Holes Left & Right - ,4.5/5.0mm Wise-Lock Osteotomy Medial Distal Femur Plate 2-10 Holes Left & Right - ,4.5/5.0mm Wise-Lock Osteotomy Femur Plate 2-10 Holes Left & Right - ,0.8mm Wise-Lock Low Profile T-Plate 2-20 Holes - ,0.8mm Wise-Lock Low Profile Offset Plate 2-12 Holes - ,Suprapectineal Plate - ,Anti-Rotaion Screw for Femoral Neck Plate Length 60-150mm Titanium - ,3.5mm Pubic Symphysis Plate 2-8 Holes - ,2.0mm Locking Rectangular Grill Plate Type-III (2 x 3 2x42x52x6 Holes) - ,2.0mm Locking Straight Plate with Bridge Type-II- 4 Holes - ,2.0mm Locking Rectangular Grill Plate Type-II (2 x 3 2x42x52x6 Holes) - , 3.5mm Wise-Lock Pilon Plate 2-20 Holes - ,2.4mm Variable Angle Volar Rim Distal Radius Plate 7 Head Holes 2-20 Shaft Holes Left & Right - ,2.0mm Locking T-Gap Plate Straight (4

,6 Holes Space 10.0mm -12.0mm) - ,1.5mm Hook Plate Hooks 2-4 - 2-12 Holes ,2.0mm Locking Straight Plate with Bridge Type-IV 46 Holes Space 8.0 to 12.0mm) - ,2.0mm Locking Straight Plate with Bridge Type-III (4 Holes Space 10.0mm to 12.0mm) - ,2.0mm Locking Orbital Plate - (4 Holes Space 10.0mm & 15.0mm) ,2.0mm Locking Straight Plate Type-III - (6 ,8 - ,26 Holes) - , - 1.5mm Wise-Lock Adaption Plate Straight 2-20 Holes , Infrapectineal Plate Large/Small - ,dia 3.5-4.5mm Quadrilateral Surface Plate Left & Right - ,2.0mm Locking Rectangular Grill Plate Type-II (2 x 3 - ,2x4 - ,2x5 - ,2x6 Holes) - ,2.7mm Wise-Lock Straight Plate with Single Start Thread - ,2.0mm T-Plate with Bridge - (3+2 Holes Space 8.0mm & 12.0mm 0.8mm-1.0mm Thickness) ,1.5mm Plate 6 Holes Space 6.0mm to 12.0mm - ,3+6 0.8mm-1.0mm Thickness) - ,2.0mm Long T-Plate Oblique Angled - Left and Right - (0.8mm -1.0mm Thickness) ,2.0mm T-Plate with Bridge - (2+2to3, 2+4,2+6 Space 6.0mm to 15.0mm 0.8mm -1.0mm Thickness) ,2.0mm I-Plate - (Space 6.0mm to 9.0 mm 0.8mm-1.0mm Thickness) ,2.0mm H-Plate - 6+1,8+1,10+1 Holes 0.8mm-1.0mm Thickness,2.0mm Double X-Plate Small - (4+2 to 4 Holes Space 6.0mm to 12.0mm 0.8mm -1.0mm Thickness) ,2.0mm L-Plate with Bridge Type-IV 90° left and right - (2+2 Holes Space 6.0mm to 10.0mm 0.8mm-1.0mm Thickness) ,2.0mm L-Plate 130° Left and Right - (2+2 to 4 Holes 0.8mm-1.0mm Thickness) ,2.0mm L-Plate with Bridge 100° - (2+2 ,3+3,3+4) ,2.0mm T-Plate - (3+3 Holes 3+4,3+6 0.8mm-1.0mm Thickness) ,1.5mm Double X-Plate Large 8+3 Holes - ,1.5mm X-Plate 2+2 Holes - ,1.5mm L-Plate with Bridge 100° Left & right - 2+2 Holes,2+3 Holes,3+4 Holes Space 5.5mm to 9.0mm,1.5mm L-Plate 130° - 2+2to 4 Holes - Left & Right ,1.5mm Continuous Orbital Plate 6 to 16 Holes - ,1.5mm Orbital Plate - 7,8 Holes Space 7.5 to 8mm,1.5mm Orbital Plate - 6 Holes Space 8.0mm to 14.0mm ,1.5mm Orbital Plate - 4 Holes Space 6.0mm to 8.0mm ,1.5mm Continuous Plate 6 to 16 Holes - , 2.0mm Locking U-Plate (3+3 Holes 4+4,9 Holes) - ,1.5mm Double X-Plate Small 4+2 Holes Space 4.0mm-9.0mm - ,1.5mm Plate 4 Holes Space 4.5mm to 12.0mm - ,1.5mm Straight Plate 4- 14 Holes - ,1.0mm Orbital Floor Plate Type-I to V - 17 Holes ,2.7mm AV-Wiselock Olecranon M Plate 6 Holes - ,3.5mm Wise-Lock Posterior Medial Proximal Tibia Plate 1-20 Holes - ,2.7mm AV-Wiselock TMT-I Fusion M Plate 7 holes Left and Right - ,PHELOS - 3.5mm Wise-Lock Proximal Humerus Plate Short 2-10 Holes - ,PHELOS - 3.5mm Wise-Lock Proximal Humerus Plate Long 5-20 Holes - ,3.5mm Wise-Lock Periarticular Proximal Humerus Plate 2-20 Holes Left & Right - ,3.5mm Wise-Lock Proximal Humerus Plate 2-10 Holes - ,3.5mm Wise-Lock Medial Distal Tibia Plate 2-20 Holes Left & Right - ,3.5mm Wise-Lock Proximal Tibia Plate 2-20 Holes Left & Right - ,3.5mm Wise-Lock Medial Proximal Tibia Plate 2-30 Holes Left & Right - ,3.5mm Wise-Lock Posterior Medial Proximal Tibia Plate 1-20 Holes - ,3.5mm Wise-Lock Anterolateral Distal Tibia Plate 2-30 Holes Left & Right - ,3.5mm Wise-Lock Low Profile Medial Distal Tibia Plate Without Tab 2-20 Holes Left & Right - ,3.5 mm Flex Plate - 2-20 Holes ,3.5mm Wise-Lock Lateral Distal Fibula Plate 2-20 Holes Left & Right - ,3.5mm Pubic Symphysis Plate - 2-8 Holes ,3.5mm Curved Posterior Wall Acetabular Fragment Plate Left & Right - 8-15 Holes ,3.5mm Superior Sacro-iliac Plate - 2-8 Holes ,3.5 mm Posterior Wall Acetabular Plate - 5-10 Holes ,4.5/5.0mm Wise-Lock Osteotomy Lateral High Tibia Plate Left & Right - 2-10 Holes ,3.5mm Wise-Lock Hook Plate 2-10 Holes - ,2.4/2.7mm AV-Wiselock T-Fusion Plate short/Medium/Large Length 35mm/42mm/61mm-92mm - ,2.4/2.7mm AV-Wiselock L-Fusion Plate short/Medium/Large Length 37mm/44mm/62mm - , 3.5mm Wise-Lock Metaphyseal Plate For Medial Distal Tibia 4+2 - 4+30 Holes Left & Right - ,3.5/4.5mm Wise-Lock Metaphyseal Plate 2/5-20/5 Holes - ,3.5mm Wise-Lock Metaphyseal Plate 2-20 Holes - ,3.5mm Wise-Lock Metaphyseal Plate For Distal Medial Humerus 3-25 Holes - ,3.5mm Wise-Lock Wrist Fusion Plate Short/Standard/Straight Bend 2-10 Holes - , 3.5mm Wise-Lock Calcaneal Plate Type-I 2-10 Holes Left & Right - ,3.5mm Wise-Lock Small "T" Plate Right Angled (3 Head Holes) 2-10 Holes - ,3.5mm Wise-Lock Small "T" Plate Right Angled (4 Head Holes) 2-10 Holes - ,3.5mm Wise-Lock Reconstruction Plate 2-30 Holes - , 3.5mm Wise-Lock Reconstruction Plate Curved 2-20 Holes - ,4.5/5.0mm Wise-Lock Proximal Tibia Plate 2-20 Holes Left & Right - ,4.5/5.0mm Wise-Lock Proximal Femur Lateral Plate (Type-II) 2-20 Holes Left & Right - ,3.5mm Wise-Lock Clavicle Plate 2-20 Holes Left & Right - ,3.5mm Wise-Lock Cloverleaf Plate 2-10 Holes - ,3.5mm Wise-Lock Proximal Ulna Plate Left & Right - 2-20 Holes ,3.5mm Wise-Lock Z-type Distal Medial Tibial Plate Left & Right - 2-20 Holes ,4.5/5.0mm Wise-Lock Distal Femur Plate Straight Hole Left & Right - 3-25 Holes ,2.4/2.7mm AV-Wiselock First MTP Fusion Plate Small Left & right - (Length 42mm 0°-15°) - 1.5mm Wise-Lock Plate Straight 2-10 Holes ,2.4/2.7mm AV-Wiselock First TMT Fusion Plate Standard 39mm/Long 48mm - Periprosthetic Trochanter Plates Narrow/Wide ,3.5mm Posterior Wall Acetabular Fragment Plate Left & Right - 5-10 Holes , 4.5/5.0mm Wise-Lock Condylar Femur Plate Left & Right - 3-25 Holes ,4.5/5.0mm Wise-Lock Proximal Femur Plate Left & Right - 2-20 Holes ,4.5/5.0mm Wise-Lock Proximal Femur Hook Plate - 2-20 Holes ,4.5/5.0mm Wise-Lock Proximal Lateral Tibia Plate Left & Right - 3-25 Holes ,4.5/5.0mm Wise-Lock Medial Proximal Tibia Plate Left & Right - 2-20 Holes ,4.5/5.0mm Wise-Lock Reconstruction Plate - 2-20 Holes ,4.5/5.0mm Wise-Lock Broad Dynamic Compression Plate with LC under cuts - 2-30 Holes ,4.5/5.0mm Wise-Lock Curved Broad Plate - 10-30 Holes ,4.5/5.0mm Wise-Lock "L" Buttress Plate Left & Right - 2-20 Holes ,4.5/5.0mm Wise-Lock "T" Buttress Plate 2-20 Holes - ,3.5mm Y-Reconstruction Plate

Small/Medium/Large 4-16 Holes - ,Lecestre Plate - Modified 2 Head Holes 3-15 Shaft Holes - Left & Right - ,2.0mm Straight Plate with Bridge Type-II 4 -8Hole (Space 6.0mm to 12.0 mm) - ,3.5mm Wise-Lock Z-Type Advance Proximal Lateral Tibia Plate Left and Right 2-20 Holes - ,2.4mm Locking Round Holes Mandible Reconstruction Plate Angled - (5+10 5+155+20 Holes 2.0mm Thickness) ,2.4mm Locking Two-way Compression Mandible Reconstruction Plate Straight - (12,15,17 20 Holes 2.0mm Thickness),4.5/5.0mm Wise-Lock Osteotomy Lateral Distal Femur Plate Left & Right - 2-10 Holes ,2.4mm Variable Angle Two-Column Volar Distal Radius Plate - Narrow,2.4mm Variable Angle Two-Column Volar Distal Radius Plate, Narrow, 6 Head Holes Width 19.5mm 2-20 Shaft Holes Left & Right - ,2.4mm Variable Angle Two-Column Volar Distal Radius Plate Narrow 6 Head Holes Width 19.5mm 2-20 Shaft Holes Left & Right - ,2.4mm Variable Angle Two-Column Volar Distal Radius Plate Standard 6 Head Holes Width 22mm 2-20 Shaft Holes Left & Right - ,2.4mm Variable Angle Two-Column Volar Distal Radius Plate Wide 7 Head Holes Width 25.5mm 2-20 Shaft Holes Left & Right - ,Aiming Block For Variable Angle Two-Column Volar Distal Radius Plate Narrow 6 Head Holes 19.5mm Left & Right - ,2.4/2.7mm AV-Wiselock Two-Column Volar Distal Radius Plate Extra-Long Narrow/Standard/Wide 6-7 Head Holes 7-13 Shaft Holes Left & Right - ,2.4mm AV-Wiselock Extra Articular Distal Radius Plate 4-5 Head Holes 3-5 Shaft Holes Left & Right - ,2.4mm AV-Wiselock Dorsal Distal Radius Plate Radial Column 5-6 Shaft Holes - ,2.4mm AV-Wiselock Dorsal Distal Radius Plate Intermediate Column 3-4 Shaft Holes - ,2.4mm AV-Wiselock Dorsal Distal Radius T-Plate 3 Head Holes 3-5 Shaft Holes - ,2.4 mm AV-Wiselock Dorsal Distal Radius L-Plate 2-3 Head Holes 3-5 Shaft Holes - ,2.4mm AV-Wiselock Dorsal Distal Radius L-Plate Oblique 3 Head Holes 3-5 Shaft Holes - ,2.4mm Variable Angle Volar Rim Distal Radius Plate 6 Head Holes 2-20 Shaft Holes Left & Right - , 2.4mm Variable Angle Volar Rim Distal Radius Plate 7 Head Holes 2-20 Shaft Holes Left & Right - ,2.4mm AV-Wiselock Distal Radius Volar Plate Extra-articular (4 Head Holes) 2-8 Holes - Left & Right - ,2.4mm AV-Wiselock Dorsal Distal Radius Plate Radial Column 5 & 6 Holes - ,2.4mm AV-Wiselock Dorsal Distal Radius Plate Intermediate Column (2 Head Holes) 3 & 4 Holes Left & Right - ,2.4mm AV-Wiselock "L" Dorsal Distal Radius Plate (2 Head Holes) 3 & 5 Holes Left & Right - ,2.4mm AV-Wiselock "L" Dorsal Distal Radius Plate (2 Head Holes) 3 & 5 Holes Left & Right - ,2.4mm AV-Wiselock "L" Dorsal Distal Radius Plate (3 Head Holes) 3 & 5 Holes Left & Right - ,2.4mm AV-Wiselock "L" Dorsal Distal Radius Plate Oblique (3 Head Holes) 3 & 5 Holes Left & Right - ,2.4mm AV-Wiselock "T" Dorsal Distal Radius Plate (3 Head Holes) - ,2.4mm AV-Wiselock Distal Radius Volar Plate Extra-articular (4 Head Holes) 2-8 Holes - Left & Right - ,2.4mm AV-Wiselock Dorsal Distal Radius Plate Radial Column 5 & 6 Holes - ,2.4mm AV-Wiselock Dorsal Distal Radius Plate Intermediate Column (2 Head Holes) 3 & 4 Holes Left & Right - ,2.4mm AV-Wiselock "L" Dorsal Distal Radius Plate (2 Head Holes) 3 & 5 Holes Left & Right - ,2.4mm AV-Wiselock "L" Dorsal Distal Radius Plate (3 Head Holes) 3 & 5 Holes Left & Right - ,2.4mm AV-Wiselock "L" Dorsal Distal Radius Plate Oblique (3 Head Holes) 3 & 5 Holes Left & Right - ,2.7/3.5mm AV-Wiselock Proximal Olecranon Plate 2-6 Holes Left & Right - ,2.7/3.5mm AV-Wiselock Olecranon Plate 2-20 Holes Left & Right - ,2.7/3.5mm AV-Wiselock Extra Articular Proximal Ulna Plate 2-20 Holes Left & Right - ,2.7/3.5mm AV-Wiselock Dorsolateral Distal Humerus Plate with Lateral Support 2-20 Holes Left & Right - ,2.7/3.5mm AV-Wiselock Dorsolateral Distal Humerus Plate 2-20 Holes Left & Right - ,2.7/3.5mm AV-Wiselock Medial Distal Humerus Plate 2-20 Holes Left & Right - ,2.7/3.5mm AV-Wiselock Extended Medial Distal Humerus Plate 1-20 Holes Left & Right - ,2.7/3.5mm AV-Wiselock Lateral Distal Humerus Plate 1-20 Holes Left & Right - ,AV-Wiselock Distal Posterolateral Humeral Plate 3-15 Holes Left & Right - ,AV-Wiselock Distal Medial Humeral Plate 3-15 Holes Left & Right - ,AV-Wiselock Distal Medial Humeral Plate Short 3-15 Holes Left & Right - ,2.4mm AV-Wiselock T-Distal Radius Small Fragment M Plate 2 to 10 holes - ,2.4mm Locking Round Holes Mandible Reconstruction Plate Straight - (12,15,17 20 Holes 2.0mm Thickness),AV-Wiselock Distal Lateral Humeral Plate 3-15 Holes Left & Right - ,AV-Wiselock Distal Medial Humeral Plate Short 3-15 Holes Left & Right - ,AV-Wiselock Proximal Ulna Locking Plate 3-15 Holes Left & Right - ,2.7/3.5mm AV-Wiselock Medial Distal Tibia Plate 2-20 Holes Left & Right - ,2.7/3.5mm AV-Wiselock Anteromedial Distal Tibia Plate 2-20 Holes Left & Right - ,2.7mm AV-Wiselock Lateral Distal Fibula Plate 2-20 Holes Left & Right - ,2.7mm AV-Wiselock Distal Tibia L-Plate 2-10 Holes Left & Right - ,2.7mm AV-Wiselock Distal Tibia T-Plate 2-10 Holes - ,2.7/3.5mm AV-Wiselock Anterolateral Distal Tibia Plate 2-20 Holes Left & Right - ,2.7/3.5mm AV-Wiselock Ankle Plate 2-20 Holes Left & Right - ,2.7/3.5mm AV-Wiselock Medial Distal Tibia Plate 2-20 Holes Left & Right - ,2.7/3.5mm AV-Wiselock Anteromedial Distal Tibia Plate 2-20 Holes Left & Right - ,2.7mm AV-Wiselock Lateral Distal Fibula Plate 2-20 Holes Left & Right - ,2.7mm AV-Wiselock Distal Tibia L-Plate 2-10 Holes Left & Right - ,2.7mm AV-Wiselock Distal Tibia T-Plate 2-10 Holes - ,2.7/3.5mm AV-Wiselock Anterolateral Distal Tibia Plate 2-20 Holes Left & Right - ,2.7/3.5mm AV-Wiselock Ankle Plate 2-20 Holes Left & Right - ,3.5 mm AV-Wiselock Proximal Tibia Plate Small Bend 2-20 Holes Left & Right - ,3.5mm AV-Wiselock Proximal Tibia Plate Large Bend 2-20 Holes Left & Right - ,2.4mm AV-Wiselock Dorsal/volar RSL Fusion M Plate 2- 20Holes - ,2.4mm AV-Wiselock Wrist Fusion M Plate Long/Short Bend 14 to 24 Holes - ,2.4mm AV-Wiselock Dorsal Wrist Fusion M Plate

Radiocapitate Long/Short Bend 8 to 20holes - ,2.4mm AV-Wiselock Dorsal Total Wrist Fusion M Plate Straight 12 to 24Holes - ,2.4mm AV-Wiselock Dorsal Total Wrist Fusion M Plate Long/Short Bend 10 to 22Holes - ,2.4mm AV-Wiselock L-Distal Radius Small Fragment M Plate 2 to 10 holes - ,2.4mm AV-Wiselock Volar Distal Radius Fracture M Plate 6 to 16holes - ,2.4mm AV-Wiselock Distal Radius Small Fragment M Plate Curved 2 to 10 holes - ,2.4mm AV-Wiselock Lateral Distal Radius Small Fragment M Plate 2 to 10 holes - ,2.4mm AV-Wiselock Distal Radius Volar Rim M Plate 8 to 18holes - ,2.4mm AV-Wiselock Volar Lunate Facet M Plate 2 to 10holes - ,2.4mm AV-Wiselock Dorsal H-Distal Radius M Plate 6 to 16 holes - ,2.4mm AV-Wiselock Dorsal Frame Distal Radius M Plate Narrow 12 to 22 holes - ,2.4mm AV-Wiselock Dorsal Frame Distal Radius M Plate 14 to 24holes - ,2.4mm AV-Wiselock Volar Distal Radius Fracture M Plate Narrow Short 6 to 16 holes - ,2.4mm AV-Wiselock FPL Volar Distal Radius M Plate 4 to 18holes - ,2.4mm AV-Wiselock FPL Volar Distal Radius M Plate Long 8 to 20holes - ,2.4mm AV-Wiselock Volar Distal Radius M PlateWide Narrow Long 6 to 20Holes - ,2.4mm AV-Wiselock Volar Distal Radius M Plate 8 to 22Holes - ,2.7mm AV-Wiselock Olecranon Tension M Plate 2 to 10Holes - ,2.7mm AV-Wiselock Medial Distal Humerus M Plate Short/medium/Long 6 to 20Holes - ,2.7mm AV-Wiselock Lateral Distal Humerus M Plate Short/Medium/Long 6 to 26holes - ,2.7mm AV-Wiselock MTP Fusion M Plate 0°5°10° Dorsiflexion 2 to 14holes - ,2.7mm AV-Wiselock MTP Revision M Plate 5°-10° Dorsiflexion4 to 12Holes - ,2.7mm AV-Wiselock TMT-I Medial Fusion M Plate 2 to 12Holes - ,2.7mm AV-Wiselock Grid M Plate 2 to 10 Holes - ,2.7mm AV-Wiselock Grid M Plate Short 2 to 10 Holes - ,3.5mm AV-Wiselock Calcaneus Plates M PlateSmall/Medium/Large10-20Holes Left & Right - ,2.4/2.7mm AV-Wiselock First MTP Fusion Plate Small 42mm 0° Left & Right - ,2.4/2.7mm AV-Wiselock First MTP Fusion Plate Small/Medium/Large 42mm 0°-10° Left and Right - ,2.4/2.7mm AV-Wiselock First MTP Fusion Plate Revision 53mm 0° Left & Right - ,2.4/2.7mm AV-Wiselock Opening Wedge Osteotomy Plate Space 0 mm-10mm - ,2.4/2.7mm AV-Wiselock First TMT Fusion Plate Standard/Long 39mm - ,2.4/2.7mm AV-Wiselock TMT Fusion Plate 43 mm - ,2.4/2.7mm AV-Wiselock Navicular Plate - ,2.4/2.7mm AV-Wiselock Cuboid Plate Left and Right - ,2.4/2.7mm AV-Wiselock Cloverleaf Fusion Plate Short/Medium/large Length 38mm/45mm/64mm - ,2.4/2.7mm AV-Wiselock T-Fusion Plate short/Medium/large Length 35mm/42mm/61mm-92mm - ,2.4/2.7mm AV-Wiselock L-Fusion Plate short/Medium/large Length 375mm/44mm/62mm - ,2.4/2.7mm AV-Wiselock L-Fusion Plateshort/Medium/large Length 37mm/44mm/62mm - ,2.4/2.7mm AV-Wiselock X-Fusion Plate Extra Small Small/Medium/Large24mm/27mm/32mm/36mm - ,2.4/2.7mm AV-Wiselock Straight Fusion Plate 2-10 Holes Length 27mm-40mm - ,2.4/2.7mm AV-Wiselock Mesh Plate 5 x 12 holes - ,3.5mm AV-Wiselock Z-type Fibula Plates - ,3.5mm AV-Wiselock Pheelos Plate - ,2. 3.5mm AV-Wiselock Medial Proximal Tibia Plate - ,4.5/5.0mm Wise-Lock Osteotomy Medial Distal Femur Plate Left & Right - 2-10 Holes ,4.5/5.0mm AV-Wiselock Narrow Dynamic compression Plate 2-20 Holes Left & Right - ,12. 4.5mm AV-Wiselock Broad Dynamic compression Plate 2-20 Holes Left & Right - ,3.5mm AV-Wiselock One Third Tubular Plate 2-20 Holes Left & Right - ,3.5mm AV-Wiselock Reconstruction Plate 2-20 Holes Left & Right - ,3.5mm AV-Wiselock Z-type Fibula Plates 2-20 Holes Left & Right - ,4.5/5.0mm AV-Wiselock Proximal Lateral Tibia Plate 2-20 Holes Left & Right - ,2.4mm AV-Wiselock Endosteal Plate (Type I) length 45mm Titanium - ,2.4mm AV-Wiselock Endosteal Plate (Type II) length 45mm Titanium - ,PHEELOS - 3.5mm AV-Wiselock Proximal Humerus Plate With Suture Cuts Short and long 2-20 Holes - ,PHEELOS - 3.5mm Wise-Lock Proximal Humerus Plate With Suture Cuts Short and long 2-20 Holes - ,4.5/5.0mm AV-Wiselock Proximal Lateral Tibia Plate 2-20 Holes Left & Right - ,4.5/5.0mm AV-Wiselock Condylar Plate2-20 Holes Left & Right - ,4.5/5.0mm AV-Wiselock L Buttress Plate2-20 Holes Left & Right - ,4.5/5.0mm AV-Wiselock "T" Buttress Plate 2-20 Holes - ,4.5/5.0mm AV-Wiselock "T" Plate Titanium 2-20 Holes Left & Right - ,2.4/2.7mm AV-Wiselock First MTP Fusion Plate Small 42mm 0°Left & Right - NA ,4.5/5.0mm Wise-Lock Osteotomy Medial High Tibia Plate - 2-10 Holes ,2.0mm Double X-Plate Small - (4+2 to 4 Hole ,2.4/2.7mm Wise-Lock X-Plate 2-8 Holes - ,2.4mm AV-Wiselock "T" Dorsal Distal Radius Plate (3 Head Holes) - ,5.0mm Pediatric Condylar Plate - 90degree x 3-7 Holes ,2.7mm Reconstruction Plate Straight 2-30 Holes - ,3.5mm Clavicle Hook Plate Hook Depth 12mm 2-10 Holes Left & Right - ,4.5/5.0mm Wise-Lock "T" Plate - 2-20 Holes ,4.5/5.0mm Wise-Lock Osteotomy Tibia PlateLeft & Right - 2-10 Holes ,Wise-Lock Puddu Plate - 2-20 Holes ,3. 3.5mm AV-Wiselock Posterior Medial Tibia Plate - ,4. 3.5mm AV-Wiselock Extra Articular Distal Humerus Plate - ,5. 3.5mm AV-Wiselock Superior Anterior Clavical Plate - ,6. 3.5mm AV-Wiselock Superior Anterior Plate with Lateral Extension - ,4.5mm AV-Wiselock Distal Femur Plate 2-20 Holes Left & Right - ,5.0mm/4. 5mm AV-Wiselock Proximal Lateral Tibia Plate 2-20 Holes Left & Right - ,4.5/5.0mm AV-Wiselock Proximal Femur Plate 2-20 Holes Left & Right - ,3.5mm AV-Wiselock Small Dynamic Compression Plate 2-20 Holes Left & Right - ,2.0mm One -Way Pressure Orbital Plate - (4 Holes ,Space 10.0mm &15.0mm) - ,2.0mm One -Way Pressure Plate with Bridge - (4,6Holes Space 8.0mm to12.0mm),2.0mm Locking Curved Plate Type-I Left and Right - (4 6,8 Holes Space 6.0mm to 10.5 mm),3.5mm Anterior Brim PlateLeft & Right - 10-20 Hole , 3.5mm Pelvic Plate Staight/Curved - 2-20 Holes ,3.5mm Symphysis Plate - 2-20 Holes ,130-

150 degree Wise-Lock Variable Angle DHS Plate - 2-30 Holes ,3.5mm Acetabular Spring Plate - 1-10 Holes ,3.5mm Reconstruction Pelvis Plate - 2-10 Holes ,3.5mm Interlocking Reconstruction Plate - 8-15 Holes ,3.5mm Quadrilateral Surface Plate Left & Right - 1-5 Holes ,3.5mm Intrapelvic Plate Left & Right - 5-10 Holes ,3.5mm Wise-Lock Z-Type Distal Lateral Fibular Plate Holes 4-16 Holes Left & Right - ,3.5mm Wise-Lock Z-Type Proximal Lateral Humeral Plate 2-20Holes Left & Right - ,3.5mm Wise-Lock Z-Type Distal Medial Humeral Plate Short Left & Right - 2-10Holes ,3.5mm Wise-Lock Z-Type Distal Medial Humeral Plate Left & Right - 2-10Holes ,3.5mm Wise-Lock Z-Type Distal Posteriolateral Humeral Plate Left & Right - 2-10 Holes ,3.5mm Wise-Lock Scapula Glenoid Plate 2-10 Holes Left & Right - ,3.5mm Wise-Lock Scapula Acromion Plate 2-10 Holes Left & Right - ,3.5 mm Wise-Lock Scapula Lateral Border Plate 2-20 Holes Left & Right - ,3.5mm Wise-Lock Scapula Medial Border Plate 2-20 Holes Left & Right - ,2.4mm Variable Angle Volar Rim Distal Radius Plate 6 Head Holes 2-20 Shaft Holes Left & Right - ,2.4mm Variable Angle Volar Rim Distal Radius Plate 7 Head Holes 2-20 Shaft Holes Left & Right - ,2.4mm Variable Angle Two-Column Volar Distal Radius Plate Narrow 6 Head Holes Width 19.5mm 2-20 Shaft Holes Left & Right - ,2.4mm Variable Angle Two-Column Volar Distal Radius Plate Standard 6 Head Holes Width 22mm 2-20 Shaft Holes Left & Right - ,2.4mm Variable Angle Two-Column Volar Distal Radius Plate Wide 7 Head Holes Width 25.5mm 2-20 Shaft Holes Left & Right - ,Aiming Block - ,2.0mm One -Way Pressure Plate with Bridge - (4, 6Holes Space 8.0mm to12.0mm),2.0mm Locking Curved Plate Type-I Left and Right - (4,6,8 Holes Space 6.0mm to 10.5 mm),2.0mm Locking Orbital Plate - (4 Holes Space 10.0mm&15.0mm) ,2.0mm Locking Straight Plate with Bridge Type-V - (4 , 6Holes Space 8.0mm to12.0mm),2.0mm Locking Straight Plate Type-II - (4,6,8,10,12,14,16 Holes),2.0mm Locking Straight Plate with Bridge Type-IV - 4,6 Holes Space 8.0 to 12.0mmmm),2.0mm Locking Straight Plate with Bridge Type-III - (4 6Holes Space 10.0mm to 12.0mm) ,2.0mm Locking Rectangular Grill Plate Type-III - (2 x 3 ,2x4,2x5,2x6 Holes),2.0mm Locking Straight Plate with Bridge Type-II- 4 Holes - ,2.0mm Locking Rectangular Grill Plate Type-II - (2 x 3 ,2x4, 2x5,2x6 Holes),2.0mm Locking Rectangular Grill Plate Type-I - (4 x 2 Holes4x6 Holes) ,2.0 mm Locking Square Frame Plate Type-I - (2 x 4 ,2x6,2x8 Holes),2.0mm Locking U-Plate - (3+3 Holes4+49 Holes) ,2.0mm Locking T-Gap Plate Straight - (4 ,6Holes Space 8.0mm to12.0mm),2.0mm Locking Straight Plate with Bridge Type-I - (4,6,8,10,12,14,16 Holes),4.5 /5.0mm AV-Wiselock Proximal Lateral Tibia Plate Left and Right, 6-20 Holes - ,2.4mm AV-Wiselock Endosteel Plate (Type-I) Length 45mm Titanium - ,4.5/5.0mm AV-Wiselock Distal Femur Plate Left and Right 6-20 Holes - ,2.4mm AV-Wiselock Endosteel Plate (Type-II) Length 45mm Titanium - ,4.5/5.0mm AV-Wiselock Distal Femur Plate Left and Right 6-20 Holes - ,4.5/5.0mm AV-Wiselock L Buttress Plate 6-20 Holes - ,2.0mm Rectangular Grill Plate Type -IV Left & Right - (2 x 4 Holes 0.8mm -1.0mmThickness) ,2.0mm Rectangular Grill Plate Type -III - (2 x 4 Holes 0.8mm-1.0mm Thickness) ,2.0mm Rectangular Grill Plate Type-II - (2 x 3 ,4x4,3+4,4+6 Holes Space 6.0mm to 12.0mm 0.8mm -1.0mmThickness),4.5 /5.0mm AV-Wiselock T Buttress Plate 6-20 Holes - ,4.5/5.0mm AV-Wiselock "T" Plate 6-20 Holes - ,4+6 Holes Space 6.0mm to 12.0mm 0.8mm -1.0mmThickness) - ,2.0mm L-Plate with Bridge Type-III 90° left and right - (2+2 to 3 3+3 Holes Space 8.0mm to 15.0mm - Left 0.8mm -1.0mmThickness) , 2.0mm L-Plate Type-II 90° left and right - (2+2 to 4 Holes 0.8mm -1.0mmThickness) ,2.0 mm Orbital Plate - (Space 6.0mm to 12.0mm 0.8mm -1.0mmThickness) ,2.0mm Orbital Plate with Bridge Type-II (5,7 Holes Space 7.5mm ,0.8mm-1.0mm Thickness) - ,2.0mm Orbital Plate with Bridge Type-I (4 - 6 Holes Space 8.0mm to 15.0mm 0.8mm-1.0 mmThickness) ,2.0mm Straight Plate with Bridge Type IV (4 - ,2.4mm AV-Wiselock Volar Distal Radius M Plate XL 16 to 34holes - ,6 Holes Space 9.0mm to 12.0mm 0.8mm -1.0 mmThickness) - ,2.0mm Straight Plate 2 Holes Type-II - (Space 8.0mm to 12.0mm 0.8mm-1.0mm Thickness) ,2.0mm Straight Plate with Bridge Type-III - (4,6Holes Space 6.0mm 0.8 mm-1.0mm Thickness),2.7/3.5mm AV Wiselock Superior Anterior Clavicle Plate with Lateral Extension Left and Right 6-20 Holes - ,2.0mm L-Oblique Plate with Bridge 90° Left and right - (2+2 3+3Holes Space 6.0mm -10.0mm) ,2.0mm Straight Plate (4-16 Holes 0.8mm Thickness-1.0mm) - ,2.0mm L-Plate with Bridge Type-II 90°Left and right (- 2+2 3+3Holes Space 6.0mm -10.0mm) ,2.0mm L-Plate Type-I90° Left and Right - (2+2 to 4 Holes) ,2.0mm L-Plate with Bridge Type-I 90°Left and right - (2+2,2+3 Holes Space 8.0mm to 15.0),2.0mm Straight Plate Type-I - 5,6 Holes,3.5mm AV Wiselock Extra-Articular Distal Humerus Plate Left and Right 6-20 Holes - ,2.0mm Straight Plate with Bridge Type-II 4 8Hole (Space 6.0 mm to 12.0mm) - ,1.5mm Triangular Plate 3 Holes - ,1.5mm Rectangular Grill Plate Type-II 4 x 6 Holes - ,1.5mm Rectangular Grill Plate Type-II & III 2 x 2 to 4 Holes - ,1.5mm Rectangular Grill Plate Type-II & III 2 x 2 to 4 Holes - ,1.5mm Rectangular Grill Plate Type-III 4 x 6 Holes - ,1.5mm Rectangular Grill Plate Type-V 11 x 17 Holes - ,1.5mm Rectangular Grill Plate Type-IV 2 x 3 to 5 Holes - ,1.5mm Rectangular Grill Plate Type-V 2 x 21 Holes - , 1.5mm Rectangular Grill Plate Type-V 2 x 11 Holes - ,1.5mm T-Gap Plate Angled Space 13.5 mm-1 7.5mm Left & Right - ,1.5mm T-Gap Plate Straight Space 13.5mm-17.5mm - ,2.0mm Straight Plate (4,5,6,14,16) - ,1.5mm Maxilla Plate Space 3.0mm to 11.0mm- Left & Right - , 1.5mm Chin Plate Space 2.0mm to10.0mm - ,1.5mm Orbital Floor Plate Type-VI to VIII Left

& Right - ,1.5mm Orbital Floor Plate Type-III to IV - ,2.0mm Striaht Plate with Bridge Type-I (46Holes Space 9.0mm to 12.0mm) - ,2.0mm Straight Plate 2 Holes Type-I (Space 8.0mm to 12.0mm) - ,1.5mm Rectangular Grill Plate Type-I 4 x 2 to 6 Holes - ,1.5mm Z-Plate Space 9.0mm-13.0mm Left 7 Right - ,1.5mm Z-Plate Space 9.0mm-13.0mm Left & Right - ,1.5mm T-Plate Oblique 3+3 Holes - Left & Right - ,1.5mm T-Plate Long Oblique 2+4 Holes Left & Right - ,1.5mm T-Plate Long 2+4 Holes - ,1.5mm T-Plate 7+9 Holes - ,1.5mm T-Plate with Bridge 2+2 to 3 Holes Space 9.0mm-12.0mm - ,1.5mm T-Plate 5+7 Holes - ,1.5mm T-Plate 3+3 to 4 Holes - ,1.5mm I-Plate 4 Holes Space 8.0mm-12.0mm - ,1.5mm H-Plate Curved 10+1 to 2 Holes - ,1.5mm H-Plate Big 8 16 Holes - ,1.5mm H-Plate - 10+1 to 2 Holes ,1.5mm H-Plate 6 to 8 +1 Holes - ,1.5mm Y-Plate - 2+3 to 4,4+7 Holes - ,1.5mm Y-Plate with Bridge Type-I - 2+2 Holes Space 8.0mm-15.0mm ,1.5mm Cross Bend Plate 2+3 Holes - ,1.5mm Double X-Plate with Support - 8+2 Holes Space 10.0mm to 15.0mm ,1.5mm L-Plate 90° - Left & Right - 2+2 to 5 3+5 Holes ,1.5mm L-Plate with Bridge 90° Left & Right - 2+2 to 3 Holes Space 5.5mm to 15.0mm ,1.5mm Double X-Plate Medium 4+3 Holes - ,1.5mm Plate 2 Holes Space 6.0mm to 12.0mm - ,1.0mm Orbital Floor Plate Type-VI to VIII - Left & Right - ,1.0mm Rectangular Grill Plate Type-III 2 x 2 to 4Holes 4 x 5 Holes - ,1.0mm Rectangular Grill Plate Type-I & II 2 x 4 Holes 4 x 6 Holes - ,1.0mm Square Plate 2 x 2 to 3 Holes - ,1.0mm T-Plate 6 Holes - ,1.0mm Y-Plate 5 Holes - ,1.0mm Straight Plate 4-6 Holes - ,1.0mm L-Plate 90° Left & Right - ,1.0mm Double Y Plate - 6 Holes ,1.0mm Y-Plate with Bridge - 4 Holes ,2.4mm Locking Two-Way Compression Mandible Reconstruction Plate Double Angled (5+25+5 Holes 2.5mm Thickness) - ,2.4mm Locking Round Holes Mandible Reconstruction Plate Double Angled (5+25+5 Holes 2.5mm Thickness) - ,2.4mm Mandible Reconstruction Plate Double Angled (5+25+5 Holes 2.5mm Thickness) - ,2.4mm Locking Two-Way Compression Mandible Reconstruction Plate Angled Left and Right (5+10 - (5+10 ,5+15,5+20 Holes 2.5mm Thickness),2.0mm Orbital Plate Hole 6-15 - 0.8mm-1.0mm Thickness ,PHELOS - 3.5mm AV-Wiselock Proximal Humerus Plate Short and Long 2 -20 Holes - ,2.4mm Mandible Reconstruction Plate Straight - (12,15,17, 20 Holes 2.0mm Thickness),4.5/5.0mm Wise-Lock Pediatric Hip Plate II - ,4.5/5.0mm Wise-Lock Pediatric Hip Plate II 90degree-150degree x Length 60-90mm x Width 22.5mm - 3-10 Holes,3.5mm Wise-Lock Pediatric Hip Plate II 90degree-150degree x Length 60-75mm x Width 18.5mm 3-10 Holes - ,2.4mm Locking Round Holes Mandible Reconstruction Plate Double Angled (5+25+5 Holes 2.0mm Thickness) - ,2.4mm Mandible Reconstruction Plate Double Angled - (5+25+5 Holes 2.0mm Thickness) ,2.4mm Locking Two-Way Compression Mandible Reconstruction Plate Angled - (5+10 5+15+20 Holes 2.0mm Thickness) ,2.4mm Mandible Reconstruction Plate Angled Left and Right (5+10 - (5+10 5+15+20 Holes 2.5mm Thickness) ,3.5mm AV-Wiselock Symphyseal Plate with Coaxial Combi-Holes - 2-10 Hole , 3.5mm AV-Wiselock Low Profile Reconstruction Plate with Coaxial Combi-Holes - 2-20 Holes ,2.4mm Locking Round Holes Mandible Reconstruction Plate Straight - (12,15,17,20 Holes 2.5mm Thickness),3.5mm AV-Wiselock Low Profile Reconstruction Plate with Coaxial Combi-Holes - 2-20 Holes ,3.5mm AV-Wiselock Low Profile Reconstruction Plate with Coaxial Combi-Holes Curved - 2-20 Holes ,2.4mm Locking Round Holes Mandible Reconstruction Plate Angled - (5+10 ,5+15,5+20 Holes 2.5mm Thickness),3.5mm Varixis J Reconstruction Plate with Coaxial Combi-Hole Left and Right - 2-20 Holes ,3.5mm AV-Wiselock Small Dynamic Compression Plate with LC under cuts - 2-20 Hole ,2.4mm Locking Two-Way Mandible Reconstruction Plate Straight (12 - (12,15,17,20 Holes 2.5mm Thickness),3.5mm AV-Wiselock One Third Tubular Plate - 2-20 Holes ,2.4mm Mandible Reconstruction Plate Straight (12 15 17 20 Holes 2.5mm Thickness) - ,2.4mm Locking Two-Way Compression Mandible Reconstruction Plate Double Angled (5+25+5 Holes 2.0mm Thickness) - ,2.4mm Mandible Reconstruction Plate Angled left and right - (5+10 5+15, 5+20 Holes 2.0mm Thickness),2.0mm Locking Straight Plate with Bridge Type-V - (4,6Holes Space 8.0mm to 12.0mm),2.0mm Locking Straight Plate Type-II - (4,6,8,10,12,14,16 Holes), 2.7mm AV-Wiselock Lateral Distal Humerus M Plate - ,Short/Medium/Long 6 to 26holes - , 2.4mm AV-Wiselock Distal Radius Volar Rim M Plate 13 Holes Left & Right - ,2.4mm AV-Wiselock Volar Lunate Facet M Plate 7 Holes Left & Right - ,2.4mm AV-Wiselock Dorsal H-Distal Radius M Plate 12 Holes Left and Right - ,2.4mm AV-Wiselock Dorsal Frame Distal Radius M Plate Narrow 18 Holes Left & Right - ,2.4mm AV-Wiselock Dorsal Frame Distal Radius M Plate 20 Holes Left & Right - ,2.4mm AV-Wiselock Volar Distal Radius M Plate XL 20-30 Holes Left and Right - ,2.4mm AV-Wiselock Volar Distal Radius Fracture M Plate 11 Holes Left and Right - ,2.4mm AV-Wiselock Volar Distal Radius Fracture M Plate Narrow Short 10 Holes Left & Right - ,2.4mm AV-Wiselock Distal Ulna M Plate 7-10 Holes - ,2.4mm AV-Wiselock FPL Volar Distal Radius M Plate 10 Holes Left and Right - ,2.4mm AV-Wiselock FPL Volar Distal Radius M Plate Long 12 Holes Left and Right - ,2.4mm AV-Wiselock Dorsal Total Wrist Fusion M Plate Straight 15 - 15,16 holes,2.7mm AV-Wiselock MTP Fusion M Plate 0°-10° Dorsiflexion 2 to 14holes - ,2.4mm AV-Wiselock Dorsal Total Wrist Fusion M Plate Long & Short Bend 16 Holes - ,2.7mm AV-Wiselock Olecranon M Plate Short 7 Holes Left and Right - ,2.0mm Locking Straight Plate with Bridge Type-I (46 8 12 14 Holes) - ,2.0mm Rectangular Grill Plate Type -IV Left & Right (2 x 4 Holes 0.8mm -1.0mm Thickness) - , 2.0mm Rectangular Grill Plate Type -III (2 x 4 Holes 0.8mm-1.0mm Thickness) - ,2.0mm

Rectangular Grill Plate Type-II (4 x 2 4x4 4x6 Holes 0.8mm-1.0mm Thickness) - ,2.0mm Rectangular Grill Plate Type-I(2 x 2 to 3 Holes 0.8mm -1.0mm Thickness) - ,2.0mm Pseudo-Possessed Plate Type-III (7 Holes 0.8mm -1.0mm Thickness) - ,2.0mm Straight Plate Type I 5 -6 holes - ,2.0mm T-Plate with Bridge (3+2 Holes Space 8.0mm & 12.0mm 0.8mm-1.0mm Thickness) - ,2.0mm Long T-Plate Oblique Angled - Left and Right - (0.8mm -1.0 mm Thickness) ,2.0mm Long T-Plate Oblique Angled Left and Right - (0.8mm -1.0 mm Thickness) ,2.0mm I-Plate - (Space 6.0mm to 9.0mm 0.8mm-1.0mm Thickness) ,2.0 mm H-Plate - 6+1,8+1,10+1 Holes 0.8mm-1.0mm Thickness,2.0mm L-Plate with Bridge Type-IV 90° left and right (2+2 Holes Space 6.0mm to 10.0mm 0.8mm-1.0mm Thickness) - ,2.0mm L-Plate 130° Left and Right (2+2 to 4 Holes 0.8mm-1.0mm Thickness) - ,2.0mm L-Plate with Bridge 100degree - (2+2,3+3,3+4),4+6 Holes Space 6.0mm to 12.0mm 0.8mm -1.0 mm Thickness) - ,2.0mm L-Plate with Bridge Type-III 90° left and right (2+2 to 3 3+3 Holes Space 8.0mm to 15.0mm - Left 0.8mm -1.0mm Thickness) - ,2.0mm L-Plate Type-II 90° left and right - (2+2 to 4 Holes 0.8mm -1.0mm Thickness) ,2.0mm Orbital Plate - (Space 6.0mm to 12.0mm 0.8mm -1.0mm Thickness) ,2.0mm Orbital Plate with Bridge Type-II - (57 Holes Space 7.5mm 0.8mm-1.0mm Thickness) ,3.5mm Reconstruction Pelvic Plate - 2-10 Holes , 3.5mm Wise-Lock Z-type Proximal Lateral Tibial Plate 2-20 Holes Left & Right - ,3.5mm Wise-Lock Low Profile Medial Distal Tibia Plate Without Tab Left & Right - 2-20 Holes ,2.4 mm AV-Wiselock Distal Radius Volar Plate Extra-articular (4 Head Holes) Left & Right - ,2.4 mm AV-Wiselock Dorsal Distal Radius Plate Radial Column 5 & 6 Holes - ,2.4mm AV-Wiselock Dorsal Distal Radius Plate - ,Intermediate Column (2 Head Holes) 3 & 4 Holes Left & Right - ,2.4mm AV-Wiselock "L" Dorsal Distal Radius Plate (2 Head Holes) Left & Right - 3 & 5 Holes ,2.4mm AV-Wiselock "L" Dorsal Distal Radius Plate (3 Head Holes) Left & Right - 3 & 5 Holes ,2.0mm Wise-Lock Distal Ulna Hook Plate - 5-8 holes , 80degree/90degree/100degree Child Osteotomy Plate Blade 35-45mm Displacement 8mm - ,90degree Adolescent Osteotomy Plate Blade 40-60mm Displacement 10-15mm - ,3.5mm Pediatric Condylar Plate 90° x 3-7 Holes - ,3.5mm Wise-Lock S Clavicle Plate Small/Medium/Large 2-10 Holes Left & Right - ,3.5mm Wise-Lock Metaphyseal Plate For Distal Medial Humerus 3-25 Holes - ,3.5mm Wise-Lock Metaphyseal Plate 2-20 Holes - ,3.5 mm Wise-Lock Metaphyseal Plate For Medial Distal Tibia 4+2 - 4+30 Holes Left & Right - , 3.5mm Wise-Lock Small Dynamic Compression Plate with LC under cuts 2-20 Holes - ,3.5 mm Wise-Lock One Third Tubular Plate 2-20 Holes - ,3.5mm Wise-Lock Reconstruction Plate 2-30 Holes - ,3.5mm Wise-Lock Superior Anterior Clavicle Plate 2-20 Holes Left & Right - ,Periprosthetic Trochanter Plates Narrow/Wide - ,1.5mm Wise-Lock Plate Straight 2-10 Holes - ,1.5mm Wise-Lock Adaption Plate Straight 2-20 Holes - ,2.0mm Mini Condylar Plate 2-12 Holes Left & Right - ,2.0mm Wise-Lock Rotation Correction Plate - ,2.4mm Wise-Lock Condylar Plate (2-6 Head Holes) 2-12 Holes - ,2.7mm Wise-Lock T-Plate (2-6 Head Holes) 2-12 Holes - ,2.7mm Mini Condylar Plate 2-12 Holes Left & Right - ,Medial Column Fusion Plate Small Medium & Large Left & Right - ,2.5mm Multidirectional Threaded Peg Screws Length 6-150mm - ,1.5mm AV-Wiselock Rotation Correction Plate 2-10 Holes - ,2.4 mm Wise-Lock Volar Column Distal Radius Plate (8 Head Holes) 2-10 Holes Left & Right - , 2.4mm Wise-Lock Proximal Radius Plate for Radial Head Rim 2-10 Holes Left & Right - ,2.4 mm Wise-Lock Proximal Radius Plate for Radial Head Neck 2-10 Holes - ,2.7/3.5mm Wise-Lock Dorsolateral Distal Humerus Plate 2-20 Holes Left & Right - ,3.5mm Wise-Lock Distal Tibia Plate 2-20 Holes left & Right - ,4.5/5.0mm Wise-Lock Proximal Femur Hook Plate - 2-20 Holes ,4.5/5.0mm Wise-Lock Proximal Lateral Tibia Plate - 3-25 Holes Left & Right ,4.5/5.0mm Wise-Lock Proximal Tibia Plate Left & Right - 2-20 Holes ,4.5/5.0mm Wise-Lock Proximal Femur Lateral Plate (Type-II) 2-20 Holes Left & Right - ,4.5/5.0mm Wise-Lock Reconstruction Plate 2-20 Holes - ,4.5/5.0mm Wise-Lock Narrow Dynamic Compression Plate with LC under cuts 2-30 Holes - ,4.5/5.0mm Wise-Lock T Buttress Plate 2-20 Holes - , 3.5mm Wise-Lock Posteromedial Proximal Tibia Plate - ,1.0mm Straight Plate 4-6 Holes - ,6 Holes 0.8mm-1.0mm Thickness) - ,2.0mm T-Plate (3+3 Holes 3+4+6 0.8mm-1.0mm Thickness - ,3.5mm AV-Wiselock Calcaneus Plates M Plate Small/Medium/Large Left & Right - 10-20 Holes ,150 degree Dynamic Hip Compression Plate 1-30 Holes - ,135 degree Dynamic Hip Compression Plate Short Barrel 2-12 Holes - ,0.8mm Wise-Lock Low Profile Avulsion Fracture Plate - 1-10 Holes ,0.8mm Wise-Lock Low Profile Straight Plate 1-15 Holes - ,0.8mm Wise-Lock Low Profile Curved Medial/Lateral Plate 5-12 Holes - ,0.8mm Wise-Lock Low Profile Curved Medial/Lateral Plate Short 2-10 Holes Left & Right - ,0.8mm Wise-Lock Low Profile Compression Plate 2-10 Holes - ,0.8mm Wise-Lock Low Profile T-Plate 2-20 Holes - ,0.8mm Wise-Lock Low Profile L-Plate 2-10 Holes Left & Right - ,0.8mm Wise-Lock Low Profile Offset Plate 2-12 Holes - ,1.3mm Wise-Lock Low Profile Compression Plate 2-10 Holes - 4.5/5.0mm Wise-Lock "T" Buttress Plate 2-20 Holes ,1.3mm Wise-Lock Low Profile Metacarpal Neck Plate 2-8 Holes Left & Right - Periprosthetic Proximal Femur Plates 3-25 Holes Left & Right ,1.3mm Wise-Lock Low Profile Straight Plate 2-12 Holes - ,1.3 mm Wise-Lock Low Profile T-Plate 2-15 Holes - Periprosthetic Distal Femur Plates 3-25 Holes Left & Right ,1.3mm Wise-Lock Low Profile Rolando Fracture Hook Plate 5-10 Holes - ,2.4mm AV-Wiselock "T" Dorsal Distal Radius Plate (3 Head Holes) - 2-10 holes ,1.0mm L-Plate 90° - Left & Right - ,1.0mm Double Y Plate 6 Holes Titanium - ,1.0mm Y-Plate with

Bridge 4 Holes - ,1.0mm Y-Plate 5 Holes - ,1.0mm T-Plate 6 Holes - ,1.0mm Square Plate 2 x 2 to 3 Holes - ,1.0mm Rectangular Grill Plate Type-I & II 2 x 4 Holes 4 x 6 Holes - ,1.0mm Rectangular Grill Plate Type-III 2 x 2 to 4 Holes 4 x 5 Holes - ,1.0mm Orbital Floor Plate Type-I to V - ,1.0mm Orbital Floor Plate Type-VI to VIII - Left & Right - ,1.5mm Continuous Plate 6 to 16 Holes - ,1.5mm Orbital Plate 6 Holes Space 8.0mm to 14.0mm - ,1.5mm L-Plate 90° 2+2 to 5 3+5 Holes - Left & Right - ,1.5mm L-Plate with Bridge 90° 2+2 to 3 Holes Space 5.5mm to 15.0mm - Left & Right - ,1.5mm L-Plate 130° 2+2 to 4 Holes - Left & Right - ,1.5mm L-Plate with Bridge 100° 2+2 Holes 2+3 Holes 3+4 Holes Space 5.5mm to 9.0mm - Left & right - ,1.5mm Double X-Plate Small 4+2 Holes Space 4.0mm-9.0mm - ,1.5mm Double X-Plate Medium 4+3 Holes - ,1.5mm Double X-Plate Large 8+3 Holes - ,1.5mm Double X-Plate with Support 8+2 Holes Space 10.0mm to 15.0mm - ,1.5mm Cross Bend Plate 2+3 Holes - ,1.5mm Y-Plate with Bridge Type-I 2+2 Holes Space 8.0mm-15.0mm - ,1.5mm Y-Plate with Bridge Type-II 2+3 Holes Space 5.5mm to 8.5.0mm - ,1.5mm Y-Plate 2+3 to 4,4+7 Holes - ,1.5mm H-Plate 6 to 8 +1 Holes - ,1.5mm H-Plate 10+1 to 2 Holes - ,1.5mm H-Plate Big 8 16 Holes - ,1.5mm H-Plate Curved 10+1 to 2 Holes - ,1.5mm I-Plate 4 Holes Space 8.0mm-12.0mm - 1.5mm T-Plate 7+9 Holes ,1.5mm T-Plate 3+3 to 4 Holes - 1.5mm T-Plate 5+7 Holes ,1.5mm Z-Plate Space 9.0mm-13.0mm Left 7 Right - 1.5mm Rectangular Grill Plate Type-III 4 x 6 Holes ,1.5mm Rectangular Grill Plate Type-I 4 x 2 to 6 Holes - 1.5mm Maxilla Plate Space 3.0mm to 11.0mm- Left & Right ,1.5mm Rectangular Grill Plate Type-II & III 2 x 2 to 4 Holes - ,1.5mm Rectangular Grill Plate Type-II 4 x 6 Holes - ,2.0mm Straight Plate (4,5,6,14,16) - ,2.0mm Straight Plate 2 Holes Type-I (Space 8.0mm to 12.0 mm) - ,2.0mm Straight Plate with Bridge Type-II 4 -8Hole (Space 6.0mm to 12.0mm) - ,2.0mm Straight Plate 5 ,6 Holes Type-I - ,2.0mm L-Plate with Bridge Type-I 90° Left and right (2+2 - ,2+3 Holes Space 8.0mm to 15.0) - ,2.0mm L-Plate Type-I 90° Left and Right (2+2 to 4 Holes) - 2.0mm H-Plate 11 Holes ,2.0mm L-Plate with Bridge Type-II 90° Left and right (2+2 3+3Holes Space 6.0mm -10.0mm) - ,2.0mm L-Oblique Plate with Bridge 90° Left and right (2+2 3+3Holes Space 6.0mm -10.0mm) - ,2.0mm Straight Plate (4-16 Holes 0.8mm Thickness-1.0mm) - ,2.0mm Straight Plate with Bridge Type-III 4,6Holes - ,Space 6.0mm 0.8mm-1.0mm Thickness) - ,2.0mm Straight Plate Type-II (5 - ,6 Holes 0.8mm-1.0mm Thickness) - ,2.0mm Straight Plate 2 Holes Type-II (Space 8.0mm to 12.0mm 0.8mm-1.0 mm Thickness) - ,2.0mm Straight Plate with Bridge Type IV (4 - ,6 Holes Space 9.0mm to 12.0mm 0.8mm -1.0mm Thickness) - ,2.0mm Orbital Plate with Bridge Type-I (4 - ,6 Holes Space 8.0mm to 15.0mm 0.8mm-1.0 Thickness) - ,2.0mm Orbital Plate with Bridge Type-II (57 Holes Space 7.5mm 0.8mm-1.0mm Thickness) - ,2.0mm Orbital Plate (Space 6.0mm to 12.0mm 0.8mm -1.0mm Thickness) - ,2.0mm L-Plate Type-II 90° left and right (2+2 to 4 Holes 0.8mm -1.0mm Thickness) - ,2.0mm L-Plate with Bridge Type-III 90° left and right (2+2 to 3 3+3 Holes Space 8.0mm to 15.0mm - Left 0.8mm -1.0mm Thickness) - ,2.0mm L-Plate with Bridge 100° (2+2,3+3,3+4) - ,2.0mm L-Plate 130° Left and Right (2+2 to 4 Holes 0.8mm-1.0mm Thickness) - 2.0mm L-Plate with Bridge Type-IV 90° left and right (2+2 Holes Space 6.0mm to 10.0mm 0.8mm-1.0mm Thickness) ,2.0mm Double X-Plate Small (4+2 to 4 Holes Space 6.0mm to 12.0mm 0.8mm -1.0mm Thickness) - 2.0mm Long T-Plate Oblique Angled - Left and Right (0.8mm -1.0mm Thickness) ,2.0mm I-Plate (Space 6.0mm to 9.0mm 0.8mm-1.0mm Thickness) - ,2.0mm T-Plate with Bridge (2+2 to 3 ,2+4) - ,2+6 Space 6.0mm to 15.0mm 0.8mm -1.0mm Thickness) - 2.0mm T-Plate with Bridge (3+2 Holes Space 8.0mm & 12.0mm 0.8mm-1.0mm Thickness) ,2.0mm T-Plate (3+3 Holes 3+4, 3+6 0.8mm-1.0mm Thickness) - ,2.0mm Pseudo-Possessed Plate Type-III (7 Holes 0.8mm -1.0mm Thickness) - ,2.0mm Z-Plate Left and Right (Space 8.0mm & 12.0mm 0.8mm-1.0 mm Thickness) - 2.0mm Rectangular Grill Plate Type-I (2 x 2 to 3 Holes 0.8mm -1.0 mm Thickness) ,2.0mm Rectangular Grill Plate Type -III (2 x 4 Holes 0.8mm-1.0mm Thickness) - ,2.0mm Rectangular Grill Plate Type -IV Left & Right (2 x 4 Holes 0.8mm -1.0 mm Thickness) - ,2.0mm Locking Straight Plate with Bridge Type-I (4,6,8,10,12,14,16 Holes) - ,2.0mm Locking T-Gap Plate Straight (4,6 Holes Space 10.0mm -12.0mm) - ,2.0mm Locking U-Plate (3+3 Holes 4+4,9 Holes) - ,2.0mm Locking Square Frame Plate Type-I (2 x 4,2x6,2x8 Holes) - ,2.0mm Locking Rectangular Grill Plate Type-I (4 x 2 Holes 4x6 Holes) - , 2.0mm Locking Rectangular Grill Plate Type-II (2 x 3, 2x4,2x5,2x6 Holes) - ,2.0mm Locking Straight Plate with Bridge Type-II- 4 Holes - ,2.0mm Locking Rectangular Grill Plate Type-III (2 x 3, 2x4,2x5,2x6 Holes) - ,2.0mm Locking Straight Plate with Bridge Type-III (4 -6Holes Space 10.0mm to 12.0mm) - ,2.0mm Locking Straight Plate with Bridge Type-IV 4-6 Holes Space 8.0 to 12.0mm) - ,2.0mm Locking Straight Plate Type-II (4 -16 Holes) - ,2.0mm Locking Straight Plate with Bridge Type-V (4-6 Holes Space 8.0mm to 12.0mm) - ,2.0mm Locking Straight Plate Type-III (6, 8,26 Holes) - ,2.0mm One -Way Pressure Curved Plate Left and Right (4 68 Holes Space 6.0mm to 10.5mm) - ,2.0mm Locking Orbital Plate (4 Holes Space 10.0mm & 15.0mm) - ,2.0mm Locking Curved Plate Type-I Left and Right (4,6,8 Holes Space 6.0mm to 10.5 mm) - ,2.0mm One -Way Pressure Plate with Bridge (4, 6Holes Space 8.0mm to 12.0mm) - ,2.0mm One -Way Pressure Plate (6 ,8,26 Holes) - ,2.0mm One Way Pressure Orbital Plate (4 Holes, Space 10.0mm & 15.0mm) - ,2.4mm Mandible Reconstruction Plate Angled left and right (5+10, - 5+15,5+20 Holes 2.0mm Thickness),2.4 mm Locking Two-way Compression Mandible Reconstruction Plate Straight (12,17,20) - 20

	Holes 2.0mm Thickness),2.4mm Locking Round Holes Mandible Reconstruction Plate Angled(5+10 5+15 5+20 Holes 2.0mm Thickness) - ,2.4mm Locking Round Holes Mandible Reconstruction Plate Straight (12 - (12,15,17, 20 Holes 2.0mm Thickness),2.4mm Locking Two-Way Compression Mandible Reconstruction Plate Angled (5+10 - 5+15,5+20 Holes 2.0 mm Thickness),2.4mm Mandible Reconstruction Plate Double Angled (5+25+5 Holes 2.0 mm Thickness) - ,2.4mm Locking Round Holes Mandible Reconstruction Plate Double Angled (5+25+5 Holes 2.0mm Thickness) - ,2.4mm Locking Two-Way Compression Mandible Reconstruction Plate Double Angled(5+25+5 Holes 2.0mm Thickness) - ,2.4mm Mandible Reconstruction Plate Straight (12151720 Holes 2.5mm Thickness) - 2.4mm Locking Round Holes Mandible Reconstruction Plate Angled (5+10 5+15+20 Holes 2.5mm Thickness) ,2.4mm Locking Two-Way Mandible Reconstruction Plate Straight (12151720 Holes 2.5mm Thickness) - ,2.4mm Locking Round Holes Mandible Reconstruction Plate Straight (12151720 Holes 2.5mm Thickness) - ,2.4mm Mandible Reconstruction Plate Angled Left and Right (5+10 5+15+20 Holes 2.5mm Thickness) - ,2.4mm Locking Two-Way Compression Mandible Reconstruction Plate Angled Left and Right (5+10 5+15+20 Holes 2.5mm Thickness) - ,2.4mm Mandible Reconstruction Plate Double Angled (5+25+5 Holes 2.5mm Thickness) - ,2.4mm Locking Round Holes Mandible Reconstruction Plate Double Angled (5+25+5 Holes 2.5mm Thickness) - ,2.4mm Locking Two-Way Compression Mandible Reconstruction Plate Double Angled (5+25+5 Holes 2.5mm Thickness) - NA
--	---



1. Generic Name :Bone Screws
2. Brand Name :NIL
3. Notified Category :Orthopaedic Implants
4. Class of Medical Device :Class C
5. Shelf life :Not applicable
6. Sterile/Non-Sterile:Non-Sterilized
7. Intended Use :Bone Screws are used during the surgery of fractured bones. These serve as support for internal fixation of bones. These screws are used alone or along with bone plates or interlocking nails
8. Material of Construction: Titanium (ISO 5832-3),Stainless Steel (ISO 5832-1)
9. Dimension: Various Dimension Bone screws implants are manufactured
10. Model/Catalogue No./Name :3.5mm AV-Wiselock Screw Self-Tapping 8mm to 100mm - ,Curved Connector dia 1-4mm - ,3.0mm Cannulated Cancellous Screw Long Thread Length 6-150mm - ,Cancellous Screws for Periprosthetic Plates Length 10-150mm - ,2.7mm AV-Wiselock Screw Self-Tapping (Star Head) Length 4-60mm - ,Aiming Block Drill Sleeve - ,Cortical Screws for Periprosthetic Plates Length 10-150mm - ,Tarsus Screw dia 4-20mm - Subtalus Screw dia 4-20mm ,2.0mm Self-Tapping & Self Drilling IMF Screw Type-III - Length 5mm -30mm ,2.0mm Self-Tapping & Self Drilling IMF Screw Type-II - Length 5mm -30mm , 1.5mm Self-Tapping & Self Drilling IMF Screw Type-I - Length 5mm -30mm ,2.0mm Lag Screw - Length 5mm -30mm ,2.0mm Kirschner Screw - Length 10mm -30mm ,1.5mm Kirschner Screw - Length 10mm -30mm ,2.7mm Emergency Screw Self-Tapping - Length 5mm -30mm ,2.4mm Self-Tapping Screw - Length 5mm -30mm ,1.9mm Emergency Screw Self-Tapping - Length 3mm -15mm ,3.5mm Cannulated Cortical Screw Full Thread - Length 6-150mm ,3.5mm Cannulated Cortical Screw Full Thread - Length 6-150mm ,3.5mm Cannulated Cortical Screw Self-Drilling - Length 6-150mm ,3.5mm Cannulated Cortical Screw Length 6-150mm - ,4.0mm Cannulated Cancellous Screw Short Thread Self-Tapping Length 6-150mm - ,4.0mm Cannulated Cancellous Screw Full Thread Self-Tapping Length 6-150mm - ,2.7mm Cortical Screw Self-Tapping (Star Head) Length 4-60mm - ,7.0mm Cannulated Cancellous Screw 16mm Thread Self-Drilling Length 30-180mm - ,7.0mm Cannulated Cancellous Screw 32mm Thread Self-Drilling Length 35-180mm - ,7.0mm Cannulated Cancellous Screw Full Thread Self-Drilling Length 30-180mm - ,2.7mm Cortical Screw Self-Tapping (Hex Head) Length 4-50mm - ,1.5mm cortical Screws (Star Head) Self-Tapping - Length 4-100mm ,2.7mm AV-Wiselock Screw Self-Tapping (Star Head) - Length 20-180mm ,3.5mm AV-Wiselock Screw Self-Tapping - Length 10-150mm ,3.5mm Wise-Lock Screw Self-Tapping - Length 10-150mm ,3.5mm Cortical Screw Self-Tapping - Length 10-150mm ,2.7mm Cortical Screw Self-Tapping (Star Head) Length 50mm - Length 6-150mm , 2.5/3.0/4.5/6.5mm Headless Compression Screw Short/Full Thread - Length 10-150mm ,7.3 mm Cannulated Cancellous Screw 16mm Thread Self-Drilling Length 30-180mm - ,7.3mm Cannulated Cancellous Screw Full Thread Self-Drilling Length 20-150mm - ,7.3mm Cannulated Cancellous Screw 32mm Thread Self-Drilling Length 35-180mm - ,7.3mm Cannulated Screw Length 20-180mm - ,7.3mm Cannulated Screw Self-Tapping Length 20-180mm - ,7.3mm Cannulated Screw Self-Drilling Length 20-180mm - ,8.0mm Cannulated Screw Length 20-180mm - ,8.0mm Cannulated Screw Partial/Full Thread Length 20-180mm - ,2.5mm Headless Cannulated Screw Length 4-100mm - ,5.5mm Headless Cannulated Screw Length 10-100mm - ,7.5mm Headless Cannulated Screw Length 10-150mm - ,1.9mm Anchor Screw Length 3.5 - 5.5mm - ,AUXILOCK 4-20mm x 15-60mm Titanium Interference Screw - ,2.4mm Anchor Screw Length 8.5mm-9.5mm Titanium - ,2.4mm Wise-Lock Screw Self-Tapping (Star Head) - Length 4-60mm ,4.0mm Low Profile Cancellous screw (Hex Head) - Length 20-150mm ,2.4mm Cortical Screw Self-Tapping (Star Head) - Length 4-60mm ,2.7mm Cortical Screw Self-Tapping (Star Head) - Length 4-60mm ,2.5mm Multidirectional Threaded Peg Screws - Length 6-150mm ,2.4mm Cortical Screw Self-Tapping (Star Head) Length 4-60mm - ,3.5mm Low Profile Cortical Screw (Hex Head) - Length 6-150mm ,2.7mm Cortical Screw Self-Tapping (Star Head) - Length 4-60mm ,2.4mm Variable Angle Screw Self-Tapping (Star Head) - Length 4-60mm ,2.4mm Cortical Screw Self-Tapping (Star Head) Length 4-60mm - ,1.8mm AV-Wiselock Buttress Pins - Length 4-40mm ,2.4mm Wise-Lock Screw Self-Tapping (Star Head) Length 4-60mm - ,2.4mm Cortical Screw Self-Tapping (Star Head) Length 4-60mm - ,Connection Screw for Periprosthetic Trochanter Plate - ,Locking Caps Length 0-50mm for Periprosthetic Plates - ,Locking Screws for Periprosthetic Plates Length 10-150mm - ,3.5mm AV-Wiselock Screw Self-Tapping Length 6-150mm - ,Aiming Block For Variable Angle Two-Column Volar Distal Radius Plate Standard 6 Head Holes 22mm Left & Right - ,Aiming Block For Variable Angle Two-Column Volar Distal Radius Plate 7 Head Holes Wide 25.5mm Left & Right - ,Aiming Block Drill Sleeve - ,Aiming Block Screw - ,2.7mm AV-Wiselock Screw Self-Tapping (Star Head) Length 4-60mm - ,1.8mm AV-Wiselock Buttress Pins Length 8-30mm - ,Aiming Block For Variable Angle Volar Rim Distal Radius Plate 6 Head Holes Left & Right - ,Aiming Block For Variable Angle Volar Rim Distal Radius Plate 7 Head Holes Left & Right - ,2.4mm Variable Angle Screw Self-Tapping (Star Head) Length 4-60mm - ,2.4mm Wise-Lock Screw Self-Tapping (Star Head) Length 4-60mm - ,2.4mm Cortical Screw Self-Tapping (Star Head) Length 4-

	60mm - ,2.7mm Cortical Screw Self-Tapping (Star Head) Length 4-60mm - ,2.7mm AV-Wiselock Screw Self-Tapping Length 6-150mm - ,3.5mm Wise-Lock Screw Self-Tapping Length 6-150mm - ,2.7mm AV-Wiselock Screw Self-Tapping (Star Head) Length 6-150mm - ,3.5mm AV-Wiselock Screw Self-Tapping Length 6-150mm - ,3.5mm Wise-Lock Screw Self-Tapping (Star Head) Length 6-150mm - ,1.8mm Buttress Screws (Star Head) Length 4 to 32mm - ,3.5mm AV-Wiselock Screw Self-Tapping Length 6mm-150mm - , Subtalus Screw dia 4-20mm - ,4.0mm Cannulated Cancellous Screw Short/Full Thread Self-Drilling Length 6-150mm - ,2.7mm AV-Wiselock Screw Self-Tapping (Star Head) Length 6-150mm - ,5.0mm AV-Wiselock Screw, Self-Tapping, (Star Head), 6-150mm - NA
41	1. Generic Name :Endoprosthesis 2. Brand Name :NIL 3. Notified Category :Orthopaedic Implants 4. Class of Medical Device :Class C 5. Shelf life :Not applicable 6. Sterile/Non-Sterile:Non-Sterilized 7. Intended Use :Endoprosthesis are specially used in femur neck fracture. when femur bone head is damaged or fractured. 8. Material of Construction: Stainless Steel (ISO 5832-1) 9. Dimension: Various Dimension of endoprosthesis implants are manufactured 10. Model/Catalogue No./Name :Lazcano Hip Prosthesis Regular Finish - Dia 38-58mm , Lazcano Hip Prosthesis Satin Finish - Dia 38-58mm
42	1. Generic Name :Pins , Wires and Washer 2. Brand Name :NIL 3. Notified Category :Orthopaedic Implants 4. Class of Medical Device :Class C 5. Shelf life :5 6. Sterile/Non-Sterile:Sterilized 7. Intended Use :The Bone Pins , Wires & Washers are used with implants are temporary implant components that are intended for fracture fixation of bone and insertion of implants 8. Material of Construction: Titanium (ISO 5832-3),Stainless Steel (ISO 5832-1) 9. Dimension: Various Dimension of Pins , Wires and Washer implants are manufactured 10. Model/Catalogue No./Name :Circlage Wire With Loop - Length 100-1000mm x 17-28 SWG (0.70-1.50mm) ,Bone Needle dia 1-4 - Length 100-1000mm ,Bone Needle with Hole dia 1-4 - Length 50-500mm ,Washer for Ulna Intramedullary Nail - ,Washer for Cortical Screws - ,1.8mm Varixis Buttress Pins - Length 8-30mm

1. Generic Name :Spinal Implant
2. Brand Name :NIL
3. Notified Category :Orthopaedic Implants
4. Class of Medical Device :Class C
5. Shelf life :Not applicable
6. Sterile/Non-Sterile:Non-Sterilized
7. Intended Use :Spinal Implants used to facilitate fusion, correct deformities, and stabilize and strengthen the spine.
8. Material of Construction: Titanium (ISO 5832-3), Peek Optima as per ASTM F 2026
9. Dimension: Various Dimension of Spinal implants are manufactured
10. Model/Catalogue No./Name :VERTAUX - Occipital Inner Screw Cap(M6) - ,VERTAUX - Occipital Laminar Hook Small & Large - ,VERTAUX - Occipital Lateral Offset Connector dia 3.2mm x Length 10-50mm - ,VERTAUX - Occipital Pre Bent Rod for Plate dia 3.2 x Length 100-200mm - ,3.5mm to 4.5/5.5/6.0mm Transition Rod - ,Cross Connector Plate Length 20-60mm - ,Hook Standard/Standard Short/Standard Tall/Offset Right/Offset Left dia 3.5/5.0/6.5/8.0mm - ,Cancellous Biased Angle Screws dia 3.5/4.0mm Length 10-50mm - ,Smooth Shank Biased Angle Screws dia 3.5mm Length 10-60mm - ,Rod-to-Rod Connectors Small/Large Length 3.5mm to 5.5mm - ,Fusion Cage width 8/9/10/11 Length 9/10/11/12/13/14/15mm - ,Vertaux Basico Polyaxial Screw Poly Head - ,Vertaux MIS Polyaxial Screw Polyhead - ,Vertaux MIS Polyaxial Screw Head Cap - ,Vertaux MIS Polyaxial Screw with Cap - Ø5.0mm x Length 30mm ,Vertaux MIS Polyaxial Screw - Ø5.0mm-Ø8.0mm x Length 30mm-70mm ,Vertaux MIS Inner Screw - ,Vertaux MIS Monoaxial Screw Polyhead - ,Vertaux MIS Monoaxial Screw Head Cap - ,Vertaux MIS Pre Bend Rod - Ø5.5mm x Length 30mm-500mm ,Vertaux MIS Monoaxial Screw with Cap - Ø5.0mm-8.0mm x Length 30mm-80mm ,Vertaux MIS Monoaxial Screw - Ø5.0mm-Ø8.0mm x Length 30mm-70mm ,Vertaux MIS Straight - Ø5.5mm x Length 30mm-500mm ,U-Spine - 8-20mm , Vertaux MIS Inner Screw Cap - ,Vertaux MIS Straight rod - Ø5.5mm x Length 30mm-500mm ,Vertaux Basico Polyaxial Conical TH Screw with Cap - Ø4.5mm-8.0mm x Length 30mm-80mm ,Vertaux Basico Polyaxial Conical TH Screw - Ø4.5mm-8.0mm x Length 30mm-80mm ,Vertaux Basico Polyaxial Polyhead for Conical TH Screw - ,Cervical Cage II (ACDF) 4mm-12mm x 16mm x 13mm - ,3.0mm Titanium Cervical Spine Locking Screw Length 10-20mm - NA ,Asterius-Anterior Cervical Plate Length 20-100mm - ,Asterius-3.5mm-4.0mm Cancellous Screw Self-Tapping (Cross Head) Length 6-60mm - ,Asterius-3.5mm-4.0mm Cancellous Screw Self-Drilling (Cross Head) Length 6-60mm - ,Asterius-3.5mm-4.0mm Cancellous Screw, Self-Tapping (Hex Head) Length 6-60mm - ,Asterius-3.5mm-4.0mm Cancellous Screw Self-Tapping (Hex Head) Length 6-60mm - Anterior Cervical Plate Length 20-100mm

1. Generic Name :Arthroscopy Implants
2. Brand Name :NIL
3. Notified Category :Orthopaedic Implants
4. Class of Medical Device :Class C
5. Shelf life :5 yrs
6. Sterile/Non-Sterile:Sterilized
7. Intended Use :Arthroscopy (ahr-THROS-kuh-pee) is a procedure for diagnosing and treating joint problems. A surgeon inserts a narrow tube attached to a fiber-optic video camera through a small incision — about the size of a buttonhole. The view inside your joint is transmitted to a high-definition video monitor. Arthroscopy allows the surgeon to see inside your joint without making a large incision. Surgeons can even repair some types of joint damage during arthroscopy, with pencil-thin surgical instruments inserted through additional small incisions.
8. Material of Construction: Titanium (ISO 5832-3), Peek ASTM F2026-17 , Peek CF, UHMWPE as per ASTM F2848
9. Dimension: Various shape, size and dimension of Arthroscopy Implants are available.
10. Model/Catalogue No./Name :AUXILOCK MENISCO Inside-Out Meniscal Repair Needle with 2-0 BioBraid White Blue Length 36in Needle Length 25cm - ,AUXILOCK MENISCO Inside-Out Meniscal Repair Needle with #0 BioBraid White/Blue Length 36in Needle Length 25cm - ,AUXILOCK MENISCO Inside-Out Meniscal Repair Needle with 1.0mm Suture Tape White/Blue Length 36in Needle Length 25cm - ,AUXILOCK MENI-FIX All-Inside Meniscal Repair System - Straight Needle - ,AUXILOCK MENI-FIX All-Inside Meniscal Repair System - Curve Needle - ,AUXILOCK MENI-FIX All-Inside Meniscal Repair System - Reverse Curve Needle - ,AUXILOCK GFS No-Button Adjustable Loop - ,AUXILOCK GFS Concave Button (any size) - ,AUXILOCK GFS Concave Button 11mm with 4mm Collar - ,AUXILOCK GFS Concave Button 14mm with 7mm Collar - ,AUXILOCK GFS Concave Button 20mm with 9mm Collar - ,AUXILOCK GFS Round Button without Collar 14mm - ,AUXILOCK® 4.5mm Knotless PEEK CF Push-In Suture Anchor With Suture Passer - ,AUXILOCK 5.5mm Knotless PEEK CF Push-In Suture Anchor With Suture Passer - ,AUXILOCK Tendo 7.0mm-10.0 x 10mm-20mm PEEK OPTIMA Screw-In Anchor - ,AUXILOCK Tendo 7.0mm-10.0 x 10mm-20mm PEEK CF Screw-In Anchor - ,AUXILOCK AC Joint Kit - ,AUXILOCK 3-6mm x 8-12mm PEEK OPTIMA Interference Screw (With Driver) - ,AUXILOCK 5mm-6 x 10mm-20mm PEEK OPTIMA Interference Screw - ,AUXILOCK 3-6mm x 8-12mm PEEK CF Interference Screw (With Driver) - ,AUXILOCK 5mm-6 x 10mm-20mm PEEK CF Interference Screw - ,AUXILOCK 1.8mm BioBraid Suture Tape White/Blue 39in Total length - ,AUXILOCK 1.4mm BioBraid Suture Tape White/Blue 39in Total length - ,AUXILOCK 1.6mm BioBraid Suture Tape White/Blue 39in Total length - ,AUXILOCK 2.0mm BioBraid Suture Tape White/Blue 39in Total length - ,AUXILOCK 1.0mm BioBraid Suture Tape White/Blue 39in Total length - ,AUXILOCK 1.4mm BioBraid Suture Tape White/Black 39in Total length - ,GYROLOCK PEEK OPTIMA Knotless Screw In Anchor - ,AUXILOCK Gyrolock 3.5mm x 15.8mm Knotless PEEK OPTIMA Screw-In Anchor - ,AUXILOCK Gyrolock 4.75mm x 22.5mm Knotless PEEK OPTIMA Screw-In Anchor - ,AUXILOCK Gyrolock 5.5mm x 22.5mm Knotless PEEK OPTIMA Screw-In Anchor - ,GYROLOCK SP PEEK OPTIMA Knotless Screw In Anchor - ,AUXILOCK Gyrolock SP 4.75mm x 24.5mm Knotless PEEK OPTIMA Screw-In Anchor Self-Punching - ,AUXILOCK Gyrolock SP 5.5mm x 24.5mm Knotless PEEK OPTIMA Screw-In Anchor Self-Punching - ,GYROLOCK PEEK CF Knotless Screw In Anchor - ,AUXILOCK Gyrolock 3.5mm x 15.8mm Knotless PEEK CF Screw-In Anchor - ,AUXILOCK Gyrolock 4.75mm x 22.5mm Knotless PEEK CF Screw-In Anchor - ,AUXILOCK Gyrolock 5.5mm x 22.5mm Knotless PEEK CF Screw-In Anchor - ,AUXILOCK Syndesmosis Ultimate Kit - ,AUXILOCK Advance Syndesmosis Ultimate Kit - ,Auxilock Button(Any Size) - NA ,GYROLOCK SP PEEK OPTIMA Knotless Screw In Anchor - ,GYROLOCK PEEK CF Knotless Screw In Anchor - ,AC Joint Button - NA ,AUXILOCK 2-0 BioBraid White/Blue 36in Total Length - ,AUXILOCK 1.8mm BioBraid Suture Tape White/Blue 39in Total length - ,AUXILOCK 1.4mm BioBraid Suture Tape White/Blue 39in Total length - ,AUXILOCK 1.6mm BioBraid Suture Tape White/Blue 39in Total length - ,AUXILOCK 2.0mm BioBraid Suture Tape White/Blue 39in Total length - ,AUXILOCK 1.0mm BioBraid Suture Tape White/Blue 39in Total length - ,AUXILOCK 1.4mm BioBraid Suture Tape White/Black 39in Total length - ,AUXILOCK 1.4mm BioBraid Suture Tape Solid Black 39in Total length - ,AUXILOCK 3mm x 8mm PEEK OPTIMA Interference Screw (With Driver) - ,AUXILOCK 3mm x 8mm PEEK CF Interference Screw (With Driver) - NA

1. Generic Name :Bone Plate and Screw System

2. Brand Name :NIL

3. Notified Category :Orthopaedic Implants

4. Class of Medical Device :Class C

5. Shelf life :NA

6. Sterile/Non-Sterile:Non-Sterilized

7. Intended Use :The bone plates and Screw are intended for treating fractures of various bones including the clavicle, pelvis, scapula, long bone (humerus, ulna, radius, femur, tibia and fibula), and small bone (metacarpals, metatarsals, phalanges).

8. Material of Construction: Stainless steel as per ISO 5832-1, Titanium ISO 5832-3

9. Dimension: Various Dimension of Plate and Screws are manufactured

10. Model/Catalogue No./Name :3.5mm AV-Wiselock Medial Column Fusion Plate Left & Right 6-10 Holes - ,3.5mm AV-Wiselock Medial Column Fusion Plate Talus Extension Left & Right 6-10 Holes - ,3.5mm AV-Wiselock Medial Column Fusion Plantar Plate Left & Right 6-10 Holes - ,3.5mm AV-Wiselock Calcaneus Plates M PlateSmall/Medium/Large10-20HolesLeft & Right - ,2.4mm AV-Wiselock Endosteel Plate Standard Length 30mm -60mm Left and Right - ,2.4mm AV-Wiselock Endosteel Plate Curved Length 30mm -60mm Left and Right - ,3.5mm AV-Wiselock Calcaneus Plates M PlateSmall/Medium/Large10-20HolesLeft & Right - ,3.5mm AV-Wiselock Calcaneus Plates M PlateSmall/Medium/Large10-20HolesLeft & Right - ,3.5mm AV-Wiselock Medial Column Fusion Plantar Plate Left & Right 6-10 Holes - ,3.5mm AV-Wiselock Medial Column Fusion Plate Left & Right 6-10 Holes - ,3.5mm AV-Wiselock Medial Column Fusion Plate Talus Extension Left & Right 6-10 Holes - ,PHEELOS - 3.5mm AV-Wiselock Proximal Humerus Plate With Suture Cuts Short 2 to 8 Holes - , PHEELOS - 3.5mm AV-Wiselock Proximal Humerus Plate With Suture Cuts Long 2 to 15holes - ,PHEELOS - 3.5mm AV-Wiselock Proximal Humerus Plate Long 2 to 15oles - ,3.5 mm AV-Wiselock Medial Proximal Tibia Plate Left/Right 2 to 25holes - ,3.5mm AV-Wiselock Posterior Medial Proximal Tibia Plate 1 to 14holes - ,3.5mm AV-Wiselock Extra-Articular Distal Humerus Plate Left/Right 2 to 20holes - ,5.0mm AV-Wiselock Screw Self-Tapping (Star Head) Length 18 to 100mm - ,4.5mm Cortical Screw Self-Tapping (Star Head) Length 10 to 100mm - ,2.7mm "T" Plate - ,3.5mm Small "T" Plate Right Angled (3 Head Holes) (2-12 Holes) - ,4.5mm Proximal Tibia Medial Plate 2-20 Holes Left & Right - ,4.5mm Distal Lateral Tibia Plate with Round Holes 2-15 HolesLeft & Right - ,4.5mm Distal Tibia Lateral Plate 2-15 HolesLeft & Right - ,3.5mm Wise-Lock Calcaneal Plate Type-IV - Small/Medium/Large Left & Right - (2-10 Holes) - ,3.5mm Wise-Lock Small "T" Plate Oblique Angled Left & Right - (2-10 Holes) - ,3.5mm AV Wiselock Extra-Articular Distal Humerus Plate Left and Right 2-20 Holes - ,4.5/5.0mm AV-Wiselock Condylar Plate2-20 Holes Left & Right - ,2.0mm L-Plate with Bridge Type-III 90° left and right - (2+2 to 33+3 Holes Space 8.0mm to 15.0mm0.8mm -1.0 mmThickness) - ,2.4mm Wise-Lock Distal Radius Volar Plate Extra-Articular (5 Head Holes) Left & Right - ,2.4mm AV-Wiselock Dorsal/volar RSL Fusion M Plate 2- 20Holes L& R - ,2.4 mm AV-Wiselock T-Distal Radius Small Fragment M Plate 2 to 10 holes L& R - ,2.4mm AV-Wiselock T-Distal Radius Small Fragment M Plate 2 to 10 holes L& R - ,2.4mm AV-Wiselock L-Distal Radius Small Fragment M Plate 2 to 10 L& R - ,2.4mm AV-Wiselock Distal Radius Volar Rim M Plate 8 to 18holes L& R - ,2.4mm AV-WiselockVolar Lunate Facet M Plate 2 to 10holes L & R - ,2.4mm AV-Wiselock Dorsal H-Distal Radius M Plate 6 to 16 holes L & R - , 2.4mm AV-Wiselock Dorsal Frame Distal Radius M Plate 14 to 24holes Left & Right - ,2.4 mm AV-Wiselock Volar Distal Radius M Plate XL 16 to 34holes L & R - ,2.4mm AV-Wiselock Distal Radius Volar Plate Extra-articular(5 Head Holes) Left & Right - (2-8 Shaft Holes) - ,5.5 mm Low profile Cancellous Screw Self-Tapping Star Head Length 10mm-150mm - ,4.5mm AV-Wiselock Low profile Cortical Screw Self-Tapping (Star Head) Length 10mm-150mm - , 4.5mm Wise-Lock Cortical Screw Self Tapping (Star Head) Length 10mm-150mm - ,4.5/5.0mm AV-Wiselock Osteotomy Medial High Tibia Plate 5 Holes - ,4.5/5.0mm AV-Wiselock Osteotomy Lateral High Tibia Plate 3 Holes - Left and Right - ,4.5/5.0mm AV-Wiselock Osteotomy Lateral Distal Femur Plate 5 Holes - Left and Right - ,4.5/5.0mm AV-Wiselock Osteotomy Medial Distal Femur Plate 4 Holes - Left and Right - ,5.0mm AV-Wiselock Screw Self-Tapping (Star Head) Length 10 to 150mm - ,4.5mm Cortical Screw Self-Tapping (Star Head)Length 10 to 150mm - NA ,Ø2.7mm-6.0mm Metatarsal Shortening Implant - NA ,4.5 /5.0mm AV-Wiselock Condylar Femur Plate 4 to 20Holes Left & Right - ,3.5mm AV-Wiselock Medial Proximal Tibia Plate Left/Right 2 to 25holes - ,2.7/3.5mm AV-Wiselock Superior Anterior Clavicle Plate with Lateral Extension 2 to 20 holes - ,3.5mm AV-Wiselock Extra-Articular Distal Humerus Plate Left/Right 2 to 20holes - ,3.5mm AV-Wiselock MIS Calcaneal Plate Type-III Left/Right 2 to 20holes - ,3.5mm AV-Wiselock Plantar Lapidus Plate Left & Right - ,3.5mm AV-Wiselock Plantar Lapidus Plate Short Left & Right - ,4.5/5.0mm AV-Wiselock Anterior Tibiotalar Fusion Plate Left/Right 2 to 20holes - ,3.5mm Small "T" Plate Right Angled(3-5 Head Holes) - (2-12 Holes) - ,4.5mm Lateral Tibia Head Buttress Plate - (2-15 Holes) Left & Right - ,4.5mm Proximal Tibia Medial Plate Left & Right (2-15 Holes) - ,4.5 mm Proximal Lateral Tibia Plate Left & Right (2-15 Holes) - ,4.5mm Distal Lateral Tibia Plate with Round Holes Left & Right (2-15 Holes) - ,4.5mm Distal Tibia Lateral Plate -Left & Right (2-15 Holes) - ,4.5mm Fibular Distal Tibia Plate -Left & Right (2-15 Holes) - ,4.5mm

	Distal Femur Plate - Left & Right (2-15 Holes) - ,4.5mm Narrow Dynamic Compression Plate - (2-20 Holes) Left & Right - ,4.5mm Narrow Limited Contact Dynamic Compression Plate - (2-20 Holes) - ,5.0mm Wise-Lock Proximal Lateral Tibia Plate(LISS) 2-20 Holes Left & Right - ,4.5/5.0mm Wise-Lock Proximal Femur Hook Plate - 2-20 Holes Left & Right - ,3.5mm Wise-Lock Calcaneal Plate Type-IV - Small/Medium/Large Left & Right - (2-10 Holes) - ,2.7mm AV-Wiselock Medial Distal Humerus M Plate Short/medium/Long 6 to 20Holes Left & Right - ,2.7mm AV-Wiselock Lateral Distal Humerus M Plate Short/Medium/Long 6 to 26holes Left & Right - ,2.7mm AV-Wiselock MTP Fusion M Plate 0°5°10° Dorsiflexion 2 to 14holes Left & Right - ,2.7mm AV-Wiselock TMT-I Medial Fusion M Plate 2 to 12Holes Left & Right - ,2.7/3.5mm AV Wiselock Superior Anterior Clavicle Plate with Lateral Extension Left & Right - (2-10 Holes) - ,2.4mm Wise-Lock Distal Radius Volar Plate Extra-Articular (3-4 Head Holes)Left & Right - (2-10 Holes) - ,2.4mm AV-Wiselock T-Distal Radius Small Fragment M Plate 2 to 10 holes Left & Right - ,2.4mm AV-Wiselock Distal Radius Volar Rim M Plate 8 to 18holes Left & Right - ,2.4mm AV-WiselockVolar Lunate Facet M Plate 2 to 10holes Left & Right - ,2.4mm AV-Wiselock Dorsal H-Distal Radius M Plate 6 to 16 holes Left & Right - ,2.4mm AV-Wiselock Dorsal Frame Distal Radius M Plate Narrow 12 to 22 holes Left & Right - ,2.4mm AV-Wiselock Dorsal Frame Distal Radius M Plate 14 to 24holesLeft & Right - ,2.4mm AV-Wiselock Volar Distal Radius M Plate XL 16 to 34holes Left & Right - ,2.4mm AV-Wiselock Distal Radius Volar Plate Extra-articular(3-5 Head Holes) Left & Right - (2-8 Shaft Holes) - ,4.5mm Cortical Screw Self-Tapping (Star Head)Length 10 to 150mm - NA , 3.5/5.0mm AV-Wiselock Distal Femur Washer plate 2-20 Holes - Left and Right - ,3.5mm Reconstruction Pelvis Plate 2-20 Holes - ,5.0mm Wise-Lock Cable Straight Plate 2-20- Holes - ,5.0mm Wise-Lock Advance Femoral Neck Plate 1-5 Holes - NA ,2.4mm AV-Wiselock Distal Radius Volar Plate - ,Extra-articular (2 to 6 Head Holes) 2-8 Holes - Left & Right - ,2.4mm AV-Wiselock Dorsal Distal Radius Plate - ,Intermediate Column (2 -6Head Holes) 2- 8Holes Left & Right - ,2.4mm AV-Wiselock L Dorsal Distal Radius Plate (3-5 Head Holes) 2-8 Holes Left & Right - ,2.4mm AV-Wiselock L Dorsal Distal Radius Plate Oblique (3-5 Head Holes) 2-8 Holes Left & Right - ,2.4mm AV-Wiselock T Dorsal Distal Radius Plate (3 Head Holes) 2-8 Holes - ,3.5mm AV-Wiselock Proximal Tibia Plate Small Bend 2- 20 Holes Left & Right - ,.5mm AV-Wiselock Proximal Tibia Plate Large Bend 2-20 Holes Left & Right - ,2.4mm AV-Wiselock Dorsal/volar RSL Fusion M Plate 6 to 20Holes Left & Right - ,2.4mm AV-Wiselock Distal Radius Small Fragment M Plate Curved 2 to 10 holes Left & Right - ,2.4mm AV-Wiselock T-Distal Radius Small Fragment M Plate 2 to 10 holes Left & Right - ,2.4mm AV-Wiselock L-Distal Radius Small Fragment M Plate 2 to 10 holes Left & Right - ,2.4mm AV-Wiselock Volar Distal Radius Fracture M Plate 6 to 16holes Left & Right - ,2.4mm AV-Wiselock Volar Distal Radius Fracture M Plate Narrow Short 6 to 16 holes Left & Right - ,2.4mm AV-Wiselock FPL Volar Distal Radius M Plate 4 to 18holes Left & Right - ,2.4mm AV-Wiselock FPL Volar Distal Radius M Plate Long 8 to 20holes Left & Right - ,2.7mm AV-Wiselock MTP Fusion M Plate 0°5°10° Dorsiflexion 2 to 14holes Left & Right - ,2.7mm AV-Wiselock MTP Revision M Plate 5°10° Dorsiflexion4 to 12Holes Left & Right - ,3.5mm AV-Wiselock MIS Calcaneal Plate Type-III Left/Right - ,3.5mm Wise-Lock Z-type Proximal lateral Fibular Plate 2 to 16 Holes Left & Right - ,4.5/5.0mm AV-Wiselock Anterolateral Tibiotalar Fusion Plate 2-10 Holes Left & Right - ,3.5mm AV-Wiselock Anterior Tibiotalar Fusion Plate 2-10 Holes Left & Right - ,2.4mm AV-Wiselock Endosteal Plate Curved Length 30-60mmL/R - ,2.4mm AV-Wiselock Endosteal Plate Standard Length 30-60mmL/R - NA ,2.7mm AV-Wiselock Retro Bunion Plate Short 3.5mm offset 25mm -40mm Length - ,2.7mm AV-Wiselock Retro Bunion Plate Long 3.5mm offset 25mm -40mm Length - ,3.5mm Reconstruction Plate Straight 2-30 Holes - , 4.5mm Low Profile Cortical Screw Self Tapping (Star Head) Length 10 to 120mm - ,7.3mm Wise-Lock Cannulated Screw Self Tapping Partial Thread Length 20-150mm - ,7.3mm Wise-Lock Cannulated Screw Self Tapping Full Thread Length 10mm-150mm - ,(Cannulated Conical Screws 5.0mm 7.3mm- Self Tapping Partial Thread) - ,CANNULATED CORTICAL SCREW dia 5.0MM- SELF-DRILLING PARTIAL THREAD 20MM150MM- LONG - ,Ø 4.0MM WISE LOCK CANNULATED SCREW - SELF-DRILLING 20MM150MM- LONG - NA
--	---

1. Generic Name :Bone Plate and Screw System

2. Brand Name :NIL

3. Notified Category :Orthopaedic Implants

4. Class of Medical Device :Class C

5. Shelf life :5 yrs

6. Sterile/Non-Sterile:Sterilized

7. Intended Use :The bone plates and Screw are intended for treating fractures of various bones including the clavicle, pelvis, scapula, long bone (humerus, ulna, radius, femur, tibia and fibula), and small bone (metacarpals, metatarsals, phalanges).

8. Material of Construction: Stainless steel as per ISO 5832-1, Titanium ISO 5832-3

9. Dimension: Various Dimension of Plate and Screws are manufactured

10. Model/Catalogue No./Name :3.5mm AV-Wiselock Medial Column Fusion Plate Left & Right 6-10 Holes - ,3.5mm AV-Wiselock Medial Column Fusion Plate Talus Extension Left & Right 6-10 Holes - ,3.5mm AV-Wiselock Medial Column Fusion Plantar Plate Left & Right 6-10 Holes - ,3.5mm AV-Wiselock Calcaneus Plates M PlateSmall/Medium/Large10-20HolesLeft & Right - ,2.4mm AV-Wiselock Endosteel Plate Standard Length 30mm -60mm Left and Right - ,2.4mm AV-Wiselock Endosteel Plate Curved Length 30mm -60mm Left and Right - ,3.5mm AV-Wiselock Calcaneus Plates M PlateSmall/Medium/Large10-20HolesLeft & Right - ,3.5mm AV-Wiselock Calcaneus Plates M PlateSmall/Medium/Large10-20HolesLeft & Right - ,3.5mm AV-Wiselock Medial Column Fusion Plantar Plate Left & Right 6-10 Holes - ,3.5mm AV-Wiselock Medial Column Fusion Plate Left & Right 6-10 Holes - ,3.5mm AV-Wiselock Medial Column Fusion Plate Talus Extension Left & Right 6-10 Holes - ,PHEELOS - 3.5mm AV-Wiselock Proximal Humerus Plate With Suture Cuts Short 2 to 8 Holes - ,PHEELOS - 3.5mm AV-Wiselock Proximal Humerus Plate With Suture Cuts Long 2 to 15holes - ,PHEELOS - 3.5mm AV-Wiselock Proximal Humerus Plate Long 2 to 15oles - ,3.5 mm AV-Wiselock Medial Proximal Tibia Plate Left/Right 2 to 25holes - ,3.5mm AV-Wiselock Posterior Medial Proximal Tibia Plate 1 to 14holes - ,3.5mm AV-Wiselock Extra-Articular Distal Humerus Plate Left/Right 2 to 20holes - ,5.0mm AV-Wiselock Screw Self-Tapping (Star Head) Length 18 to 100mm - ,4.5mm Cortical Screw Self-Tapping (Star Head) Length 10 to 100mm - ,2.7mm "T" Plate - ,3.5mm Small "T" Plate Right Angled (3 Head Holes) (2-12 Holes) - ,4.5mm Proximal Tibia Medial Plate 2-20 Holes Left & Right - ,4.5mm Distal Lateral Tibia Plate with Round Holes 2-15 HolesLeft & Right - ,4.5mm Distal Tibia Lateral Plate 2-15 HolesLeft & Right - ,3.5mm Wise-Lock Calcaneal Plate Type-IV - Small/Medium/Large Left & Right - (2-10 Holes) - ,3.5mm Wise-Lock Small "T" Plate Oblique Angled Left & Right - (2-10 Holes) - ,3.5mm AV Wiselock Extra-Articular Distal Humerus Plate Left and Right 2-20 Holes - ,4.5/5.0mm AV-Wiselock Condylar Plate2-20 Holes Left & Right - ,2.0mm L-Plate with Bridge Type-III 90° left and right - (2+2 to 33+3 Holes Space 8.0mm to 15.0mm0.8mm -1.0 mmThickness) - ,2.4mm Wise-Lock Distal Radius Volar Plate Extra-Articular (5 Head Holes) Left & Right - ,2.4mm AV-Wiselock Dorsal/volar RSL Fusion M Plate 2- 20Holes L& R - ,2.4 mm AV-Wiselock T-Distal Radius Small Fragment M Plate 2 to 10 holes L& R - ,2.4mm AV-Wiselock T-Distal Radius Small Fragment M Plate 2 to 10 L& R - ,2.4mm AV-Wiselock Distal Radius Volar Rim M Plate 8 to 18holes L& R - ,2.4mm AV-WiselockVolar Lunate Facet M Plate 2 to 10holes L & R - ,2.4mm AV-Wiselock Dorsal H-Distal Radius M Plate 6 to 16 holes L & R - ,2.4mm AV-Wiselock Dorsal Frame Distal Radius M Plate 14 to 24holes Left & Right - ,2.4 mm AV-Wiselock Volar Distal Radius M Plate XL 16 to 34holes L & R - ,2.4mm AV-Wiselock Distal Radius Volar Plate Extra-articular(5 Head Holes) Left & Right - (2-8 Shaft Holes) - ,5.5 mm Low profile Cancellous Screw Self-Tapping Star Head Length 10mm-150mm - ,4.5mm AV-Wiselock Low profile Cortical Screw Self-Tapping (Star Head) Length 10mm-150mm - ,4.5mm Wise-Lock Cortical Screw Self Tapping (Star Head) Length 10mm-150mm - ,4.5/5.0mm AV-Wiselock Osteotomy Medial High Tibia Plate 5 Holes - ,4.5/5.0mm AV-Wiselock Osteotomy Lateral High Tibia Plate 3 Holes - Left and Right - ,4.5/5.0mm AV-Wiselock Osteotomy Lateral Distal Femur Plate 5 Holes - Left and Right - ,4.5/5.0mm AV-Wiselock Osteotomy Medial Distal Femur Plate 4 Holes - Left and Right - ,5.0mm AV-Wiselock Screw Self-Tapping (Star Head) Length 10 to 150mm - ,4.5mm Cortical Screw Self-Tapping (Star Head)Length 10 to 150mm - NA ,Ø2.7mm-6.0mm Metatarsal Shortening Implant - NA ,4.5 /5.0mm AV-Wiselock Condylar Femur Plate 4 to 20Holes Left & Right - ,3.5mm AV-Wiselock Medial Proximal Tibia Plate Left/Right 2 to 25holes - ,2.7/3.5mm AV-Wiselock Superior Anterior Clavicle Plate with Lateral Extension 2 to 20 holes - ,3.5mm AV-Wiselock Extra-Articular Distal Humerus Plate Left/Right 2 to 20holes - ,3.5mm AV-Wiselock MIS Calcaneal Plate Type-III Left/Right 2 to 20holes - ,3.5mm AV-Wiselock Plantar Lapidus Plate Left & Right - ,3.5mm AV-Wiselock Plantar Lapidus Plate Short Left & Right - ,4.5/5.0mm AV-Wiselock Anterior Tibiotalar Fusion Plate Left/Right 2 to 20holes - ,3.5mm Small "T" Plate Right Angled(3-5 Head Holes) - (2-12 Holes) - ,4.5mm Lateral Tibia Head Buttress Plate - (2-15 Holes) Left & Right - ,4.5mm Proximal Tibia Medial Plate Left & Right (2-15 Holes) - ,4.5 mm Proximal Lateral Tibia Plate Left & Right (2-15 Holes) - ,4.5mm Distal Lateral Tibia Plate with Round Holes Left & Right (2-15 Holes) - ,4.5mm Distal Tibia Lateral Plate -Left & Right (2-15 Holes) - ,4.5mm Fibular Distal Tibia Plate -Left & Right (2-15 Holes) - ,4.5mm

Distal Femur Plate - Left & Right (2-15 Holes) - ,4.5mm Narrow Dynamic Compression Plate - (2-20 Holes) Left & Right - ,4.5mm Narrow Limited Contact Dynamic Compression Plate - (2-20 Holes) - ,5.0mm Wise-Lock Proximal Lateral Tibia Plate(LISS) 2-20 Holes Left & Right - ,4.5/5.0mm Wise-Lock Proximal Femur Hook Plate - 2-20 Holes Left & Right - ,3.5 mm Wise-Lock Calcaneal Plate Type-IV - Small/Medium/Large Left & Right - (2-10 Holes) - , 2.7mm AV-Wiselock Medial Distal Humerus M Plate Short/medium/Long 6 to 20Holes Left & Right - ,2.7mm AV-Wiselock Lateral Distal Humerus M Plate Short/Medium/Long 6 to 26holes Left & Right - ,2.7mm AV-Wiselock MTP Fusion M Plate 0°5°10° Dorsiflexion 2 to 14holes Left & Right - ,2.7mm AV-Wiselock TMT-I Medial Fusion M Plate 2 to 12Holes Left & Right - ,2.7/3. 5mm AV Wiselock Superior Anterior Clavicle Plate with Lateral Extension Left & Right - (2-10 Holes) - ,2.4mm Wise-Lock Distal Radius Volar Plate Extra-Articular (3-4 Head Holes)Left & Right - (2-10 Holes) - ,2.4mm AV-Wiselock T-Distal Radius Small Fragment M Plate 2 to 10 holes Left & Right - ,2.4mm AV-Wiselock Distal Radius Volar Rim M Plate 8 to 18holes Left & Right - ,2.4mm AV-WiselockVolar Lunate Facet M Plate 2 to 10holes Left & Right - ,2.4mm AV-Wiselock Dorsal H-Distal Radius M Plate 6 to 16 holes Left & Right - ,2.4mm AV-Wiselock Dorsal Frame Distal Radius M Plate Narrow 12 to 22 holes Left & Right - ,2.4mm AV-Wiselock Dorsal Frame Distal Radius M Plate 14 to 24holesLeft & Right - ,2.4mm AV-Wiselock Volar Distal Radius M Plate XL 16 to 34holes Left & Right - ,2.4 mm AV-Wiselock Distal Radius Volar Plate Extra-articular(3-5 Head Holes) Left & Right - (2- 8 Shaft Holes) - ,4.5mm Cortical Screw Self-Tapping (Star Head)Length 10 to 150mm - NA , 3.5/5.0mm AV-Wiselock Distal Femur Washer plate 2-20 Holes - Left and Right - ,3.5mm Reconstruction Pelvis Plate 2-20 Holes - ,5.0mm Wise-Lock Cable Straight Plate 2-20- Holes - ,5.0mm Wise-Lock Advance Femoral Neck Plate 1-5 Holes - NA ,2.4mm AV-Wiselock Distal Radius Volar Plate - ,Extra-articular (2 to 6 Head Holes) 2-8 Holes - Left & Right - ,2.4mm AV-Wiselock Dorsal Distal Radius Plate - ,Intermediate Column (2 -6Head Holes) 2- 8Holes Left & Right - ,2.4mm AV-Wiselock L Dorsal Distal Radius Plate (3-5 Head Holes) 2-8 Holes Left & Right - ,2.4mm AV-Wiselock L Dorsal Distal Radius Plate Oblique (3-5 Head Holes) 2-8 Holes Left & Right - ,2.4mm AV-Wiselock T Dorsal Distal Radius Plate (3 Head Holes) 2-8 Holes - ,3.5mm AV-Wiselock Proximal Tibia Plate Small Bend 2- 20 Holes Left & Right - ,. 5mm AV-Wiselock Proximal Tibia Plate Large Bend 2-20 Holes Left & Right - ,2.4mm AV-Wiselock Dorsal/volar RSL Fusion M Plate 6 to 20Holes Left & Right - ,2.4mm AV-Wiselock Distal Radius Small Fragment M Plate Curved 2 to 10 holes Left & Right - ,2.4mm AV-Wiselock T-Distal Radius Small Fragment M Plate 2 to 10 holes Left & Right - ,2.4mm AV-Wiselock L-Distal Radius Small Fragment M Plate 2 to 10 holes Left & Right - ,2.4mm AV-Wiselock Volar Distal Radius Fracture M Plate 6 to 16holes Left & Right - ,2.4mm AV-Wiselock Volar Distal Radius Fracture M Plate Narrow Short 6 to 16 holes Left & Right - ,2.4 mm AV-Wiselock FPL Volar Distal Radius M Plate 4 to 18holes Left & Right - ,2.4mm AV-Wiselock FPL Volar Distal Radius M Plate Long 8 to 20holes Left & Right - ,2.7mm AV-Wiselock MTP Fusion M Plate 0°5°10° Dorsiflexion 2 to 14holes Left & Right - ,2.7mm AV-Wiselock MTP Revision M Plate 5°10° Dorsiflexion4 to 12Holes Left & Right - ,3.5mm AV-Wiselock MIS Calcaneal Plate Type-III Left/Right - ,3.5mm Wise-Lock Z-type Proximal lateral Fibular Plate 2 to 16 Holes Left & Right - ,4.5/5.0mm AV-Wiselock Anterolateral Tibiotalar Fusion Plate 2-10 Holes Left & Right - ,3.5mm AV-Wiselock Anterior Tibiotalar Fusion Plate 2-10 Holes Left & Right - ,2.4mm AV-Wiselock Endosteal Plate Curved Length 30-60mmL/R - ,2.4mm AV-Wiselock Endosteal Plate Standard Length 30-60mmL/R - NA , 4.5mm Low Profile Cortical Screw Self Tapping (Star Head) Length 10 to 120mm - ,7.3mm Wise-Lock Cannulated Screw Self Tapping Partial Thread Length 20-150mm - ,7.3mm Wise-Lock Cannulated Screw Self Tapping Full Thread Length 10mm-150mm - ,(Cannulated Conical Screws 5.0mm 7.3mm- Self Tapping Partial Thread) - ,CANNULATED CORTICAL SCREW Ø 5.0MM- SELF-DRILLING PARTIAL THREAD 20MM150MM- LONG. - ,Ø 4.0MM WISE LOCK CANNULATED SCREW - SELF-DRILLING 20MM150MM- LONG - ,2.7mm AV-Wiselock Retro Bunion Plate Short 3.5mm offset 25mm -40mm Length - , 2.7mm AV-Wiselock Retro Bunion Plate Long 3.5mm offset 25mm -40mm Length - ,3.5mm Reconstruction Plate Straight 2-30 Holes - NA

47	1. Generic Name :Bone Nailing implants 2. Brand Name :NIL 3. Notified Category :Orthopaedic Implants 4. Class of Medical Device :Class C 5. Shelf life :Not applicable 6. Sterile/Non-Sterile:Non-Sterilized 7. Intended Use :Bone Nail implants are commonly used to fix the long bone fractures 8. Material of Construction: Stainless steel as per ISO 5832-1,Titanium ISO 5832-3 9. Dimension: Various Dimension of Nailing Implants are manufactured 10. Model/Catalogue No./Name :End Cap For Expert Femur Nail-Length 0- 50mm - , 125Degree Anti-Rotation Athos Nail Long dia 8-14mm Length 250-500mm L& R - ,Retro Distal Tibia Nail Ø5-10x Length 100mm-2000mm Left & Right - ,End Cap 0mm-10mm for Retro Distal Tibia Nail - ,End Cap 5mm for Retro Distal Tibia Nail - ,Ø3.5mm Cancellous Screw Length 10-90mm for Retro Distal Tibia Nail Titanium - ,Ø4.0mm Cancellous Screw Length 10-90mm for Retro Distal Tibia Nail Titanium - ,Ø3.5 mm Cortical Screw Length 10-90mm for Retro Distal Tibia Nail Titanium - ,Ø4.0mm Cortical Screw Length 10-90mm for Retro Distal Tibia Nail Titanium - ,Konzept Guidelock Reconstruction Humerus Nail Ø5.0-10.0MM x Length 100-300mm - ,Konzept Guidelock Endopin Screw 100mm-400 - ,Lapidus Intramedullary Nail Ø4.5mm-10.0mm x Length 30-100mm (3-5Holes) Left and Right - ,3.5 mm Peg Screw for Lapidus Intramedullary Nail Length 10mm-90mm - ,3.5mm Wise-Lock Screw Self Tapping (Star Head) Length 10mm-90mm - ,130Degree Anti-Rotation Athos Nail Long dia 8-14mm Length 250-500mm Left and Right - ,130Degree Athos Nail Type-II Long dia 8-14mm Length 250- 500mm Left & Right - ,125Degree Anti-Rotation Athos Nail Long dia 8-14mm Length 250-500mm Left & Right - ,Ø3.5mm Locking Bolt For Humerus Nail - Length 10-150mm - ,Telescopic Intramedullary Nail Long Thread Ø3.0-7.0mm x Length 200mm-500mm - ,Telescopic Intramedullary Nail Short thread Ø3.0-7.0mm x Length 200mm-500mm - Ø3.5mm Locking Screw For Lapidus Intramedullary Nail Length 10mm-120mm,125Degree Anti-Rotation Athos Nail Long dia 8-14mm Length 250-500mm Left & Right - ,Radial Nail Ø4-8mm x Length 60-100mm - ,Radial Nail Short /Long Ø3-8mm x Length 50-200mm - NA
48	1. Generic Name :Bone Nailing implants 2. Brand Name :NIL 3. Notified Category :Orthopaedic Implants 4. Class of Medical Device :Class C 5. Shelf life :5 yrs 6. Sterile/Non-Sterile:Sterilized 7. Intended Use :Bone Nail implants are commonly used to fix the long bone fractures 8. Material of Construction: Stainless steel as per ISO 5832-1,Titanium ISO 5832-3 9. Dimension: various dimension of implant are manufactured 10. Model/Catalogue No./Name : - ,Retro Distal Tibia Nail Ø5-10x Length 100mm-2000mm Left & Right - ,End Cap 0mm-10mm for Retro Distal Tibia Nail - ,End Cap 5mm for Retro Distal Tibia Nail - ,Ø3.5mm Cancellous Screw Length 10-90mm for Retro Distal Tibia Nail Titanium - ,Ø4.0mm Cancellous Screw Length 10-90mm for Retro Distal Tibia Nail Titanium - ,Ø3.5 mm Cortical Screw Length 10-90mm for Retro Distal Tibia Nail Titanium - , Ø4.0mm Cortical Screw Length 10-90mm for Retro Distal Tibia Nail Titanium - ,Konzept Guidelock Reconstruction Humerus Nail Ø5.0-10.0MM x Length 100-300mm - ,Konzept Guidelock Endopin Screw 100mm-400 - ,Lapidus Intramedullary Nail Ø4.5mm-10.0mm x Length 30-100mm (3-5Holes) Left and Right - ,3.5mm Peg Screw for Lapidus Intramedullary Nail Length 10mm-90mm - ,3.5mm Wise-Lock Screw Self Tapping (Star Head) Length 10mm-90mm - ,130Degree Anti-Rotation Athos Nail Long dia 8-14mm Length 250-500mm Left and Right - Ø3.5mm Locking Screw For Lapidus Intramedullary Nail Length 10mm-120mm,130Degree Athos Nail Type-II Long dia 8-14mm Length 250- 500mm Left & Right - ,125Degree Anti-Rotation Athos Nail Long dia 8-14mm Length 250-500mm Left & Right - ,Ø3.5mm Locking Bolt For Humerus Nail - Length 10-150mm - ,Telescopic Intramedullary Nail Long Thread Ø3.0-7.0mm x Length 200mm-500mm - ,Telescopic Intramedullary Nail Short thread Ø3.0-7.0mm x Length 200mm-500mm - ,125Degree Anti-Rotation Athos Nail Long dia 8-14mm Length 250-500mm Left & Right - ,Radial Nail Ø4-8mm x Length 60-100mm - ,Radial Nail Short /Long Ø3-8mm x Length 50-200mm - NA

49	1. Generic Name :Spinal Implant 2. Brand Name :NIL 3. Notified Category :Orthopaedic Implants 4. Class of Medical Device :Class C 5. Shelf life :5 yrs for Sterile 6. Sterile/Non-Sterile:Both 7. Intended Use :Spinal Implants used to facilitate fusion, correct deformities, and stabilize and strengthen the spine. 8. Material of Construction: Titanium (ISO 5832-3),Peek ASTM F2026-17 9. Dimension: Various Dimension of surgical instruments are manufactured 10. Model/Catalogue No./Name :Vertaux MIS Polyaxial Screw with Cap dia5.0mm-dia8.0mm x Length 30mm-70mm - ,Asterius-4.0mm Cancellous Screw Self-Drilling (Hex Head) - (Length 6- 60mm) - ,Universal Connector - ,Cervical Cage II (ACDF) 4mm-12mm x 16mm x 13mm - ,Cervical Cage (ACDF) - (2-20mm x 8-20mm x 10-20mm) - NA
----	---

Note: Validity of the Market Satanding will be 1 year from the date of issuance or till validity of licence,whichever is earlier.

Competent Authority

