



The background is a solid light gray. It is decorated with several sets of thin, white, wavy lines that resemble topographical map contours. These lines are located in the top-left, top-right, and bottom-left corners, creating a sense of depth and movement.

Auxein

3.5mm WISE-LOCK Small Fragment System

NEXT-LEVEL CARE







Auxein®



WISE-LOCK SYSTEM

The content of this catalogue is intended for healthcare professionals only. All product information, illustrations, descriptions, and specifications provided here are for general informational purposes and are subject to change without notice. Auxein Medical Pvt. Ltd. reserves the right to improve or discontinue products at any time without prior notification.

This document does not constitute medical advice. Surgeons and medical practitioners must exercise their own professional judgment when using any medical devices or instruments, including those provided by Auxein.

INTENDED USE

The implants and instruments in this catalogue are intended for use by qualified orthopedic surgeons trained in trauma surgery and fracture-fixation procedures. Improper selection, misuse, or lack of experience may result in complications.

REGULATORY COMPLIANCE

US FDA 510(k)

CE Mark (Class IIb)

MDSAP (Medical Device Single Audit Program)

ISO 13485:2016 Quality Management System

CDSCO – Indian Medical Device Rules, 2017

EU MDR- European Union Medical Device Regulation, 2017

INTELLECTUAL PROPERTY

All trademarks, trade names, brand names, product names, and logos mentioned in this catalogue are the property of Auxein Medical Pvt. Ltd. Unauthorized use or reproduction is strictly prohibited.

Auxein



ABOUT US

Auxein Medical is an integrated, research based, orthopaedic implants & instruments manufacturing company, producing a wide range of quality, affordable generic implants, trusted by healthcare professionals and patients across geographies. It is the Company's constant endeavour to provide a wide basket of generic and our innovator products that exceed the highest expectations of customers in term of quality and safety. The company has world-class manufacturing unit established in india and serves customers in over 75 countries worldwide.



OUR ACHIEVEMENTS



OVER THE YEARS




**3.5mm Wise-Lock
Small Fragment**

**3.5mm Wise-Lock
Small Fragment
HUMERUS**



3.5mm WISE-LOCK Small Fragment



Indications


- Intraarticular fractures of the distal humerus
- Supracondylar fractures of the distal humerus
- Non-unions of the distal humerus

Contraindications

- Acute infections
- Children in the growth phase




2.7/3.5mm Wise-Lock Dorsolateral Distal Humerus Plate



2.7mm Round Locking Hole



Compression and Locking Hole



Direction	Holes	Stainless Steel	Titanium
Left	3	742.103L	TI-742.103L
Left	5	742.105L	TI-742.105L
Left	7	742.107L	TI-742.107L
Left	9	742.109L	TI-742.109L
Left	14	742.114L	TI-742.114L
Right	3	742.103R	TI-742.103R
Right	5	742.105R	TI-742.105R
Right	7	742.107R	TI-742.107R
Right	9	742.109R	TI-742.109R
Right	14	742.114R	TI-742.114R



Direction	Holes	Stainless Steel	Titanium
Left	3	742.103L-S	TI-742.103L-S
Left	5	742.105L-S	TI-742.105L-S
Left	7	742.107L-S	TI-742.107L-S
Left	9	742.109L-S	TI-742.109L-S
Left	14	742.114L-S	TI-742.114L-S
Right	3	742.103R-S	TI-742.103R-S
Right	5	742.105R-S	TI-742.105R-S
Right	7	742.107R-S	TI-742.107R-S
Right	9	742.109R-S	TI-742.109R-S
Right	14	742.114R-S	TI-742.114R-S




2.7/3.5mm Wise-Lock Dorsolateral Distal Humerus Plate with Lateral Support



Direction	Holes	Stainless Steel	Titanium
Left	3	743.103L	TI-743.103L
Left	5	743.105L	TI-743.105L
Left	7	743.107L	TI-743.107L
Left	9	743.109L	TI-743.109L
Left	14	743.114L	TI-743.114L
Right	3	743.103R	TI-743.103R
Right	5	743.105R	TI-743.105R
Right	7	743.107R	TI-743.107R
Right	9	743.109R	TI-743.109R
Right	14	743.114R	TI-743.114R

STERILE

Direction	Holes	Stainless Steel	Titanium
Left	3	743.103L-S	TI-743.103L-S
Left	5	743.105L-S	TI-743.105L-S
Left	7	743.107L-S	TI-743.107L-S
Left	9	743.109L-S	TI-743.109L-S
Left	14	743.114L-S	TI-743.114L-S
Right	3	743.103R-S	TI-743.103R-S
Right	5	743.105R-S	TI-743.105R-S
Right	7	743.107R-S	TI-743.107R-S
Right	9	743.109R-S	TI-743.109R-S
Right	14	743.114R-S	TI-743.114R-S



2.7mm Round Locking Hole



Compression and Locking Hole





2.7/3.5mm Wise-Lock Dorsolateral Medial Distal Humerus Plate



2.7mm Round Locking Hole



Compression and Locking Hole



STERILE

Direction	Holes	Stainless Steel	Titanium
Left	3	744.103L	TI-744.103L
Left	5	744.105L	TI-744.105L
Left	7	744.107L	TI-744.107L
Left	9	744.109L	TI-744.109L
Left	14	744.114L	TI-744.114L
Right	3	744.103R	TI-744.103R
Right	5	744.105R	TI-744.105R
Right	7	744.107R	TI-744.107R
Right	9	744.109R	TI-744.109R
Right	14	744.114R	TI-744.114R

Direction	Holes	Stainless Steel	Titanium
Left	3	744.103L-S	TI-744.103L-S
Left	5	744.105L-S	TI-744.105L-S
Left	7	744.107L-S	TI-744.107L-S
Left	9	744.109L-S	TI-744.109L-S
Left	14	744.114L-S	TI-744.114L-S
Right	3	744.103R-S	TI-744.103R-S
Right	5	744.105R-S	TI-744.105R-S
Right	7	744.107R-S	TI-744.107R-S
Right	9	744.109R-S	TI-744.109R-S
Right	14	744.114R-S	TI-744.114R-S



3.5mm WISE-LOCK Small Fragment




Indications

- Extra-articular fractures of the distal humerus
- Malunions of the distal humerus
- Non-unions of the distal humerus



3.5mm Wise-Lock Extra-Articular Distal Humerus Plate



Direction	Holes	Stainless Steel	Titanium
Left	4	583.004L	TI-583.004L
Left	6	583.006L	TI-583.006L
Left	8	583.008L	TI-583.008L
Left	10	583.010L	TI-583.010L
Left	12	583.012L	TI-583.012L
Left	14	583.014L	TI-583.014L
Right	4	583.004R	TI-583.004R
Right	6	583.006R	TI-583.006R
Right	8	583.008R	TI-583.008R
Right	10	583.010R	TI-583.010R
Right	12	583.012R	TI-583.012R
Right	14	583.014R	TI-583.014R

STERILE			
Direction	Holes	Stainless Steel	Titanium
Left	4	583.004L-S	TI-583.004L-S
Left	6	583.006L-S	TI-583.006L-S
Left	8	583.008L-S	TI-583.008L-S
Left	10	583.010L-S	TI-583.010L-S
Left	12	583.012L-S	TI-583.012L-S
Left	14	583.014L-S	TI-583.014L-S
Right	4	583.004R-S	TI-583.004R-S
Right	6	583.006R-S	TI-583.006R-S
Right	8	583.008R-S	TI-583.008R-S
Right	10	583.010R-S	TI-583.010R-S
Right	12	583.012R-S	TI-583.012R-S
Right	14	583.014R-S	TI-583.014R-S



3.5mm WISE-LOCK Small Fragment




Indications

The LCP Metaphyseal Plate is an anatomically precontoured plate that permits an optimal treatment of juxta-articular distal humerus fractures. It takes into account the following peculiarities of the distal humerus:

- thin soft-tissue envelope
- complex shape of the bone.



3.5mm Wise-Lock Metaphyseal Plate For Distal Medial Humerus



Round
Locking Hole



Compression and
Locking Hole



Holes	Stainless Steel	Titanium
7	738.107	TI-738.107
9	738.109	TI-738.109
11	738.111	TI-738.111
13	738.113	TI-738.113
15	738.115	TI-738.115

STERILE

Holes	Stainless Steel	Titanium
7	738.107-S	TI-738.107-S
9	738.109-S	TI-738.109-S
11	738.111-S	TI-738.111-S
13	738.113-S	TI-738.113-S
15	738.115-S	TI-738.115-S



3.5mm WISE-LOCK Small Fragment



Indications


- Dislocated two three and four fragment fractures of the proximal humerus, including fractures involving osteopenic bone
- Pseudarthroses in the proximal humerus
- Osteotomies in the proximal humerus

Contraindications

- Acute infections
- Children during the growth phase



PHEELOS - 3.5mm Wise-Lock Proximal Humerus Plate, Short



Round
Locking Hole



Compression and
Locking Hole



Holes	Stainless Steel	Titanium
2	745.502	TI-745.502
3	745.503	TI-745.503
4	745.504	TI-745.504
5	745.505	TI-745.505


STERILE

Holes	Stainless Steel	Titanium
2	745.502-S	TI-745.502-S
3	745.503-S	TI-745.503-S
4	745.504-S	TI-745.504-S
5	745.505-S	TI-745.505-S



PHEELOS - 3.5mm Wise-Lock Proximal Humerus Plate, Long

- Left
- Right



Round
Locking Hole



Compression and
Locking Hole



STERILE

Holes	Stainless Steel	Titanium
5	745.605	TI-745.605
6	745.606	TI-745.606
8	745.608	TI-745.608
10	745.610	TI-745.610
12	745.612	TI-745.612

Holes	Stainless Steel	Titanium
5	745.605-S	TI-745.605-S
6	745.606-S	TI-745.606-S
8	745.608-S	TI-745.608-S
10	745.610-S	TI-745.610-S
12	745.612-S	TI-745.612-S



INSTRUMENTS



3300-01

PHEELOS AIMING DEVICE WITH NUT



3300-02

CENTERING SLEEVE, FOR PHEELOS AIMING DEVICE



3300-03

DRILL SLEEVE, FOR PHEELOS AIMING DEVICE



3300-04

CENTERING SLEEVE FOR KIRSCHNER WIRE Ø 1.6MM



3300-05

PHEELOS DIRECT MEASURING DEVICE



451-1.6-150

KIRSCHNER WIRE WITH TROCAR TIP BOTH END Ø1.6MM X LENGTH 150MM






ORDER INFORMATION

2301-000	PHEELOS Instrument Set
----------	------------------------

CODE	SET CONSISTING OF	UNIT
3300-01	Pheelos Aiming Device with Nut	1
3300-02	Centering Sleeve, for Pheelos Aiming Device	1
3300-03	Drill Sleeve, for Pheelos Aiming Device	1
3300-04	Centering Sleeve for Kirschner Wire Ø 1.6mm	1
3300-05	Pheelos Direct Measuring Device	1
451-1.6-150	Kirschner Wire with Trocar Tip Both End Ø1.6mm x Length 150mm	5



3.5mm WISE-LOCK Small Fragment




Indications

3.5mm Periarticular Proximal Humerus Plates are indicated for fractures, fractures dislocation, osteotomies, and non-unions of proximal humerus, particularly in osteopenic bone.



3.5mm Wise-Lock Periarticular Proximal Humerus Plate



STERILE


Direction	Holes	Stainless Steel	Titanium
Left	2	528.002L	TI-528.002L
Left	3	528.003L	TI-528.003L
Left	4	528.004L	TI-528.004L
Left	5	528.005L	TI-528.005L
Left	6	528.006L	TI-528.006L
Left	8	528.008L	TI-528.008L
Left	10	528.010L	TI-528.010L
Left	12	528.012L	TI-528.012L
Left	14	528.014L	TI-528.014L
Right	2	528.002R	TI-528.002R
Right	3	528.003R	TI-528.003R
Right	4	528.004R	TI-528.004R
Right	5	528.005R	TI-528.005R
Right	6	528.006R	TI-528.006R
Right	8	528.008R	TI-528.008R
Right	10	528.010R	TI-528.010R
Right	12	528.012R	TI-528.012R
Right	14	528.014R	TI-528.014R

Direction	Holes	Stainless Steel	Titanium
Left	2	528.002L-S	TI-528.002L-S
Left	3	528.003L-S	TI-528.003L-S
Left	4	528.004L-S	TI-528.004L-S
Left	5	528.005L-S	TI-528.005L-S
Left	6	528.006L-S	TI-528.006L-S
Left	8	528.008L-S	TI-528.008L-S
Left	10	528.010L-S	TI-528.010L-S
Left	12	528.012L-S	TI-528.012L-S
Left	14	528.014L-S	TI-528.014L-S
Right	2	528.002R-S	TI-528.002R-S
Right	3	528.003R-S	TI-528.003R-S
Right	4	528.004R-S	TI-528.004R-S
Right	5	528.005R-S	TI-528.005R-S
Right	6	528.006R-S	TI-528.006R-S
Right	8	528.008R-S	TI-528.008R-S
Right	10	528.010R-S	TI-528.010R-S
Right	12	528.012R-S	TI-528.012R-S
Right	14	528.014R-S	TI-528.014R-S



3.5mm WISE-LOCK

Small Fragment



Indications

- Multifragmentary (dislocated) fractures requiring open reduction
- Unstable subcapital fractures
- Subcapital pseudarthrosis
- Osteotomies



3.5mm Wise-Lock Proximal Humerus Plate

Left

Right



Round
Locking Hole



Compression and
Locking Hole



STERILE


Holes	Stainless Steel	Titanium
5	745.105	TI-745.105
6	745.106	TI-745.106
7	745.107	TI-745.107
8	745.108	TI-745.108

Holes	Stainless Steel	Titanium
5	745.105-S	TI-745.105-S
6	745.106-S	TI-745.106-S
7	745.107-S	TI-745.107-S
8	745.108-S	TI-745.108-S

**3.5mm Wise-Lock
Small Fragment
Ulna**



3.5mm WISE-LOCK Small Fragment



Indications


- Simple fractures of the olecranon (AO Types 21-B1, 21-B3, 21-C1)
- Osteotomies of the olecranon for distal humerus fracture treatment
- Avulsion fractures of the distal tibia and fibula




3.5mm Wise-Lock Hook Plate



Round Locking Hole



Compression and Locking Hole




Holes	Stainless Steel	Titanium
3	729.203	TI-729.203
4	729.204	TI-729.204
5	729.205	TI-729.205



Holes	Stainless Steel	Titanium
3	729.203-S	TI-729.203-S
4	729.204-S	TI-729.204-S
5	729.205-S	TI-729.205-S



3.5mm WISE-LOCK Small Fragment



Indications

- Complex extra and intra-articular olecranon fractures
- Pseudoarthroses of the proximal ulna
- Osteotomies
- Simple olecranon fractures

Contraindications


- Acute infections
- Children in growth phase



3.5mm Wise-Lock Olecranon Plate



Left
Right



Round
Locking Hole

Compression and
Locking Hole



STERILE

Direction	Holes	Stainless Steel	Titanium
Left	2	758.102L	TI-758.102L
Left	4	758.104L	TI-758.104L
Left	6	758.106L	TI-758.106L
Left	8	758.108L	TI-758.108L
Left	10	758.110L	TI-758.110L
Left	12	758.112L	TI-758.112L
Right	2	758.102R	TI-758.102R
Right	4	758.104R	TI-758.104R
Right	6	758.106R	TI-758.106R
Right	8	758.108R	TI-758.108R
Right	10	758.110R	TI-758.110R
Right	12	758.112R	TI-758.112R

Direction	Holes	Stainless Steel	Titanium
Left	2	758.102L-S	TI-758.102L-S
Left	4	758.104L-S	TI-758.104L-S
Left	6	758.106L-S	TI-758.106L-S
Left	8	758.108L-S	TI-758.108L-S
Left	10	758.110L-S	TI-758.110L-S
Left	12	758.112L-S	TI-758.112L-S
Right	2	758.102R-S	TI-758.102R-S
Right	4	758.104R-S	TI-758.104R-S
Right	6	758.106R-S	TI-758.106R-S
Right	8	758.108R-S	TI-758.108R-S
Right	10	758.110R-S	TI-758.110R-S
Right	12	758.112R-S	TI-758.112R-S

**3.5mm Wise-Lock
Small Fragment
Tibia**



3.5mm WISE-LOCK Small Fragment




Indications

Wise-Lock Medial Distal Tibia Plate are intended for fixation of complex intra- and extra articular fractures and osteotomies of the distal tibia.



3.5mm Wise-Lock Medial Distal Tibia Plate



STERILE

Direction	Holes	Stainless Steel	Titanium
Left	4	746.104L	TI-746.104L
Left	6	746.106L	TI-746.106L
Left	8	746.108L	TI-746.108L
Left	10	746.110L	TI-746.110L
Left	12	746.112L	TI-746.112L
Left	14	746.114L	TI-746.114L
Right	4	746.104R	TI-746.104R
Right	6	746.106R	TI-746.106R
Right	8	746.108R	TI-746.108R
Right	10	746.110R	TI-746.110R
Right	12	746.112R	TI-746.112R
Right	14	746.114R	TI-746.114R

Direction	Holes	Stainless Steel	Titanium
Left	4	746.104L-S	TI-746.104L-S
Left	6	746.106L-S	TI-746.106L-S
Left	8	746.108L-S	TI-746.108L-S
Left	10	746.110L-S	TI-746.110L-S
Left	12	746.112L-S	TI-746.112L-S
Left	14	746.114L-S	TI-746.114L-S
Right	4	746.104R-S	TI-746.104R-S
Right	6	746.106R-S	TI-746.106R-S
Right	8	746.108R-S	TI-746.108R-S
Right	10	746.110R-S	TI-746.110R-S
Right	12	746.112R-S	TI-746.112R-S
Right	14	746.114R-S	TI-746.114R-S



3.5mm WISE-LOCK Small Fragment




Indications


Wise-Lock 3.5mm Proximal Tibia Plate is indicated for fractures of the proximal tibia, including: simple, comminuted, lateral wedge, depression, medial wedge, bicondylar combination of lateral wedge and depression, periprosthetic, and fractures with associated shaft fractures. The plates can also be used for the treatments of nonunions, malunions, and osteopenic bone.




3.5mm Wise-Lock Proximal Tibia Plate



Round Locking Hole



Compression and Locking Hole




STERILE

Direction	Holes	Stainless Steel	Titanium
Left	4	747.104L	TI-747.104L
Left	6	747.106L	TI-747.106L
Left	8	747.108L	TI-747.108L
Left	10	747.110L	TI-747.110L
Left	12	747.112L	TI-747.112L
Left	14	747.114L	TI-747.114L
Left	16	747.116L	TI-747.116L
Right	4	747.104R	TI-747.104R
Right	6	747.106R	TI-747.106R
Right	8	747.108R	TI-747.108R
Right	10	747.110R	TI-747.110R
Right	12	747.112R	TI-747.112R
Right	14	747.114R	TI-747.114R
Right	16	747.116R	TI-747.116R

Direction	Holes	Stainless Steel	Titanium
Left	4	747.104L-S	TI-747.104L-S
Left	6	747.106L-S	TI-747.106L-S
Left	8	747.108L-S	TI-747.108L-S
Left	10	747.110L-S	TI-747.110L-S
Left	12	747.112L-S	TI-747.112L-S
Left	14	747.114L-S	TI-747.114L-S
Left	16	747.116L-S	TI-747.116L-S
Right	4	747.104R-S	TI-747.104R-S
Right	6	747.106R-S	TI-747.106R-S
Right	8	747.108R-S	TI-747.108R-S
Right	10	747.110R-S	TI-747.110R-S
Right	12	747.112R-S	TI-747.112R-S
Right	14	747.114R-S	TI-747.114R-S
Right	16	747.116R-S	TI-747.116R-S



3.5mm WISE-LOCK Small Fragment



Indications


The Wise-Lock Medial Proximal Tibia Plates 3.5 are intended to buttress metaphyseal fractures of the medial tibia plateau, split-type fractures of the medial tibial plateau, medial split fractures with associated depressions and split or depression fractures of the medial tibia plateau. The plates may also be used for fixation of the proximal quarter (lateral and medial) of the tibia, as well as segmental fractures of the proximal tibia.




3.5mm Wise-Lock Medial Proximal Tibia Plate



Round Locking Hole



Compression and Locking Hole



STERILE

Direction	Holes	Stainless Steel	Titanium
Left	4	530.004L	TI-530.004L
Left	6	530.006L	TI-530.006L
Left	8	530.008L	TI-530.008L
Left	10	530.010L	TI-530.010L
Left	12	530.012L	TI-530.012L
Left	14	530.014L	TI-530.014L
Left	16	530.016L	TI-530.016L
Left	18	530.018L	TI-530.018L
Left	20	530.020L	TI-530.020L
Right	4	530.004R	TI-530.004R
Right	6	530.006R	TI-530.006R
Right	8	530.008R	TI-530.008R
Right	10	530.010R	TI-530.010R
Right	12	530.012R	TI-530.012R
Right	14	530.014R	TI-530.014R
Right	16	530.016R	TI-530.016R
Right	18	530.018R	TI-530.018R
Right	20	530.020R	TI-530.020R

Direction	Holes	Stainless Steel	Titanium
Left	4	530.004L-S	TI-530.004L-S
Left	6	530.006L-S	TI-530.006L-S
Left	8	530.008L-S	TI-530.008L-S
Left	10	530.010L-S	TI-530.010L-S
Left	12	530.012L-S	TI-530.012L-S
Left	14	530.014L-S	TI-530.014L-S
Left	16	530.016L-S	TI-530.016L-S
Left	18	530.018L-S	TI-530.018L-S
Left	20	530.020L-S	TI-530.020L-S
Right	4	530.004R-S	TI-530.004R-S
Right	6	530.006R-S	TI-530.006R-S
Right	8	530.008R-S	TI-530.008R-S
Right	10	530.010R-S	TI-530.010R-S
Right	12	530.012R-S	TI-530.012R-S
Right	14	530.014R-S	TI-530.014R-S
Right	16	530.016R-S	TI-530.016R-S
Right	18	530.018R-S	TI-530.018R-S
Right	20	530.020R-S	TI-530.020R-S



3.5mm WISE-LOCK Small Fragment



Indications

The Wise-Lock Posterior Medial Proximal Tibia Plate 3.5 is indicated for internal fixation of posteromedial proximal tibia fractures including buttressing of fractures of the proximal, distal and metaphyseal areas of the tibia.




3.5mm Wise-Lock Posterior Medial Proximal Tibia Plate




Left



Right



Round
Locking Hole



Compression and
Locking Hole



Holes	Stainless Steel	Titanium
1	531.001	TI-531.001
2	531.002	TI-531.002
4	531.004	TI-531.004
6	531.006	TI-531.006
8	531.008	TI-531.008
10	531.010	TI-531.010

STERILE

Holes	Stainless Steel	Titanium
1	531.001-S	TI-531.001-S
2	531.002-S	TI-531.002-S
4	531.004-S	TI-531.004-S
6	531.006-S	TI-531.006-S
8	531.008-S	TI-531.008-S
10	531.010-S	TI-531.010-S



3.5mm WISE-LOCK Small Fragment




Indications

Wise-Lock Anterolateral Distal Tibia Plate 3.5 is indicated for:

- Extra-articular and simple intra-articular distal tibia fractures
- Distal tibia fracture, percutaneous or reducible by limited arthrotomy
- Distal tibia fracture extending into the diaphyseal area




3.5mm Wise-Lock Anterolateral Distal Tibia Plate



Round Locking Hole



Compression and Locking Hole



STERILE

Direction	Holes	Stainless Steel	Titanium
Left	5	WS1.05	TI-WS1.05
Left	7	WS1.07	TI-WS1.07
Left	9	WS1.09	TI-WS1.09
Left	11	WS1.11	TI-WS1.11
Left	13	WS1.13	TI-WS1.13
Left	15	WS1.15	TI-WS1.15
Left	17	WS1.17	TI-WS1.17
Left	19	WS1.19	TI-WS1.19
Left	21	WS1.21	TI-WS1.21
Right	5	WS2.05	TI-WS2.05
Right	7	WS2.07	TI-WS2.07
Right	9	WS2.09	TI-WS2.09
Right	11	WS2.11	TI-WS2.11
Right	13	WS2.13	TI-WS2.13
Right	15	WS2.15	TI-WS2.15
Right	17	WS2.17	TI-WS2.17
Right	19	WS2.19	TI-WS2.19
Right	21	WS2.21	TI-WS2.21

Direction	Holes	Stainless Steel	Titanium
Left	5	WS1.05-S	TI-WS1.05-S
Left	7	WS1.07-S	TI-WS1.07-S
Left	9	WS1.09-S	TI-WS1.09-S
Left	11	WS1.11-S	TI-WS1.11-S
Left	13	WS1.13-S	TI-WS1.13-S
Left	15	WS1.15-S	TI-WS1.15-S
Left	17	WS1.17-S	TI-WS1.17-S
Left	19	WS1.19-S	TI-WS1.19-S
Left	21	WS1.21-S	TI-WS1.21-S
Right	5	WS2.05-S	TI-WS2.05-S
Right	7	WS2.07-S	TI-WS2.07-S
Right	9	WS2.09-S	TI-WS2.09-S
Right	11	WS2.11-S	TI-WS2.11-S
Right	13	WS2.13-S	TI-WS2.13-S
Right	15	WS2.15-S	TI-WS2.15-S
Right	17	WS2.17-S	TI-WS2.17-S
Right	19	WS2.19-S	TI-WS2.19-S
Right	21	WS2.21-S	TI-WS2.21-S



3.5mm WISE-LOCK Small Fragment




Indications

Wise-Lock Medial Distal Tibia Plates without Tab are intended for:

- Fixation of complex intra and extra-articular fractures of the distal tibia
- Osteotomies of the distal tibia



3.5mm Wise-Lock Medial Distal Tibia Plate, Without Tab




Direction	Holes	Stainless Steel	Titanium
Left	4	WS3.04	TI-WS3.04
Left	6	WS3.06	TI-WS3.06
Left	8	WS3.08	TI-WS3.08
Left	10	WS3.10	TI-WS3.10
Left	12	WS3.12	TI-WS3.12
Left	14	WS3.14	TI-WS3.14
Right	4	WS4.04	TI-WS4.04
Right	6	WS4.06	TI-WS4.06
Right	8	WS4.08	TI-WS4.08
Right	10	WS4.10	TI-WS4.10
Right	12	WS4.12	TI-WS4.12
Right	14	WS4.14	TI-WS4.14

STERILE

Direction	Holes	Stainless Steel	Titanium
Left	4	WS3.04-S	TI-WS3.04-S
Left	6	WS3.06-S	TI-WS3.06-S
Left	8	WS3.08-S	TI-WS3.08-S
Left	10	WS3.10-S	TI-WS3.10-S
Left	12	WS3.12-S	TI-WS3.12-S
Left	14	WS3.14 -S	TI-WS3.14-S
Right	4	WS4.04-S	TI-WS4.04-S
Right	6	WS4.06-S	TI-WS4.06-S
Right	8	WS4.08-S	TI-WS4.08-S
Right	10	WS4.10-S	TI-WS4.10-S
Right	12	WS4.12-S	TI-WS4.12-S
Right	14	WS4.14-S	TI-WS4.14-S



3.5mm Wise-Lock Low Profile Medial Distal Tibia Plate, Without Tab




Direction	Holes	Stainless Steel	Titanium
Left	4	10-002-04LSS	10-002-04LTI
Left	6	10-002-06LSS	10-002-06LTI
Left	8	10-002-08LSS	10-002-08LTI
Left	10	10-002-10LSS	10-002-10LTI
Left	12	10-002-12LSS	10-002-12LTI
Left	14	10-002-14LSS	10-002-14LTI
Right	4	10-002-04RSS	10-002-04RTI
Right	6	10-002-06RSS	10-002-06RTI
Right	8	10-002-08RSS	10-002-08RTI
Right	10	10-002-10RSS	10-002-10RTI
Right	12	10-002-12RSS	10-002-12RTI
Right	14	10-002-14RSS	10-002-14RTI

STERILE

Direction	Holes	Stainless Steel	Titanium
Left	4	10-002-04LSS-S	10-002-04LTI-S
Left	6	10-002-06LSS-S	10-002-06LTI-S
Left	8	10-002-08LSS-S	10-002-08LTI-S
Left	10	10-002-10LSS-S	10-002-10LTI-S
Left	12	10-002-12LSS-S	10-002-12LTI-S
Left	14	10-002-14LSS-S	10-002-14LTI-S
Right	4	10-002-04RSS-S	10-002-04RTI-S
Right	6	10-002-06RSS-S	10-002-06RTI-S
Right	8	10-002-08RSS-S	10-002-08RTI-S
Right	10	10-002-10RSS-S	10-002-10RTI-S
Right	12	10-002-12RSS-S	10-002-12RTI-S
Right	14	10-002-14RSS-S	10-002-14RTI-S



3.5mm WISE-LOCK Small Fragment



Indications


Wise-Lock Metaphyseal Plate for distal medial tibia is a preshaped plate that allows optimal treatment of juxta-articular fractures of the distal tibia extending into the shaft area.

This plate takes the following characteristics of the distal tibia into account:

- Thin, soft tissue coverage
- Complex anatomic shape of the bone



3.5mm Wise-Lock Metaphyseal Plate for Medial Distal Tibia



Compression and Locking Hole



STERILE

Direction	Holes	Stainless Steel	Titanium
Left	4 + 4	741.104L	TI-741.104L
Left	4 + 5	741.105L	TI-741.105L
Left	4 + 6	741.106L	TI-741.106L
Left	4 + 7	741.107L	TI-741.107L
Left	4 + 8	741.108L	TI-741.108L
Left	4 + 9	741.109L	TI-741.109L
Left	4 + 10	741.110L	TI-741.110L
Left	4 + 12	741.112L	TI-741.112L
Left	4 + 14	741.114L	TI-741.114L
Left	4 + 16	741.116L	TI-741.116L
Left	4 + 18	741.118L	TI-741.118L
Left	4 + 20	741.120L	TI-741.120L
Right	4 + 4	741.104R	TI-741.104R
Right	4 + 5	741.105R	TI-741.105R
Right	4 + 6	741.106R	TI-741.106R
Right	4 + 7	741.107R	TI-741.107R
Right	4 + 8	741.108R	TI-741.108R
Right	4 + 9	741.109R	TI-741.109R
Right	4 + 10	741.110R	TI-741.110R
Right	4 + 12	741.112R	TI-741.112R
Right	4 + 14	741.114R	TI-741.114R
Right	4 + 16	741.116R	TI-741.116R
Right	4 + 18	741.118R	TI-741.118R
Right	4 + 20	741.120R	TI-741.120R

Direction	Holes	Stainless Steel	Titanium
Left	4 + 4	741.104L-S	TI-741.104L-S
Left	4 + 5	741.105L-S	TI-741.105L-S
Left	4 + 6	741.106L-S	TI-741.106L-S
Left	4 + 7	741.107L-S	TI-741.107L-S
Left	4 + 8	741.108L-S	TI-741.108L-S
Left	4 + 9	741.109L-S	TI-741.109L-S
Left	4 + 10	741.110L-S	TI-741.110L-S
Left	4 + 12	741.112L-S	TI-741.112L-S
Left	4 + 14	741.114L-S	TI-741.114L-S
Left	4 + 16	741.116L-S	TI-741.116L-S
Left	4 + 18	741.118L-S	TI-741.118L-S
Left	4 + 20	741.120L-S	TI-741.120L-S
Right	4 + 4	741.104R-S	TI-741.104R-S
Right	4 + 5	741.105R-S	TI-741.105R-S
Right	4 + 6	741.106R-S	TI-741.106R-S
Right	4 + 7	741.107R-S	TI-741.107R-S
Right	4 + 8	741.108R-S	TI-741.108R-S
Right	4 + 9	741.109R-S	TI-741.109R-S
Right	4 + 10	741.110R-S	TI-741.110R-S
Right	4 + 12	741.112R-S	TI-741.112R-S
Right	4 + 14	741.114R-S	TI-741.114R-S
Right	4 + 16	741.116R-S	TI-741.116R-S
Right	4 + 18	741.118R-S	TI-741.118R-S
Right	4 + 20	741.120R-S	TI-741.120R-S



3.5mm WISE-LOCK Small Fragment



Indications

Pilon Cruciform


- Intra-articular fracture of the axially loaded distal tibia joint area
- Complex fractures requiring open reconstruction.

Pilon

- Distal articular fractures of the tibia (pilon fractures) with emphasis on complex articular reconstruction



3.5mm Wise-Lock Pilon Plate




Holes	Stainless Steel	Titanium
7	799.207	TI-799.207
9	799.209	TI-799.209

STERILE

Holes	Stainless Steel	Titanium
7	799.207-S	TI-799.207-S
9	799.209-S	TI-799.209-S

3.5mm Wise-Lock Pilon Plate, Cruciform




Holes	Stainless Steel	Titanium
7	799.007	TI-799.007
9	799.009	TI-799.009

STERILE

Holes	Stainless Steel	Titanium
7	799.007-S	TI-799.007-S
9	799.009-S	TI-799.009-S



3.5mm Wise-Lock Z-type Proximal lateral Tibial Plate




Direction	Holes	Stainless Steel	Titanium
Left	6	10-060-006LSS	10-060-006LTI
Left	8	10-060-008LSS	10-060-008LTI
Left	10	10-060-010LSS	10-060-010LTI
Left	12	10-060-012LSS	10-060-012LTI
Left	14	10-060-014LSS	10-060-014LTI
Left	16	10-060-016LSS	10-060-016LTI
Right	6	10-060-006RSS	10-060-006RTI
Right	8	10-060-008RSS	10-060-008RTI
Right	10	10-060-010RSS	10-060-010RTI
Right	12	10-060-012RSS	10-060-012RTI
Right	14	10-060-014RSS	10-060-014RTI
Right	16	10-060-016RSS	10-060-016RTI

STERILE

Direction	Holes	Stainless Steel	Titanium
Left	6	10-060-006LSS-S	10-060-006LTI-S
Left	8	10-060-008LSS-S	10-060-008LTI-S
Left	10	10-060-010LSS-S	10-060-010LTI-S
Left	12	10-060-012LSS-S	10-060-012LTI-S
Left	14	10-060-014LSS-S	10-060-014LTI-S
Left	16	10-060-016LSS-S	10-060-016LTI-S
Right	6	10-060-006RSS-S	10-060-006RTI-S
Right	8	10-060-008RSS-S	10-060-008RTI-S
Right	10	10-060-010RSS-S	10-060-010RTI-S
Right	12	10-060-012RSS-S	10-060-012RTI-S
Right	14	10-060-014RSS-S	10-060-014RTI-S
Right	16	10-060-016RSS-S	10-060-016RTI-S




3.5mm Wise-Lock Z-type Distal Medial Tibial Plate



Left


Right



STERILE

Direction	Holes	Stainless Steel	Titanium
Left	6	10-059-006LSS	10-059-006LTI
Left	8	10-059-008LSS	10-059-008LTI
Left	10	10-059-010LSS	10-059-010LTI
Left	14	10-059-014LSS	10-059-014LTI
Left	18	10-059-018LSS	10-059-018LTI
Right	6	10-059-006RSS	10-059-006RTI
Right	8	10-059-008RSS	10-059-008RTI
Right	10	10-059-010RSS	10-059-010RTI
Right	14	10-059-014RSS	10-059-014RTI
Right	18	10-059-018RSS	10-059-018RTI

Direction	Holes	Stainless Steel	Titanium
Left	6	10-059-006LSS-S	10-059-006LTI-S
Left	8	10-059-008LSS-S	10-059-008LTI-S
Left	10	10-059-010LSS-S	10-059-010LTI-S
Left	14	10-059-014LSS-S	10-059-014LTI-S
Left	18	10-059-018LSS-S	10-059-018LTI-S
Right	6	10-059-006RSS-S	10-059-006RTI-S
Right	8	10-059-008RSS-S	10-059-008RTI-S
Right	10	10-059-010RSS-S	10-059-010RTI-S
Right	14	10-059-014RSS-S	10-059-014RTI-S
Right	18	10-059-018RSS-S	10-059-018RTI-S

The background features a series of thin, light blue lines that flow from the top left, curve around the central text, and extend towards the bottom right, creating a sense of movement and depth.

3.5mm Wise-Lock Small Fragment Fibula



3.5mm WISE-LOCK Small Fragment




Indications

The Wise-Lock Distal Fibula Plates are intended for fixation of fractures, osteotomies and non-unions of the metaphyseal and diaphyseal region of the distal fibula, especially in osteopenic bone.



3.5mm Wise-Lock Lateral Distal Fibula Plate



Direction	Holes	Stainless Steel	Titanium
Left	3	584.003L	TI-584.003L
Left	4	584.004L	TI-584.004L
Left	5	584.005L	TI-584.005L
Left	6	584.006L	TI-584.006L
Left	7	584.007L	TI-584.007L
Left	9	584.009L	TI-584.009L
Left	11	584.011L	TI-584.011L
Right	3	584.003R	TI-584.003R
Right	4	584.004R	TI-584.004R
Right	5	584.005R	TI-584.005R
Right	6	584.006R	TI-584.006R
Right	7	584.007R	TI-584.007R
Right	9	584.009R	TI-584.009R
Right	11	584.011R	TI-584.011R


STERILE

Direction	Holes	Stainless Steel	Titanium
Left	3	584.003L-S	TI-584.003L-S
Left	4	584.004L-S	TI-584.004L-S
Left	5	584.005L-S	TI-584.005L-S
Left	6	584.006L-S	TI-584.006L-S
Left	7	584.007L-S	TI-584.007L-S
Left	9	584.009L-S	TI-584.009L-S
Left	11	584.011L-S	TI-584.011L-S
Right	3	584.003R-S	TI-584.003R-S
Right	4	584.004R-S	TI-584.004R-S
Right	5	584.005R-S	TI-584.005R-S
Right	6	584.006R-S	TI-584.006R-S
Right	7	584.007R-S	TI-584.007R-S
Right	9	584.009R-S	TI-584.009R-S
Right	11	584.011R-S	TI-584.011R-S

**3.5mm Wise-Lock
Small Fragment
Foot**



3.5mm WISE-LOCK Small Fragment



X-plate

Arthrodesis

- MTP
- MTC
- Talonavicular
- Calcaneo-Cuboid

Proximal osteotomies

- Crescentic
- Ludloff
- Mau
- Open wedge

- Closing wedge

Calcaneal osteotomies


Fractures

2 Hole Plate

Akin osteotomy



2.7mm Wise-Lock X-Plate




	Stainless Steel	Titanium
Small	812.300S	TI-812.300S
Medium	812.300M	TI-812.300M
Large	812.300L	TI-812.300L



	Stainless Steel	Titanium
Small	812.300S-S	TI-812.300S-S
Medium	812.300M-S	TI-812.300M-S
Large	812.300L-S	TI-812.300L-S

2.7mm Wise-Lock Straight Plate with Single Start Thread



Holes	Stainless Steel	Titanium
2	10-061-02SS	10-061-02TI




Holes	Stainless Steel	Titanium
2	10-061-02SS-S	10-061-02TI-S

**3.5mm Wise-Lock
Small Fragment
Pelvis**



3.5mm WISE-LOCK

Small Fragment



Indications

Comprehensive solution for Pelvic fracture Region.

The Low Profile 3.5 mm Pelvic System is intended for pelvic and acetabular reconstructive surgery. The reconstruction plates are also used for fracture fixation of the distal humerus, clavicle and scapula.



3.5mm Wise-Lock Symphyseal Plate with Coaxial-Combi Holes




Holes	Stainless Steel	Titanium
4	1126.04	TI-1126.04
6	1126.06	TI-1126.06

STERILE

Holes	Stainless Steel	Titanium
4	1126.04-S	TI-1126.04-S
6	1126.06-S	TI-1126.06-S



3.5mm Wise-Lock Low Profile Reconstruction Plate with Coaxial-Combi Holes




STERILE

Holes	Stainless Steel	Titanium
3	1125.03	TI-1125.03
4	1125.04	TI-1125.04
5	1125.05	TI-1125.05
6	1125.06	TI-1125.06
7	1125.07	TI-1125.07
8	1125.08	TI-1125.08
9	1125.09	TI-1125.09
10	1125.10	TI-1125.10
11	1125.11	TI-1125.11
12	1125.12	TI-1125.12
13	1125.13	TI-1125.13
14	1125.14	TI-1125.14
15	1125.15	TI-1125.15
16	1125.16	TI-1125.16
18	1125.18	TI-1125.18
20	1125.20	TI-1125.20

Holes	Stainless Steel	Titanium
3	1125.03-S	TI-1125.03-S
4	1125.04-S	TI-1125.04-S
5	1125.05-S	TI-1125.05-S
6	1125.06-S	TI-1125.06-S
7	1125.07-S	TI-1125.07-S
8	1125.08-S	TI-1125.08-S
9	1125.09-S	TI-1125.09-S
10	1125.10-S	TI-1125.10-S
11	1125.11-S	TI-1125.11-S
12	1125.12-S	TI-1125.12-S
13	1125.13-S	TI-1125.13-S
14	1125.14-S	TI-1125.14-S
15	1125.15-S	TI-1125.15-S
16	1125.16-S	TI-1125.16-S
18	1125.18-S	TI-1125.18-S
20	1125.20-S	TI-1125.20-S




3.5mm WISE-LOCK Small Fragment





3.5mm Wise-Lock Low Profile Reconstruction Plate with Coaxial-Combi Holes, Curved




STERILE

Holes	Stainless Steel	Titanium
3	1125.03	TI-1125.03
4	1125.04	TI-1125.04
5	1125.05	TI-1125.05
6	1125.06	TI-1125.06
7	1125.07	TI-1125.07
8	1125.08	TI-1125.08
9	1125.09	TI-1125.09
10	1125.10	TI-1125.10
11	1125.11	TI-1125.11
12	1125.12	TI-1125.12
13	1125.13	TI-1125.13
14	1125.14	TI-1125.14
15	1125.15	TI-1125.15
16	1125.16	TI-1125.16
18	1125.18	TI-1125.18
20	1125.20	TI-1125.20

Holes	Stainless Steel	Titanium
3	1125.03-S	TI-1125.03-S
4	1125.04-S	TI-1125.04-S
5	1125.05-S	TI-1125.05-S
6	1125.06-S	TI-1125.06-S
7	1125.07-S	TI-1125.07-S
8	1125.08-S	TI-1125.08-S
9	1125.09-S	TI-1125.09-S
10	1125.10-S	TI-1125.10-S
11	1125.11-S	TI-1125.11-S
12	1125.12-S	TI-1125.12-S
13	1125.13-S	TI-1125.13-S
14	1125.14-S	TI-1125.14-S
15	1125.15-S	TI-1125.15-S
16	1125.16-S	TI-1125.16-S
18	1125.18-S	TI-1125.18-S
20	1125.20-S	TI-1125.20-S



3.5mm Wise-Lock "J" Reconstruction Plate with Coaxial-Combi Holes



Direction	Holes	Stainless Steel	Titanium
Left	10	1125.10JL	TI-1125.10JL
Left	12	1125.12JL	TI-1125.12JL
Left	14	1125.14JL	TI-1125.14JL
Left	16	1125.16JL	TI-1125.16JL
Right	10	1125.10JR	TI-1125.10JR
Right	12	1125.12JR	TI-1125.12JR
Right	14	1125.14JR	TI-1125.14JR
Right	16	1125.16JR	TI-1125.16JR




Direction	Holes	Stainless Steel	Titanium
Left	10	1125.10JL-S	TI-1125.10JL-S
Left	12	1125.12JL-S	TI-1125.12JL-S
Left	14	1125.14JL-S	TI-1125.14JL-S
Left	16	1125.16JL-S	TI-1125.16JL-S
Right	10	1125.10JR-S	TI-1125.10JR-S
Right	12	1125.12JR-S	TI-1125.12JR-S
Right	14	1125.14JR-S	TI-1125.14JR-S
Right	16	1125.16JR-S	TI-1125.16JR-S

**3.5mm Wise-Lock
Small Fragment
Clavicle**



3.5mm WISE-LOCK Small Fragment



Indications

Lateral clavicle fractures: Neer type II or Jäger and Breitner type II.

Acromioclavicular joint dislocation type: Tossy III or Rockwood III to V.



3.5mm Wise-Lock Clavicle Hook Plate



3 different hook depths
12, 15 and 18 mm



STERILE

Direction	Hook Depth	Holes	Stainless Steel	Titanium
Left	12mm	4	752.4.12L	TI-752.4.12L
Left	15mm	4	752.4.15L	TI-752.4.15L
Left	18mm	4	752.4.18L	TI-752.4.18L
Left	12mm	5	752.5.12L	TI-752.5.12L
Left	15mm	5	752.5.15L	TI-752.5.15L
Left	18mm	5	752.5.18L	TI-752.5.18L
Left	12mm	6	752.6.12L	TI-752.6.12L
Left	15mm	6	752.6.15L	TI-752.6.15L
Left	18mm	6	752.6.18L	TI-752.6.18L
Left	12mm	7	752.7.12L	TI-752.7.12L
Left	15mm	7	752.7.15L	TI-752.7.15L
Left	18mm	7	752.7.18L	TI-752.7.18L
Right	12mm	4	752.4.12R	TI-752.4.12R
Right	15mm	4	752.4.15R	TI-752.4.15R
Right	18mm	4	752.4.18R	TI-752.4.18R
Right	12mm	5	752.5.12R	TI-752.5.12R
Right	15mm	5	752.5.15R	TI-752.5.15R
Right	18mm	5	752.5.18R	TI-752.5.18R
Right	12mm	6	752.6.12R	TI-752.6.12R
Right	15mm	6	752.6.15R	TI-752.6.15R
Right	18mm	6	752.6.18R	TI-752.6.18R
Right	12mm	7	752.7.12R	TI-752.7.12R
Right	15mm	7	752.7.15R	TI-752.7.15R
Right	18mm	7	752.7.18R	TI-752.7.18R

Direction	Hook Depth	Holes	Stainless Steel	Titanium
Left	12mm	4	752.4.12L-S	TI-752.4.12L-S
Left	15mm	4	752.4.15L-S	TI-752.4.15L-S
Left	18mm	4	752.4.18L-S	TI-752.4.18L-S
Left	12mm	5	752.5.12L-S	TI-752.5.12L-S
Left	15mm	5	752.5.15L-S	TI-752.5.15L-S
Left	18mm	5	752.5.18L-S	TI-752.5.18L-S
Left	12mm	6	752.6.12L-S	TI-752.6.12L-S
Left	15mm	6	752.6.15L-S	TI-752.6.15L-S
Left	18mm	6	752.6.18L-S	TI-752.6.18L-S
Left	12mm	7	752.7.12L-S	TI-752.7.12L-S
Left	15mm	7	752.7.15L-S	TI-752.7.15L-S
Left	18mm	7	752.7.18L-S	TI-752.7.18L-S
Right	12mm	4	752.4.12R-S	TI-752.4.12R-S
Right	15mm	4	752.4.15R-S	TI-752.4.15R-S
Right	18mm	4	752.4.18R-S	TI-752.4.18R-S
Right	12mm	5	752.5.12R-S	TI-752.5.12R-S
Right	15mm	5	752.5.15R-S	TI-752.5.15R-S
Right	18mm	5	752.5.18R-S	TI-752.5.18R-S
Right	12mm	6	752.6.12R-S	TI-752.6.12R-S
Right	15mm	6	752.6.15R-S	TI-752.6.15R-S
Right	18mm	6	752.6.18R-S	TI-752.6.18R-S
Right	12mm	7	752.7.12R-S	TI-752.7.12R-S
Right	15mm	7	752.7.15R-S	TI-752.7.15R-S
Right	18mm	7	752.7.18R-S	TI-752.7.18R-S



3.5mm WISE-LOCK Small Fragment




Indications

- Fractures of the clavicle shaft
- Fractures of the lateral clavicle
- Malunions of the clavicle
- Non-unions of the clavicle



3.5mm Wise-Lock Superior Anterior Clavicle Plate




Direction	Holes	Stainless Steel	Titanium
Left	5	526.005L	TI-526.005L
Left	6	526.006L	TI-526.006L
Left	7	526.007L	TI-526.007L
Left	8	526.008L	TI-526.008L
Right	5	526.005R	TI-526.005R
Right	6	526.006R	TI-526.006R
Right	7	526.007R	TI-526.007R
Right	8	526.008R	TI-526.008R

STERILE

Direction	Holes	Stainless Steel	Titanium
Left	5	526.005L-S	TI-526.005L-S
Left	6	526.006L-S	TI-526.006L-S
Left	7	526.007L-S	TI-526.007L-S
Left	8	526.008L-S	TI-526.008L-S
Right	5	526.005R-S	TI-526.005R-S
Right	6	526.006R-S	TI-526.006R-S
Right	7	526.007R-S	TI-526.007R-S
Right	8	526.008R-S	TI-526.008R-S



2.7/3.5mm Wise-Lock Superior Anterior Clavicle Plate with Lateral Extension




Direction	Holes	Stainless Steel	Titanium
Left	3	527.003L	TI-527.003L
Left	4	527.004L	TI-527.004L
Left	5	527.005L	TI-527.005L
Left	6	527.006L	TI-527.006L
Left	7	527.007L	TI-527.007L
Left	8	527.008L	TI-527.008L
Right	3	527.003R	TI-527.003R
Right	4	527.004R	TI-527.004R
Right	5	527.005R	TI-527.005R
Right	6	527.006R	TI-527.006R
Right	7	527.007R	TI-527.007R
Right	8	527.008R	TI-527.008R

STERILE

Direction	Holes	Stainless Steel	Titanium
Left	3	527.003L-S	TI-527.003L-S
Left	4	527.004L-S	TI-527.004L-S
Left	5	527.005L-S	TI-527.005L-S
Left	6	527.006L-S	TI-527.006L-S
Left	7	527.007L-S	TI-527.007L-S
Left	8	527.008L-S	TI-527.008L-S
Right	3	527.003R-S	TI-527.003R-S
Right	4	527.004R-S	TI-527.004R-S
Right	5	527.005R-S	TI-527.005R-S
Right	6	527.006R-S	TI-527.006R-S
Right	7	527.007R-S	TI-527.007R-S
Right	8	527.008R-S	TI-527.008R-S



3.5mm WISE-LOCK Small Fragment




Characteristics:

Clavicle Locking Plate was developed for internal fixation in the fractures treatments and non-unions of the clavicle. The plate offers a variety of length and curvatures to better accommodate in the anatomy of the clavicle; it is not necessary to shape, which increases efficiency and product safety. The holes in the plate can use both cortical compression screws and Locking screws, promoting angular stability able to resist the angular efforts of the clavicle.



2.7/3.5mm Wise-Lock Superior Anterior Clavicle Plate with Lateral Extension



Direction	Holes	Stainless Steel	Titanium
Left	3	762.103L	TI-762.103L
Left	4	762.104L	TI-762.104L
Left	4 Medium	762.104ML	TI-762.104ML
Left	6 Small	762.106SL	TI-762.106SL
Left	6 Medium	762.106ML	TI-762.106ML
Left	6 Large	762.106LL	TI-762.106LL
Left	8 Medium	762.108ML	TI-762.108ML
Right	3	762.103R	TI-762.103R
Right	4	762.104R	TI-762.104R
Right	4 Medium	762.104MR	TI-762.104MR
Right	6 Small	762.106SR	TI-762.106SR
Right	6 Medium	762.106MR	TI-762.106MR
Right	6 Large	762.106LR	TI-762.106LR
Right	8 Medium	762.108MR	TI-762.108MR


STERILE

Direction	Holes	Stainless Steel	Titanium
Left	3	762.103L-S	TI-762.103L-S
Left	4	762.104L-S	TI-762.104L-S
Left	4 Medium	762.104ML-S	TI-762.104ML-S
Left	6 Small	762.106SL-S	TI-762.106SL-S
Left	6 Medium	762.106ML-S	TI-762.106ML-S
Left	6 Large	762.106LL-S	TI-762.106LL-S
Left	8 Medium	762.108ML-S	TI-762.108ML-S
Right	3	762.103R-S	TI-762.103R-S
Right	4	762.104R-S	TI-762.104R-S
Right	4 Medium	762.104MR-S	TI-762.104MR-S
Right	6 Small	762.106SR-S	TI-762.106SR-S
Right	6 Medium	762.106MR-S	TI-762.106MR-S
Right	6 Large	762.106LR-S	TI-762.106LR-S
Right	8 Medium	762.108MR-S	TI-762.108MR-S

**3.5mm Wise-Lock
Small Fragment
Wrist**



3.5mm WISE-LOCK Small Fragment





Indications

The Wise-Lock Wrist Fusion System is indicated for wrist arthrodesis and fractures of other small bones of the carpus. Specific indications include:

- Posttraumatic arthrosis of the joints of the wrist
- Rheumatoid wrist deformities requiring restoration
- Complex carpal instability
- Postseptic arthritis of the wrist
- Severe unremitting wrist pain related to motion
- Brachial plexus nerve palsies
- Tumor resection
- Spastic deformities



3.5mm Wise-Lock Wrist Fusion Plate



Compression and Locking Hole



Direction	Holes	Stainless Steel	Titanium
Standard Bend	8	586.000	TI-586.000
Short Bend	8	587.000	TI-587.000
Straight Bend	9	588.000	TI-588.000



Direction	Holes	Stainless Steel	Titanium
Standard Bend	8	586.000-S	TI-586.000-S
Short Bend	8	587.000-S	TI-587.000-S
Straight Bend	9	588.000-S	TI-588.000-S

**3.5mm Wise-Lock
Small Fragment
Calcaneal**



3.5mm WISE-LOCK Small Fragment




Indications


The locking calcaneal plates address complex fractures of the calcaneus. The locking calcaneal plate is indicated for fractures and osteotomies of the calcaneus including, but not limited to, extra-articular, intra-articular, joint depression, tongue type, and severely comminuted fractures.



3.5mm Wise-Lock Calcaneal Plate



Round Locking Hole




Direction	Stainless Steel	Titanium
Left	797.069L	TI-797.069L
Left	797.076L	TI-797.076L
Right	797.069R	TI-797.069R
Right	797.076R	TI-797.076R

STERILE

Direction	Stainless Steel	Titanium
Left	797.069L-S	TI-797.069L-S
Left	797.076L-S	TI-797.076L-S
Right	797.069R-S	TI-797.069R-S
Right	797.076R-S	TI-797.076R-S



3.5mm Wise-Lock Calcaneal Plate Type-I



Round Locking Hole



Direction	Holes	Stainless Steel	Titanium
Left	3	10-007-03LSS	10-007-03LTI
Right	3	10-007-03RSS	10-007-03RTI

STERILE

Direction	Holes	Stainless Steel	Titanium
Left	3	10-007-03LSS-S	10-007-03LTI-S
Right	3	10-007-03RSS-S	10-007-03RTI-S



3.5mm Wise-Lock Calcaneal Plate Type-II



	Direction	Holes	Stainless Steel	Titanium
Small	Left	3	10-008-03LSS	10-008-03LTI
Small	Right	3	10-008-03RSS	10-008-03RTI
Medium	Left	3	10-009-03LSS	10-009-03LTI
Medium	Right	3	10-009-03RSS	10-009-03RTI

STERILE

	Direction	Holes	Stainless Steel	Titanium
Small	Left	3	10-008-03LSS-S	10-008-03LTI-S
Small	Right	3	10-008-03RSS-S	10-008-03RTI-S
Medium	Left	3	10-009-03LSS-S	10-009-03LTI-S
Medium	Right	3	10-009-03RSS-S	10-009-03RTI-S



3.5mm Wise-Lock Calcaneal Plate Type-III



Round Locking Hole




Direction	Holes	Stainless Steel	Titanium
Left	6	10-010-06LSS	10-010-06LTI
Right	6	10-010-06RSS	10-010-06RTI
Left	7	10-010-07LSS	10-010-07LTI
Right	7	10-010-07RSS	10-010-07RTI

STERILE




Direction	Holes	Stainless Steel	Titanium
Left	6	10-010-06LSS-S	10-010-06LTI-S
Right	6	10-010-06RSS-S	10-010-06RTI-S
Left	7	10-010-07LSS-S	10-010-07LTI-S
Right	7	10-010-07RSS-S	10-010-07RTI-S



3.5mm Wise-Lock Calcaneal Plate Type-IV



Round Locking Hole






STERILE

	Direction	Holes	Stainless Steel	Titanium
Small	Left	8	10-011-08LSS	10-011-08LTI
Small	Right	8	10-011-08RSS	10-011-08RTI
Medium	Left	8	10-012-08LSS	10-012-08LTI
Medium	Right	8	10-012-08RSS	10-012-08RTI
Large	Left	8	10-013-08LSS	10-013-08LTI
Large	Right	8	10-013-08RSS	10-013-08RTI


	Direction	Holes	Stainless Steel	Titanium
Small	Left	8	10-011-08LSS-S	10-011-08LTI-S
Small	Right	8	10-011-08RSS-S	10-011-08RTI-S
Medium	Left	8	10-012-08LSS-S	10-012-08LTI-S
Medium	Right	8	10-012-08RSS-S	10-012-08RTI-S
Large	Left	8	10-013-08LSS-S	10-013-08LTI-S
Large	Right	8	10-013-08RSS-S	10-013-08RTI-S



3.5mm Wise-Lock Calcaneal Plate Type-V



Round Locking Hole



STERILE

	Direction	Holes	Stainless Steel	Titanium
Small	Left	12	10-014-12LSS	10-014-12LTI
Small	Right	12	10-014-12RSS	10-014-12RTI
Large	Left	12	10-015-12LSS	10-015-12LTI
Large	Right	12	10-015-12RSS	10-015-12RTI

	Direction	Holes	Stainless Steel	Titanium
Small	Left	12	10-014-12LSS-S	10-014-12LTI-S
Small	Right	12	10-014-12RSS-S	10-014-12RTI-S
Large	Left	12	10-015-12LSS-S	10-015-12LTI-S
Large	Right	12	10-015-12RSS-S	10-015-12RTI-S

**3.5mm Wise-Lock
Small Fragment
General**



3.5mm WISE-LOCK Small Fragment




Indications

Juxta-articular fractures extending into the shaft area





3.5/4.5mm Wise-Lock Metaphyseal Plate



5.0mm Compression
and Locking Hole



3.5mm Compression
and Locking Hole



STERILE

Holes	Stainless Steel	Titanium
3/5	740.103	TI-740.103
4/5	740.104	TI-740.104
5/5	740.105	TI-740.105
6/5	740.106	TI-740.106
7/5	740.107	TI-740.107
8/5	740.108	TI-740.108
9/5	740.109	TI-740.109
11/5	740.111	TI-740.111
13/5	740.113	TI-740.113
15/5	740.115	TI-740.115

Holes	Stainless Steel	Titanium
3/5	740.103-S	TI-740.103-S
4/5	740.104-S	TI-740.104-S
5/5	740.105-S	TI-740.105-S
6/5	740.106-S	TI-740.106-S
7/5	740.107-S	TI-740.107-S
8/5	740.108-S	TI-740.108-S
9/5	740.109-S	TI-740.109-S
11/5	740.111-S	TI-740.111-S
13/5	740.113-S	TI-740.113-S
15/5	740.115-S	TI-740.115-S



3.5mm WISE-LOCK Small Fragment




Indications


Juxta-articular fractures extending into the shaft area



3.5/4.5mm Wise-Lock Metaphyseal Plate



Compression and
Locking Hole



Holes	Stainless Steel	Titanium
6	739.106	TI-739.106
7	739.107	TI-739.107
8	739.108	TI-739.108
9	739.109	TI-739.109
10	739.110	TI-739.110
11	739.111	TI-739.111
12	739.112	TI-739.112
14	739.114	TI-739.114
16	739.116	TI-739.116
18	739.118	TI-739.118



Holes	Stainless Steel	Titanium
6	739.106-S	TI-739.106-S
7	739.107-S	TI-739.107-S
8	739.108-S	TI-739.108-S
9	739.109-S	TI-739.109-S
10	739.110-S	TI-739.110-S
11	739.111-S	TI-739.111-S
12	739.112-S	TI-739.112-S
14	739.114-S	TI-739.114-S
16	739.116-S	TI-739.116-S
18	739.118-S	TI-739.118-S



3.5mm WISE-LOCK Small Fragment



Indications

- Intraarticular fractures of the distal humerus
- Supracondylar fractures of the distal humerus
- Non-unions of the distal humerus

Contraindications

- Acute infections
- Children in the growth phase




3.5mm Wise-Lock Small Dynamic Compression Plate with LC under cuts




Left

Right



Compression and
Locking Hole



Holes	Stainless Steel	Titanium
5	721.205	TI-721.205
6	721.206	TI-721.206
7	721.207	TI-721.207
8	721.208	TI-721.208
9	721.209	TI-721.209
10	721.210	TI-721.210
11	721.211	TI-721.211
12	721.212	TI-721.212

STERILE

Holes	Stainless Steel	Titanium
5	721.205-S	TI-721.205-S
6	721.206-S	TI-721.206-S
7	721.207-S	TI-721.207-S
8	721.208-S	TI-721.208-S
9	721.209-S	TI-721.209-S
10	721.210-S	TI-721.210-S
11	721.211-S	TI-721.211-S
12	721.212-S	TI-721.212-S



3.5mm WISE-LOCK Small Fragment






3.5mm Wise-Lock One Third Tubular Plate



Left

Right





Holes	Stainless Steel	Titanium
4	702.304	TI-702.304
5	702.305	TI-702.305
6	702.306	TI-702.306
7	702.307	TI-702.307
8	702.308	TI-702.308
9	702.309	TI-702.309
10	702.310	TI-702.310
11	702.311	TI-702.311
12	702.312	TI-702.312

STERILE

Holes	Stainless Steel	Titanium
4	702.304-S	TI-702.304-S
5	702.305-S	TI-702.305-S
6	702.306-S	TI-702.306-S
7	702.307-S	TI-702.307-S
8	702.308-S	TI-702.308-S
9	702.309-S	TI-702.309-S
10	702.310-S	TI-702.310-S
11	702.311-S	TI-702.311-S
12	702.312-S	TI-702.312-S



3.5mm Wise-Lock Small "T" Plate, Oblique Angled





STERILE

Directions	Holes	Stainless Steel	Titanium
Left	3	712.103L	TI-712.103L
Left	4	712.104L	TI-712.104L
Left	5	712.105L	TI-712.105L
Left	6	712.106L	TI-712.106L
Right	3	712.103R	TI-712.103R
Right	4	712.104R	TI-712.104R
Right	5	712.105R	TI-712.105R
Right	6	712.106R	TI-712.106R

Directions	Holes	Stainless Steel	Titanium
Left	3	712.103L-S	TI-712.103L-S
Left	4	712.104L-S	TI-712.104L-S
Left	5	712.105L-S	TI-712.105L-S
Left	6	712.106L-S	TI-712.106L-S
Right	3	712.103R-S	TI-712.103R-S
Right	4	712.104R-S	TI-712.104R-S
Right	5	712.105R-S	TI-712.105R-S
Right	6	712.106R-S	TI-712.106R-S



3.5mm Wise-Lock Small "T" Plate, Right Angled (3 Head Holes)



STERILE

Holes	Stainless Steel	Titanium
3	709.103	TI-709.103
4	709.104	TI-709.104
5	709.105	TI-709.105
6	709.106	TI-709.106

Holes	Stainless Steel	Titanium
3	709.103-S	TI-709.103-S
4	709.104-S	TI-709.104-S
5	709.105-S	TI-709.105-S
6	709.106-S	TI-709.106-S



3.5mm Wise-Lock Small "T" Plate, Right Angled (4 Head Holes)



Left

Right



Round
Locking Hole



Compression and
Locking Hole




STERILE

Holes	Stainless Steel	Titanium
3	710.203	TI-710.203
4	710.204	TI-710.204
5	710.205	TI-710.205
6	710.206	TI-710.206

Holes	Stainless Steel	Titanium
3	710.203-S	TI-710.203-S
4	710.204-S	TI-710.204-S
5	710.205-S	TI-710.205-S
6	710.206-S	TI-710.206-S



3.5mm Wise-Lock Reconstruction Plate




Holes	Stainless Steel	Titanium
5	727.205	TI-727.205
6	727.206	TI-727.206
7	727.207	TI-727.207
8	727.208	TI-727.208
9	727.209	TI-727.209
10	727.210	TI-727.210
11	727.211	TI-727.211
12	727.212	TI-727.212
14	727.214	TI-727.214
16	727.216	TI-727.216
18	727.218	TI-727.218
20	727.220	TI-727.220
22	727.222	TI-727.222



Holes	Stainless Steel	Titanium
5	727.205-S	TI-727.205-S
6	727.206-S	TI-727.206-S
7	727.207-S	TI-727.207-S
8	727.208-S	TI-727.208-S
9	727.209-S	TI-727.209-S
10	727.210-S	TI-727.210-S
11	727.211-S	TI-727.211-S
12	727.212-S	TI-727.212-S
14	727.214-S	TI-727.214-S
16	727.216-S	TI-727.216-S
18	727.218-S	TI-727.218-S
20	727.220-S	TI-727.220-S
22	727.222-S	TI-727.222-S



3.5mm Wise-Lock Reconstruction Plate, Curved




STERILE

Holes	Stainless Steel	Titanium
4	727.204C	TI-727.204C
5	727.205C	TI-727.205C
6	727.206C	TI-727.206C
7	727.207C	TI-727.207C
8	727.208C	TI-727.208C
9	727.209C	TI-727.209C
10	727.210C	TI-727.210C
11	727.211C	TI-727.211C
12	727.212C	TI-727.212C
13	727.213C	TI-727.213C
14	727.214C	TI-727.214C
15	727.215C	TI-727.215C
16	727.216C	TI-727.216C


Holes	Stainless Steel	Titanium
4	727.204C-S	TI-727.204C-S
5	727.205C-S	TI-727.205C-S
6	727.206C-S	TI-727.206C-S
7	727.207C-S	TI-727.207C-S
8	727.208C-S	TI-727.208C-S
9	727.209C-S	TI-727.209C-S
10	727.210C-S	TI-727.210C-S
11	727.211C-S	TI-727.211C-S
12	727.212C-S	TI-727.212C-S
13	727.213C-S	TI-727.213C-S
14	727.214C-S	TI-727.214C-S
15	727.215C-S	TI-727.215C-S
16	727.216C-S	TI-727.216C-S




3.5mm Wise-Lock Cloverleaf Plate



Round
Locking Hole



Compression and
Locking Hole



STERILE


Holes	Stainless Steel	Titanium
3	715.203	TI-715.203
4	715.204	TI-715.204
5	715.205	TI-715.205
6	715.206	TI-715.206

Holes	Stainless Steel	Titanium
3	715.203-S	TI-715.203-S
4	715.204-S	TI-715.204-S
5	715.205-S	TI-715.205-S
6	715.206-S	TI-715.206-S



3.5mm Wise-Lock Lateral Distal Fibula Plate, Titanium

- Left
- Right



Direction	Holes	Stainless Steel	Titanium
Left	4	10-064-004LSS	10-064-004LTI
Left	6	10-064-006LSS	10-064-006LTI
Left	8	10-064-008LSS	10-064-008LTI
Left	10	10-064-010LSS	10-064-010LTI
Right	4	10-064-004RSS	10-064-004RTI
Right	6	10-064-006RSS	10-064-006RTI
Right	8	10-064-008RSS	10-064-008RTI
Right	10	10-064-010RSS	10-064-010RTI

The background is a dark blue gradient. It features a series of thin, light blue wavy lines that flow from the top left towards the bottom right. In the center, these lines intersect to form a dense, circular grid pattern.

3.5mm Wise-Lock Small Fragment Scapula





3.5mm WISE-LOCK Small Fragment

Scapular fractures are rare, but present significant challenges for fixation. The anatomically precontoured Auxein Scapula Plates eliminate the time-intensive process of hand-contouring generic bone plates which can also reduce the strength of the plate. Additionally, fragment reduction and reconstruction is laborious without an anatomical guide and screw placement is difficult in the questionable osseous regions of the scapular bone.

Indications

- Scapular Body Fractures
- Glenoid Neck Fractures
- Intra-articular Glenoid Fractures
- Scapula Spine Fractures
- Acromion Fractures
- Os Acromiale





3.5mm Wise-Lock Scapula Glenoid Plate



Holes	Left	Right
4	10-045-04LTI	10-045-04RTI



Holes	Left	Right
4	10-045-04LTI-S	10-045-04RTI-S

3.5mm Wise-Lock Scapula Acromion Plate



Holes	Left	Right
6	10-046-06LTI	10-046-06RTI
7	10-046-07LTI	10-046-07RTI




Holes	Left	Right
6	10-046-06LTI-S	10-046-06RTI-S
7	10-046-07LTI-S	10-046-07RTI-S



3.5mm Wise-Lock Scapula Lateral Border Plate

Left

Right



Holes	Left	Right
9	10-047-9LTI	10-047-9RTI


STERILE

Holes	Left	Right
9	10-047-9LTI-S	10-047-9RTI-S

3.5mm Wise-Lock Scapula Medial Border Plate

Left

Right



Holes	Left	Right
9	10-058-09LTI	10-058-09RTI
13	10-058-13LTI	10-058-13RTI

STERILE

Holes	Left	Right
9	10-058-09LTI-S	10-058-09RTI-S
13	10-058-13LTI-S	10-058-13RTI-S



SCREWS




2.7mm Wise-Lock Screw, Self-Tapping (Hex Head)



Length	Stainless Steel	Tiatnium
10	118.010	TI-118.010
12	118.012	TI-118.012
14	118.014	TI-118.014
16	118.016	TI-118.016
18	118.018	TI-118.018
20	118.020	TI-118.020
22	118.022	TI-118.022
24	118.024	TI-118.024
26	118.026	TI-118.026
28	118.028	TI-118.028
30	118.030	TI-118.030
32	118.032	TI-118.032
34	118.034	TI-118.034
36	118.036	TI-118.036
38	118.038	TI-118.038
40	118.040	TI-118.040
42	118.042	TI-118.042
44	118.044	TI-118.044
46	118.046	TI-118.046
48	118.048	TI-118.048
50	118.050	TI-118.050
52	118.052	TI-118.052
54	118.054	TI-118.054
56	118.056	TI-118.056
58	118.058	TI-118.058
60	118.060	TI-118.060

STERILE

Length	Stainless Steel	Tiatnium
10	118.010-S	TI-118.010-S
12	118.012-S	TI-118.012-S
14	118.014-S	TI-118.014-S
16	118.016-S	TI-118.016-S
18	118.018-S	TI-118.018-S
20	118.020-S	TI-118.020-S
22	118.022-S	TI-118.022-S
24	118.024-S	TI-118.024-S
26	118.026-S	TI-118.026-S
28	118.028-S	TI-118.028-S
30	118.030-S	TI-118.030-S
32	118.032-S	TI-118.032-S
34	118.034-S	TI-118.034-S
36	118.036-S	TI-118.036-S
38	118.038-S	TI-118.038-S
40	118.040-S	TI-118.040-S
42	118.042-S	TI-118.042-S
44	118.044-S	TI-118.044-S
46	118.046-S	TI-118.046-S
48	118.048-S	TI-118.048-S
50	118.050-S	TI-118.050-S
52	118.052-S	TI-118.052-S
54	118.054-S	TI-118.054-S
56	118.056-S	TI-118.056-S
58	118.058-S	TI-118.058-S
60	118.060-S	TI-118.060-S






2.7mm Cortical Screw, Self-Tapping (Hex Head)



STERILE

Length	Titanium
6	TI-103.206
8	TI-103.208
10	TI-103.210
12	TI-103.212
14	TI-103.214
16	TI-103.216
18	TI-103.218
20	TI-103.220
22	TI-103.222
24	TI-103.224
26	TI-103.226
28	TI-103.228
30	TI-103.230

Length	Titanium
6	TI-103.206-S
8	TI-103.208-S
10	TI-103.210-S
12	TI-103.212-S
14	TI-103.214-S
16	TI-103.216-S
18	TI-103.218-S
20	TI-103.220-S
22	TI-103.222-S
24	TI-103.224-S
26	TI-103.226-S
28	TI-103.228-S
30	TI-103.230-S





3.5mm Wise-Lock Screw, Self-Tapping (Hex Head)



STERILE

Length	Stainless Steel	Tiatnium
10	117.010	TI-117.010
12	117.012	TI-117.012
14	117.014	TI-117.014
16	117.016	TI-117.016
18	117.018	TI-117.018
20	117.020	TI-117.020
22	117.022	TI-117.022
24	117.024	TI-117.024
26	117.026	TI-117.026
28	117.028	TI-117.028
30	117.030	TI-117.030
* 32	117.032	TI-117.032
* 34	117.034	TI-117.034
	35	117.035
* 36	117.036	TI-117.036
* 38	117.038	TI-117.038
	40	117.040
* 42	117.042	TI-117.042
* 44	117.044	TI-117.044
	45	117.045
* 46	117.046	TI-117.046
* 48	117.048	TI-117.048
	50	117.050
* 52	117.052	TI-117.052
* 54	117.054	TI-117.054
	55	117.055
* 56	117.056	TI-117.056
* 58	117.058	TI-117.058
	60	117.060
	65	117.065
	70	117.070
	75	117.075
	80	117.080

Length	Stainless Steel	Tiatnium
10	117.010-S	TI-117.010-S
12	117.012-S	TI-117.012-S
14	117.014-S	TI-117.014-S
16	117.016-S	TI-117.016-S
18	117.018-S	TI-117.018-S
20	117.020-S	TI-117.020-S
22	117.022-S	TI-117.022-S
24	117.024-S	TI-117.024-S
26	117.026-S	TI-117.026-S
28	117.028-S	TI-117.028-S
30	117.030-S	TI-117.030-S
* 32	117.032-S	TI-117.032-S
* 34	117.034-S	TI-117.034-S
	35	117.035-S
* 36	117.036-S	TI-117.036-S
* 38	117.038-S	TI-117.038-S
	40	117.040-S
* 42	117.042-S	TI-117.042-S
* 44	117.044-S	TI-117.044-S
	45	117.045-S
* 46	117.046-S	TI-117.046-S
* 48	117.048-S	TI-117.048-S
	50	117.050-S
* 52	117.052-S	TI-117.052-S
* 54	117.054-S	TI-117.054-S
	55	117.055-S
* 56	117.056-S	TI-117.056-S
* 58	117.058-S	TI-117.058-S
	60	117.060-S
	65	117.065-S
	70	117.070-S
	75	117.075-S
	80	117.080-S



* Sizes not available in Screw Caddy

* Sizes not available in Screw Caddy



3.5mm Wise-Lock Screw, Self-Drilling (Hex Head)



STERILE

Length	Stainless Steel	Tiatnium
10	117.210	TI-117.210
12	117.212	TI-117.212
14	117.214	TI-117.214
16	117.216	TI-117.216
18	117.218	TI-117.218
20	117.220	TI-117.220
22	117.222	TI-117.222
24	117.224	TI-117.224
26	117.226	TI-117.226
28	117.228	TI-117.228
30	117.230	TI-117.230
* 32	117.232	TI-117.232
* 34	117.234	TI-117.234
	117.236	TI-117.236
* 38	117.238	TI-117.238
* 40	117.240	TI-117.240
	117.242	TI-117.242
* 44	117.244	TI-117.244
* 46	117.246	TI-117.246
	117.248	TI-117.248
* 50	117.250	TI-117.250
* 52	117.252	TI-117.252
	117.254	TI-117.254
* 56	117.256	TI-117.256
* 58	117.258	TI-117.258
	117.260	TI-117.260

Length	Stainless Steel	Tiatnium
10	117.210-S	TI-117.210-S
12	117.212-S	TI-117.212-S
14	117.214-S	TI-117.214-S
16	117.216-S	TI-117.216-S
18	117.218-S	TI-117.218-S
20	117.220-S	TI-117.220-S
22	117.222-S	TI-117.222-S
24	117.224-S	TI-117.224-S
26	117.226-S	TI-117.226-S
28	117.228-S	TI-117.228-S
30	117.230-S	TI-117.230-S
* 32	117.232-S	TI-117.232-S
* 34	117.234-S	TI-117.234-S
	117.236-S	TI-117.236-S
* 38	117.238-S	TI-117.238-S
* 40	117.240-S	TI-117.240-S
	117.242-S	TI-117.242-S
* 44	117.244-S	TI-117.244-S
* 46	117.246-S	TI-117.246-S
	117.248-S	TI-117.248-S
* 50	117.250-S	TI-117.250-S
* 52	117.252-S	TI-117.252-S
	117.254-S	TI-117.254-S
* 56	117.256-S	TI-117.256-S
* 58	117.258-S	TI-117.258-S
	117.260-S	TI-117.260-S



* Sizes not available in Screw Caddy

* Sizes not available in Screw Caddy



3.5mm Wise-Lock Cancellous Screw, Full Thread, Self-Drilling (Hex Head)



Length	Stainless Steel	Tiatnium
10	188.210	TI-188.210
12	188.212	TI-188.212
14	188.214	TI-188.214
16	188.216	TI-188.216
18	188.218	TI-188.218
20	188.220	TI-188.220
22	188.222	TI-188.222
24	188.224	TI-188.224
26	188.226	TI-188.226
28	188.228	TI-188.228
30	188.230	TI-188.230
32	188.232	TI-188.232
34	188.234	TI-188.234
36	188.236	TI-188.236
38	188.238	TI-188.238
40	188.240	TI-188.240
42	188.242	TI-188.242
44	188.244	TI-188.244
46	188.246	TI-188.246
48	188.248	TI-188.248
50	188.250	TI-188.250
55	188.255	TI-188.255
60	188.260	TI-188.260

STERILE

Length	Stainless Steel	Tiatnium
10	188.210-S	TI-188.210-S
12	188.212-S	TI-188.212-S
14	188.214-S	TI-188.214-S
16	188.216-S	TI-188.216-S
18	188.218-S	TI-188.218-S
20	188.220-S	TI-188.220-S
22	188.222-S	TI-188.222-S
24	188.224-S	TI-188.224-S
26	188.226-S	TI-188.226-S
28	188.228-S	TI-188.228-S
30	188.230-S	TI-188.230-S
32	188.232-S	TI-188.232-S
34	188.234-S	TI-188.234-S
36	188.236-S	TI-188.236-S
38	188.238-S	TI-188.238-S
40	188.240-S	TI-188.240-S
42	188.242-S	TI-188.242-S
44	188.244-S	TI-188.244-S
46	188.246-S	TI-188.246-S
48	188.248-S	TI-188.248-S
50	188.250-S	TI-188.250-S
55	188.255-S	TI-188.255-S
60	188.260-S	TI-188.260-S





3.5mm Wise-Lock Cancellous Screw, Short Thread, Self-Tapping (Hex Head)



STERILE

Length	Stainless Steel	Tiatnium
10	1257.10	TI-1257.10
12	1257.12	TI-1257.12
14	1257.14	TI-1257.14
16	1257.16	TI-1257.16
18	1257.18	TI-1257.18
20	1257.20	TI-1257.20
22	1257.22	TI-1257.22
24	1257.24	TI-1257.24
26	1257.26	TI-1257.26
28	1257.28	TI-1257.28
30	1257.30	TI-1257.30
32	1257.32	TI-1257.32
34	1257.34	TI-1257.34
36	1257.36	TI-1257.36
38	1257.38	TI-1257.38
40	1257.40	TI-1257.40
42	1257.42	TI-1257.42
44	1257.44	TI-1257.44
46	1257.46	TI-1257.46
48	1257.48	TI-1257.48
50	1257.50	TI-1257.50
55	1257.55	TI-1257.55
60	1257.60	TI-1257.60

Length	Stainless Steel	Tiatnium
10	1257.10-S	TI-1257.10-S
12	1257.12-S	TI-1257.12-S
14	1257.14-S	TI-1257.14-S
16	1257.16-S	TI-1257.16-S
18	1257.18-S	TI-1257.18-S
20	1257.20-S	TI-1257.20-S
22	1257.22-S	TI-1257.22-S
24	1257.24-S	TI-1257.24-S
26	1257.26-S	TI-1257.26-S
28	1257.28-S	TI-1257.28-S
30	1257.30-S	TI-1257.30-S
32	1257.32-S	TI-1257.32-S
34	1257.34-S	TI-1257.34-S
36	1257.36-S	TI-1257.36-S
38	1257.38-S	TI-1257.38-S
40	1257.40-S	TI-1257.40-S
42	1257.42-S	TI-1257.42-S
44	1257.44-S	TI-1257.44-S
46	1257.46-S	TI-1257.46-S
48	1257.48-S	TI-1257.48-S
50	1257.50-S	TI-1257.50-S
55	1257.55-S	TI-1257.55-S
60	1257.60-S	TI-1257.60-S





3.5mm Cortical Screw, Self-Tapping (Hex Head)



STERILE

Length	Stainless Steel	Tiatnium
10	104.210	TI-104.210
12	104.212	TI-104.212
14	104.214	TI-104.214
16	104.216	TI-104.216
18	104.218	TI-104.218
20	104.220	TI-104.220
22	104.222	TI-104.222
24	104.224	TI-104.224
26	104.226	TI-104.226
28	104.228	TI-104.228
30	104.230	TI-104.230
32	104.232	TI-104.232
34	104.234	TI-104.234
36	104.236	TI-104.236
38	104.238	TI-104.238
40	104.240	TI-104.240
42	104.242	TI-104.242
44	104.244	TI-104.244
46	104.246	TI-104.246
48	104.248	TI-104.248
50	104.250	TI-104.250
* 55	104.255	TI-104.255
* 60	104.260	TI-104.260
* 65	104.265	TI-104.265
* 70	104.270	TI-104.270
* 75	104.275	TI-104.275
* 80	104.280	TI-104.280
* 85	104.285	TI-104.285
* 90	104.290	TI-104.290

Length	Stainless Steel	Tiatnium
10	104.210-S	TI-104.210-S
12	104.212-S	TI-104.212-S
14	104.214-S	TI-104.214-S
16	104.216-S	TI-104.216-S
18	104.218-S	TI-104.218-S
20	104.220-S	TI-104.220-S
22	104.222-S	TI-104.222-S
24	104.224-S	TI-104.224-S
26	104.226-S	TI-104.226-S
28	104.228-S	TI-104.228-S
30	104.230-S	TI-104.230-S
32	104.232-S	TI-104.232-S
34	104.234-S	TI-104.234-S
36	104.236-S	TI-104.236-S
38	104.238-S	TI-104.238-S
40	104.240-S	TI-104.240-S
42	104.242-S	TI-104.242-S
44	104.244-S	TI-104.244-S
46	104.246-S	TI-104.246-S
48	104.248-S	TI-104.248-S
50	104.250-S	TI-104.250-S
* 55	104.255-S	TI-104.255-S
* 60	104.260-S	TI-104.260-S
* 65	104.265-S	TI-104.265-S
* 70	104.270-S	TI-104.270-S
* 75	104.275-S	TI-104.275-S
* 80	104.280-S	TI-104.280-S
* 85	104.285-S	TI-104.285-S
* 90	104.290-S	TI-104.290-S



* Sizes not available in Screw Caddy

* Sizes not available in Screw Caddy



4.0mm Cancellous Screw, Short Thread



STERILE

Length	Stainless Steel	Tiatnium
12	109.012	TI-109.012
14	109.014	TI-109.014
16	109.016	TI-109.016
18	109.018	TI-109.018
20	109.020	TI-109.020
22	109.022	TI-109.022
24	109.024	TI-109.024
26	109.026	TI-109.026
28	109.028	TI-109.028
30	109.030	TI-109.030
32	109.032	TI-109.032
34	109.034	TI-109.034
36	109.036	TI-109.036
38	109.038	TI-109.038
40	109.040	TI-109.040
45	109.045	TI-109.045
50	109.050	TI-109.050
55	109.055	TI-109.055
60	109.060	TI-109.060

Length	Stainless Steel	Tiatnium
12	109.012-S	TI-109.012-S
14	109.014-S	TI-109.014-S
16	109.016-S	TI-109.016-S
18	109.018-S	TI-109.018-S
20	109.020-S	TI-109.020-S
22	109.022-S	TI-109.022-S
24	109.024-S	TI-109.024-S
26	109.026-S	TI-109.026-S
28	109.028-S	TI-109.028-S
30	109.030-S	TI-109.030-S
32	109.032-S	TI-109.032-S
34	109.034-S	TI-109.034-S
36	109.036-S	TI-109.036-S
38	109.038-S	TI-109.038-S
40	109.040-S	TI-109.040-S
45	109.045-S	TI-109.045-S
50	109.050-S	TI-109.050-S
55	109.055-S	TI-109.055-S
60	109.060-S	TI-109.060-S






4.0mm Cancellous Screw, Full Thread



STERILE


Length	Stainless Steel	Tiatnium
12	110.012	TI-110.012
14	110.014	TI-110.014
16	110.016	TI-110.016
18	110.018	TI-110.018
20	110.020	TI-110.020
22	110.022	TI-110.022
24	110.024	TI-110.024
26	110.026	TI-110.026
28	110.028	TI-110.028
30	110.030	TI-110.030
32	110.032	TI-110.032
34	110.034	TI-110.034
36	110.036	TI-110.036
38	110.038	TI-110.038
40	110.040	TI-110.040
45	110.045	TI-110.045
50	110.050	TI-110.050
55	110.055	TI-110.055
60	110.060	TI-110.060

Length	Stainless Steel	Tiatnium
12	110.012-S	TI-110.012-S
14	110.014-S	TI-110.014-S
16	110.016-S	TI-110.016-S
18	110.018-S	TI-110.018-S
20	110.020-S	TI-110.020-S
22	110.022-S	TI-110.022-S
24	110.024-S	TI-110.024-S
26	110.026-S	TI-110.026-S
28	110.028-S	TI-110.028-S
30	110.030-S	TI-110.030-S
32	110.032-S	TI-110.032-S
34	110.034-S	TI-110.034-S
36	110.036-S	TI-110.036-S
38	110.038-S	TI-110.038-S
40	110.040-S	TI-110.040-S
45	110.045-S	TI-110.045-S
50	110.050-S	TI-110.050-S
55	110.055-S	TI-110.055-S
60	110.060-S	TI-110.060-S





ST-007NW Screw Caddy For 3.5mm Wise-Lock Small Fragment System





2.7mm Wise-Lock Screw,
Self-Tapping (Hex Head)

Unit	Length	Stainless Steel	Tiatnium
4	10	118.010	TI-118.010
4	12	118.012	TI-118.012
4	14	118.014	TI-118.014
4	16	118.016	TI-118.016
4	18	118.018	TI-118.018
4	20	118.020	TI-118.020
4	22	118.022	TI-118.022
4	24	118.024	TI-118.024
4	26	118.026	TI-118.026
4	28	118.028	TI-118.028
4	30	118.030	TI-118.030
4	32	118.032	TI-118.032
4	34	118.034	TI-118.034
4	36	118.036	TI-118.036
4	38	118.038	TI-118.038
4	40	118.040	TI-118.040
4	42	118.042	TI-118.042
4	44	118.044	TI-118.044
4	46	118.046	TI-118.046
4	48	118.048	TI-118.048
4	50	118.050	TI-118.050
4	52	118.052	TI-118.052
4	54	118.054	TI-118.054
4	56	118.056	TI-118.056
4	58	118.058	TI-118.058
4	60	118.060	TI-118.060

3.5mm Cortical Screw,
Self-Tapping (Hex Head)

Unit	Length	Stainless Steel	Tiatnium
3	10	104.210	TI-104.210
3	12	104.212	TI-104.212
3	14	104.214	TI-104.214
3	16	104.216	TI-104.216
3	18	104.218	TI-104.218
3	20	104.220	TI-104.220
3	22	104.222	TI-104.222
3	24	104.224	TI-104.224
3	26	104.226	TI-104.226
3	28	104.228	TI-104.228
3	30	104.230	TI-104.230
3	32	104.232	TI-104.232
3	34	104.234	TI-104.234
3	36	104.236	TI-104.236
3	38	104.238	TI-104.238
3	40	104.240	TI-104.240
3	42	104.242	TI-104.242
3	44	104.244	TI-104.244
3	46	104.246	TI-104.246
3	48	104.248	TI-104.248
3	50	104.250	TI-104.250



3.5mm Wise-Lock Screw,
Self-Tapping (Hex Head)

Unit	Length	Stainless Steel	Tiatnium
5	10	117.010	TI-117.010
5	12	117.012	TI-117.012
5	14	117.014	TI-117.014
5	16	117.016	TI-117.016
5	18	117.018	TI-117.018
5	20	117.020	TI-117.020
5	22	117.022	TI-117.022
5	24	117.024	TI-117.024
5	26	117.026	TI-117.026
5	28	117.028	TI-117.028
5	30	117.030	TI-117.030
5	35	117.035	TI-117.035
5	40	117.040	TI-117.040
5	45	117.045	TI-117.045
5	50	117.050	TI-117.050
5	55	117.055	TI-117.055
5	60	117.060	TI-117.060
5	65	117.065	TI-117.065
5	70	117.070	TI-117.070
5	75	117.075	TI-117.075
5	80	117.080	TI-117.080

3.5mm Wise-Lock Cancellous Screw,
Short Thread, Self-Tapping (Hex Head)

Unit	Length	Stainless Steel	Tiatnium
2	10	1257.10	TI-1257.10
2	12	1257.12	TI-1257.12
2	14	1257.14	TI-1257.14
2	16	1257.16	TI-1257.16
2	18	1257.18	TI-1257.18
2	20	1257.20	TI-1257.20
2	22	1257.22	TI-1257.22
2	24	1257.24	TI-1257.24
2	26	1257.26	TI-1257.26
2	28	1257.28	TI-1257.28
2	30	1257.30	TI-1257.30
2	32	1257.32	TI-1257.32
2	34	1257.34	TI-1257.34
2	36	1257.36	TI-1257.36
2	38	1257.38	TI-1257.38
2	40	1257.40	TI-1257.40
2	42	1257.42	TI-1257.42
2	44	1257.44	TI-1257.44
2	46	1257.46	TI-1257.46
2	48	1257.48	TI-1257.48
2	50	1257.50	TI-1257.50
2	55	1257.55	TI-1257.55
2	60	1257.60	TI-1257.60



4.0mm Cancellous Screw,
Full Thread

Unit	Length	Stainless Steel	Tiatnium
2	12	110.012	TI-110.012
2	14	110.014	TI-110.014
2	16	110.016	TI-110.016
2	18	110.018	TI-110.018
2	20	110.020	TI-110.020
2	22	110.022	TI-110.022
2	24	110.024	TI-110.024
2	26	110.026	TI-110.026
2	28	110.028	TI-110.028
2	30	110.030	TI-110.030
2	32	110.032	TI-110.032
2	34	110.034	TI-110.034
2	36	110.036	TI-110.036
2	38	110.038	TI-110.038
2	40	110.040	TI-110.040
2	45	110.045	TI-110.045
2	50	110.050	TI-110.050
2	55	110.055	TI-110.055
2	60	110.060	TI-110.060

4.0mm Cancellous Screw,
Short Thread

Unit	Length	Stainless Steel	Tiatnium
2	12	109.012	TI-109.012
2	14	109.014	TI-109.014
2	16	109.016	TI-109.016
2	18	109.018	TI-109.018
2	20	109.020	TI-109.020
2	22	109.022	TI-109.022
2	24	109.024	TI-109.024
2	26	109.026	TI-109.026
2	28	109.028	TI-109.028
2	30	109.030	TI-109.030
2	32	109.032	TI-109.032
2	34	109.034	TI-109.034
2	36	109.036	TI-109.036
2	38	109.038	TI-109.038
2	40	109.040	TI-109.040
2	45	109.045	TI-109.045
2	50	109.050	TI-109.050
2	55	109.055	TI-109.055
2	60	109.060	TI-109.060



3.5mm Wise-Lock Cancellous Screw, Full Thread, Self-Tapping, (Hex Head)

Unit	Length	Stainless Steel	Tiatnium
2	10mm	188.210	TI-188.210
2	12mm	188.212	TI-188.212
2	14mm	188.214	TI-188.214
2	16mm	188.216	TI-188.216
2	18mm	188.218	TI-188.218
2	20mm	188.220	TI-188.220
2	22mm	188.222	TI-188.222
2	24mm	188.224	TI-188.224
2	26mm	188.226	TI-188.226
2	28mm	188.228	TI-188.228
2	30mm	188.230	TI-188.230
2	32mm	188.232	TI-188.232
2	34mm	188.234	TI-188.234
2	36mm	188.236	TI-188.236
2	38mm	188.238	TI-188.238
2	40mm	188.240	TI-188.240
2	42mm	188.242	TI-188.242
2	44mm	188.244	TI-188.244
2	46mm	188.246	TI-188.246
2	48mm	188.248	TI-188.248
2	50mm	188.250	TI-188.250
2	55mm	188.255	TI-188.255
2	60mm	188.260	TI-188.260



INSTRUMENTS



3443-37

DEPTH GAUGE MEASURING UPTO 80MM FOR SMALL FRAGMENT



3445-2.5

T-HANDLE SCREWDRIVER, HEX 2.5MM, SELF-RETAINING FOR SMALL FRAGMENT




3992-035

ALLEN KEY, HEX 3.0MM, FOR SMALL FRAGMENT



2100-2.0-110

DRILL BIT WITH QUICK COUPLING END, Ø2.0MM X LENGTH 110MM, FOR SMALL FRAGMENT




2100-2.5-112

DRILL BIT WITH QUICK COUPLING END, Ø2.5MM X LENGTH 112MM, FOR SMALL FRAGMENT



2100-3.5-112


DRILL BIT WITH QUICK COUPLING END, Ø3.5MM X LENGTH 112MM, FOR SMALL FRAGMENT





2103-2.8-165

DRILL BIT QUICK COUPLING WITH STOPPER, Ø2.8MM X LENGTH 165MM, FOR SMALL FRAGMENT



2104-27

BONE TAP QUICK COUPLING FOR WISE-LOCK SCREWS, Ø2.7MM, FOR SMALL FRAGMENT



2104-02

BONE TAP QUICK COUPLING FOR CORTICAL SCREWS, Ø3.5MM, FOR SMALL FRAGMENT



2104-04

BONE TAP, QUICK COUPLING FOR CANCELLOUS SCREWS, Ø4.0MM, FOR SMALL FRAGMENT




3400-01

COUNTERSINK FOR Ø3.5/4.0MM SCREWS, QUICK COUPLING, FOR SMALL FRAGMENT



3408-01


HEXAGONAL SCREWDRIVER SHAFT - 2.5MM TIP, QUICK COUPLING, FOR SMALL FRAGMENT





3408-03

HEXAGONAL SCREWDRIVER SHAFT - 2.0MM TIP, QUICK COUPLING, FOR SMALL FRAGMENT



2186-2.5

HSS DRILL BIT, Ø2.5MM, FOR SMALL FRAGMENT



2106-1.2

GUIDE SLEEVE FOR Ø1.2MM K. WIRES, FOR SMALL FRAGMENT



3443-05

DEPTH GAUGE WITH PROTECTOR MEASURING UPTO 50MM FOR SMALL FRAGMENT



3443-39

TREPHINE FOR SMALL FRAGMENT



BT-SF-06

BENDING TEMPLATE, SMALL, FOR SMALL FRAGMENT





BT-SF-08

BENDING TEMPLATE, MEDIUM, FOR SMALL FRAGMENT



BT-SF-10

BENDING TEMPLATE, LARGE, FOR SMALL FRAGMENT



3402-000

T-HANDLE WITH QUICK COUPLING




1472-054

QUICK COUPLING SHAFT




TDG-2.7

THREADED DRILL SLEEVE FOR DRILL BIT Ø2.0MM - SMALL FRAGMENT



7-050-04

THREADED DRILL SLEEVE FOR DRILL BIT Ø2.8 FOR WISE-LOCK SMALL FRAGMENT FOR T-HANDLE





3420-01

DRILL SLEEVE INSERT Ø3.5/2.5MM FOR SMALL FRAGMENT



1472-036

DRILL GUIDE 2.0MM FOR SMALL FRAGMENT



1472-044

DOUBLE DRILL GUIDE Ø2.0/2.7MM FOR SMALL FRAGMENT



1472-046

SELF-CENTERING DOUBLE DRILL GUIDE, Ø2.5/3.5MM, FOR SMALL FRAGMENT



3441-16

DRILL GUIDE FOR NEUTRAL AND LOADED POSITION Ø3.5MM, FOR SMALL FRAGMENT



1472-066

HOHMANN RETRACTOR, 6.5MM, FOR SMALL FRAGMENT





1472-068

HOHMANN RETRACTOR, 8.5MM, FOR SMALL FRAGMENT



2146-018

HOHMANN RETRACTOR, 15.5MM, FOR SMALL FRAGMENT



2149-1012

PERIOSTEAL ELEVATOR, STRAIGHT, 12MM, FOR SMALL FRAGMENT



3406-02

HEXAGONAL SCREWDRIVER - 2.0MM TIP FOR SMALL FRAGMENT



3406-02S

SCREW HOLDING SLEEVE FOR 2.0MM TIP SCREWDRIVER, FOR SMALL FRAGMENT



3406-03

HEXAGONAL SCREWDRIVER - 2.5MM TIP, FOR SMALL FRAGMENT





3406-03S

SCREW HOLDING SLEEVE FOR 2.5MM TIP SCREWDRIVER, FOR SMALL FRAGMENT



3409-03L

BENDING IRON, LEFT FOR SMALL FRAGMENT



3409-03R

BENDING IRON, RIGHT FOR SMALL FRAGMENT



2107-1180

REDUCTION FORCEP, POINTED, RATCHET LOCK, 180MM, FOR SMALL FRAGMENT



2106-1160

REDUCTION FORCEP, SERRATED JAWS, SPEED LOCK, 160MM, FOR SMALL FRAGMENT



2106-190

SELF-CENTERING BONE HOLDING FORCEP, SPEED LOCK, 190MM, FOR SMALL FRAGMENT





2150-1006

PERIOSTEAL ELEVATOR WITH SILICON HANDLE, CURVED, 6MM, FOR SMALL FRAGMENT



TQ-2.0

TORQUE LIMITING ATTACHMENT, 0.8NM, FOR SMALL FRAGMENT



TQ-2.5

TORQUE LIMITING ATTACHMENT, 1.5NM, FOR SMALL FRAGMENT




1472-064

TORQUE SCREWDRIVER HANDLE




GW-1.2-230

GUIDE WIRE WITH THREADED TROCAR TIP, Ø1.2MM X THREAD LENGTH 10MM X LENGTH 230MM



7-050-05

T- HANDLE FOR THREADED DRILL SLEEVE






3415-000

SCREW HOLDING FORCECP




ST-007NW

SCREW CADDY FOR 3.5MM WISE-LOCK SMALL FRAGMENT SYSTEM




7-050-03

INSTRUMENT TRAYS FOR 3.5MM WISE-LOCK SMALL FRAGMENT INSTRUMENT SET






IC-2310-WL

CONTAINER FOR 3.5MM WISE-LOCK SMALL FRAGMENT INSTRUMENT SET





2302-000 : Small Fragment Wise-Lock Instrument Set





ORDER INFORMATION

1138-11

Small Fragment Wise-Lock Instrument Set

CODE	SET CONSISTING OF	UNIT
3443-37	Depth Gauge measuring upto 80mm for Small Fragment	1
3445-2.5	T-Handle Screwdriver, Hex 2.5mm, Self-Retaining for Small Fragment	1
3992-035	Allen Key, Hex 3.0mm, for Small Fragment	1
2100-2.0-110	Drill Bit with Quick Coupling End, Ø2.0mm x Length 110mm, for Small Fragment	2
2100-2.5-112	Drill Bit with Quick Coupling End, Ø2.5mm x Length 112mm, for Small Fragment	1
2100-3.5-112	Drill Bit with Quick Coupling End, Ø3.5mm x Length 112mm, for Small Fragment	1
2103-2.8-165	Drill Bit Quick Coupling with Stopper, Ø2.8mm x Length 165mm, for Small Fragment	2
2104-27	Bone Tap Quick Coupling for Wise-Lock Screws, Ø2.7mm, for Small Fragment	1
2104-02	Bone Tap Quick Coupling for Cortical Screws, Ø3.5mm, for Small Fragment	1
2104-04	Bone Tap, Quick Coupling for Cancellous Screws, Ø4.0mm, for Small Fragment	1
3400-01	Countersink for Ø3.5/4.0mm Screws, Quick Coupling, for Small Fragment	1
3408-01	Hexagonal Screwdriver Shaft - 2.5mm Tip, Quick Coupling, for Small Fragment	1
3408-03	Hexagonal Screwdriver Shaft - 2.0mm Tip, Quick Coupling, for Small Fragment	1
2186-2.5	HSS Drill Bit, Ø2.5mm, for Small Fragment	1
2106-1.2	Guide Sleeve for Ø1.2mm K. Wires, , for Small Fragment	1
3443-05	Depth Gauge with Protector measuring upto 50mm for Small Fragment	1
3443-39	Trephine for Small Fragment	1
BT-SF-06	Bending Template, Small, for Small Fragment	1
BT-SF-08	Bending Template, Medium, for Small Fragment	1
BT-SF-10	Bending Template, Large, for Small Fragment	1
3402-000	T-Handle with Quick Coupling	1
1472-054	Quick Coupling Shaft	1
TDG-2.7	Threaded Drill Sleeve for Drill Bit Ø2.0mm - Small Fragment	2
7-050-04	Threaded Drill Sleeve for Drill Bit Ø2.8 for Wise-lock Small Fragment for T-Handle	3
3420-01	Drill Sleeve Insert Ø3.5/2.5mm for Small Fragment	1
1472-036	Drill Guide 2.0mm for Small Fragment	1
1472-044	Double Drill Guide Ø2.0/2.7mm for Small Fragment	1
1472-046	Self-Centering Double Drill Guide, Ø2.5/3.5mm, for Small Fragment	1
3441-16	Drill Guide for Neutral and Loaded Position Ø3.5mm, for Small Fragment	1
1472-066	Hohmann Retractor, 6.5mm, for Small Fragment	1
1472-068	Hohmann Retractor, 8.5mm, for Small Fragment	1
2146-018	Hohmann Retractor, 15.5mm, for Small Fragment	2
2149-1012	Periosteal Elevator, Straight, 12mm, for Small Fragment	1
3406-02	Hexagonal Screwdriver - 2.0mm Tip for Small Fragment	1
3406-02S	Screw Holding Sleeve for 2.0mm Tip Screwdriver, for Small Fragment	1
3406-03	Hexagonal Screwdriver - 2.5mm Tip, for Small Fragment	1
3406-03S	Screw Holding Sleeve for 2.5mm Tip Screwdriver, for Small Fragment	1
3409-03L	Bending Iron, Left for Small Fragment	1
3409-03R	Bending Iron, Right for Small Fragment	1
2107-1180	Reduction Forcep, Pointed, Ratchet Lock, 180mm, for Small Fragment	1
2106-1160	Reduction Forcep, Serrated Jaws, Speed Lock, 160mm, for Small Fragment	1

**1138-11**

Small Fragment Wise-Lock Instrument Set

CODE	SET CONSISTING OF	UNIT
2106-190	Self-Centering Bone Holding Forcep, Speed Lock, 190mm, for Small Fragment	2
2150-1006	Periosteal Elevator with Silicon Handle, Curved, 6mm, for Small Fragment	1
TQ-2.0	Torque Limiting Attachment, 0.8Nm, for Small Fragment	1
TQ-2.5	Torque Limiting Attachment, 1.5Nm, for Small Fragment	1
1472-064	Torque Screwdriver Handle	1
GW-1.2-230	Guide Wire with Threaded Trocar Tip, Ø1.2mm x Thread Length 10mm x Length 230mm	3
7-050-05	T- Handle for Threaded Drill Sleeve	1
3415-000	Screw Holding Forcep	1
ST-007NW	Screw Caddy for 3.5mm Wise-Lock Small Fragment System	1
7-050-03	Instrument Trays for 3.5mm Wise-Lock Small Fragment Instrument Set	2
IC-2310-WL	Container for 3.5mm Wise-Lock Small Fragment Instrument Set	1

