





Auxein

5.0mm WISE-LOCK Liss System

NEXT-LEVEL CARE







Auxein®



WISE-LOCK SYSTEM

The content of this catalogue is intended for healthcare professionals only. All product information, illustrations, descriptions, and specifications provided here are for general informational purposes and are subject to change without notice. Auxein Medical Pvt. Ltd. reserves the right to improve or discontinue products at any time without prior notification.

This document does not constitute medical advice. Surgeons and medical practitioners must exercise their own professional judgment when using any medical devices or instruments, including those provided by Auxein.

INTENDED USE

The implants and instruments in this catalogue are intended for use by qualified orthopedic surgeons trained in trauma surgery and fracture-fixation procedures. Improper selection, misuse, or lack of experience may result in complications.

REGULATORY COMPLIANCE

US FDA 510(k)

CE Mark (Class IIb)

MDSAP (Medical Device Single Audit Program)

ISO 13485:2016 Quality Management System

CDSCO – Indian Medical Device Rules, 2017

EU MDR- European Union Medical Device Regulation, 2017

INTELLECTUAL PROPERTY

All trademarks, trade names, brand names, product names, and logos mentioned in this catalogue are the property of Auxein Medical Pvt. Ltd. Unauthorized use or reproduction is strictly prohibited.

Auxein



ABOUT US

Auxein Medical is an integrated, research based, orthopaedic implants & instruments manufacturing company, producing a wide range of quality, affordable generic implants, trusted by healthcare professionals and patients across geographies. It is the Company's constant endeavour to provide a wide basket of generic and our innovator products that exceed the highest expectations of customers in term of quality and safety. The company has world-class manufacturing unit established in india and serves customers in over 75 countries worldwide.



OUR ACHIEVEMENTS




OVER THE YEARS



The background features a series of thin, light blue lines that flow from the top left, curve around the central text, and extend towards the bottom right, creating a sense of movement and depth.

**5.0MM WISE-LOCK
LARGE FRAGMENT
LISS SYSTEM**



5.0mm Wise-Lock Distal Femur Plate(LISS) System



5.0mm Wise-Lock Distal Femur Plate(LISS)



Holes	Direction	TITANIUM
5	Left	10-016-05LTI
5	Right	10-016-05RTI
7	Left	10-016-07LTI
7	Right	10-016-07RTI
9	Left	10-016-09LTI
9	Right	10-016-09RTI
11	Left	10-016-11LTI
11	Right	10-016-11RTI
13	Left	10-016-13LTI
13	Right	10-016-13RTI



Holes	Direction	TITANIUM
5	Left	10-016-05LTI
5	Right	10-016-05RTI
7	Left	10-016-07LTI
7	Right	10-016-07RTI
9	Left	10-016-09LTI
9	Right	10-016-09RTI
11	Left	10-016-11LTI
11	Right	10-016-11RTI
13	Left	10-016-13LTI
13	Right	10-016-13RTI



SCREWS




5.0mm Wise-Lock Screw, Self-Tapping, (Hex Head)



Length	Stainless Steel	Titanium
12mm	119.012	TI-119.012
14mm	119.014	TI-119.014
16mm	119.016	TI-119.016
18mm	119.018	TI-119.018
20mm	119.020	TI-119.020
22mm	119.022	TI-119.022
24mm	119.024	TI-119.024
26mm	119.026	TI-119.026
28mm	119.028	TI-119.028
30mm	119.030	TI-119.030
32mm	119.032	TI-119.032
34mm	119.034	TI-119.034
36mm	119.036	TI-119.036
38mm	119.038	TI-119.038
40mm	119.040	TI-119.040
42mm	119.042	TI-119.042
44mm	119.044	TI-119.044
46mm	119.046	TI-119.046
48mm	119.048	TI-119.048
50mm	119.050	TI-119.050
52mm	119.052	TI-119.052
54mm	119.054	TI-119.054
56mm	119.056	TI-119.056
58mm	119.058	TI-119.058
60mm	119.060	TI-119.060
65mm	119.065	TI-119.065
70mm	119.070	TI-119.070
75mm	119.075	TI-119.075
80mm	119.080	TI-119.080
85mm	119.085	TI-119.085
90mm	119.090	TI-119.090



Length	Stainless Steel	Titanium
12mm	119.012-S	TI-119.012-S
14mm	119.014-S	TI-119.014-S
16mm	119.016-S	TI-119.016-S
18mm	119.018-S	TI-119.018-S
20mm	119.020-S	TI-119.020-S
22mm	119.022-S	TI-119.022-S
24mm	119.024-S	TI-119.024-S
26mm	119.026-S	TI-119.026-S
28mm	119.028-S	TI-119.028-S
30mm	119.030-S	TI-119.030-S
32mm	119.032-S	TI-119.032-S
34mm	119.034-S	TI-119.034-S
36mm	119.036-S	TI-119.036-S
38mm	119.038-S	TI-119.038-S
40mm	119.040-S	TI-119.040-S
42mm	119.042-S	TI-119.042-S
44mm	119.044-S	TI-119.044-S
46mm	119.046-S	TI-119.046-S
48mm	119.048-S	TI-119.048-S
50mm	119.050-S	TI-119.050-S
52mm	119.052-S	TI-119.052-S
54mm	119.054-S	TI-119.054-S
56mm	119.056-S	TI-119.056-S
58mm	119.058-S	TI-119.058-S
60mm	119.060-S	TI-119.060-S
65mm	119.065-S	TI-119.065-S
70mm	119.070-S	TI-119.070-S
75mm	119.075-S	TI-119.075-S
80mm	119.080-S	TI-119.080-S
85mm	119.085-S	TI-119.085-S
90mm	119.090-S	TI-119.090-S





7-028-16	Screw Caddy for 5.0mm Wise-Lock LISS System
----------	---





5.0mm Wise-Lock Screw, Self-Tapping, (Hex Head)

Length	Stainless Steel	Titanium	Unit
26	119.026	TI-119.026	4
28	119.028	TI-119.028	5
30	119.030	TI-119.030	5
32	119.032	TI-119.032	5
34	119.034	TI-119.034	5
36	119.036	TI-119.036	5
38	119.038	TI-119.038	5
40	119.040	TI-119.040	5
42	119.042	TI-119.042	5
44	119.044	TI-119.044	5
46	119.046	TI-119.046	5
48	119.048	TI-119.048	5
50	119.050	TI-119.050	5
52	119.052	TI-119.052	5
54	119.054	TI-119.054	5
56	119.056	TI-119.056	5
58	119.058	TI-119.058	5
60	119.060	TI-119.060	5
65	119.065	TI-119.065	5
70	119.070	TI-119.070	5
75	119.075	TI-119.075	5
80	119.080	TI-119.080	6
85	119.085	TI-119.085	6
90	119.090	TI-119.090	6

5.0mm Wise-Lock Screw, Self-Tapping & Self- Drilling, (Hex Head)

Length	Stainless Steel	Titanium	Unit
26	119.226	TI-119.226	5
28	119.228	TI-119.228	5
30	119.230	TI-119.230	5
32	119.232	TI-119.232	5
34	119.234	TI-119.234	5
36	119.236	TI-119.236	5
38	119.238	TI-119.238	5
40	119.240	TI-119.240	5
42	119.242	TI-119.242	6
44	119.244	TI-119.244	5
46	119.246	TI-119.246	5
48	119.248	TI-119.248	5
50	119.250	TI-119.250	5
55	119.255	TI-119.255	5
60	119.260	TI-119.260	5
65	119.265	TI-119.265	5
70	119.270	TI-119.270	6
75	119.275	TI-119.275	6
80	119.280	TI-119.280	6
85	119.285	TI-119.285	6
90	119.290	TI-119.290	6




INSTRUMENTS



7-028-01

L WRENCH, Ø4.5MM FOR LISS SYSTEM



7-028-02

T-HANDLE WITH QUICK COUPLING FOR LISS SYSTEM



7-028-03

TAP WITH QUICK COUPLING END, Ø5.0MM FOR LISS SYSTEM



7-028-04

TORQUE-LIMITING SCREWDRIVER HANDLE, 4.0NM, FOR LISS SYSTEM



7-028-05

GUIDE SLEEVE, Ø7.3MM, FOR LISS SYSTEM



7-028-06

THREADED GUIDE PIN, Ø2.0MM X THREAD LENGTH 11MM X TOTAL LENGTH 280MM, FOR LISS SYSTEM





7-028-07

TROCAR Ø7.2MM FOR LISS SYSTEM



7-028-08

LIFTING DRILL Ø4.0MM FOR LISS SYSTEM



7-028-09

SCREWDRIVER, HEX 3.5MM, FOR LISS SYSTEM



7-028-10

DRILL SLEEVE FOR LOCKING SCREW, Ø2.2MM, FOR LISS SYSTEM



7-028-11

DRILL SLEEVE FOR PIN, Ø2.2MM, FOR LISS SYSTEM



7-028-12

DRILL SLEEVE, Ø4.2MM, FOR LISS SYSTEM





7-028-13

TROCAR Ø7.2MM FOR LISS SYSTEM



7-028-14

LIFTING DRILL Ø4.0MM FOR LISS SYSTEM



7-028-15

SCREWDRIVER, HEX 3.5MM, FOR LISS SYSTEM



7-028-16

DRILL SLEEVE FOR LOCKING SCREW, Ø2.2MM, FOR LISS SYSTEM



7-029-01

DRILL SLEEVE FOR PIN, Ø2.2MM, FOR LISS SYSTEM



7-029-02


DRILL SLEEVE, Ø4.2MM, FOR LISS SYSTEM






7-029-03

INSTRUMENT TRAYS FOR 5.0MM WISE-LOCK DISTAL FEMUR PLATE(LISS) SYSTEM



7-029-04

CONTAINER FOR 5.0MM WISE-LOCK DISTAL FEMUR PLATE(LISS) SYSTEM





7-029	5.0mm Wise-Lock Distal Femur Plate (LISS) Instrument set
-------	--



**7-029****5.0mm Wise-Lock Distal Femur Plate (LISS) Instrument set**

CODE	SET CONSISTING OF	UNIT
7-028-01	L Wrench, Ø4.5mm for LISS System	1
7-028-02	T-Handle With Quick Coupling for LISS System	1
7-028-03	Tap with Quick Coupling End, Ø5.0mm for LISS System	2
7-028-04	Torque-Limiting Screwdriver Handle, 4.0Nm, for LISS System	1
7-028-05	Guide Sleeve, Ø7.3mm, for LISS System	4
7-028-06	Threaded Guide Pin, Ø2.0mm x Thread Length 11mm x Total Length 280mm, for LISS System	4
7-028-07	Trocar Ø7.2mm for LISS System	1
7-028-08	Lifting Drill Ø4.0mm for LISS System	2
7-028-09	Screwdriver, Hex 3.5mm, for LISS System	2
7-028-10	Drill sleeve for Locking Screw, Ø2.2mm, for LISS System	1
7-028-11	Drill Sleeve for Pin, Ø2.2mm, for LISS System	2
7-028-12	Drill Sleeve, Ø4.2mm, for LISS System	2
7-028-13	Depth Gauge, Ø2.2mm, for LISS System	1
7-028-14	Drill Bit Ø4.1 x 280mm for LISS System	2
7-028-15	Stopper for LISS System	20
7-028-16	Screw Caddy for 5.0mm Wise-Lock LISS System	1
7-029-01	5.0mm Wise-Lock Distal Femur (LISS) Guide, Left	1
7-029-02	5.0mm Wise-Lock Distal Femur (LISS) Guide, Right	1
7-029-03	Instrument Trays for 5.0mm Wise-Lock Distal Femur Plate(LISS) System	2
7-029-04	Container for 5.0mm Wise-Lock Distal Femur Plate(LISS) System	1

