

Auxein


LOW PROFILE HAND SYSTEM 0.8MM | 1.3MM



NEXT-LEVEL CARE

ABOUT US

Auxein Medical is an integrated, research based, orthopaedic implants & instruments manufacturing company, producing a wide range of quality, affordable generic implants, trusted by healthcare professionals and patients across geographies. It is the Company's constant endeavour to provide a wide basket of generic and our innovator products that exceed the highest expectations of customers in term of quality and safety. The company has world-class manufacturing unit established in India and serves customers in over 75 countries worldwide.



IMPACTING HEALTHCARE GLOBALLY

Our Reach & Influence

500+

Employees Worldwide

75+

Operations in Countries

150+

Distributors Worldwide

20^{M+}

Patients Cured

200+

FDA Approved Products

250+

Machines Worldwide

3000+

Innovative Orthopedic
Products & Solutions

Auxin is dedicated to advancing medical technology through innovative orthopedic solutions, including **Trauma, Arthroscopy, and Reconstructive Procedures**, with a commitment to improving patient outcomes worldwide. Our approach integrates advanced research, precision engineering, and high-quality manufacturing to develop reliable implants and surgical instruments that address the evolving needs of modern orthopedic practice.

OUR ACHIEVEMENTS



OVER THE YEARS



HNS

HNS

POWER ON POWER OFF

EMERGENCY STOP

HANDLE JOG


RESET

OVERRIDES

CYCLE START FEED HOLD

Machine status display showing various parameters and a 'Main Screen' section with a table of data.


Main Screen	
Feed Rate	1000
Spindle Speed	1000
Tool Wear	0.00
Chamber Temp	100.00
Feed Rate	100.00
Spindle Speed	100.00
Tool Wear	0.00
Chamber Temp	100.00



At Auxein, it is our goal to provide the best in class quality and value to every individual. Consistency is a virtue we pursue with a passion. From the procurement of raw materials to the manufacturing of our range of 1200+ orthopaedic implant products, we employ world-class systems and technology at par with the highest standards of globally recognized evaluation systems. The Low Profile Hand System (0.8mm | 1.3mm) is part of our orthopedic portfolio, designed for fixation of small bone fractures, osteotomies, and reconstructive procedures of the hand. Developed with clinical input, the system provides stable fixation with low-profile implants that minimize soft tissue irritation while supporting precise anatomical reduction and functional recovery.



INDEX



Introduction	10-11
Implants	12-13
Screws	14-16
Phalange Instruments	17-19
Order Information	20-21
Metacarpal Implants	22-24
Screws	25-27
Instruments	28-30
Order Information	31
General Instruments	32-37
Order Information	38



LOW PROFILE HAND SYSTEM

0.8mm | 1.3mm



The 0.8mm | 1.3mm Low Profile Hand System



Introduction

The 0.8mm | 1.3mm Low Profile Hand System is designed to provide both standard and fracture-specific fixation for metacarpal and phalangeal fractures, as well as for fusions and osteotomies. The system includes a comprehensive range of anatomically designed and adaptable plates for metacarpal neck fractures, base of the first metacarpal fractures, avulsion injuries, and rotational malunions. It offers standard-shaped, cut-to-length, and contourable plates, along with low-profile screws and Wise-Lock low-profile screws with star head configuration for secure fixation in less complex fracture patterns. Low-profile implants and smooth, rounded-edge instrumentation are designed to minimize soft tissue irritation, while versatile implants and dedicated instrumentation support efficient and streamlined surgical workflow. The system is available in Titanium.

Indications

- Fractures of the distal, middle, and proximal phalanges
- Fractures of the metacarpals (including neck and base of first metacarpal)
- Avulsion fractures
- Rotational malunions
- Osteotomies of the phalanges and metacarpals
- Arthrodesis of small joints of the hand
- Fixation of small bones appropriate to implant size



0.8mm Wise-Lock Low Profile Avulsion Fracture Plate

STERILE



Sterile	Non Sterile	Holes
12-001-02TI-S	12-001-02TI	2



0.8mm Wise-Lock Low Profile Straight Plate

STERILE



Sterile	Non Sterile	Holes
12-002-03TI-S	12-002-03TI	3
12-002-04TI-S	12-002-04TI	4
12-002-05TI-S	12-002-05TI	5
12-002-06TI-S	12-002-06TI	6
12-002-07TI-S	12-002-07TI	7
12-002-10TI-S	12-002-10TI	10



0.8mm Wise-Lock Low Profile Curved Medial/Lateral Plate

STERILE



Sterile	Non Sterile	Holes
12-003-09TI-S	12-003-09TI	9



0.8mm Wise-Lock Low Profile Curved Medial/Lateral Plate, Short

STERILE



Sterile	Non Sterile	Holes
12-004-04LTI-S	12-004-04LTI	4
12-004-04RTI-S	12-004-04RTI	4
12-004-05LTI-S	12-004-05LTI	5
12-004-05RTI-S	12-004-05RTI	5
12-004-06LTI-S	12-004-06LTI	6
12-004-06RTI-S	12-004-06RTI	6





0.8mm Wise-Lock Low Profile Compression Plate

STERILE



Sterile	Non Sterile	Holes
12-005-04TI-S	12-005-04TI	4
12-005-05TI-S	12-005-05TI	5
12-005-06TI-S	12-005-06TI	6



0.8mm Wise-Lock Low Profile T-Plate

STERILE



Sterile	Non Sterile	Holes
12-006-05TI-S	12-006-05TI	5
12-006-06TI-S	12-006-06TI	6
12-006-08TI-S	12-006-08TI	8
12-06-012TI-S	12-006-012TI	12



0.8mm Wise-Lock Low Profile L-Plate

STERILE



Sterile	Non Sterile	Holes
12-007-04LTI-S	12-007-04LTI	4
12-007-04RTI-S	12-007-04RTI	4
12-007-06LTI-S	12-007-06LTI	6
12-007-06RTI-S	12-007-06RTI	6
12-007-08LTI-S	12-007-08LTI	8
12-007-08RTI-S	12-007-08RTI	8



0.8mm Wise-Lock Low Profile Offset Plate

STERILE



Sterile	Non Sterile	Holes
12-008-04TI-S	12-008-04TI	4
12-008-06TI-S	12-008-06TI	6
12-008-10TI-S	12-008-10TI	10





SCREWS





1.5mm WISE-LOCK Low Profile Screw, Star Head



STERILE

Unit	Code	Code	
5	12-015-05TI	12-015-05TI-S	Titanium
6	12-015-06TI	12-015-06TI-S	Titanium
7	12-015-07TI	12-015-07TI-S	Titanium
8	12-015-08TI	12-015-08TI-S	Titanium
9	12-015-09TI	12-015-09TI-S	Titanium
10	12-015-10TI	12-015-10TI-S	Titanium
11	12-015-11TI	12-015-11TI-S	Titanium
12	12-015-12TI	12-015-12TI-S	Titanium
13	12-015-13TI	12-015-13TI-S	Titanium
14	12-015-14TI	12-015-14TI-S	Titanium
16	12-015-16TI	12-015-16TI-S	Titanium
18	12-015-18TI	12-015-18TI-S	Titanium
20	12-015-20TI	12-015-20TI-S	Titanium

Star Head



1.5mm Low Profile Screw, Star Head



STERILE

Unit	Code	Code	
5	12-016-05TI	12-016-05TI-S	Titanium
6	12-016-06TI	12-016-06TI-S	Titanium
7	12-016-07TI	12-016-07TI-S	Titanium
8	12-016-08TI	12-016-08TI-S	Titanium
9	12-016-09TI	12-016-09TI-S	Titanium
10	12-016-10TI	12-016-10TI-S	Titanium
11	12-016-11TI	12-016-11TI-S	Titanium
12	12-016-12TI	12-016-12TI-S	Titanium
13	12-016-13TI	12-016-13TI-S	Titanium
14	12-016-14TI	12-016-14TI-S	Titanium
16	12-016-16TI	12-016-16TI-S	Titanium
18	12-016-18TI	12-016-18TI-S	Titanium
20	12-016-20TI	12-016-20TI-S	Titanium

Star Head





2.3mm WISE-LOCK Low Profile Screw, Star Head



STERILE

Unit	Code	Code	
5	12-017-05TI	12-017-05TI-S	Titanium
6	12-017-06TI	12-017-06TI-S	Titanium
7	12-017-07TI	12-017-07TI-S	Titanium
8	12-017-08TI	12-017-08TI-S	Titanium
9	12-017-09TI	12-017-09TI-S	Titanium
10	12-017-10TI	12-017-10TI-S	Titanium
11	12-017-11TI	12-017-11TI-S	Titanium
12	12-017-12TI	12-017-12TI-S	Titanium
13	12-017-13TI	12-017-13TI-S	Titanium
14	12-017-14TI	12-017-14TI-S	Titanium
16	12-017-16TI	12-017-16TI-S	Titanium
18	12-017-18TI	12-017-18TI-S	Titanium
20	12-017-20TI	12-017-20TI-S	Titanium

Star Head



2.3mm Low Profile Screw, Star Head



STERILE

Unit	Code	Code	
5	12-018-05TI	12-018-05TI-S	Titanium
6	12-018-06TI	12-018-06TI-S	Titanium
7	12-018-07TI	12-018-07TI-S	Titanium
8	12-018-08TI	12-018-08TI-S	Titanium
9	12-018-09TI	12-018-09TI-S	Titanium
10	12-018-10TI	12-018-10TI-S	Titanium
11	12-018-11TI	12-018-11TI-S	Titanium
12	12-018-12TI	12-018-12TI-S	Titanium
13	12-018-13TI	12-018-13TI-S	Titanium
14	12-018-14TI	12-018-14TI-S	Titanium
16	12-018-16TI	12-018-16TI-S	Titanium
18	12-018-18TI	12-018-18TI-S	Titanium
20	12-018-20TI	12-018-20TI-S	Titanium

Star Head





PHALANGE INSTRUMENTS



7-113-01

Drill Bit With Quick Coupling Ø1.1mm X Length 90mm



7-113-02

Drill Bit With AO Coupling Ø1.1mm X Length 90mm



7-113-03

Threaded Drill Guide Ø1.1mm



7-095-22

Stardrive Shaft, T6



7-095-23

Plate Positioner 0.8/1.3mm




7-113-04

Depth Gauge For Ø1.5mm Screw





7-113	0.8mm Phalange Implant and Instrument Case
-------	--





ORDER INFORMATION

7-113	0.8mm Phalange Implant and Instrument Case
-------	--

Code	Set Consisting Of	Holes	Unit
12-001-02TI	0.8mm Wise-Lock Low Profile Avulsion Fracture Plate	2	1
12-002-03TI	0.8mm Wise-Lock Low Profile Straight Plate	3	1
12-002-04TI	0.8mm Wise-Lock Low Profile Straight Plate	4	1
12-002-05TI	0.8mm Wise-Lock Low Profile Straight Plate	5	1
12-002-06TI	0.8mm Wise-Lock Low Profile Straight Plate	6	1
12-002-07TI	0.8mm Wise-Lock Low Profile Straight Plate	7	1
12-002-10TI	0.8mm Wise-Lock Low Profile Straight Plate	10	1
12-003-09TI	0.8mm Wise-Lock Low Profile Curved Medial/Lateral Plate	9	1
12-004-04LTI	0.8mm Wise-Lock Low Profile Curved Medial/Lateral Plate, Short, left	4	1
12-004-04RTI	0.8mm Wise-Lock Low Profile Curved Medial/Lateral Plate, Short, right	4	1
12-004-05LTI	0.8mm Wise-Lock Low Profile Curved Medial/Lateral Plate, Short, left	5	1
12-004-05RTI	0.8mm Wise-Lock Low Profile Curved Medial/Lateral Plate, Short, right	5	1
12-004-06LTI	0.8mm Wise-Lock Low Profile Curved Medial/Lateral Plate, Short, left	6	1
12-004-06RTI	0.8mm Wise-Lock Low Profile Curved Medial/Lateral Plate, Short, right	6	1
12-005-04TI	0.8mm Wise-Lock Low Profile Compression Plate	4	1
12-005-05TI	0.8mm Wise-Lock Low Profile Compression Plate	5	1
12-005-06TI	0.8mm Wise-Lock Low Profile Compression Plate	6	1
12-006-05TI	0.8mm Wise-Lock Low Profile T-Plate	5	1
12-006-06TI	0.8mm Wise-Lock Low Profile T-Plate	6	1
12-006-08TI	0.8mm Wise-Lock Low Profile T-Plate	8	1
12-006-012TI	0.8mm Wise-Lock Low Profile T-Plate	12	1
12-007-04LTI	0.8mm Wise-Lock Low Profile L-Plate, left	4	1
12-007-04RTI	0.8mm Wise-Lock Low Profile L-Plate, right	4	1
12-007-06LTI	0.8mm Wise-Lock Low Profile L-Plate, left	6	1
12-007-06RTI	0.8mm Wise-Lock Low Profile L-Plate, right	6	1
12-007-08LTI	0.8mm Wise-Lock Low Profile L-Plate, left	8	1
12-007-08RTI	0.8mm Wise-Lock Low Profile L-Plate, right	8	1
12-008-04TI	0.8mm Wise-Lock Low Profile Offset Plate	4	1
12-008-06TI	0.8mm Wise-Lock Low Profile Offset Plate	6	1
12-008-10TI	0.8mm Wise-Lock Low Profile Offset Plate	10	1




Screws


Length	Set Consisting Of	Unit
5mm to 20mm	1.5mm Wise-Lock Low Profile Screw, (Star Head)	6
5mm to 20mm	1.5mm Low Profile Screw, (Star Head)	4
5mm to 20mm	2.3mm Wise-Lock Low Profile Screw, (Star Head)	6
5mm to 20mm	2.3mm Low Profile Screw, (Star Head)	4

Instruments

Code	Set Consisting Of	Unit
7-113-01	Drill Bit with Quick Coupling Ø1.1mm x Length 90mm	1
7-113-02	Drill Bit with AO Coupling Ø1.1mm x Length 90mm	2
7-113-03	Threaded Drill Guide Ø1.1mm	1
7-095-22	Stardrive Shaft, T6	2
7-095-23	Plate Positioner 0.8/1.3mm	1
7-113-04	Depth Gauge for Ø1.5mm Screw	1



METACARPAL IMPLANTS





1.3mm Wise-Lock Low Profile Metacarpal Neck Plate

STERILE



Sterile	Non Sterile	Holes
12-009-06LTI-S	12-009-06LTI	6
12-009-06RTI-S	12-009-06RTI	6



1.3mm Wise-Lock Low Profile Compression Plate

STERILE



Sterile	Non Sterile	Holes
12-010-04TI-S	12-010-04TI	4
12-010-05TI-S	12-010-05TI	5
12-010-06TI-S	12-010-06TI	6



1.3mm Wise-Lock Low Profile Straight Plate

STERILE



Sterile	Non Sterile	Holes
12-011-03TI-S	12-011-03TI	3
12-011-04TI-S	12-011-04TI	4
12-011-05TI-S	12-011-05TI	5
12-011-06TI-S	12-011-06TI	6
12-011-07TI-S	12-011-07TI	7
12-011-10TI-S	12-011-10TI	10



1.3mm Wise-Lock Low Profile T-Plate

STERILE



Sterile	Non Sterile	Holes
12-012-04TI-S	12-012-04TI	4
12-012-05TI-S	12-012-05TI	5
12-012-06TI-S	12-012-06TI	6
12-012-07TI-S	12-012-07TI	7
12-012-08TI-S	12-012-08TI	8
12-012-11TI-S	12-012-11TI	11





1.3mm Wise-Lock Low Profile Rolando Fracture Hook Plate

STERILE



Sterile	Non Sterile	Holes
12-013-07TI-S	12-013-07TI	7



1.3mm Wise-Lock Low Profile Rotational Correction Plate

STERILE



Sterile	Non Sterile	Holes
12-014-06TI-S	12-014-06TI	6





SCREWS



1.5mm WISE-LOCK Low Profile Screw, Star Head



STERILE

Unit	Code	Code	
5	12-015-05TI	12-015-05TI-S	Titanium
6	12-015-06TI	12-015-06TI-S	Titanium
7	12-015-07TI	12-015-07TI-S	Titanium
8	12-015-08TI	12-015-08TI-S	Titanium
9	12-015-09TI	12-015-09TI-S	Titanium
10	12-015-10TI	12-015-10TI-S	Titanium
11	12-015-11TI	12-015-11TI-S	Titanium
12	12-015-12TI	12-015-12TI-S	Titanium
13	12-015-13TI	12-015-13TI-S	Titanium
14	12-015-14TI	12-015-14TI-S	Titanium
16	12-015-16TI	12-015-16TI-S	Titanium
18	12-015-18TI	12-015-18TI-S	Titanium
20	12-015-20TI	12-015-20TI-S	Titanium

Star Head



1.5mm Low Profile Screw, Star Head



STERILE

Unit	Code	Code	
5	12-016-05TI	12-016-05TI-S	Titanium
6	12-016-06TI	12-016-06TI-S	Titanium
7	12-016-07TI	12-016-07TI-S	Titanium
8	12-016-08TI	12-016-08TI-S	Titanium
9	12-016-09TI	12-016-09TI-S	Titanium
10	12-016-10TI	12-016-10TI-S	Titanium
11	12-016-11TI	12-016-11TI-S	Titanium
12	12-016-12TI	12-016-12TI-S	Titanium
13	12-016-13TI	12-016-13TI-S	Titanium
14	12-016-14TI	12-016-14TI-S	Titanium
16	12-016-16TI	12-016-16TI-S	Titanium
18	12-016-18TI	12-016-18TI-S	Titanium
20	12-016-20TI	12-016-20TI-S	Titanium

Star Head





2.3mm WISE-LOCK Low Profile Screw, Star Head



STERILE

Unit	Code	Code	
5	12-017-05TI	12-017-05TI-S	Titanium
6	12-017-06TI	12-017-06TI-S	Titanium
7	12-017-07TI	12-017-07TI-S	Titanium
8	12-017-08TI	12-017-08TI-S	Titanium
9	12-017-09TI	12-017-09TI-S	Titanium
10	12-017-10TI	12-017-10TI-S	Titanium
11	12-017-11TI	12-017-11TI-S	Titanium
12	12-017-12TI	12-017-12TI-S	Titanium
13	12-017-13TI	12-017-13TI-S	Titanium
14	12-017-14TI	12-017-14TI-S	Titanium
16	12-017-16TI	12-017-16TI-S	Titanium
18	12-017-18TI	12-017-18TI-S	Titanium
20	12-017-20TI	12-017-20TI-S	Titanium

Star Head



2.3mm Low Profile Screw, Star Head




STERILE

Unit	Code	Code	
5	12-018-05TI	12-018-05TI-S	Titanium
6	12-018-06TI	12-018-06TI-S	Titanium
7	12-018-07TI	12-018-07TI-S	Titanium
8	12-018-08TI	12-018-08TI-S	Titanium
9	12-018-09TI	12-018-09TI-S	Titanium
10	12-018-10TI	12-018-10TI-S	Titanium
11	12-018-11TI	12-018-11TI-S	Titanium
12	12-018-12TI	12-018-12TI-S	Titanium
13	12-018-13TI	12-018-13TI-S	Titanium
14	12-018-14TI	12-018-14TI-S	Titanium
16	12-018-16TI	12-018-16TI-S	Titanium
18	12-018-18TI	12-018-18TI-S	Titanium
20	12-018-20TI	12-018-20TI-S	Titanium

Star Head





METACARPAL INSTRUMENTS



7-114-01

Drill Bit With Quick Coupling Ø2.0mm X Length 90mm



7-114-02

Drill Bit With Ao Coupling Ø2.0mm X Length 90mm



7-114-03

Threaded Drill Guide Ø2.0mm



7-095-22

Stardrive Shaft, T6



7-095-23

Plate Positioner 0.8/1.3mm



7-114-04

Depth Gauge For Ø2.3mm Screw





7-114	1.3mm Metacarpal Implant and Instrument Case
-------	--





ORDER INFORMATION

7-114	1.3mm Metacarpal Implant and Instrument Case
--------------	---


Code	Set Consisting Of	Holes	Unit
12-009-06LTI	1.3mm Wise-Lock Low Profile Metacarpal Neck Plate, Left	6	1
12-009-06RTI	1.3mm Wise-Lock Low Profile Metacarpal Neck Plate, Right	6	1
12-010-04TI	1.3mm Wise-Lock Low Profile Compression Plate	4	1
12-010-05TI	1.3mm Wise-Lock Low Profile Compression Plate	5	1
12-010-06TI	1.3mm Wise-Lock Low Profile Compression Plate	6	1
12-011-03TI	1.3mm Wise-Lock Low Profile Straight Plate	3	1
12-011-04TI	1.3mm Wise-Lock Low Profile Straight Plate	4	1
12-011-05TI	1.3mm Wise-Lock Low Profile Straight Plate	5	1
12-011-06TI	1.3mm Wise-Lock Low Profile Straight Plate	6	1
12-011-07TI	1.3mm Wise-Lock Low Profile Straight Plate	7	1
12-011-10TI	1.3mm Wise-Lock Low Profile Straight Plate	10	1
12-012-04TI	1.3mm Wise-Lock Low Profile T-Plate	4	1
12-012-05TI	1.3mm Wise-Lock Low Profile T-Plate	5	1
12-012-06TI	1.3mm Wise-Lock Low Profile T-Plate	6	1
12-012-07TI	1.3mm Wise-Lock Low Profile T-Plate	7	1
12-012-08TI	1.3mm Wise-Lock Low Profile T-Plate	8	1
12-012-11TI	1.3mm Wise-Lock Low Profile T-Plate	11	1
12-013-07TI	1.3mm Wise-Lock Low Profile Rolando Fracture Hook Plate	7	1
12-014-06TI	1.3mm Wise-Lock Low Profile Rotational Correction Plate	6	1

Screws

Length	Set Consisting Of	Unit
5mm to 20mm	1.5mm Wise-Lock Low Profile Screw, (Star Head)	6
5mm to 20mm	1.5mm Low Profile Screw, (Star Head)	4
5mm to 20mm	2.3mm Wise-Lock Low Profile Screw, (Star Head)	6
5mm to 20mm	2.3mm Low Profile Screw, (Star Head)	4

Instruments

Code	Set Consisting Of	Unit
7-114-01	Ø2.0mm Drill Bit x Length 90mm with Quick Coupling	1
7-114-02	Ø2.0mm Drill Bit x Length 90mm with AO Coupling	2
7-114-03	Ø2.0mm Drill Guide	1
7-095-22	T6 Stardrive Shaft	2
7-095-23	0.8/1.3mm Plate Positioner	1
7-114-04	Depth Gauge for Ø2.3mm Screw	1



GENERAL INSTRUMENTS

7-095-01

Bending Pliers For Low Profile Hand System




7-095-02

Double Periosteal Elevator, Flat, For Low Profile Hand System



7-095-03

Countersink For Low Profile Hand System



7-095-04

Position Pin For Low Profile Hand System



7-095-05

Retractor For Low Profile Hand System



7-095-06

Cleaning Hook For Low Profile Hand System





7-095-07

Bone Forcep 1.1/2.0 For Low Profile Hand System



7-095-08

Reduction Forcep With Points, For Low Profile Hand System



7-095-09

Reduction Forcep For Low Profile Hand System



7-095-10

Osteotomy Guide For Low Profile Hand System



7-095-11

Distractor For Low Profile Hand System



7-095-12

Kirschner Wire With Threaded Trocar Tip, Ø1.0mm X Thread Length 19mm X Length 150mm



7-095-13

Kirschner Wire With Threaded Trocar Tip, Ø1.2mm X Thread
Length 19mm X Length 150mm



7-095-14

Kirschner Wire With Threaded Trocar Tip, Ø1.6mm X Thread
Length 19mm X Length 150mm




7-095-15

Kirschner Wire, Ø1.0mm X Length 150mm



7-095-16

Kirschner Wire, Ø1.2mm X Length 150mm



7-095-17

Kirschner Wire, Ø1.6mm X Length 150mm



7-095-18

Handle With Mini Quick Coupling For Low Profile Hand System




7-095-19

Mini Quick Coupling (AO) for Low Profile Hand System




7-095-20

Instrument Trays for 0.8-1.3mm Low Profile Hand Instrument Set




7-095-21

Container for 0.8-1.3mm Low Profile Hand Instrument Set





7-095	0.8-1.3mm Low Profile Hand System Instrument Set
-------	--





ORDER INFORMATION

General Instruments

Code	Set Consisting Of	Unit
7-095-01	Bending Pliers for Low Profile Hand System	2
7-095-02	Double Periosteal Elevator, Flat, for Low Profile Hand System	1
7-095-03	Countersink for Low Profile Hand System	2
7-095-04	Position Pin for Low Profile Hand System	4
7-095-05	Retractor for Low Profile Hand System	2
7-095-06	Cleaning Hook for Low Profile Hand System	1
7-095-07	Bone Forcep 1.1/2.0 for Low Profile Hand System	1
7-095-08	Reduction Forcep with Points, for Low Profile Hand System	1
7-095-09	Reduction Forcep for Low Profile Hand System	1
7-095-10	Osteotomy Guide for Low Profile Hand System	1
7-095-11	Distractor for Low Profile Hand System	1
7-095-12	Kirschner Wire with Threaded Trocar Tip, Ø1.0mm x Thread Length 19mm x Length 150mm	2
7-095-13	Kirschner Wire with Threaded Trocar Tip, Ø1.2mm x Thread Length 19mm x Length 150mm	2
7-095-14	Kirschner Wire with Threaded Trocar Tip, Ø1.6mm x Thread Length 19mm x Length 150mm	2
7-095-15	Kirschner Wire, Ø1.0mm x Length 150mm	2
7-095-16	Kirschner Wire, Ø1.2mm x Length 150mm	2
7-095-17	Kirschner Wire, Ø1.6mm x Length 150mm	2
7-095-18	Handle with Mini Quick Coupling for Low Profile Hand System	1
7-095-19	Mini Quick Coupling (AO) for Low Profile Hand System	1
7-095-20	Instrument Trays for 0.8-1.3mm Low Profile Hand Instrument Set	1
7-095-21	Container for 0.8-1.3mm Low Profile Hand Instrument Set	1



LOW PROFILE HAND SYSTEM 0.8MM | 1.3MM

The content of this catalogue is intended for healthcare professionals only. All product information, illustrations, descriptions, and specifications provided here are for general informational purposes and are subject to change without notice. Auxein Medical Pvt. Ltd. reserves the right to improve or discontinue products at any time without prior notification.

This document does not constitute medical advice. Surgeons and medical practitioners must exercise their own professional judgment when using any medical devices or instruments, including those provided by Auxein.

INTENDED USE

The implants and instruments in this catalogue are intended for use by qualified orthopedic surgeons trained in fracture fixation procedures. Proper implant selection and surgical technique are essential for safe and effective use. Improper selection, misuse, or insufficient surgical experience may result in complications.

REGULATORY COMPLIANCE CERTIFIED

CE Approved (EUMDR-2017/745)

SO 13485:2016

CDSCO

MDSAP

INTELLECTUAL PROPERTY

All trademarks, trade names, brand names, product names, and logos mentioned in this catalogue are the property of Auxein Medical Pvt. Ltd. Unauthorized use or reproduction is strictly prohibited.

V1-2026



SCAN TO KNOW MORE

INDIA
AUXEIN MEDICAL PVT.LTD.

PLOT NO. 168-169-170, PHASE-4,
KUNDLI INDUSTRIAL AREA,
HSIIDC, SECTOR-57,
SONEPAT-131028, HARYANA
TEL: +91 99106 43638
FAX: +91 86077 70197
EMAIL: INFO@AUXEIN.COM

MÉXICO
AUXEIN MÉXICO, S.A DE CV

TEPIC 39 INT 801, COLONIA
ROMA SUR,
ALCADÍA CUAUHTÉMOC, CDMX
MÉXICO, C.P 06760
TEL: +521 55 7261 0318
EMAIL: INFO@AUXEIN.MX

USA
AUXEIN INC.

1500 NW 89TH COURT,
SUITE 107-108
DORAL,FLORIDA 33172
TEL. +1 305 395 6062
E FAX:+1 305 395 62 62
EMAIL: USOFFICE@AUXEIN.COM

DUBAI UAE
AUXEIN MEDICAL

TRADING FZCO OUD METHA
OFFICES BUILDING B BLOCK,
1ST-FLOOR, OFFICE NO.26,
NEAR HEALTHCARE CITY,
PO BOX-25572
TEL. +971 438 71333
EMAIL: INFO@AUXEIN.COM

WWW.AUXEIN.COM