

# Auxein

## TARSUS NAILING SYSTEM




NEXT-LEVEL CARE



## ABOUT US

Auxein Medical is an integrated, research based, orthopaedic implants & instruments manufacturing company, producing a wide range of quality, affordable generic implants, trusted by healthcare professionals and patients across geographies. It is the Company's constant endeavour to provide a wide basket of generic and our innovator products that exceed the highest expectations of customers in term of quality and safety. The company has world-class manufacturing unit established in India and serves customers in over 75 countries worldwide.



# IMPACTING HEALTHCARE GLOBALLY

Our Reach & Influence

**500+**

Employees Worldwide

**75+**

Operations in Countries

**150+**

Distributors Worldwide

**20**<sup>M+</sup>

Patients Cured

**200+**

FDA Approved Products

**250+**

Machines Worldwide

**3000+**

Innovative Orthopedic  
Products & Solutions


Auxein is dedicated to advancing medical technology through innovative orthopedic solutions, including **Trauma, Arthroscopy, and Reconstructive Procedures**, with a commitment to improving patient outcomes worldwide. Our approach integrates advanced research, precision engineering, and high-quality manufacturing to develop reliable implants and surgical instruments that address the evolving needs of modern orthopedic practice.

# OUR ACHIEVEMENTS



# OVER THE YEARS






At Auxein, it is our goal to provide the best in class quality and value to every individual. Consistency is a virtue we pursue with a passion. From the procurement of raw materials to the manufacturing of our range of 1200+ orthopaedic implant products, we employ world-class systems and technology at par with the highest standards of globally recognized evaluation systems. The Tarsus Nailing System is part of our advanced orthopedic portfolio designed to support versatile fixation techniques in trauma and reconstructive procedures. Developed with input from global experts, the system is designed to provide stable fixation and compression for fusion of the ankle and hindfoot joints.




# INDEX





Introduction .....	09
Tarsus Nail .....	10
Screws .....	11-13
Spiral Blade .....	14
Tarsus Nail end Cap .....	14
Instruments .....	15-27



# **TARSUS NAILING SYSTEM**


# Tarsus Nailing

for proper hindfoot alignment and improving patient's gait

## Introduction:

- It Permits proper hindfoot alignment restoring 3°-5° valgus positioning for a better gait.
- Distal & Talar locking options
- Nail design and aiming arm allows for targeted medial-to-lateral or lateral-to-medial proximal locking.
- The lateral bend allows an entry point at the center of the lateral column of the calcaneus.

SPIRAL BLADE



# Tarsus Nail

- Left
- Right



**STERILE**

Dia	Length	Titanium(Left)	Titanium(Right)
10mm	150mm	1-005-150LTI-S	1-005-150RTI-S
10mm	180mm	1-005-180LTI-S	1-005-180RTI-S
10mm	240mm	1-005-240LTI-S	1-005-240RTI-S
11mm	150mm	1-075-150LTI-S	1-075-150RTI-S
11mm	180mm	1-075-180LTI-S	1-075-180RTI-S
11mm	240mm	1-075-240LTI-S	1-075-240RTI-S
12mm	150mm	1-006-150LTI-S	1-006-150RTI-S
12mm	180mm	1-006-180LTI-S	1-006-180RTI-S
12mm	240mm	1-006-240LTI-S	1-006-240RTI-S
13mm	150mm	1-007-150LTI-S	1-007-150RTI-S
13mm	180mm	1-007-180LTI-S	1-007-180RTI-S
13mm	240mm	1-007-240LTI-S	1-007-240RTI-S

Dia	Length	Titanium(Left)	Titanium(Right)
10mm	150mm	1-005-150LTI-S	1-005-150RTI-S
10mm	180mm	1-005-180LTI-S	1-005-180RTI-S
10mm	240mm	1-005-240LTI-S	1-005-240RTI-S
11mm	150mm	1-075-150LTI-S	1-075-150RTI-S
11mm	180mm	1-075-180LTI-S	1-075-180RTI-S
11mm	240mm	1-075-240LTI-S	1-075-240RTI-S
12mm	150mm	1-006-150LTI-S	1-006-150RTI-S
12mm	180mm	1-006-180LTI-S	1-006-180RTI-S
12mm	240mm	1-006-240LTI-S	1-006-240RTI-S
13mm	150mm	1-007-150LTI-S	1-007-150RTI-S
13mm	180mm	1-007-180LTI-S	1-007-180RTI-S
13mm	240mm	1-007-240LTI-S	1-007-240RTI-S



# **SCREWS**





# 5.0mm Locking Bolt, (Star Head), Titanium



Dia	Length	Titanium
Ø5.0	26mm	1-008-026TI
Ø5.0	28mm	1-008-028TI
Ø5.0	30mm	1-008-030TI
Ø5.0	32mm	1-008-032TI
Ø5.0	34mm	1-008-034TI
Ø5.0	36mm	1-008-036TI
Ø5.0	38mm	1-008-038TI
Ø5.0	40mm	1-008-040TI
Ø5.0	42mm	1-008-042TI
Ø5.0	44mm	1-008-044TI
Ø5.0	46mm	1-008-046TI
Ø5.0	48mm	1-008-048TI
Ø5.0	50mm	1-008-050TI
Ø5.0	52mm	1-008-052TI
Ø5.0	54mm	1-008-054TI
Ø5.0	56mm	1-008-056TI
Ø5.0	58mm	1-008-058TI
Ø5.0	60mm	1-008-060TI
Ø5.0	62mm	1-008-062TI
Ø5.0	64mm	1-008-064TI
Ø5.0	66mm	1-008-066TI
Ø5.0	68mm	1-008-068TI
Ø5.0	70mm	1-008-070TI
Ø5.0	72mm	1-008-072TI
Ø5.0	74mm	1-008-074TI
Ø5.0	76mm	1-008-076TI
Ø5.0	78mm	1-008-078TI
Ø5.0	80mm	1-008-080TI
Ø5.0	85mm	1-008-085TI
Ø5.0	90mm	1-008-090TI
Ø5.0	95mm	1-008-095TI
Ø5.0	100mm	1-008-100TI

**STERILE**

Dia	Length	Titanium
Ø5.0	26mm	1-008-026TI-S
Ø5.0	28mm	1-008-028TI-S
Ø5.0	30mm	1-008-030TI-S
Ø5.0	32mm	1-008-032TI-S
Ø5.0	34mm	1-008-034TI-S
Ø5.0	36mm	1-008-036TI-S
Ø5.0	38mm	1-008-038TI-S
Ø5.0	40mm	1-008-040TI-S
Ø5.0	42mm	1-008-042TI-S
Ø5.0	44mm	1-008-044TI-S
Ø5.0	46mm	1-008-046TI-S
Ø5.0	48mm	1-008-048TI-S
Ø5.0	50mm	1-008-050TI-S
Ø5.0	52mm	1-008-052TI-S
Ø5.0	54mm	1-008-054TI-S
Ø5.0	56mm	1-008-056TI-S
Ø5.0	58mm	1-008-058TI-S
Ø5.0	60mm	1-008-060TI-S
Ø5.0	62mm	1-008-062TI-S
Ø5.0	64mm	1-008-064TI-S
Ø5.0	66mm	1-008-066TI-S
Ø5.0	68mm	1-008-068TI-S
Ø5.0	70mm	1-008-070TI-S
Ø5.0	72mm	1-008-072TI-S
Ø5.0	74mm	1-008-074TI-S
Ø5.0	76mm	1-008-076TI-S
Ø5.0	78mm	1-008-078TI-S
Ø5.0	80mm	1-008-080TI-S
Ø5.0	85mm	1-008-085TI-S
Ø5.0	90mm	1-008-090TI-S
Ø5.0	95mm	1-008-095TI-S
Ø5.0	100mm	1-008-100TI-S





## 6.0mm Locking Bolt, (Star Head), Titanium



Dia	Length	Titanium
Ø6.0	26mm	1-009-026TI
Ø6.0	28mm	1-009-028TI
Ø6.0	30mm	1-009-030TI
Ø6.0	32mm	1-009-032TI
Ø6.0	34mm	1-009-034TI
Ø6.0	36mm	1-009-036TI
Ø6.0	38mm	1-009-038TI
Ø6.0	40mm	1-009-040TI
Ø6.0	42mm	1-009-042TI
Ø6.0	44mm	1-009-044TI
Ø6.0	46mm	1-009-046TI
Ø6.0	48mm	1-009-048TI
Ø6.0	50mm	1-009-050TI
Ø6.0	52mm	1-009-052TI
Ø6.0	54mm	1-009-054TI
Ø6.0	56mm	1-009-056TI
Ø6.0	58mm	1-009-058TI
Ø6.0	60mm	1-009-060TI
Ø6.0	64mm	1-009-064TI
Ø6.0	68mm	1-009-068TI
Ø6.0	72mm	1-009-072TI
Ø6.0	76mm	1-009-076TI
Ø6.0	80mm	1-009-080TI
Ø6.0	85mm	1-009-085TI
Ø6.0	90mm	1-009-090TI
Ø6.0	95mm	1-009-095TI
Ø6.0	100mm	1-009-100TI
Ø6.0	105mm	1-009-105TI
Ø6.0	110mm	1-009-110TI
Ø6.0	115mm	1-009-115TI
Ø6.0	120mm	1-009-120TI
Ø6.0	125mm	1-009-125TI

**STERILE**



Dia	Length	Titanium
Ø6.0	26mm	1-009-026TI-S
Ø6.0	28mm	1-009-028TI-S
Ø6.0	30mm	1-009-030TI-S
Ø6.0	32mm	1-009-032TI-S
Ø6.0	34mm	1-009-034TI-S
Ø6.0	36mm	1-009-036TI-S
Ø6.0	38mm	1-009-038TI-S
Ø6.0	40mm	1-009-040TI-S
Ø6.0	42mm	1-009-042TI-S
Ø6.0	44mm	1-009-044TI-S
Ø6.0	46mm	1-009-046TI-S
Ø6.0	48mm	1-009-048TI-S
Ø6.0	50mm	1-009-050TI-S
Ø6.0	52mm	1-009-052TI-S
Ø6.0	54mm	1-009-054TI-S
Ø6.0	56mm	1-009-056TI-S
Ø6.0	58mm	1-009-058TI-S
Ø6.0	60mm	1-009-060TI-S
Ø6.0	64mm	1-009-064TI-S
Ø6.0	68mm	1-009-068TI-S
Ø6.0	72mm	1-009-072TI-S
Ø6.0	76mm	1-009-076TI-S
Ø6.0	80mm	1-009-080TI-S
Ø6.0	85mm	1-009-085TI-S
Ø6.0	90mm	1-009-090TI-S
Ø6.0	95mm	1-009-095TI-S
Ø6.0	100mm	1-009-100TI-S
Ø6.0	105mm	1-009-105TI-S
Ø6.0	110mm	1-009-110TI-S
Ø6.0	115mm	1-009-115TI-S
Ø6.0	120mm	1-009-120TI-S
Ø6.0	125mm	1-009-125TI-S



## Spiral Blade, Titanium



Length	Titanium
45mm	1-010-045TI
50mm	1-010-050TI
55mm	1-010-055TI
60mm	1-010-060TI
65mm	1-010-065TI
70mm	1-010-070TI
75mm	1-010-075TI
80mm	1-010-080TI
85mm	1-010-085TI
90mm	1-010-090TI
95mm	1-010-095TI
100mm	1-010-100TI



Length	Titanium
45mm	1-010-045TI-S
50mm	1-010-050TI-S
55mm	1-010-055TI-S
60mm	1-010-060TI-S
65mm	1-010-065TI-S
70mm	1-010-070TI-S
75mm	1-010-075TI-S
80mm	1-010-080TI-S
85mm	1-010-085TI-S
90mm	1-010-090TI-S
95mm	1-010-095TI-S
100mm	1-010-100TI-S



## Tarsus Nail End Cap, for Securing Spiral Blade, Titanium



Titanium
1-011-01TI



Titanium
1-011-01TI-S



## Tarsus Nail End Cap, for Securing the most distal Locking Bolt, Titanium



Titanium
1-011-02TI



Titanium
1-011-02TI-S




1-022	Implant Box for Tarsus Nail
-------	-----------------------------





1-022-01	Implant Tray 1 for Tarsus Nail, Length 150mm & Spiral Blades
----------	--




Dia	Length	Qty
Ø10mm to Ø13mm	150mm	1pc

Spiral Blades


Length	Qty
45mm to 100mm	1pc

1-022-02	Implant Tray 2 for Tarsus Nail, Length 180mm
----------	--



Dia	Length	Qty
Ø10mm to Ø13mm	180mm	1pc

1-022-03	Implant Tray 3 for Tarsus Nail, Length 240mm
----------	--



Dia	Length	Qty
Ø10mm to Ø13mm	240mm	1pc



Ø5.0mm Locking Bolt, (Star Head)

Dia	Length	Qty
Ø5mm	26mm to 100mm	3pcs

Ø6.0mm Locking Bolt, (Star Head)

Dia	Length	Qty
Ø6mm	26mm to 125mm	2pcs

Tarsus Nail End Cap, for Securing Spiral Blade

Code	Qty
1-011-01TI	2pc

Tarsus Nail End Cap, for Securing the most distal Locking Bolt

Code	Qty
1-011-02TI	2pc



The background of the page is white, featuring abstract, thin, grey wavy lines that flow across the top and bottom edges, creating a sense of movement and depth. The lines are more densely packed in some areas and more spread out in others, resembling a stylized topographic map or a fluid motion graphic.

# **INSTRUMENTS**

7-066-01

Radiographic Ruler for Tarsus Nail




7-066-02

18/8.0mm Protection Sleeve for Tarsus Nail



7-066-03

Threaded Alignment Pin for Tarsus Nail




7-066-04

Driving Cap for Tarsus Nail



7-066-05

Insertion Handle for Tarsus Nail



7-066-06

Three Fluted Drill Bit with Quick Couling End, Ø5.0mm x Length 356mm for Tarsus Nail



7-066-07

Aiming Arm for Tarsus Nail



7-066-08

Aiming Arm Adapter with Bolt for Tarsus Nail



7-066-09

Spiral Blade Inserter for Tarsus Nail



7-066-10

Holding Device for Guide Wire for Tarsus Nail



7-066-11

Sliding Hammer for Tarsus Nail



7-066-12

Three Fluted Drill Bit with Quick Couling End, Ø4.2mm x Length 330 for Tarsus Nail



7-066-13

12/8.0mm Protection Sleeve for Tarsus Nail



7-066-14

8.0/3.2mm Drill Sleeve for Tarsus Nail



7-066-15

8.0/4.2mm Drill Sleeve for Tarsus Nail



7-066-16

8.0/5.0mm Drill Sleeve for Tarsus Nail



7-066-17

3.2mm Trocar for Tarsus Nail



7-066-18

4.2mm Trocar for Tarsus Nail



7-066-19

5.0mm Trocar for Tarsus Nail



7-066-20

Depth Gauge measuring upto 100mm for Tarsus Nail



7-066-21

15.0/13.0mm Protection Sleeve for Tarsus Nail



7-066-22

13.0/3.2mm Guide Wire Sleeve for Tarsus Nail



7-066-23

Measuring Device for Spiral Blade for Tarsus Nail



7-066-24

Universal Screwdriver, Hex 8mm for Tarsus Nail



7-066-25

Guide Wire Push Rod for Tarsus Nail



7-066-26

Self Retaining Screwdriver, Star Head T25 for Tarsus Nail



7-066-27

Self Retaining Screwdriver Shaft, Star Head T25 for Tarsus Nail




7-066-28

Screw Holding Sleeve with Locking Device for Tarsus Nail



7-066-29

Guide Wire with Threaded Tip, Ø3.2mm x Thread Length 13mm x Length 290mm for Tarsus Nail



7-066-30

Cannulated Nail Connecting Screw for Insertion Handle for Tarsus Nail



7-066-31

4.5mm Pin Wrench for Tarsus Nail



7-066-32

Ratchet Wrench, Hex 11mm for Tarsus Nail



7-066-33

13.0mm Cannulated Entry Reamer for Tarsus Nail



7-066-34

13.0mm Protection Sleeve for Tarsus Nail



7-066-35

13.0/3.2mm Trocar for Tarsus Nail



7-066-36

Hammer Guide for Tarsus Nail



7-066-37

Connecting Screw for Spiral Blade Inserter for Tarsus Nail



7-066-38

Extraction Screw for Tarsus Nail



7-066-39

Cannulated Shaft, Hex 8mm for Tarsus Nail



7-066-40

Guide Wire with Threaded Tip, Ø3.2mm x Thread Length 13mm x Length 400mm for Tarsus Nail



520-011

T- Handle for Entry Reamer



1312-22

Quick Coupling Handle



7-066-55

Guide Wire With Ball Tip  $\varnothing$ 2.5/3.65mm x Length 1000mm - Nitinol, for Tarsus Nail



7-066-43

Flexible Reamer Shaft for Tarsus Nail




Reamer Head

Code	Dia
7-066-44	$\varnothing$ 9mm
7-066-45	$\varnothing$ 9.5mm
7-066-46	$\varnothing$ 10mm
7-066-47	$\varnothing$ 10.5mm
7-066-48	$\varnothing$ 11mm
7-066-49	$\varnothing$ 11.5mm
7-066-50	$\varnothing$ 12mm
7-066-51	$\varnothing$ 12.5mm
7-066-52	$\varnothing$ 13mm
7-066-53	$\varnothing$ 13.5mm
7-066-54	$\varnothing$ 14mm




7-066-41-A

Instrument Tray A for Tarsus Nailing Instrument Set




7-066-41-B

Instrument Tray B for Tarsus Nailing Instrument Set



7-066-41-C

Instrument Tray C for Tarsus Nailing Instrument Set



7-066-42

Container with Lid Tarsus Nailing Instrument Set





# ORDER INFORMATION

<b>7-066</b>	<b>Tarsus Nailing Instrument Set</b>
--------------	--------------------------------------

Code	Set Consisting Of	Units
7-066-01	Radiographic Ruler for Tarsus Nail	1
7-066-02	18/8.0mm Protection Sleeve for Tarsus Nail	1
7-066-03	Threaded Alignment Pin for Tarsus Nail	2
7-066-04	Driving Cap for Tarsus Nail	1
7-066-05	Insertion Handle for Tarsus Nail	1
7-066-06	Three Fluted Drill Bit with Quick Couling End, Ø5.0mm x Length 356mm for Tarsus Nail	2
7-066-07	Aiming Arm for Tarsus Nail	1
7-066-08	Aiming Arm Adapter with Bolt for Tarsus Nail	1
7-066-09	Spiral Blade Inserter for Tarsus Nail	1
7-066-10	Holding Device for Guide Wire for Tarsus Nail	1
7-066-11	Sliding Hammer for Tarsus Nail	1
7-066-12	Three Fluted Drill Bit with Quick Couling End, Ø4.2mm x Length 330 for Tarsus Nail	2
7-066-13	12/8.0mm Protection Sleeve for Tarsus Nail	1
7-066-14	8.0/3.2mm Drill Sleeve for Tarsus Nail	1
7-066-15	8.0/4.2mm Drill Sleeve for Tarsus Nail	1
7-066-16	8.0/5.0mm Drill Sleeve for Tarsus Nail	1
7-066-17	3.2mm Trocar for Tarsus Nail	1
7-066-18	4.2mm Trocar for Tarsus Nail	1
7-066-19	5.0mm Trocar for Tarsus Nail	1
7-066-20	Depth Gauge measuring upto 100mm for Tarsus Nail	1
7-066-21	15.0/13.0mm Protection Sleeve for Tarsus Nail	1
7-066-22	13.0/3.2mm Guide Wire Sleeve for Tarsus Nail	1
7-066-23	Measuring Device for Spiral Blade for Tarsus Nail	1
7-066-24	Universal Screwdriver, Hex 8mm for Tarsus Nail	1
7-066-25	Guide Wire Push Rod for Tarsus Nail	1
7-066-26	Self Retaining Screwdriver, Star Head T25 for Tarsus Nail	1
7-066-27	Self Retaining Screwdiver Shaft, Star Head T25 for Tarsus Nail	1
7-066-28	Screw Holding Sleeve with Locking Device for Tarsus Nail	1
7-066-29	Guide Wire with Threaded Tip, Ø3.2mm x Thread Length 13mm x Length 290mm for Tarsus Nail	5
7-066-30	Cannulated Nail Connecting Screw for Insertion Handle for Tarsus Nail	2
7-066-31	4.5mm Pin Wrench for Tarsus Nail	1
7-066-32	Ratchet Wrench, Hex 11mm for Tarsus Nail	1
7-066-33	13.0mm Cannulated Entry Reamer for Tarsus Nail	1
7-066-34	13.0mm Protection Sleeve for Tarsus Nail	1
7-066-35	13.0/3.2mm Trocar for Tarsus Nail	1
7-066-36	Hammer Guide for Tarsus Nail	1
7-066-37	Connecting Screw for Spiral Blade Inserter for Tarsus Nail	1
7-066-38	Extraction Screw for Tarsus Nail	1
7-066-39	Cannulated Shaft, Hex 8mm for Tarsus Nail	1
7-066-40	Guide Wire with Threaded Tip, Ø3.2mm x Thread Length 13mm x Length 400mm for Tarsus Nail	5
520-011	T- Handle for Entry Reamer	1
7-066-55	Guide Wire With Ball Tip Ø2.5/3.65mm x Length 1000mm - Nitinol, for Tarsus Nail	1
1312-22	Quick Coupling Handle	1



<b>7-066</b>	<b>Tarsus Nailing Instrument Set</b>
--------------	--------------------------------------

Code	Set Consisting Of	Units
7-066-43	Flexible Reamer Shaft for Tarsus Nail	2
7-066-44	Reamer Head, Ø9.0mm for Tarsus Nail	1
7-066-45	Reamer Head, Ø9.5mm for Tarsus Nail	1
7-066-46	Reamer Head, Ø10mm for Tarsus Nail	1
7-066-47	Reamer Head, Ø10.5mm for Tarsus Nail	1
7-066-48	Reamer Head, Ø11mm for Tarsus Nail	1
7-066-49	Reamer Head, Ø11.5mm for Tarsus Nail	1
7-066-50	Reamer Head, Ø12mm for Tarsus Nail	1
7-066-51	Reamer Head, Ø12.5mm for Tarsus Nail	1
7-066-52	Reamer Head, Ø13mm for Tarsus Nail	1
7-066-53	Reamer Head, Ø13.5mm for Tarsus Nail	1
7-066-54	Reamer Head, Ø14mm for Tarsus Nail	1
7-066-41-A	Instrument Tray A for Tarsus Nailing Instrument Set	1
7-066-41-B	Instrument Tray B for Tarsus Nailing Instrument Set	1
7-066-41-C	Instrument Tray C for Tarsus Nailing Instrument Set	1
7-066-42	Container with Lid Tarsus Nailing Instrument Set	1

## **TARSUS NAILING SYSTEM**

The content of this catalogue is intended for healthcare professionals only. All product information, illustrations, descriptions, and specifications provided here are for general informational purposes and are subject to change without notice. Auxein Medical Pvt. Ltd. reserves the right to improve or discontinue products at any time without prior notification.

This document does not constitute medical advice. Surgeons and medical practitioners must exercise their own professional judgment when using any medical devices or instruments, including those provided by Auxein.

### **INTENDED USE**

The implants and instruments in this catalogue are intended for use by qualified orthopedic trauma surgeons trained in fracture fixation and intramedullary nailing procedures. Improper selection of the implant, incorrect surgical technique, misuse, or insufficient surgical experience may result in implant failure or other complications.

### **REGULATORY COMPLIANCE CERTIFIED**

ISO 13485:2016

CDSCO

MDSAP

### **INTELLECTUAL PROPERTY**

All trademarks, trade names, brand names, product names, and logos mentioned in this catalogue are the property of Auxein Medical Pvt. Ltd. Unauthorized use or reproduction is strictly prohibited.

V1-2026





SCAN TO KNOW MORE

**INDIA**  
**AUXEIN MEDICAL PVT.LTD.**

PLOT NO. 168-169-170, PHASE-4,  
KUNDLI INDUSTRIAL AREA,  
HSIIDC, SECTOR-57,  
SONEPAT-131028, HARYANA  
TEL: +91 99106 43638  
FAX: +91 86077 70197  
EMAIL: INFO@AUXEIN.COM

**MÉXICO**  
**AUXEIN MÉXICO, S.A DE CV**

TEPIC 39 INT 801, COLONIA  
ROMA SUR,  
ALCADÍA CUAUHTÉMOC, CDMX  
MÉXICO, C.P 06760  
TEL: +521 55 7261 0318  
EMAIL: INFO@AUXEIN.MX

**USA**  
**AUXEIN INC.**

1500 NW 89TH COURT,  
SUITE 107-108  
DORAL, FLORIDA 33172  
TEL. +1 305 395 6062  
E FAX: +1 305 395 62 62  
EMAIL: USOFFICE@AUXEIN.COM

**DUBAI UAE**  
**AUXEIN MEDICAL**

TRADING FZCO OUD METHA  
OFFICES BUILDING B BLOCK,  
1ST FLOOR, OFFICE NO.26,  
NEAR HEALTHCARE CITY,  
PO BOX-25572  
TEL. +971 438 71333  
EMAIL: INFO@AUXEIN.COM

[WWW.AUXEIN.COM](http://WWW.AUXEIN.COM)