

# Auxein

## 7.0mm CANNULATED SCREW



NEXT-LEVEL CARE



## ABOUT US

Auxein Medical is an integrated, research based, orthopaedic implants & instruments manufacturing company, producing a wide range of quality, affordable generic implants, trusted by healthcare professionals and patients across geographies. It is the Company's constant endeavour to provide a wide basket of generic and our innovator products that exceed the highest expectations of customers in term of quality and safety. The company has world-class manufacturing unit established in India and serves customers in over 75 countries worldwide.



# IMPACTING HEALTHCARE GLOBALLY

Our Reach & Influence

**500+**

Employees Worldwide

**75+**

Operations in Countries

**150+**

Distributors Worldwide

**20**<sup>M+</sup>

Patients Cured

**200+**

FDA Approved Products

**250+**

Machines Worldwide

**3000+**

Products Orthopedic Solutions


Auxin is dedicated to advancing medical technology through innovative orthopedic solutions, including **Trauma, Arthroscopy, and Reconstructive Procedures**, with a commitment to improving patient outcomes worldwide. Our approach integrates advanced research, precision engineering, and high-quality manufacturing to develop reliable implants and surgical instruments that address the evolving needs of modern orthopedic practice.

# OUR ACHIEVEMENTS



OVER THE YEARS





At Auxein, it is our goal to provide the best in class quality and value to every individual. Consistency is a virtue we pursue with a passion. From the procurement of raw materials to the manufacturing of our range of 1200+ orthopaedic implant products, we employ world-class systems and technology at par with the highest standards of globally recognized evaluation systems. At Auxein, it is our goal to provide the best in class quality and value to every individual. Consistency is a virtue we pursue with a passion. From the procurement of raw materials to the manufacturing of our range of 1200+ orthopaedic implant products, we employ world-class systems and technology at par with the highest standards of globally recognized evaluation systems. The Cannulated Screw System is designed for precise fixation in orthopedic trauma procedures. Developed with input from global experts, the system allows guided screw placement over a guide wire, facilitating accurate positioning and stable fixation while supporting compression across fracture sites.



# **7.0MM CANNULATED CANCELLOUS SCREW**



## 7.0mm Cannulated Cancellous Screw, 16mm Thread, Self-Drilling



Length	Titanium	Stainless Steel
30mm	TI-129.230	129.230
35mm	TI-129.235	129.235
40mm	TI-129.240	129.240
45mm	TI-129.245	129.245
50mm	TI-129.250	129.250
55mm	TI-129.255	129.255
60mm	TI-129.260	129.260
65mm	TI-129.265	129.265
70mm	TI-129.270	129.270
75mm	TI-129.275	129.275
80mm	TI-129.280	129.280
85mm	TI-129.285	129.285
90mm	TI-129.290	129.290
95mm	TI-129.295	129.295
100mm	TI-129.300	129.300
105mm	TI-129.305	129.305
110mm	TI-129.310	129.310
* 115mm	TI-129.315	129.315
* 120mm	TI-129.320	129.320



Length	Titanium	Stainless Steel
30mm	TI-129.230-S	129.230-S
35mm	TI-129.235-S	129.235-S
40mm	TI-129.240-S	129.240-S
45mm	TI-129.245-S	129.245-S
50mm	TI-129.250-S	129.250-S
55mm	TI-129.255-S	129.255-S
60mm	TI-129.260-S	129.260-S
65mm	TI-129.265-S	129.265-S
70mm	TI-129.270-S	129.270-S
75mm	TI-129.275-S	129.275-S
80mm	TI-129.280-S	129.280-S
85mm	TI-129.285-S	129.285-S
90mm	TI-129.290-S	129.290-S
95mm	TI-129.295-S	129.295-S
100mm	TI-129.300-S	129.300-S
105mm	TI-129.305-S	129.305-S
110mm	TI-129.310-S	129.310-S
* 115mm	TI-129.315-S	129.315-S
* 120mm	TI-129.320-S	129.320-S

## 7.0mm Cannulated Cancellous Screw, 32mm Thread, Self-Drilling



Length	Titanium	Stainless Steel
35mm	TI-130.235	130.235
40mm	TI-130.240	130.240
45mm	TI-130.245	130.245
50mm	TI-130.250	130.250
55mm	TI-130.255	130.255
60mm	TI-130.260	130.260
65mm	TI-130.265	130.265
70mm	TI-130.270	130.270
75mm	TI-130.275	130.275
80mm	TI-130.280	130.280
85mm	TI-130.285	130.285
90mm	TI-130.290	130.290
95mm	TI-130.295	130.295
100mm	TI-130.300	130.300
105mm	TI-130.305	130.305
110mm	TI-130.310	130.310
* 115mm	TI-130.315	130.315
* 120mm	TI-130.320	130.320



Length	Titanium	Stainless Steel
35mm	TI-130.235-S	130.235-S
40mm	TI-130.240-S	130.240-S
45mm	TI-130.245-S	130.245-S
50mm	TI-130.250-S	130.250-S
55mm	TI-130.255-S	130.255-S
60mm	TI-130.260-S	130.260-S
65mm	TI-130.265-S	130.265-S
70mm	TI-130.270-S	130.270-S
75mm	TI-130.275-S	130.275-S
80mm	TI-130.280-S	130.280-S
85mm	TI-130.285-S	130.285-S
90mm	TI-130.290-S	130.290-S
95mm	TI-130.295-S	130.295-S
100mm	TI-130.300-S	130.300-S
105mm	TI-130.305-S	130.305-S
110mm	TI-130.310-S	130.310-S
* 115mm	TI-130.315-S	130.315-S
* 120mm	TI-130.320-S	130.320-S


\* Sizes not available in Screw Caddy



# 7.0mm Cannulated Cancellous Screw, Full Thread, Self-Drilling



Length	Titanium	Stainless Steel
30mm	TI-131.230	131.230
35mm	TI-131.235	131.235
40mm	TI-131.240	131.240
45mm	TI-131.245	131.245
50mm	TI-131.250	131.250
55mm	TI-131.255	131.255
60mm	TI-131.260	131.260
65mm	TI-131.265	131.265
70mm	TI-131.270	131.270
75mm	TI-131.275	131.275
80mm	TI-131.280	131.280
85mm	TI-131.285	131.285
90mm	TI-131.290	131.290
95mm	TI-131.295	131.295
100mm	TI-131.300	131.300
105mm	TI-131.305	131.305
110mm	TI-131.310	131.310
* 115mm	TI-131.315	131.315
* 120mm	TI-131.320	131.320




Length	Titanium	Stainless Steel
30mm	TI-131.230-S	131.230-S
35mm	TI-131.235-S	131.235-S
40mm	TI-131.240-S	131.240-S
45mm	TI-131.245-S	131.245-S
50mm	TI-131.250-S	131.250-S
55mm	TI-131.255-S	131.255-S
60mm	TI-131.260-S	131.260-S
65mm	TI-131.265-S	131.265-S
70mm	TI-131.270-S	131.270-S
75mm	TI-131.275-S	131.275-S
80mm	TI-131.280-S	131.280-S
85mm	TI-131.285-S	131.285-S
90mm	TI-131.290-S	131.290-S
95mm	TI-131.295-S	131.295-S
100mm	TI-131.300-S	131.300-S
105mm	TI-131.305-S	131.305-S
110mm	TI-131.310-S	131.310-S
* 115mm	TI-131.315-S	131.315-S
* 120mm	TI-131.320-S	131.320-S

## Washer for Large Fragment Screw




Titanium	Stainless Steel
TI-100.120	100.120



Titanium	Stainless Steel
TI-100.120-S	100.120-S



ST-005-7.0 : Screw Caddy for 7.0mm Cannulated Cancellous Screw (Tray without Screw)





# **INSTRUMENTS**





451-2.0-250E

Guide Wire, Ø2.0mm x Length 250mm



GW-2.0-250

Guide Wire with Threaded Tip, Ø2.0mm x Thread Length 8mm x Length 250mm



3433-02

Cannulated Screwdriver, Hex 3.5mm



1490-01

Holding Sleeve for Cannulated Screwdriver, Hex 3.5mm



1482-01

Wire Sleeve Bolt Key



1481-01

Wire Sleeve for Guide Wire, Ø2.0mm





1480-4.5-2.0

Double Drill Guide, Ø4.5/2.0mm



3436-013

Parallel Guide for Guide Wire, Ø2.0mm



3436-014

Direct Measuring Device for Cannulated Cancellous Screw



7-057-01

Screw Holding Forcep for Ø7.0mm Screw



2191-4.5-250

Cannulated Drill Bit Plain Shank/Jacob Chuck End, Ø4.5mm x Length 250mm



3435-000

Stopper for Drill Bit Ø4.5mm





7-057-02

Allen Key, Hex 3.0mm, for Ø7.0mm Screw



1491-01

Trocar Ø2.0mm, for Ø7.0mm Screw



1492-01

Guide Sleeve Ø4.5/2.0mm



1493-01

Drill Sleeve Ø8.0/4.5mm



1483-01

Cannulated Countersink with T-Handle for Ø7.0mm Screw



3443.38-5.0

Extraction Screw, Ø5.0mm





3436-012

Protection Sleeve for Drill Bit Ø4.5mm



3436-011

Cannulated Tap with T-Handle for Ø7.0mm Screw




3436-016

Stylet Ø2.0mm




ST-005-7.0

Screw Caddy for 7.0mm Cannulated Cancellous Screw




7-057-03

Instrument Tray for 7.0mm Cannulated Cancellous Screw Instrument Set



A10-012

Container For 7.0mm Cannulated Cancellous Screw Instrument Set





IS006 : 7.0mm Cannulated Cancellous Instrument Set





# ORDER INFORMATION

IS006	7.0mm Cannulated Cancellous Screw Instrument Set
-------	--

Code	Set Consisting Of	Unit
451-2.0-250E	Guide Wire, Ø2.0mm x Length 250mm	3
GW-2.0-250	Guide Wire with Threaded Tip, Ø2.0mm x Thread Length 8mm x Length 250mm	3
3433-02	Cannulated Screwdriver, Hex 3.5mm	2
1490-01	Holding Sleeve for Cannulated Screwdriver, Hex 3.5mm	1
1482-01	Wire Sleeve Bolt Key	1
1481-01	Wire Sleeve for Guide Wire, Ø2.0mm	1
1480-4.5-2.0	Double Drill Guide, Ø4.5/2.0mm	1
3436-013	Parallel Guide for Guide Wire, Ø2.0mm	1
3436-014	Direct Measuring Device for Cannulated Cancellous Screw	1
7-057-01	Screw Holding Forcep for Ø7.0mm Screw	1
2191-4.5-250	Cannulated Drill Bit Plain Shank/Jacob Chuck End, Ø4.5mm x Length 250mm	1
3435-000	Stopper for Drill Bit Ø4.5mm	1
7-057-02	Allen Key, Hex 3.0mm, for Ø7.0mm Screw	1
1491-01	Trocar Ø2.0mm, for Ø7.0mm Screw	1
1492-01	Guide Sleeve Ø4.5/2.0mm	1
1493-01	Drill Sleeve Ø8.0/4.5mm	1
1483-01	Cannulated Countersink with T-Handle for Ø7.0mm Screw	1
3443-38-5.0	Extraction Screw, Ø5.0mm	1
3436-012	Protection Sleeve for Drill Bit Ø4.5mm	1
3436-011	Cannulated Tap with T-Handle for Ø7.0mm Screw	1
3436-016	Stylet Ø2.0mm	1
ST-005-7.0	Screw Caddy for 7.0mm Cannulated Cancellous Screw	1
7-057-03	Instrument Tray for 7.0mm Cannulated Cancellous Screw Instrument Set	2
A10-012	Container For 7.0mm Cannulated Cancellous Screw Instrument Set	1



## **7.0mm CANNULATED SCREW SYSTEM**

The content of this catalogue is intended for healthcare professionals only. All product information, illustrations, descriptions, and specifications provided here are for general informational purposes and are subject to change without notice. Auxein Medical Pvt. Ltd. reserves the right to improve or discontinue products at any time without prior notification.

This document does not constitute medical advice. Surgeons and medical practitioners must exercise their own professional judgment when using any medical devices or instruments, including those provided by Auxein.

### **INTENDED USE**

The implants and instruments in this catalogue are intended for use by qualified orthopedic surgeons trained in fracture fixation procedures. Proper implant selection and surgical technique are essential for safe and effective use. Improper selection, misuse, or insufficient surgical experience may result in complications.

### **REGULATORY COMPLIANCE**

US FDA 510(k)

CE Mark (Class IIb)

MDSAP (Medical Device Single Audit Program)

ISO 13485:2016 Quality Management System

CDSCO – Indian Medical Device Rules, 2017

EU MDR- European Union Medical Device Regulation, 2017

### **INTELLECTUAL PROPERTY**

All trademarks, trade names, brand names, product names, and logos mentioned in this catalogue are the property of Auxein Medical Pvt. Ltd. Unauthorized use or reproduction is strictly prohibited.

V1-2025





SCAN TO KNOW MORE

**INDIA**  
**AUXEIN MEDICAL PVT.LTD.**

PLOT NO. 168-169-170, PHASE-4,  
KUNDLI INDUSTRIAL AREA,  
HSIIDC, SECTOR-57,  
SONEPAT-131028, HARYANA  
TEL: +91 99106 43638  
FAX: +91 86077 70197  
EMAIL: INFO@AUXEIN.COM

**MÉXICO**  
**AUXEIN MÉXICO, S.A DE CV**

TEPIC 39 INT 801, COLONIA  
ROMA SUR,  
ALCADÍA CUAUHTÉMOC, CDMX  
MÉXICO, C.P 06760  
TEL: +521 55 7261 0318  
EMAIL: INFO@AUXEIN.MX

**USA**  
**AUXEIN INC.**

1500 NW 89TH COURT,  
SUITE 107-108  
DORAL, FLORIDA 33172  
TEL. +1 305 395 6062  
E FAX: +1 305 395 62 62  
EMAIL: USOFFICE@AUXEIN.COM

**DUBAI UAE**  
**AUXEIN MEDICAL**

TRADING FZCO OUD METHA  
OFFICES BUILDING B BLOCK,  
1ST FLOOR, OFFICE NO.26,  
NEAR HEALTHCARE CITY,  
PO BOX-25572  
TEL. +971 438 71333  
EMAIL: INFO@AUXEIN.COM

[WWW.AUXEIN.COM](http://WWW.AUXEIN.COM)