



WISELOCK™

2.7mm Wise-Lock Modular Foot System


WISELOCK

2.7mm Wise-Lock Modular Foot System

Introduction:

The modular 2.7mm Wise-Lock Modular Foot System offers a wide range of anatomical and adaptable plates. All Implants are available in Titanium alloys.

- Broad range of locking and Wise Lock plates to address various fracture patterns
- The use of locking screws allows creating a fixed-angle construct, which is particularly advantageous in osteopenic bone or in fractures near the joint





2.7mm Wise-Lock Plate, Straight

STERILE



Holes	Sterile	Non-Sterile
4	TI-505.404-S	TI-505.404
5	TI-505.405-S	TI-505.405
6	TI-505.406-S	TI-505.406
7	TI-505.407-S	TI-505.407
8	TI-505.408-S	TI-505.408
10	TI-505.410-S	TI-505.410



2.7mm Wise-Lock Condylar Plate

STERILE



Holes	Sterile	Non-Sterile
Shaft 4, Head 2	TI-559.404-S	TI-559.404
Shaft 5, Head 2	TI-559.405-S	TI-559.405
Shaft 6, Head 2	TI-559.406-S	TI-559.406
Shaft 7, Head 2	TI-559.407-S	TI-559.407



2.7mm Wise-Lock T-plate

STERILE



Holes	Sterile	Non-Sterile
Shaft 3, Head 2	TI-556.403-S	TI-556.403
Shaft 4, Head 2	TI-556.404-S	TI-556.404




2.7mm Wise-Lock L-plate

STERILE



Type	Holes	Sterile	Non-Sterile
Left	Shaft 3, Head 2	TI-813.403L-S	TI-813.403L
Right	Shaft 3, Head 2	TI-813.403R-S	TI-813.403R
Left	Shaft 4, Head 2	TI-813.404L-S	TI-813.404L
Right	Shaft 4, Head 2	TI-813.404R-S	TI-813.404R





2.7mm Wise-Lock L-plate, Oblique

STERILE



Type	Holes	Sterile	Non-Sterile
Left	Shaft 3, Head 2	TI-1133.03L-S	TI-1133.03L
Right	Shaft 3, Head 2	TI-1133.03R-S	TI-1133.03R
Left	Shaft 4, Head 2	TI-1133.04L-S	TI-1133.04L
Right	Shaft 4, Head 2	TI-1133.04R-S	TI-1133.04R



2.7mm Wise-Lock Condylar Plate

STERILE



Type	Holes	Sterile	Non-Sterile
Left	7	TI-516.307L-S	TI-516.307L
Right	7	TI-516.307R-S	TI-516.307R



2.7mm Wise-Lock Straight Plate

STERILE



Holes	Sterile	Non-Sterile
2	TI-1134.02-S	TI-1134.02




2.7mm Wise-Lock X-plate

STERILE



Holes	Length	Sterile	Non-Sterile
4	22x14mm	TI-812.301-S	TI-812.301
4	24x18mm	TI-812.302-S	TI-812.302
4	30x20mm	TI-812.303-S	TI-812.303
4	36x20mm	TI-812.304 -S	TI-812.304



The background of the page features a series of thin, light gray wavy lines that flow from the top left towards the bottom right, creating a sense of movement and depth. These lines are more densely packed in some areas, particularly near the top and bottom edges, and more spread out in the center.

SCREWS



2.7mm Cortical Screw, Self-Tapping, (Star Head)



Length	Code
6	TI-1242.06
8	TI-1242.08
10	TI-1242.10
12	TI-1242.12
14	TI-1242.14
16	TI-1242.16
18	TI-1242.18
20	TI-1242.20
22	TI-1242.22
24	TI-1242.24
26	TI-1242.26
28	TI-1242.28
30	TI-1242.30
32	TI-1242.32
34	TI-1242.34
36	TI-1242.36
38	TI-1242.38
40	TI-1242.40
42	TI-1242.42
44	TI-1242.44
46	TI-1242.46
48	TI-1242.48
50	TI-1242.50

STERILE

Length	Code
6	TI-1242.06-S
8	TI-1242.08-S
10	TI-1242.10-S
12	TI-1242.12-S
14	TI-1242.14-S
16	TI-1242.16-S
18	TI-1242.18-S
20	TI-1242.20-S
22	TI-1242.22-S
24	TI-1242.24-S
26	TI-1242.26-S
28	TI-1242.28-S
30	TI-1242.30-S
32	TI-1242.32-S
34	TI-1242.34-S
36	TI-1242.36-S
38	TI-1242.38-S
40	TI-1242.40-S
42	TI-1242.42-S
44	TI-1242.44-S
46	TI-1242.46-S
48	TI-1242.48-S
50	TI-1242.50-S





2.7mm Wise-lock Screw, Self-Tapping, (Star Head)




Length	Code
6mm	TI-1241.06
7mm	TI-1241.07
8mm	TI-1241.08
9mm	TI-1241.09
10mm	TI-1241.10
12mm	TI-1241.12
14mm	TI-1241.14
16mm	TI-1241.16
18mm	TI-1241.18
20mm	TI-1241.20
22mm	TI-1241.22
24mm	TI-1241.24
26mm	TI-1241.26
28mm	TI-1241.28
30mm	TI-1241.30
32mm	TI-1241.32
34mm	TI-1241.34
36mm	TI-1241.36
38mm	TI-1241.38
40mm	TI-1241.40
42mm	TI-1241.42
44mm	TI-1241.44
46mm	TI-1241.46
48mm	TI-1241.48
50mm	TI-1241.50
52mm	TI-1241.52
54mm	TI-1241.54
56mm	TI-1241.56
58mm	TI-1241.58
60mm	TI-1241.60

STERILE

Length	Code
6mm	TI-1241.06-S
7mm	TI-1241.07-S
8mm	TI-1241.08-S
9mm	TI-1241.09-S
10mm	TI-1241.10-S
12mm	TI-1241.12-S
14mm	TI-1241.14-S
16mm	TI-1241.16-S
18mm	TI-1241.18-S
20mm	TI-1241.20-S
22mm	TI-1241.22-S
24mm	TI-1241.24-S
26mm	TI-1241.26-S
28mm	TI-1241.28-S
30mm	TI-1241.30-S
32mm	TI-1241.32-S
34mm	TI-1241.34-S
36mm	TI-1241.36-S
38mm	TI-1241.38-S
40mm	TI-1241.40-S
42mm	TI-1241.42-S
44mm	TI-1241.44-S
46mm	TI-1241.46-S
48mm	TI-1241.48-S
50mm	TI-1241.50-S
52mm	TI-1241.52-S
54mm	TI-1241.54-S
56mm	TI-1241.56-S
58mm	TI-1241.58-S
60mm	TI-1241.60-S



The background of the page features a series of thin, light gray wavy lines that flow from the top and bottom edges towards the center, creating a sense of movement and depth. These lines are more densely packed in some areas, particularly near the top and bottom, and more spread out in the middle where the text is located.

INSTRUMENTS



1137-07

Screwdriver Shaft, T8 For 2.4mm/2.7mm Screws



1137-03

Bending Pin With Thread For 2.4mm/2.7mm Wise-lock Plates



1137-09

Holding Sleeve For 2.4/2.7mm Wise-lock Screws



1136-06

Countersink For 2.0/2.4/2.7mm Screws



1138-01

Self-centering Double Drill Guide Ø2.7/2.0mm



1138-02

Wise-lock Drill Sleeve 2.7mm For Drill Bits Ø2.0mm





1138-04

Drill Bit Quick Coupling Ø2.0mm X Length 110mm, 2-flute



1138-05

Drill Bit Quick Coupling Ø2.7mm X Length 102mm, 2-flute



1138-41


Holding Sleeve For 2.7mm Cortical Screws



1138-11

Container With Tray And Lid For 2.7mm Implant & Instrument Set



**1138-11 : Container with Tray and Lid for 2.7mm Implant & Instrument Set**



ORDER INFORMATION

1138-11	2.7mm Wise-Lock Modular Foot System Implant Composition
---------	---

	Code	Set Consisting Of	Unit
Plates	TI-505.404	2.7mm Wise-Lock Plate, Straight, 4 Holes	1
	TI-505.406	2.7mm Wise-Lock Plate, Straight, 6 Holes	1
	TI-559.407	2.7mm Wise-Lock Condylar Plate, (2 Head Holes), 7 Holes	1
	TI-556.404	2.7mm Wise-Lock T-Plate, (2 Head Holes), 4 Holes	1
	TI-813.403L	2.7mm Wise-Lock L-Plate, (2 Head Holes), 3 Holes - Left	1
	TI-813.404L	2.7mm Wise-Lock L-Plate, (2 Head Holes), 4 Holes - Left	1
	TI-813.403R	2.7mm Wise-Lock L-Plate, (2 Head Holes), 3 Holes - Right	1
	TI-813.404R	2.7mm Wise-Lock L-Plate, (2 Head Holes), 4 Holes - Right	1
Screws	TI-1242.06	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 6mm, Titanium	4
	TI-1242.08	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 8mm, Titanium	4
	TI-1242.10	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 10mm, Titanium	4
	TI-1242.12	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 12mm, Titanium	4
	TI-1242.14	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 14mm, Titanium	4
	TI-1242.16	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 16mm, Titanium	4
	TI-1242.18	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 18mm, Titanium	4
	TI-1242.20	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 20mm, Titanium	4
	TI-1242.22	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 22mm, Titanium	1
	TI-1242.24	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 24mm, Titanium	1
	TI-1242.26	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 26mm, Titanium	1
	TI-1242.28	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 28mm, Titanium	1
	TI-1242.30	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 30mm, Titanium	1
	TI-1242.32	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 32mm, Titanium	4
	TI-1242.34	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 34mm, Titanium	4
	TI-1242.36	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 36mm, Titanium	4
	TI-1242.38	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 38mm, Titanium	4
	TI-1242.40	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 40mm, Titanium	4
Screws	TI-1241.06	2.7mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 6mm, Titanium	4
	TI-1241.07	2.7mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 7mm, Titanium	4
	TI-1241.08	2.7mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 8mm, Titanium	4
	TI-1241.09	2.7mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 9mm, Titanium	4
	TI-1241.10	2.7mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 10mm, Titanium	4
	TI-1241.12	2.7mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 12mm, Titanium	4
	TI-1241.14	2.7mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 14mm, Titanium	4
	TI-1241.16	2.7mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 16mm, Titanium	4
	TI-1241.18	2.7mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 18mm, Titanium	4
	TI-1241.20	2.7mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 20mm, Titanium	4
	TI-1241.22	2.7mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 22mm, Titanium	2
	TI-1241.24	2.7mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 24mm, Titanium	2
	TI-1241.26	2.7mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 26mm, Titanium	2
	TI-1241.28	2.7mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 28mm, Titanium	2
	TI-1241.30	2.7mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 30mm, Titanium	2



1138-12

Handle with Mini Quick Coupling, for Hand & Foot System



1138-13

Handle With Quick Coupling (Straight), for Hand & Foot System



1138-14

Depth Gauge measuring upto 30mm, for Hand & Foot System



1138-15

Depth Gauge measuring upto 50mm, for Hand & Foot System



1138-17

Screw Holding Forcep, for Hand & Foot System



1138-18

Cutting Forcep, for Hand & Foot System





1138-23

Torque Limiting Attachment, 0.8nm, With Ao Quick Coupling
- Hand & Foot System



1138-24

Torque Limiting Attachment, 0.4nm, With Ao Quick Coupling
- Hand & Foot System



1138-26

Hohmann Retractor, 15mm, For Hand & Foot System



1138-27

Hohmann Retractor, 6.5mm, For Hand & Foot System



1138-28

Periosteal Elevator, Round, For Hand & Foot System



1138-29

Periosteal Elevator, Flat , For Hand & Foot System





1138-30

Cutting Plier (for Pins And Plates), For Hand & Foot System



1138-31

Bending Pliers For Hand & Foot System



1138-33

Reduction Forcep, Pointed, Small, For Hand & Foot System




1138-36

Plate File, For Hand & Foot System



1138-37

Reduction Forcep, Serrated Jaws, For Hand & Foot System



1138-38

Star Screwdriver For 1.5mm Screws - Hand & Foot System





1138-39

Star Screwdriver For 2.0mm Screws - Hand & Foot System




1138-40

Star Screwdriver For 2.4/2.7mm Screws - Hand & Foot System




1138-35

Container For Hand & Foot Instrument & Implant Set





5001-000 : Modular Hand & Foot System Instrument Set





ORDER INFORMATION

5001-000

Modular Hand & Foot System Instrument Set

Code	Set Consisting Of	Unit
1138-12	Handle with Mini Quick Coupling, for Hand & Foot System	1
1138-13	Handle With Quick Coupling (Straight), for Hand & Foot System	1
1138-14	Depth Gauge measuring upto 30mm, for Hand & Foot System	1
1138-15	Depth Gauge measuring upto 50mm, for Hand & Foot System	1
1138-17	Screw Holding Forcep, for Hand & Foot System	1
1138-18	Cutting Forcep, for Hand & Foot System	1
1138-23	Torque Limiting attachment, 0.8Nm, with AO quick coupling - Hand & Foot System	1
1138-24	Torque Limiting attachment, 0.4Nm, with AO Quick Coupling - Hand & Foot System	1
1138-26	Hohmann Retractor, 15mm, for Hand & Foot System	1
1138-27	Hohmann Retractor, 6.5mm, for Hand & Foot System	1
1138-28	Periosteal Elevator, Round, for Hand & Foot System	1
1138-29	Periosteal Elevator, Flat , for Hand & Foot System	1
1138-30	Cutting Plier (For pins and plates), for Hand & Foot System	1
1138-31	Bending Pliers for Hand & Foot System	2
1138-33	Reduction Forcep, Pointed, Small, for Hand & Foot System	1
1138-36	Plate File, for Hand & Foot System	1
1138-37	Reduction Forcep, Serrated Jaws, for Hand & Foot System	1
1138-38	Star Screwdriver for 1.5mm Screws - Hand & Foot System	1
1138-39	Star Screwdriver for 2.0mm Screws - Hand & Foot System	1
1138-40	Star Screwdriver for 2.4/2.7mm Screws - Hand & Foot System	1
1138-35	Container for Hand & Foot Instrument & Implant set	1

Instruments for 2.7mm Wise-Lock Modular Foot System

Code	Set Consisting Of	Unit
1137-07	Screwdriver Shaft, T8 For 2.4mm/2.7mm Screws	1
1137-03	Bending Pin With Thread For 2.4mm/2.7mm Wise-Lock Plates	2
1137-09	Holding Sleeve For 2.4/2.7mm Wise-Lock Screws	1
1136-06	Countersink For 2.0/2.4/2.7mm Screws	1
1138-01	Self-Centering Double Drill Guide Ø2.7/2.0mm	1
1138-02	Wise-Lock Drill Sleeve 2.7mm For Drill Bits Ø2.0mm	2
1138-04	Drill Bit Quick Coupling Ø2.0mm x Length 110mm, 2-Flute	2
1138-05	Drill Bit Quick Coupling Ø2.7mm x Length 102mm, 2-Flute	2
1138-41	Holding Sleeve For 2.7mm Cortical Screws	1
1138-11	Container with Tray and Lid For 2.7mm Implant & Instrument Set	1