

Auxein

HAND & FOOT SYSTEM



NEXT-LEVEL CARE

ABOUT US

Auxein Medical is an integrated, research based, orthopaedic implants & instruments manufacturing company, producing a wide range of quality, affordable generic implants, trusted by healthcare professionals and patients across geographies. It is the Company's constant endeavour to provide a wide basket of generic and our innovator products that exceed the highest expectations of customers in term of quality and safety. The company has world-class manufacturing unit established in India and serves customers in over 75 countries worldwide.



IMPACTING HEALTHCARE GLOBALLY

Our Reach & Influence

500+

Employees Worldwide

75+

Operations in Countries

150+

Distributors Worldwide

20_{M+}

Patients Cured

200+

FDA Approved Products

250+

Machines Worldwide

3000+

Products Orthopedic Solutions

Auxein is dedicated to advancing medical technology through innovative orthopedic solutions, including **Trauma, Arthroscopy, and Reconstructive Procedures**, with a commitment to improving patient outcomes worldwide. Our approach integrates advanced research, precision engineering, and high-quality manufacturing to develop reliable implants and surgical instruments that address the evolving needs of modern orthopedic practice.


OUR ACHIEVEMENTS



OVER THE YEARS

Disclaimer: Not all products in this catalogue are covered by European CE, US FDA, or other certifications. Please contact our Sales Team for product-specific certification details.





At Auxein, it is our goal to provide the best in class quality and value to every individual. Consistency is a virtue we pursue with a passion. From the procurement of raw materials to the manufacturing of our range of 1200+ orthopaedic implant products, we employee world-class systems and technology at par with the highest standards of globally recognized evaluation systems. The Wise-Lock Hand & Foot System is part of the orthopedic trauma portfolio, designed for fixation of fractures, osteotomies, and arthrodesis procedures in the small bones of the hand and foot. Developed with clinical input, the system provides stable fixation, controlled load distribution, and supports restoration of anatomical alignment.

The background of the page features a series of thin, light gray wavy lines that create a sense of movement and depth. These lines are concentrated in the top right and bottom left corners, leaving the central area relatively clear for the text.

INDEX



Introduction	09-10
1.5mm Wise-Lock Modular Hand System	12-21
2.0mm Wise-Lock Modular Hand System.....	22-32
2.4mm Wise-Lock Modular Hand System.....	33-41
2.7mm Wise-Lock Modular Foot System	42-51
Implant Set	52-61
General Instruments	62-69



WISE-LOCK MODULAR HAND & FOOT

Wise-Lock Modular Hand System

Adaptable Locking Plates for Various Indications

Introduction

The Wise-Lock Modular Hand & Foot System comprises anatomically contoured, adaptable locking plates for fixation in small bone surgery of the hand and foot. The system offers multiple size-specific modules to address varied fracture patterns and reconstructive procedures, with all implants available in titanium for optimized biocompatibility and strength.

Indications:

1.5mm Wise-Lock Hand System

- Fractures, osteotomies, and arthrodesis of phalanges and metacarpals.
- Replantation and reconstructive procedures of phalanges and metacarpals.

2.0mm Wise-Lock Hand System


- Fractures of phalanges, metacarpals, carpal bones, and distal radius (double-plate technique).
- Osteotomies and arthrodesis of interphalangeal joints.

2.4mm Wise-Lock Hand System

- Fractures of metacarpals, carpal bones, and distal radius (double-plate technique).
- Osteotomies and arthrodesis in the hand.


2.7mm Wise-Lock Foot System

- Fractures, osteotomies, and arthrodesis of bones of the foot.



**Key Features:**

- Modular system with four size-specific platforms (1.5mm, 2.0mm, 2.4mm, 2.7mm).
- Anatomically contoured and adaptable plate designs.
- Fixed-angle construct with locking screw technology for enhanced stability.
- Effective in osteopenic bone and periarticular fracture patterns.
- Broad implant portfolio to address diverse clinical indications.








WISELOCK

1.5mm Wise-Lock Modular
Hand System





1.5mm Wise-Lock Plate, Straight

STERILE



Holes	Sterile	Non-Sterile
4	TI-554.04-S	TI-554.04
6	TI-554.06-S	TI-554.06



1.5mm Wise-Lock Adaption Plate, Straight

STERILE



Holes	Sterile	Non-Sterile
6	TI-555.06-S	TI-555.06
12	TI-555.12-S	TI-555.12



1.5mm Wise-Lock Adaption T-Plate

STERILE



Holes	Sterile	Non-Sterile
Shaft 8, Head 3	TI-556.08.03-S	TI-556.08.03
Shaft 8, Head 4	TI-556.08.04-S	TI-556.08.04



1.5mm Wise-Lock Strut Plate

STERILE



Holes	Sterile	Non-Sterile
8	TI-823.00R-S	TI-823.00R
8	TI-823.00L-S	TI-823.00L



1.5mm Wise-Lock Condylar Plate

STERILE



Holes	Sterile	Non-Sterile
8	TI-559.06-S	TI-559.06
6	TI-559.08-S	TI-559.08



Note: Use corresponding screws as per the specific plate profile and system compatibility.




1.5mm Wise-Lock Adaption Y-Plate

STERILE



Holes	Sterile	Non-Sterile
Shaft 8, Head 3	TI-558.08-S	TI-558.08



The background of the page features a light gray, wavy, topographical-like pattern that flows from the top and bottom edges towards the center, framing the central text.

SCREWS



1.5mm Cortical Screw, Self-Tapping, (Star Head), Titanium



Length	Code
6mm	TI-1281.06
7mm	TI-1281.07
8mm	TI-1281.08
9mm	TI-1281.09
10mm	TI-1281.10
11mm	TI-1281.11
12mm	TI-1281.12
13mm	TI-1281.13
14mm	TI-1281.14
15mm	TI-1281.15
16mm	TI-1281.16
18mm	TI-1281.18
20mm	TI-1281.20
22mm	TI-1281.22
24mm	TI-1281.24

STERILE

Length	Code
6mm	TI-1281.06-S
7mm	TI-1281.07-S
8mm	TI-1281.08-S
9mm	TI-1281.09-S
10mm	TI-1281.10-S
11mm	TI-1281.11-S
12mm	TI-1281.12-S
13mm	TI-1281.13-S
14mm	TI-1281.14-S
15mm	TI-1281.15-S
16mm	TI-1281.16-S
18mm	TI-1281.18-S
20mm	TI-1281.20-S
22mm	TI-1281.22-S
24mm	TI-1281.24-S



1.5mm Wise-Lock Screw, Self-Tapping, (Star Head)



Length	Code
6mm	TI-1130.06
7mm	TI-1130.07
8mm	TI-1130.08
9mm	TI-1130.09
10mm	TI-1130.10
11mm	TI-1130.11
12mm	TI-1130.12
13mm	TI-1130.13
14mm	TI-1130.14
15mm	TI-1130.15
16mm	TI-1130.16
18mm	TI-1130.18
20mm	TI-1130.20
22mm	TI-1130.22
24mm	TI-1130.24

STERILE

Length	Code
6mm	TI-1130.06-S
7mm	TI-1130.07-S
8mm	TI-1130.08-S
9mm	TI-1130.09-S
10mm	TI-1130.10-S
11mm	TI-1130.11-S
12mm	TI-1130.12-S
13mm	TI-1130.13-S
14mm	TI-1130.14-S
15mm	TI-1130.15-S
16mm	TI-1130.16-S
18mm	TI-1130.18-S
20mm	TI-1130.20-S
22mm	TI-1130.22-S
24mm	TI-1130.24-S





1.8mm Buttress Screw, (Star Head)




Length	Code
12mm	TI-1103.112
14mm	TI-1103.114
16mm	TI-1103.116
18mm	TI-1103.118

STERILE

Length	Code
12mm	TI-1103.112-S
14mm	TI-1103.114-S
16mm	TI-1103.116-S
18mm	TI-1103.118-S



The background of the page features a light gray, wavy, topographic-like pattern that flows from the top left and bottom left corners towards the center, creating a sense of movement and depth. The pattern consists of numerous thin, curved lines that vary in density and curvature, giving it a fluid, organic appearance.

INSTRUMENTS



1135-01

Double Drill Guide Ø1.5/1.1mm



1135-02

Wise-lock Drill Sleeve 1.5mm For Drill Bit Ø1.1mm



1135-03

Bending Pin With Thread For 1.5mm Wise-lock Plates



1135-04

Drill Bit Quick Coupling Ø1.1mm X Length 75/61mm, 2-flute



1135-05

Drill Bit Quick Coupling Ø1.5mm X Length 65/50mm, 2-flute



1135-06

Countersink For 1.5mm Screws





1135-07

Screwdriver Shaft, T4 For 1.5mm Screws



1135-08

Screw Holding Sleeve For 1.5mm Cortical Screws



1135-09

Screw Holding Sleeve For 1.5mm Wise-lock Screws



1138-08

Container With Tray And Lid For 1.5mm Implant & Instrument Set








WISELOCK

2.0mm Wise-Lock Modular
Hand System





2.0mm Wise-Lock Plate, Straight

STERILE



Holes	Sterile	Non-Sterile
4	TI-505.204-S	TI-505.204
5	TI-505.205-S	TI-505.205
6	TI-505.206-S	TI-505.206
7	TI-505.207-S	TI-505.207
8	TI-505.208-S	TI-505.208
10	TI-505.210-S	TI-505.210



2.0mm Adaption Plate, Straight

STERILE



Holes	Sterile	Non-Sterile
12	TI-821.212-S	TI-821.212



2.0mm Wise-Lock Adaption Plate, Straight

STERILE



Holes	Sterile	Non-Sterile
12	TI-555.212-S	TI-555.212



2.0mm Wise-Lock Condylar Plate

STERILE



Holes	Sterile	Non-Sterile
Shaft 4, Head 2	TI-559.204-S	TI-559.204
Shaft 5, Head 2	TI-559.205-S	TI-559.205
Shaft 6, Head 2	TI-559.206-S	TI-559.206
Shaft 7, Head 2	TI-559.207-S	TI-559.207



2.0mm Wise-Lock Rotation Correction Plate

STERILE



Holes	Sterile	Non-Sterile
Shaft 4, Head 2	TI-989C.204-S	TI-989C.204
Shaft 5, Head 2	TI-989C.205-S	TI-989C.205



Note: Use corresponding screws as per the specific plate profile and system compatibility.



2.0mm Wise-Lock T-Plate

STERILE



Holes	Sterile	Non-Sterile
Shaft 4, Head 3	TI-556.204-S	TI-556.204
Shaft 5, Head 3	TI-556.205-S	TI-556.205
Shaft 6, Head 3	TI-556.206-S	TI-556.206
Shaft 7, Head 3	TI-556.207-S	TI-556.207



2.0mm Wise-Lock T-Adaption Plate

STERILE



Holes	Sterile	Non-Sterile
Shaft 7, Head 2	TI-555.207T-S	TI-555.207T



2.0mm Wise-Lock Y-Adaption Plate

STERILE



Holes	Sterile	Non-Sterile
Shaft 7, Head 3	TI-555.207Y-S	TI-555.207Y



2.0mm Mini Condylar Plate

STERILE



Holes	Sterile	Non-Sterile
7	TI-515.07L-S	TI-515.07L
7	TI-515.07R-S	TI-515.07R



2.0mm Wise-Lock Mini H-Plate

STERILE



Holes	Sterile	Non-Sterile
4	TI-814.04-S	TI-814.04



Note: Use corresponding screws as per the specific plate profile and system compatibility.


2.0mm Wise-Lock Distal Ulna Hook Plate



2.0mm Adaption Plate, Straight

STERILE NON-STERILE		
Holes	Sterile	Non-Sterile
7	10-063-07TI-S	10-063-07TI

Note: Use corresponding screws as per the specific plate profile and system compatibility.



SCREWS



2.0mm Cortical Screw, Self-Tapping, (Star Head)



Length	Code
6mm	TI-102.206
7mm	TI-102.207
8mm	TI-102.208
9mm	TI-102.209
10mm	TI-102.210
11mm	TI-102.211
12mm	TI-102.212
13mm	TI-102.213
14mm	TI-102.214
15mm	TI-102.215
16mm	TI-102.216
18mm	TI-102.218
20mm	TI-102.220
22mm	TI-102.222
24mm	TI-102.224
26mm	TI-102.226
28mm	TI-102.228
30mm	TI-102.230
32mm	TI-102.232
34mm	TI-102.234
36mm	TI-102.236
38mm	TI-102.238
40mm	TI-102.240



Length	Code
6mm	TI-102.206-S
7mm	TI-102.207-S
8mm	TI-102.208-S
9mm	TI-102.209-S
10mm	TI-102.210-S
11mm	TI-102.211-S
12mm	TI-102.212-S
13mm	TI-102.213-S
14mm	TI-102.214-S
15mm	TI-102.215-S
16mm	TI-102.216-S
18mm	TI-102.218-S
20mm	TI-102.220-S
22mm	TI-102.222-S
24mm	TI-102.224-S
26mm	TI-102.226-S
28mm	TI-102.228-S
30mm	TI-102.230-S
32mm	TI-102.232-S
34mm	TI-102.234-S
36mm	TI-102.236-S
38mm	TI-102.238-S
40mm	TI-102.240-S





2.0mm Wise-Lock Screw, Self-Tapping, (Star Head)




Length	Code
6mm	TI-1131.06
7mm	TI-1131.07
8mm	TI-1131.08
9mm	TI-1131.09
10mm	TI-1131.10
11mm	TI-1131.11
12mm	TI-1131.12
13mm	TI-1131.13
14mm	TI-1131.14
15mm	TI-1131.15
16mm	TI-1131.16
18mm	TI-1131.18
20mm	TI-1131.20
22mm	TI-1131.22
24mm	TI-1131.24
26mm	TI-1131.26
28mm	TI-1131.28
30mm	TI-1131.30
32mm	TI-1131.32
34mm	TI-1131.34
36mm	TI-1131.36
38mm	TI-1131.38
40mm	TI-1131.40

STERILE

Length	Code
6mm	TI-1131.06-S
7mm	TI-1131.07-S
8mm	TI-1131.08-S
9mm	TI-1131.09-S
10mm	TI-1131.10-S
11mm	TI-1131.11-S
12mm	TI-1131.12-S
13mm	TI-1131.13-S
14mm	TI-1131.14-S
15mm	TI-1131.15-S
16mm	TI-1131.16-S
18mm	TI-1131.18-S
20mm	TI-1131.20-S
22mm	TI-1131.22-S
24mm	TI-1131.24-S
26mm	TI-1131.26-S
28mm	TI-1131.28-S
30mm	TI-1131.30-S
32mm	TI-1131.32-S
34mm	TI-1131.34-S
36mm	TI-1131.36-S
38mm	TI-1131.38-S
40mm	TI-1131.40-S



The background of the page features a series of thin, light gray wavy lines that flow from the top and bottom edges towards the center, creating a sense of movement and depth. These lines are more densely packed in some areas, particularly near the top and bottom, and more spread out in the middle where the text is located.

INSTRUMENTS



1136-01

Self-Centering Double Drill Guide Ø2.0/1.5mm



1136-02

Wise-Lock Drill Sleeve 2.0mm, For Drill Bit, Ø1.5mm



1136-03

Bending Pin with thread For 2.0mm Wise-Lock Plates



1136-04

Drill Bit Quick Coupling Ø1.5mm x Length 96/82mm, 2-Flute



1136-05

Drill Bit Quick Coupling Ø2.0mm x Length 67/55mm, 2-Flute



1136-06

Countersink For 2.0/2.4/2.7mm Screws





1136-10

Screwdriver Shaft, T6 for 2.0mm Screws



1136-08

Screw Holding Sleeve For 2.0mm Cortical Screws



1136-09


Screw Holding Sleeve For 2.0mm Wise-Lock Screws



1138-09

Container with Tray and Lid For 2.0mm Implant & Instrument Set





WISELOCK

2.4mm Wise-Lock Modular
Hand System





2.4mm Wise-Lock Plate, Straight

STERILE



Holes	Sterile	Non-Sterile
4	TI-505.304-S	TI-505.304
5	TI-505.305-S	TI-505.305
6	TI-505.306-S	TI-505.306
7	TI-505.307-S	TI-505.307
8	TI-505.308-S	TI-505.308
10	TI-505.310-S	TI-505.310



2.4mm Adaption Plate, Straight

STERILE



Holes	Sterile	Non-Sterile
12	TI-821.312-S	TI-821.312




2.4mm Wise-Lock Adaption Plate, Straight

STERILE



Holes	Sterile	Non-Sterile
12	TI-555.312-S	TI-555.312



2.0mm Wise-Lock Condylar Plate

STERILE



Holes	Sterile	Non-Sterile
Shaft 4, Head 2	TI-559.304-S	TI-559.304
Shaft 5, Head 2	TI-559.305-S	TI-559.305
Shaft 6, Head 2	TI-559.306-S	TI-559.306
Shaft 7, Head 2	TI-559.307-S	TI-559.307



Note: Use corresponding screws as per the specific plate profile and system compatibility.



2.4mm Wise-Lock T-Adaption Plate

STERILE



Holes	Sterile	Non-Sterile
Shaft 7, Head 2	TI-555.307T-S	TI-555.307T



2.4mm Wise-Lock T-Plate, Titanium

STERILE



Holes	Sterile	Non-Sterile
Shaft 4, Head 3	TI-556.304-S	TI-556.304
Shaft 5, Head 3	TI-556.305-S	TI-556.305
Shaft 6, Head 3	TI-556.306-S	TI-556.306
Shaft 7, Head 3	TI-556.307-S	TI-556.307



2.4mm Wise-Lock Y-Adaption Plate


STERILE



Holes	Sterile	Non-Sterile
Shaft 4, Head 3	TI-555.304Y-S	TI-555.304Y
Shaft 5, Head 3	TI-555.305Y-S	TI-555.305Y
Shaft 6, Head 3	TI-555.306Y-S	TI-555.306Y
Shaft 7, Head 3	TI-555.307Y-S	TI-555.307Y



Note: Use corresponding screws as per the specific plate profile and system compatibility.

The background of the page features a light gray, wavy, topographical-like pattern that flows from the top and bottom edges towards the center, framing the central text.

SCREWS



2.4mm Cortical Screw, Self-Tapping, (Star Head)



Length	Code
6mm	TI-1144.06
7mm	TI-1144.07
8mm	TI-1144.08
9mm	TI-1144.09
10mm	TI-1144.10
11mm	TI-1144.11
12mm	TI-1144.12
13mm	TI-1144.13
14mm	TI-1144.14
16mm	TI-1144.16
18mm	TI-1144.18
20mm	TI-1144.20
22mm	TI-1144.22
24mm	TI-1144.24
26mm	TI-1144.26
28mm	TI-1144.28
30mm	TI-1144.30
32mm	TI-1144.32
34mm	TI-1144.34
36mm	TI-1144.36
38mm	TI-1144.38
40mm	TI-1144.40

STERILE

Length	Code
6mm	TI-1144.06-S
7mm	TI-1144.07-S
8mm	TI-1144.08-S
9mm	TI-1144.09-S
10mm	TI-1144.10-S
11mm	TI-1144.11-S
12mm	TI-1144.12-S
13mm	TI-1144.13-S
14mm	TI-1144.14-S
16mm	TI-1144.16-S
18mm	TI-1144.18-S
20mm	TI-1144.20-S
22mm	TI-1144.22-S
24mm	TI-1144.24-S
26mm	TI-1144.26-S
28mm	TI-1144.28-S
30mm	TI-1144.30-S
32mm	TI-1144.32-S
34mm	TI-1144.34-S
36mm	TI-1144.36-S
38mm	TI-1144.38-S
40mm	TI-1144.40-S





2.4mm Wise-Lock Screw, Self-Tapping, (Star Head)




Length	Code
6mm	TI-1145.06
7mm	TI-1145.07
8mm	TI-1145.08
9mm	TI-1145.09
10mm	TI-1145.10
11mm	TI-1145.11
12mm	TI-1145.12
13mm	TI-1145.13
14mm	TI-1145.14
16mm	TI-1145.16
18mm	TI-1145.18
20mm	TI-1145.20
22mm	TI-1145.22
24mm	TI-1145.24
26mm	TI-1145.26
28mm	TI-1145.28
30mm	TI-1145.30
32mm	TI-1145.32
34mm	TI-1145.34
36mm	TI-1145.36
38mm	TI-1145.38
40mm	TI-1145.40
42mm	TI-1145.42
44mm	TI-1145.44
46mm	TI-1145.46
48mm	TI-1145.48
50mm	TI-1145.50

STERILE

Length	Code
6mm	TI-1145.06-S
7mm	TI-1145.07-S
8mm	TI-1145.08-S
9mm	TI-1145.09-S
10mm	TI-1145.10-S
11mm	TI-1145.11-S
12mm	TI-1145.12-S
13mm	TI-1145.13-S
14mm	TI-1145.14-S
16mm	TI-1145.16-S
18mm	TI-1145.18-S
20mm	TI-1145.20-S
22mm	TI-1145.22-S
24mm	TI-1145.24-S
26mm	TI-1145.26-S
28mm	TI-1145.28-S
30mm	TI-1145.30-S
32mm	TI-1145.32-S
34mm	TI-1145.34-S
36mm	TI-1145.36-S
38mm	TI-1145.38-S
40mm	TI-1145.40-S
42mm	TI-1145.42-S
44mm	TI-1145.44-S
46mm	TI-1145.46-S
48mm	TI-1145.48-S
50mm	TI-1145.50-S



The background of the page features a light gray, wavy, topographical-like pattern. These lines flow from the top left and bottom left corners towards the right side, creating a sense of movement and depth. The central area is a plain, light gray space where the text is located.

INSTRUMENTS




1137-01

Self-Centering Double Drill Guide Ø2.4/1.8mm



1137-02

Wise-Lock Drill Sleeve 2.4mm For Drill Bit Ø1.8mm



1136-06

Countersink For 2.0/2.4/2.7mm Screws



1137-03

Bending Pin With Thread For 2.4mm/2.7mm Wise-Lock Plates



1137-04

Drill Bit Quick Coupling Ø1.8mm x Length 110/82mm, 2- Flute



1137-05

Drill Bit Quick Coupling Ø2.4mm x Length 100/73mm, 2-Flute





1137-07

Screwdriver Shaft, T8 For 2.4mm/2.7mm Screws



1137-08

Holding Sleeve For 2.4mm Cortical Screws




1137-09

Holding Sleeve For 2.4/2.7mm Wise-Lock Screws




1138-10

Container with Tray and Lid For 2.4mm Implant & Instrument Set








WISELOCK

2.7mm Wise-lock
ModularFoot System





2.7mm Wise-Lock Plate, Straight

STERILE



Holes	Sterile	Non-Sterile
4	TI-505.404-S	TI-505.404
5	TI-505.405-S	TI-505.405
6	TI-505.406-S	TI-505.406
7	TI-505.407-S	TI-505.407
8	TI-505.408-S	TI-505.408
10	TI-505.410-S	TI-505.410



2.7mm Wise-Lock Condylar Plate

STERILE



Holes	Sterile	Non-Sterile
Shaft 4, Head 2	TI-559.404-S	TI-559.404
Shaft 5, Head 2	TI-559.405-S	TI-559.405
Shaft 6, Head 2	TI-559.406-S	TI-559.406
Shaft 7, Head 2	TI-559.407-S	TI-559.407



2.7mm Wise-Lock T-Plate

STERILE



Holes	Sterile	Non-Sterile
Shaft 3, Head 2	TI-556.403-S	TI-556.403
Shaft 4, Head 2	TI-556.404-S	TI-556.404



2.7mm Wise-Lock L-Plate

STERILE



Holes	Sterile	Non-Sterile	Type
Shaft 3, Head 2	TI-813.403L-S	TI-813.403L	Left
Shaft 3, Head 2	TI-813.403R-S	TI-813.403R	Right
Shaft 4, Head 2	TI-813.404L-S	TI-813.404L	Left
Shaft 4, Head 2	TI-813.404R-S	TI-813.404R	Right



Note: Use corresponding screws as per the specific plate profile and system compatibility.



2.7mm Wise-Lock L-Plate, Oblique

STERILE



Holes	Sterile	Non-Sterile	Type
Shaft 3, Head 2	TI-1133.03L-S	TI-1133.03L	Left
Shaft 3, Head 2	TI-1133.03R-S	TI-1133.03R	Right
Shaft 4, Head 2	TI-1133.04L-S	TI-1133.04L	Left
Shaft 4, Head 2	TI-1133.04R-S	TI-1133.04R	Right



2.7mm Wise-Lock Mini Condylar Plate

STERILE



Holes	Sterile	Non-Sterile	Type
7	TI-516.307L-S	TI-516.307L	Left
7	TI-516.307R-S	TI-516.307R	Right



2.7mm Wise-Lock Straight Plate

STERILE



Holes	Sterile	Non-Sterile
2	TI-1134.02-S	TI-1134.02



2.4/2.7mm Wise-Lock X-Plate


STERILE



Holes	Sterile	Non-Sterile	Length
4	TI-812.301-S	TI-812.301	22x14mm
4	TI-812.302-S	TI-812.302	24x18mm
4	TI-812.303-S	TI-812.303	30x20mm
4	TI-812.304-S	TI-812.304	36x20mm



Note: Use corresponding screws as per the specific plate profile and system compatibility.

The background of the page features a light gray, wavy, topographical-like pattern that flows from the top and bottom edges towards the center, framing the central text.

SCREWS



2.7mm Cortical Screw, Self-Tapping, (Star Head)



Length	Code
6mm	TI-1242.06
8mm	TI-1242.08
10mm	TI-1242.10
12mm	TI-1242.12
14mm	TI-1242.14
16mm	TI-1242.16
18mm	TI-1242.18
20mm	TI-1242.20
22mm	TI-1242.22
24mm	TI-1242.24
26mm	TI-1242.26
28mm	TI-1242.28
30mm	TI-1242.30
32mm	TI-1242.32
34mm	TI-1242.34
36mm	TI-1242.36
38mm	TI-1242.38
40mm	TI-1242.40
42mm	TI-1242.42
44mm	TI-1242.44
46mm	TI-1242.46
48mm	TI-1242.48
50mm	TI-1242.50

STERILE

Length	Code
6mm	TI-1242.06-S
8mm	TI-1242.08-S
10mm	TI-1242.10-S
12mm	TI-1242.12-S
14mm	TI-1242.14-S
16mm	TI-1242.16-S
18mm	TI-1242.18-S
20mm	TI-1242.20-S
22mm	TI-1242.22-S
24mm	TI-1242.24-S
26mm	TI-1242.26-S
28mm	TI-1242.28-S
30mm	TI-1242.30-S
32mm	TI-1242.32-S
34mm	TI-1242.34-S
36mm	TI-1242.36-S
38mm	TI-1242.38-S
40mm	TI-1242.40-S
42mm	TI-1242.42-S
44mm	TI-1242.44-S
46mm	TI-1242.46-S
48mm	TI-1242.48-S
50mm	TI-1242.50-S





2.7mm Wise-Lock Screw, Self-Tapping, (Star Head)




Length	Code
6mm	TI-1241.06
7mm	TI-1241.07
8mm	TI-1241.08
9mm	TI-1241.09
10mm	TI-1241.10
12mm	TI-1241.12
14mm	TI-1241.14
16mm	TI-1241.16
18mm	TI-1241.18
20mm	TI-1241.20
22mm	TI-1241.22
24mm	TI-1241.24
26mm	TI-1241.26
28mm	TI-1241.28
30mm	TI-1241.30
32mm	TI-1241.32
34mm	TI-1241.34
36mm	TI-1241.36
38mm	TI-1241.38
40mm	TI-1241.40
42mm	TI-1241.42
44mm	TI-1241.44
46mm	TI-1241.46
48mm	TI-1241.48
50mm	TI-1241.50
52mm	TI-1241.52
54mm	TI-1241.54
56mm	TI-1241.56
58mm	TI-1241.58
60mm	TI-1241.60

STERILE

Length	Code
6mm	TI-1241.06-S
7mm	TI-1241.07-S
8mm	TI-1241.08-S
9mm	TI-1241.09-S
10mm	TI-1241.10-S
12mm	TI-1241.12-S
14mm	TI-1241.14-S
16mm	TI-1241.16-S
18mm	TI-1241.18-S
20mm	TI-1241.20-S
22mm	TI-1241.22-S
24mm	TI-1241.24-S
26mm	TI-1241.26-S
28mm	TI-1241.28-S
30mm	TI-1241.30-S
32mm	TI-1241.32-S
34mm	TI-1241.34-S
36mm	TI-1241.36-S
38mm	TI-1241.38-S
40mm	TI-1241.40-S
42mm	TI-1241.42-S
44mm	TI-1241.44-S
46mm	TI-1241.46-S
48mm	TI-1241.48-S
50mm	TI-1241.50-S
52mm	TI-1241.52-S
54mm	TI-1241.54-S
56mm	TI-1241.56-S
58mm	TI-1241.58-S
60mm	TI-1241.60-S



The background of the page features a series of thin, light gray wavy lines that flow from the top left towards the right and then curve downwards towards the bottom right, creating a sense of movement and depth. The lines are more densely packed in some areas, creating a subtle gradient effect.

INSTRUMENTS



1137-07

Screwdriver Shaft, T8 For 2.4mm/2.7mm Screws



1137-03

Bending Pin With Thread For 2.4mm/2.7mm Wise-Lock Plates



1137-09

Holding Sleeve For 2.4/2.7mm Wise-Lock Screws



1136-06

Countersink For 2.0/2.4/2.7mm Screws



1138-01

Self-Centering Double Drill Guide Ø2.7/2.0mm



1138-02

Wise-Lock Drill Sleeve 2.7mm For Drill Bits Ø2.0mm





1138-04

Drill Bit Quick Coupling Ø2.0mm x Length 110mm, 2-Flute



1138-05

Drill Bit Quick Coupling Ø2.7mm x Length 102mm, 2-Flute



1138-41

Holding Sleeve For 2.7mm Cortical Screws




1138-11

Container with Tray and Lid For 2.7mm Implant & Instrument Set






The background of the page features a light gray, wavy, topographic-like pattern that flows from the top left towards the bottom right, creating a sense of movement and depth. The lines are thin and closely spaced in some areas, while more spread out in others.

IMPLANT SET




1138-08

Container with Tray and Lid For 1.5mm Implant & Instrument Set




1138-09

Container with Tray and Lid For 2.0mm Implant & Instrument Set



1138-10

Container with Tray and Lid For 2.4mm Implant & Instrument Set



1138-11


Container with Tray and Lid For 2.7mm Implant & Instrument Set





1138-08

Container with Tray and Lid For 1.5mm Implant
& Instrument Set



Instruments for 1.5mm Wise-Lock Modular Hand System

Code	Items	Units
1135-01	Double Drill Guide Ø1.5/1.1mm	1
1135-02	Wise-Lock Drill Sleeve 1.5mm For Drill Bit Ø1.1mm	1
1135-03	Bending Pin With Thread For 1.5mm Wise-Lock Plates	1
1135-04	Drill Bit Quick Coupling Ø1.1mm x Length 75/61mm, 2-Flute	1
1135-05	Drill Bit Quick Coupling Ø1.5mm x Length 65/50mm, 2-Flute	1
1135-06	Countersink For 1.5mm Screws	1
1135-07	Screwdriver Shaft, T4 for 1.5mm Screws	1
1135-08	Screw Holding Sleeve for 1.5mm Cortical Screws	1
1135-09	Screw Holding Sleeve for 1.5mm Wise-Lock Screws	1
1138-08	Container with Tray and Lid For 1.5mm Implant & Instrument Set	1



1138-08

Container with Tray and Lid For 1.5mm Implant & Instrument Set


Implants For 1.5mm Wise-lock Modular Hand System

	Code	Set Consisting Of	Units
Plates	TI-554.04	1.5mm Wise-Lock Plate, Straight, 4 Holes	1
	TI-554.06	1.5mm Wise-Lock Plate, Straight, 6 Holes	1
	TI-555.12	1.5mm Wise-Lock Adaption Plate, Straight, 12 Holes	1
	TI-556.08.03	1.5mm Wise-Lock Adaption T-Plate, (3 Head Holes), 8 Holes	1
	TI-556.08.04	1.5mm Wise-Lock Adaption T-Plate, (4 Head Holes), 8 Holes	1
	TI-823.00L	1.5mm Wise-Lock Strut Plate, 8 Holes - Left	1
	TI-823.00R	1.5mm Wise-Lock Strut Plate, 8 Holes - Right	1
	TI-559.06	1.5mm Wise-Lock Condylar Plate, (2 Head Holes), 6 Holes	1
Screws	TI-559.08	1.5mm Wise-Lock Condylar Plate, (2 Head Holes), 8 Holes	1
	TI-1281.06	1.5mm Cortical Screws, Self-Tapping, (Star Head), Length 6mm, Titanium	6
	TI-1281.07	1.5mm Cortical Screws, Self-Tapping, (Star Head), Length 7mm, Titanium	6
	TI-1281.08	1.5mm Cortical Screws, Self-Tapping, (Star Head), Length 8mm, Titanium	6
	TI-1281.09	1.5mm Cortical Screws, Self-Tapping, (Star Head), Length 9mm, Titanium	6
	TI-1281.10	1.5mm Cortical Screws, Self-Tapping, (Star Head), Length 10mm, Titanium	6
	TI-1281.11	1.5mm Cortical Screws, Self-Tapping, (Star Head), Length 11mm, Titanium	6
	TI-1281.12	1.5mm Cortical Screws, Self-Tapping, (Star Head), Length 12mm, Titanium	6
	TI-1281.13	1.5mm Cortical Screws, Self-Tapping, (Star Head), Length 13mm, Titanium	6
	TI-1281.14	1.5mm Cortical Screws, Self-Tapping, (Star Head), Length 14mm, Titanium	6
	TI-1281.16	1.5mm Cortical Screws, Self-Tapping, (Star Head), Length 16mm, Titanium	6
	TI-1281.18	1.5mm Cortical Screws, Self-Tapping, (Star Head), Length 18mm, Titanium	4
	TI-1281.20	1.5mm Cortical Screws, Self-Tapping, (Star Head), Length 20mm, Titanium	4
	TI-1281.22	1.5mm Cortical Screws, Self-Tapping, (Star Head), Length 22mm, Titanium	4
	TI-1281.24	1.5mm Cortical Screws, Self-Tapping, (Star Head), Length 24mm, Titanium	4
	TI-1281.26	1.5mm Cortical Screws, Self-Tapping, (Star Head), Length 26mm, Titanium	4
Screws	TI-1281.28	1.5mm Cortical Screws, Self-Tapping, (Star Head), Length 28mm, Titanium	4
	TI-1130.06	1.5mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 6mm, Titanium	6
	TI-1130.07	1.5mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 7mm, Titanium	6
	TI-1130.08	1.5mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 8mm, Titanium	6
	TI-1130.09	1.5mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 9mm, Titanium	6
	TI-1130.10	1.5mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 10mm, Titanium	6
	TI-1130.11	1.5mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 11mm, Titanium	6
	TI-1130.12	1.5mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 12mm, Titanium	6
	TI-1130.13	1.5mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 13mm, Titanium	6
	TI-1130.14	1.5mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 14mm, Titanium	6
	TI-1130.16	1.5mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 16mm, Titanium	6
	TI-1130.18	1.5mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 18mm, Titanium	4
	TI-1130.20	1.5mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 20mm, Titanium	4
	TI-1130.22	1.5mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 22mm, Titanium	4
	TI-1130.24	1.5mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 24mm, Titanium	4
	TI-1130.26	1.5mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 26mm, Titanium	4
	TI-1130.28	1.5mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 28mm, Titanium	4



1138-09

Container with Tray and Lid For 2.0mm Implant & Instrument Set



Instruments for 2.0mm Wise-Lock Modular Hand System

Code	Items	Units
1136-01	Self-Centering Double Drill Guide Ø2.0/1.5mm	1
1136-02	Wise-Lock Drill Sleeve 2.0mm, For Drill Bit, Ø1.5mm	2
1136-03	Bending Pin with thread For 2.0mm Wise-Lock Plates	2
1136-04	Drill Bit Quick Coupling Ø1.5mm x Length 96/82mm, 2-Flute	2
1136-05	Drill Bit Quick Coupling Ø2.0mm x Length 67/55mm, 2-Flute	2
1136-06	Countersink For 2.0/2.4/2.7mm Screws	1
1136-10	Screwdriver Shaft, T6 for 2.0mm Screws	1
1136-08	Screw Holding Sleeve For 2.0mm Cortical Screws	1
1136-09	Screw Holding Sleeve For 2.0mm Wise-Lock Screws	1
1138-09	Container with Tray and Lid For 2.0mm Implant & Instrument Set	1



1138-09

Container with Tray and Lid For 1.5mm Implant & Instrument Set


Implants For 2.0mm Wise-lock Modular Hand System

	Code	Set Consisting Of	Units
Plates	TI-505.204	2.0mm Wise-Lock Plate, Straight, 4 Holes	1
	TI-505.205	2.0mm Wise-Lock Plate, Straight, 5 Holes	1
	TI-505.206	2.0mm Wise-Lock Plate, Straight, 6 Holes	1
	TI-505.208	2.0mm Wise-Lock Plate, Straight, 8 Holes	1
	TI-821.212	2.0mm Adaption Plate, Straight, 12 Holes	1
	TI-559.207	2.0mm Wise-Lock Condylar Plate, (2 Head Holes), 7 Holes	1
	TI-555.207T	2.0mm Wise-Lock T-Adaption Plate, (2 Head Holes), 7 Holes	1
Screws	TI-102.206	2.0mm Cortical Screws, Self-Tapping, (Star Head), Length 6mm, Titanium	4
	TI-102.207	2.0mm Cortical Screws, Self-Tapping, (Star Head), Length 7mm, Titanium	4
	TI-102.208	2.0mm Cortical Screws, Self-Tapping, (Star Head), Length 8mm, Titanium	4
	TI-102.209	2.0mm Cortical Screws, Self-Tapping, (Star Head), Length 9mm, Titanium	4
	TI-102.210	2.0mm Cortical Screws, Self-Tapping, (Star Head), Length 10mm, Titanium	4
	TI-102.211	2.0mm Cortical Screws, Self-Tapping, (Star Head), Length 11mm, Titanium	4
	TI-102.212	2.0mm Cortical Screws, Self-Tapping, (Star Head), Length 12mm, Titanium	4
	TI-102.213	2.0mm Cortical Screws, Self-Tapping, (Star Head), Length 13mm, Titanium	4
	TI-102.214	2.0mm Cortical Screws, Self-Tapping, (Star Head), Length 14mm, Titanium	4
	TI-102.216	2.0mm Cortical Screws, Self-Tapping, (Star Head), Length 16mm, Titanium	4
	TI-102.218	2.0mm Cortical Screws, Self-Tapping, (Star Head), Length 18mm, Titanium	4
	TI-102.220	2.0mm Cortical Screws, Self-Tapping, (Star Head), Length 20mm, Titanium	4
	TI-102.222	2.0mm Cortical Screws, Self-Tapping, (Star Head), Length 22mm, Titanium	4
	TI-102.224	2.0mm Cortical Screws, Self-Tapping, (Star Head), Length 24mm, Titanium	4
	TI-102.226	2.0mm Cortical Screws, Self-Tapping, (Star Head), Length 26mm, Titanium	4
	TI-102.228	2.0mm Cortical Screws, Self-Tapping, (Star Head), Length 28mm, Titanium	4
	TI-102.230	2.0mm Cortical Screws, Self-Tapping, (Star Head), Length 30mm, Titanium	4
	TI-102.232	2.0mm Cortical Screws, Self-Tapping, (Star Head), Length 32mm, Titanium	2
	TI-102.234	2.0mm Cortical Screws, Self-Tapping, (Star Head), Length 34mm, Titanium	2
	TI-102.236	2.0mm Cortical Screws, Self-Tapping, (Star Head), Length 36mm, Titanium	2
	TI-102.238	2.0mm Cortical Screws, Self-Tapping, (Star Head), Length 38mm, Titanium	2
Screws	TI-1131.06	2.0mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 6mm, Titanium	4
	TI-1131.07	2.0mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 7mm, Titanium	4
	TI-1131.08	2.0mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 8mm, Titanium	4
	TI-1131.09	2.0mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 9mm, Titanium	4
	TI-1131.10	2.0mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 10mm, Titanium	4
	TI-1131.11	2.0mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 11mm, Titanium	4
	TI-1131.12	2.0mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 12mm, Titanium	4
	TI-1131.13	2.0mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 13mm, Titanium	4
	TI-1131.14	2.0mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 14mm, Titanium	4
	TI-1131.16	2.0mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 16mm, Titanium	4
	TI-1131.18	2.0mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 18mm, Titanium	4
	TI-1131.20	2.0mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 20mm, Titanium	4
	TI-1131.22	2.0mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 22mm, Titanium	4
	TI-1131.24	2.0mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 24mm, Titanium	4
	TI-1131.26	2.0mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 26mm, Titanium	4
	TI-1131.28	2.0mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 28mm, Titanium	4
	TI-1131.30	2.0mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 30mm, Titanium	4
	TI-1131.32	2.0mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 32mm, Titanium	2
	TI-1131.34	2.0mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 34mm, Titanium	2
	TI-1131.36	2.0mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 36mm, Titanium	2
	TI-1131.38	2.0mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 38mm, Titanium	2



1138-10

Container with Tray and Lid For 2.4mm Implant & Instrument Set



Instruments for 2.4mm Wise-Lock Modular Hand System

Code	Items	Units
1137-01	Self-Centering Double Drill Guide Ø2.4/1.8mm	1
1137-02	Wise-Lock Drill Sleeve 2.4mm For Drill Bit Ø1.8mm	2
1136-06	Countersink For 2.0/2.4/2.7mm Screws	1
1137-03	Bending Pin With Thread For 2.4mm/2.7mm Wise-Lock Plates	2
1137-04	Drill Bit Quick Coupling Ø1.8mm x Length 110/82mm, 2- Flute	2
1137-05	Drill Bit Quick Coupling Ø2.4mm x Length 100/73mm, 2-Flute	2
1137-07	Screwdriver Shaft, T8 For 2.4mm/2.7mm Screws	1
1137-08	Holding Sleeve For 2.4mm Cortical Screws	1
1137-09	Holding Sleeve For 2.4/2.7mm Wise-Lock Screws	1
1138-10	Container with Tray and Lid For 2.4mm Implant & Instrument Set	1



1138-10

Container with Tray and Lid For 2.4mm Implant & Instrument Set


Implants For 2.4mm Wise-lock Modular Hand System

	Code	Set Consisting Of	Units
Plates	TI-505.304	2.4mm Wise-Lock Plate, Straight, 4 Holes	1
	TI-505.306	2.4mm Wise-Lock Plate, Straight, 6 Holes	1
	TI-505.308	2.4mm Wise-Lock Plate, Straight, 8 Holes	1
	TI-555.312	2.4mm Wise-Lock Adaption Plate, Straight, 12 Holes	1
	TI-559.307	2.4mm Wise-Lock Condylar Plate, (2 Head Holes), 7 Holes	1
	TI-556.307	2.4mm Wise-Lock T-Plate, (3 Head Holes), 7 Holes	1
Screws	TI-1144.06	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 6mm, Titanium	4
	TI-1144.07	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 7mm, Titanium	4
	TI-1144.08	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 8mm, Titanium	4
	TI-1144.09	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 9mm, Titanium	4
	TI-1144.10	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 10mm, Titanium	4
	TI-1144.11	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 11mm, Titanium	4
	TI-1144.12	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 12mm, Titanium	4
	TI-1144.13	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 13mm, Titanium	4
	TI-1144.14	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 14mm, Titanium	4
	TI-1144.16	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 16mm, Titanium	4
	TI-1144.18	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 18mm, Titanium	4
	TI-1144.20	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 20mm, Titanium	2
	TI-1144.22	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 22mm, Titanium	2
	TI-1144.24	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 24mm, Titanium	2
	TI-1144.26	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 26mm, Titanium	2
	TI-1144.28	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 28mm, Titanium	2
	TI-1144.30	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 30mm, Titanium	2
	TI-1144.32	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 32mm, Titanium	3
	TI-1144.34	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 34mm, Titanium	3
	TI-1144.36	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 36mm, Titanium	3
Screws	TI-1144.38	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 38mm, Titanium	3
	TI-1144.40	2.4mm Cortical Screws, Self-Tapping, (Star Head), Length 40mm, Titanium	3
	TI-1145.06	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 6mm, Titanium	4
	TI-1145.07	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 7mm, Titanium	4
	TI-1145.08	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 8mm, Titanium	4
	TI-1145.09	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 9mm, Titanium	4
	TI-1145.10	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 10mm, Titanium	4
	TI-1145.11	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 11mm, Titanium	4
	TI-1145.12	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 12mm, Titanium	4
	TI-1145.13	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 13mm, Titanium	4
	TI-1145.14	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 14mm, Titanium	4
	TI-1145.16	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 16mm, Titanium	4
	TI-1145.18	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 18mm, Titanium	4
	TI-1145.20	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 20mm, Titanium	2
	TI-1145.22	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 22mm, Titanium	2
	TI-1145.24	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 24mm, Titanium	2
	TI-1145.26	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 26mm, Titanium	2
	TI-1145.28	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 28mm, Titanium	2
	TI-1145.30	2.4mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 30mm, Titanium	2



1138-11

Container with Tray and Lid For 2.7mm Implant & Instrument Set



Instruments For 2.7mm Wise-lock Modular Foot System

Code	Items	Units
1137-07	Screwdriver Shaft, T8 For 2.4mm/2.7mm Screws	1
1137-03	Bending Pin With Thread For 2.4mm/2.7mm Wise-Lock Plates	2
1137-09	Holding Sleeve For 2.4/2.7mm Wise-Lock Screws	1
1136-06	Countersink For 2.0/2.4/2.7mm Screws	1
1138-01	Self-Centering Double Drill Guide Ø2.7/2.0mm	1
1138-02	Wise-Lock Drill Sleeve 2.7mm For Drill Bits Ø2.0mm	2
1138-04	Drill Bit Quick Coupling Ø2.0mm x Length 110mm, 2-Flute	2
1138-05	Drill Bit Quick Coupling Ø2.7mm x Length 102mm, 2-Flute	2
1138-41	Holding Sleeve For 2.7mm Cortical Screws	1
1138-11	Container with Tray and Lid For 2.7mm Implant & Instrument Set	1



1138-10

Container with Tray and Lid For 2.7mm Implant & Instrument Set

Instruments For 2.7mm Wise-lock Modular Foot System

	Code	Set Consisting Of	Units
Plates	TI-505.404	2.7mm Wise-Lock Plate, Straight, 4 Holes	1
	TI-505.406	2.7mm Wise-Lock Plate, Straight, 6 Holes	1
	TI-559.407	2.7mm Wise-Lock Condylar Plate, (2 Head Holes), 7 Holes	1
	TI-556.404	2.7mm Wise-Lock T-Plate, (2 Head Holes), 4 Holes	1
	TI-813.403L	2.7mm Wise-Lock L-Plate, (2 Head Holes), 3 Holes - Left	1
	TI-813.404L	2.7mm Wise-Lock L-Plate, (2 Head Holes), 4 Holes - Left	1
	TI-813.403R	2.7mm Wise-Lock L-Plate, (2 Head Holes), 3 Holes - Right	1
	TI-813.404R	2.7mm Wise-Lock L-Plate, (2 Head Holes), 4 Holes - Right	1
Screws	TI-1242.06	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 6mm, Titanium	4
	TI-1242.08	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 8mm, Titanium	4
	TI-1242.10	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 10mm, Titanium	4
	TI-1242.12	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 12mm, Titanium	4
	TI-1242.14	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 14mm, Titanium	4
	TI-1242.16	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 16mm, Titanium	4
	TI-1242.18	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 18mm, Titanium	4
	TI-1242.20	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 20mm, Titanium	4
	TI-1242.22	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 22mm, Titanium	1
	TI-1242.24	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 24mm, Titanium	1
	TI-1242.26	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 26mm, Titanium	1
	TI-1242.28	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 28mm, Titanium	1
	TI-1242.30	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 30mm, Titanium	1
	TI-1242.32	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 32mm, Titanium	4
	TI-1242.34	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 34mm, Titanium	4
	TI-1242.36	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 36mm, Titanium	4
	TI-1242.38	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 38mm, Titanium	4
	TI-1242.40	2.7mm Cortical Screws, Self-Tapping, (Star Head), Length 40mm, Titanium	4
Screws	TI-1241.06	2.7mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 6mm, Titanium	4
	TI-1241.07	2.7mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 7mm, Titanium	4
	TI-1241.08	2.7mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 8mm, Titanium	4
	TI-1241.09	2.7mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 9mm, Titanium	4
	TI-1241.10	2.7mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 10mm, Titanium	4
	TI-1241.12	2.7mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 12mm, Titanium	4
	TI-1241.14	2.7mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 14mm, Titanium	4
	TI-1241.16	2.7mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 16mm, Titanium	4
	TI-1241.18	2.7mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 18mm, Titanium	4
	TI-1241.20	2.7mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 20mm, Titanium	4
	TI-1241.22	2.7mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 22mm, Titanium	2
	TI-1241.24	2.7mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 24mm, Titanium	2
	TI-1241.26	2.7mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 26mm, Titanium	2
	TI-1241.28	2.7mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 28mm, Titanium	2
	TI-1241.30	2.7mm Wise-Lock Screws, Self-Tapping, (Star Head), Length 30mm, Titanium	2

The background of the page features a light gray, wavy, topographic-like pattern that flows from the top left and bottom left corners towards the right side, creating a sense of movement and depth. The pattern consists of numerous thin, curved lines that vary in density and curvature.

GENERAL INSTRUMENTS



1138-12

Handle with Mini Quick Coupling, for Hand & Foot System



1138-13

Handle With Quick Coupling (Straight), for Hand & Foot System



1138-14

Depth Gauge measuring upto 30mm, for Hand & Foot System



1138-15

Depth Gauge measuring upto 50mm, for Hand & Foot System



1138-17

Screw Holding Forcep, for Hand & Foot System



1138-18

Cutting Forcep, for Hand & Foot System





1138-23

Torque Limiting attachment, 0.8Nm, with AO quick coupling -
Hand & Foot System



1138-24

Torque Limiting attachment, 0.4Nm, with AO Quick Coupling -
Hand & Foot System



1138-26

Hohmann Retractor, 15mm, for Hand & Foot System



1138-27

Hohmann Retractor, 6.5mm, for Hand & Foot System



1138-28

Periosteal Elevator, Round, for Hand & Foot System



1138-29

Periosteal Elevator, Flat , for Hand & Foot System





1138-30

Cutting Plier (For pins and plates), for Hand & Foot System



1138-31

Bending Pliers for Hand & Foot System



1138-33

Reduction Forcep, Pointed, Small, for Hand & Foot System



1138-36

Plate File, for Hand & Foot System



1138-37

Reduction Forcep, Serrated Jaws, for Hand & Foot System



1138-38

Star Screwdriver for 1.5mm Screws - Hand & Foot System





1138-39

Star Screwdriver for 2.0mm Screws - Hand & Foot System



1138-40

Star Screwdriver for 2.4/2.7mm Screws - Hand & Foot System



1138-35


Container for Hand & Foot Instrument & Implant set





5001-000

Modular Hand & Foot System Instrument Set



Code	Items	Units
1138-12	Handle with Mini Quick Coupling, for Hand & Foot System	1
1138-13	Handle With Quick Coupling (Straight), for Hand & Foot System	1
1138-14	Depth Gauge measuring upto 30mm, for Hand & Foot System	1
1138-15	Depth Gauge measuring upto 50mm, for Hand & Foot System	1
1138-17	Screw Holding Forcep, for Hand & Foot System	1
1138-18	Cutting Forcep, for Hand & Foot System	1
1138-23	Torque Limiting attachment, 0.8Nm, with AO quick coupling - Hand & Foot System	1
1138-24	Torque Limiting attachment, 0.4Nm, with AO Quick Coupling - Hand & Foot System	1
1138-26	Hohmann Retractor, 15mm, for Hand & Foot System	1
1138-27	Hohmann Retractor, 6.5mm, for Hand & Foot System	1
1138-28	Periosteal Elevator, Round, for Hand & Foot System	1
1138-29	Periosteal Elevator, Flat , for Hand & Foot System	1
1138-30	Cutting Plier (For pins and plates), for Hand & Foot System	1
1138-31	Bending Pliers for Hand & Foot System	2
1138-33	Reduction Forcep, Pointed, Small, for Hand & Foot System	1
1138-36	Plate File, for Hand & Foot System	1
1138-37	Reduction Forcep, Serrated Jaws, for Hand & Foot System	1
1138-38	Star Screwdriver for 1.5mm Screws - Hand & Foot System	1
1138-39	Star Screwdriver for 2.0mm Screws - Hand & Foot System	1
1138-40	Star Screwdriver for 2.4/2.7mm Screws - Hand & Foot System	1
1138-35	Container for Hand & Foot Instrument & Implant set	1



Instruments for 1.5mm Wise-Lock Modular Hand System

Code	Items	Unit
1135-01	Double Drill Guide Ø1.5/1.1mm	1
1135-02	Wise-Lock Drill Sleeve 1.5mm For Drill Bit Ø1.1mm	2
1135-03	Bending Pin With Thread For 1.5mm Wise-Lock Plates	2
1135-04	Drill Bit Quick Coupling Ø1.1mm x Length 75/61mm, 2-Flute	2
1135-05	Drill Bit Quick Coupling Ø1.5mm x Length 65/50mm, 2-Flute	2
1135-06	Countersink For 1.5mm Screws	1
1135-07	Screwdriver Shaft, T4 for 1.5mm Screws	1
1135-08	Screw Holding Sleeve for 1.5mm Cortical Screws	1
1135-09	Screw Holding Sleeve for 1.5mm Wise-Lock Screws	1
1138-08	Container with Tray and Lid For 1.5mm Implant & Instrument Set	1

Instruments for 2.0mm Wise-Lock Modular Hand System

Code	Items	Unit
1136-01	Self-Centering Double Drill Guide Ø2.0/1.5mm	1
1136-02	Wise-Lock Drill Sleeve 2.0mm, For Drill Bit, Ø1.5mm	2
1136-03	Bending Pin with thread For 2.0mm Wise-Lock Plates	2
1136-04	Drill Bit Quick Coupling Ø1.5mm x Length 96/82mm, 2-Flute	2
1136-05	Drill Bit Quick Coupling Ø2.0mm x Length 67/55mm, 2-Flute	2
1136-06	Countersink For 2.0/2.4/2.7mm Screws	1
1136-10	Screwdriver Shaft, T6 for 2.0mm Screws	1
1136-08	Screw Holding Sleeve For 2.0mm Cortical Screws	1
1136-09	Screw Holding Sleeve For 2.0mm Wise-Lock Screws	1
1138-09	Container with Tray and Lid For 2.0mm Implant & Instrument Set	1

Instruments for 2.4mm Wise-Lock Modular Hand System

Code	Items	Unit
1137-01	Self-Centering Double Drill Guide Ø2.4/1.8mm	1
1137-02	Wise-Lock Drill Sleeve 2.4mm For Drill Bit Ø1.8mm	2
1136-06	Countersink For 2.0/2.4/2.7mm Screws	1
1137-03	Bending Pin With Thread For 2.4mm/2.7mm Wise-Lock Plates	2
1137-04	Drill Bit Quick Coupling Ø1.8mm x Length 110/82mm, 2- Flute	2
1137-05	Drill Bit Quick Coupling Ø2.4mm x Length 100/73mm, 2-Flute	2
1137-07	Screwdriver Shaft, T8 For 2.4mm/2.7mm Screws	1
1137-08	Holding Sleeve For 2.4mm Cortical Screws	1
1137-09	Holding Sleeve For 2.4/2.7mm Wise-Lock Screws	1
1138-10	Container with Tray and Lid For 2.4mm Implant & Instrument Set	1



Instruments for 2.4mm/2.7mm Wise-Lock Modular Hand System

Code	Items	Unit
1137-07	Screwdriver Shaft, T8 For 2.4mm/2.7mm Screws	1
1137-03	Bending Pin With Thread For 2.4mm/2.7mm Wise-Lock Plates	2
1137-09	Holding Sleeve For 2.4/2.7mm Wise-Lock Screws	1
1136-06	Countersink For 2.0/2.4/2.7mm Screws	1
1138-01	Self-Centering Double Drill Guide Ø2.7/2.0mm	1
1138-02	Wise-Lock Drill Sleeve 2.7mm For Drill Bits Ø2.0mm	2
1138-04	Drill Bit Quick Coupling Ø2.0mm x Length 110mm, 2-Flute	2
1138-05	Drill Bit Quick Coupling Ø2.7mm x Length 102mm, 2-Flute	2
1138-41	Holding Sleeve For 2.7mm Cortical Screws	1
1138-11	Container with Tray and Lid For 2.7mm Implant & Instrument Set	1

WISELOCK HAND & FOOT SYSTEM

The content of this catalogue is intended for healthcare professionals only. All product information, illustrations, descriptions, and specifications provided here are for general informational purposes and are subject to change without notice. Auxein Medical Pvt. Ltd. reserves the right to improve or discontinue products at any time without prior notification.

This document does not constitute medical advice. Surgeons and medical practitioners must exercise their own professional judgment when using any medical devices or instruments, including those provided by Auxein.

CLINICAL USE

The implants and instruments in this catalogue are intended for use by qualified orthopedic surgeons trained in fracture fixation procedures. Proper implant selection and surgical technique are essential for safe and effective use. Improper selection, misuse, or insufficient surgical experience may result in complications.

REGULATORY COMPLIANCE CERTIFIED

CE Approved (EUMDR-2017/745)

USFDA 510(k)

ISO 13485:2016


CDSCO

MDSAP

DISCLAIMER: Not all products in this catalogue are covered by European CE, US FDA, or other certifications. Please contact our Sales Team for product-specific certification details.

INTELLECTUAL PROPERTY

All trademarks, trade names, brand names, product names, and logos mentioned in this catalogue are the property of Auxein Medical Pvt. Ltd. Unauthorized use or reproduction is strictly prohibited.



SCAN TO KNOW MORE

INDIA
AUXEIN MEDICAL PVT.LTD.

PLOT NO. 168-169-170, PHASE-4,
KUNDLI INDUSTRIAL AREA,
HSIIDC, SECTOR-57,
SONEPAT-131028, HARYANA
TEL: +91 99106 43638
FAX: +91 86077 70197
EMAIL: INFO@AUXEIN.COM

MÉXICO
AUXEIN MÉXICO, S.A DE CV

TEPIC 39 INT 801, COLONIA
ROMA SUR,
ALCADÍA CUAUHTÉMOC, CDMX
MÉXICO, C.P 06760
TEL: +521 55 7261 0318
EMAIL: INFO@AUXEIN.MX

USA
AUXEIN INC.

1500 NW 89TH COURT,
SUITE 107-108
DORAL, FLORIDA 33172
TEL. +1 305 395 6062
E FAX: +1 305 395 62 62
EMAIL: USOFFICE@AUXEIN.COM

DUBAI UAE
AUXEIN MEDICAL

TRADING FZCO OUD METHA
OFFICES BUILDING B BLOCK,
1ST FLOOR, OFFICE NO.26,
NEAR HEALTHCARE CITY,
PO BOX-25572
TEL. +971 438 71333
EMAIL: INFO@AUXEIN.COM

WWW.AUXEIN.COM

AMPL-CTG-02-04C Rev.02 Dated : 01-07-2026